

Terence A Ketter

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/63373/terence-a-ketter-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

184
papers

10,866
citations

49
h-index

102
g-index

195
ext. papers

12,206
ext. citations

5.4
avg, IF

5.66
L-index

#	Paper	IF	Citations
184	Lithium plus antipsychotics or anticonvulsants for bipolar disorder: Comparing clinical response and metabolic changes.. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022 , 48674221077619	2.6	0
183	Adjunctive antidepressant treatment among 763 outpatients with bipolar disorder: Findings from the Bipolar CHOICE and LiTMUS trials. <i>Depression and Anxiety</i> , 2021 , 38, 114-123	8.4	3
182	Illness stage and predominant polarity in bipolar disorder: Correlation with burden of illness and moderation of treatment outcome. <i>Journal of Psychiatric Research</i> , 2021 , 140, 205-213	5.2	1
181	Antidepressants in bipolar disorder: Analysis of correlates overall, and in BD-I and BD-II subsamples. <i>Journal of Affective Disorders</i> , 2021 , 292, 352-358	6.6	1
180	Response and remission rates during 24 weeks of mood-stabilizing treatment for bipolar depression depending on early non-response. <i>Psychiatry Research</i> , 2021 , 305, 114194	9.9	
179	Expanding bipolar outreach during college. <i>Journal of Affective Disorders</i> , 2021 , 295, 28-32	6.6	
178	Has Bipolar Disorder become a predominantly female gender related condition? Analysis of recently published large sample studies. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 3	5.4	6
177	A Modified Delphi Consensus Study of the Screening, Diagnosis, and Treatment of Tardive Dyskinesia. <i>Journal of Clinical Psychiatry</i> , 2020 , 81,	4.6	4
176	Familial severe psychiatric history in bipolar disorder and correlation with disease severity and treatment response. <i>Journal of Affective Disorders</i> , 2020 , 273, 131-137	6.6	3
175	Clinical features and patterns of psychopharmacological prescription in bipolar patients with vs without anxiety disorders at onset. <i>Microbial Biotechnology</i> , 2020 , 14, 714-722	3.3	2
174	Differential core pharmacotherapy in bipolar I versus bipolar II disorder and European versus American patients not in a syndromal episode. <i>International Clinical Psychopharmacology</i> , 2020 , 35, 8-18	2.2	4
173	The impact of binge eating behavior on lithium- and quetiapine-associated changes in body weight, body mass index, and waist circumference during 6 months of treatment: Findings from the bipolar CHOICE study. <i>Journal of Affective Disorders</i> , 2020 , 266, 772-781	6.6	9
172	Bipolar depression and suicidal ideation: Moderators and mediators of a complex relationship. <i>Journal of Affective Disorders</i> , 2019 , 259, 164-172	6.6	8
171	Correlation between white blood cell count and mood-stabilising treatment response in two bipolar disorder trials. <i>Acta Neuropsychiatrica</i> , 2019 , 31, 230-234	3.9	1
170	Electronic Ecological Momentary Assessment (EMA) in youth with bipolar disorder: Demographic and clinical predictors of electronic EMA adherence. <i>Journal of Psychiatric Research</i> , 2019 , 116, 14-18	5.2	10
169	41 A Modified Delphi Consensus Approach to Clinical Guidelines for Tardive Dyskinesia. <i>CNS Spectrums</i> , 2019 , 24, 197-198	1.8	
168	Anxiety disorders anticipate the diagnosis of bipolar disorder in comorbid patients: Findings from an Italian tertiary clinic. <i>Journal of Affective Disorders</i> , 2019 , 257, 376-381	6.6	4

167	Complex polypharmacy in bipolar disorder: Side effect burden, adherence, and response predictors. <i>Journal of Affective Disorders</i> , 2019 , 257, 17-22	6.6	10
166	Antidepressants have complex associations with longitudinal depressive burden in bipolar disorder. <i>Journal of Affective Disorders</i> , 2019 , 246, 836-842	6.6	2
165	Neural responses to monetary incentives in bipolar disorder. <i>NeuroImage: Clinical</i> , 2019 , 24, 102018	5.3	10
164	Comorbid anxiety in bipolar CHOICE: Insights from the bipolar inventory of symptoms scale. <i>Journal of Affective Disorders</i> , 2019 , 246, 126-131	6.6	8
163	Patterns of changes in bipolar depressive symptoms revealed by trajectory analysis among 482 patients with bipolar disorder. <i>Bipolar Disorders</i> , 2019 , 21, 350-360	3.8	4
162	Differential prevalence and demographic and clinical correlates of antidepressant use in American bipolar I versus bipolar II disorder patients. <i>Journal of Affective Disorders</i> , 2018 , 234, 74-79	6.6	3
161	Longer-Term Effectiveness and Tolerability of Adjunctive Open Lurasidone in Patients With Bipolar Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2018 , 38, 207-211	1.7	3
160	Definition of the term "mood stabilizer". <i>Bipolar Disorders</i> , 2018 , 20, 74-75	3.8	6
159	Episode accumulation associated with hastened recurrence and delayed recovery in bipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 227, 657-664	6.6	5
158	Treatment outcomes of acute bipolar depressive episode with psychosis. <i>Depression and Anxiety</i> , 2018 , 35, 402-410	8.4	4
157	Clinical characterization of Italian suicide attempters with bipolar disorder. <i>CNS Spectrums</i> , 2018 , 23, 271-277	1.8	6
156	Differentiating multiple vs single lifetime suicide attempters with bipolar disorders: A retrospective study. <i>Comprehensive Psychiatry</i> , 2018 , 80, 214-222	7.3	8
155	The safety and tolerability of cariprazine in patients with manic or mixed episodes associated with bipolar I disorder: A 16-week open-label study. <i>Journal of Affective Disorders</i> , 2018 , 225, 350-356	6.6	20
154	Sleep disturbance may impact treatment outcome in bipolar disorder: A preliminary investigation in the context of a large comparative effectiveness trial. <i>Journal of Affective Disorders</i> , 2018 , 225, 563-568	6.6	15
153	Subjective versus objective evening chronotypes in bipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 225, 342-349	6.6	19
152	Daytime midpoint as a digital biomarker for chronotype in bipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 241, 586-591	6.6	6
151	Clinically relevant and simple immune system measure is related to symptom burden in bipolar disorder. <i>Acta Neuropsychiatrica</i> , 2018 , 30, 297-305	3.9	8
150	Decreased activation and subsyndromal manic symptoms predict lower remission rates in bipolar depression. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 994-1002	2.6	2

149	Revising , Fifth Edition, criteria for the bipolar disorders: Phase I of the AREDOC project. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 1173-1182	2.6	12
148	White blood cell count correlates with mood symptom severity and specific mood symptoms in bipolar disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 355-365	2.6	17
147	Nonsteroidal anti-inflammatory drugs (NSAIDs) and paracetamol do not affect 6-month mood-stabilizing treatment outcome among 482 patients with bipolar disorder. <i>Depression and Anxiety</i> , 2017 , 34, 281-290	8.4	9
146	Benefits and harms of low and high second-generation antipsychotics doses for bipolar depression: A meta-analysis. <i>Journal of Psychiatric Research</i> , 2017 , 88, 38-46	5.2	17
145	Bipolar mixed features - Results from the comparative effectiveness for bipolar disorder (Bipolar CHOICE) study. <i>Journal of Affective Disorders</i> , 2017 , 217, 183-189	6.6	8
144	American tertiary clinic-referred bipolar II disorder versus bipolar I disorder associated with hastened depressive recurrence. <i>International Journal of Bipolar Disorders</i> , 2017 , 5, 2	5.4	9
143	Abnormal sleep duration associated with hastened depressive recurrence in bipolar disorder. <i>Journal of Affective Disorders</i> , 2017 , 218, 374-379	6.6	16
142	Onset polarity in bipolar disorder: A strong association between first depressive episode and suicide attempts. <i>Journal of Affective Disorders</i> , 2017 , 209, 182-187	6.6	14
141	Lifetime presence of psychotic symptoms in bipolar disorder is associated with less favorable socio-demographic and certain clinical features. <i>Comprehensive Psychiatry</i> , 2017 , 76, 169-176	7.3	20
140	Lifetime anxiety disorder and current anxiety symptoms associated with hastened depressive recurrence in bipolar disorder. <i>Journal of Affective Disorders</i> , 2017 , 219, 165-171	6.6	10
139	Clinical correlates of acute bipolar depressive episode with psychosis. <i>Journal of Affective Disorders</i> , 2017 , 217, 29-33	6.6	11
138	Poor quality of life and functioning in bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2017 , 5, 10	5.4	34
137	Lifetime eating disorder comorbidity associated with delayed depressive recovery in bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2017 , 5, 25	5.4	9
136	Trajectories of suicidal ideation over 6 months among 482 outpatients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2017 , 223, 146-152	6.6	12
135	Commentary on the Risk of Treatment-Emergent Mania With Methylphenidate in Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2017 , 174, 803-804	11.9	0
134	Italian Bipolar II vs I patients have better individual functioning, in spite of overall similar illness severity. <i>CNS Spectrums</i> , 2017 , 22, 325-332	1.8	15
133	Obesity and obstetric complications are associated with rapid-cycling in Italian patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2017 , 208, 278-283	6.6	14
132	Long-term safety and tolerability of asenapine: A double-blind, uncontrolled, long-term extension trial in adults with an acute manic or mixed episode associated with bipolar I disorder. <i>Journal of Affective Disorders</i> , 2017 , 207, 384-392	6.6	9

131	Sensitive and Personalized Determinations of Likelihood of Being Helped or Harmed. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, e554	4.6	
130	Current irritability associated with hastened depressive recurrence and delayed depressive recovery in bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2016 , 4, 15	5.4	6
129	More inclusive bipolar mixed depression definitions by requiring fewer non-overlapping mood elevation symptoms. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 189-98	6.5	8
128	Differential prevalence and demographic and clinical correlates of second-generation antipsychotic use in bipolar I versus bipolar II disorder. <i>Journal of Psychiatric Research</i> , 2016 , 76, 52-8	5.2	4
127	Different characteristics associated with suicide attempts among bipolar I versus bipolar II disorder patients. <i>Journal of Psychiatric Research</i> , 2016 , 76, 94-100	5.2	15
126	A tool to predict suicidal ideation and behavior in bipolar disorder: The Concise Health Risk Tracking Self-Report. <i>Journal of Affective Disorders</i> , 2016 , 192, 212-8	6.6	10
125	Sleep, residual mood symptoms, and time to relapse in recovered patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2016 , 190, 162-166	6.6	53
124	Treatment of bipolar disorder: Review of evidence regarding quetiapine and lithium. <i>Journal of Affective Disorders</i> , 2016 , 191, 256-73	6.6	29
123	Bipolar CHOICE (Clinical Health Outcomes Initiative in Comparative Effectiveness): a pragmatic 6-month trial of lithium versus quetiapine for bipolar disorder. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, 90-9	4.6	46
122	LURASIDONE IN THE LONG-TERM TREATMENT OF PATIENTS WITH BIPOLAR DISORDER: A 24-WEEK OPEN-LABEL EXTENSION STUDY. <i>Depression and Anxiety</i> , 2016 , 33, 424-34	8.4	46
121	More inclusive bipolar mixed depression definition by permitting overlapping and non-overlapping mood elevation symptoms. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 199-206	6.5	12
120	NNT and NNH remain helpful in evidence-based medicine. <i>British Journal of Psychiatry</i> , 2016 , 209, 262-3	5.4	2
119	Current irritability robustly related to current and prior anxiety in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2016 , 79, 101-107	5.2	10
118	Long-term safety and efficacy of armodafinil in bipolar depression: A 6-month open-label extension study. <i>Journal of Affective Disorders</i> , 2016 , 197, 51-7	6.6	10
117	Age at onset in patients with bipolar I and II disorder: a comparison of large sample studies. <i>Journal of Affective Disorders</i> , 2016 , 201, 57-63	6.6	19
116	Gender by onset age interaction may characterize distinct phenotypic subgroups in bipolar patients. <i>Journal of Psychiatric Research</i> , 2016 , 76, 128-35	5.2	9
115	Tracking medication changes to assess outcomes in comparative effectiveness research: A bipolar CHOICE study. <i>Journal of Affective Disorders</i> , 2016 , 205, 159-164	6.6	5
114	Psychotherapy use in bipolar disorder: Association with functioning and illness severity. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 453-61	2.6	14

113	Recurrence rates in bipolar disorder: Systematic comparison of long-term prospective, naturalistic studies versus randomized controlled trials. <i>European Neuropsychopharmacology</i> , 2015 , 25, 1501-12	1.2	50
112	Adjunctive armodafinil for major depressive episodes associated with bipolar I disorder. <i>Journal of Affective Disorders</i> , 2015 , 181, 87-91	6.6	25
111	Childhood-compared to adolescent-onset bipolar disorder has more statistically significant clinical correlates. <i>Journal of Affective Disorders</i> , 2015 , 179, 114-20	6.6	30
110	American tertiary clinic-referred bipolar II disorder compared to bipolar I disorder: More severe in multiple ways, but less severe in a few other ways. <i>Journal of Affective Disorders</i> , 2015 , 188, 257-62	6.6	32
109	A clinical measure of suicidal ideation, suicidal behavior, and associated symptoms in bipolar disorder: Psychometric properties of the Concise Health Risk Tracking Self-Report (CHRT-SR). <i>Journal of Psychiatric Research</i> , 2015 , 71, 126-33	5.2	23
108	Recognizing the Extent of Overlap Between Bipolar Disorder and Anxiety Disorders. <i>EBioMedicine</i> , 2015 , 2, 1284-5	8.8	1
107	Treating insomnia improves mood state, sleep, and functioning in bipolar disorder: a pilot randomized controlled trial. <i>Journal of Consulting and Clinical Psychology</i> , 2015 , 83, 564-77	6.5	135
106	Randomized, placebo-controlled, adjunctive study of armodafinil for bipolar I depression: implications of novel drug design and heterogeneity of concurrent bipolar maintenance treatments. <i>International Journal of Bipolar Disorders</i> , 2015 , 3, 34	5.4	20
105	Medical burden in bipolar disorder: findings from the Clinical and Health Outcomes Initiative in Comparative Effectiveness for Bipolar Disorder study (Bipolar CHOICE). <i>Bipolar Disorders</i> , 2015 , 17, 212-23	3.8	59
104	Pharmacotherapy for bipolar depression: comparative efficacy and acceptability is in the eye of the beholder. <i>Evidence-Based Mental Health</i> , 2015 , 18, 88	11.1	0
103	Clinical characteristics of bipolar disorder: a comparative study between Argentina and the United States. <i>International Journal of Bipolar Disorders</i> , 2015 , 3, 8	5.4	6
102	Recovery in bipolar depression: Post-hoc analysis of a placebo-controlled lurasidone trial followed by a long-term continuation study. <i>Journal of Affective Disorders</i> , 2015 , 186, 376-82	6.6	8
101	Bipolar therapeutics update 2014: A tale of 3 treatments. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, 69-70	4.6	5
100	Effect of adjunctive benzodiazepines on clinical outcomes in lithium- or quetiapine-treated outpatients with bipolar I or II disorder: results from the Bipolar CHOICE trial. <i>Journal of Affective Disorders</i> , 2014 , 161, 30-5	6.6	13
99	Clinical and Health Outcomes Initiative in Comparative Effectiveness for Bipolar Disorder (Bipolar CHOICE): a pragmatic trial of complex treatment for a complex disorder. <i>Clinical Trials</i> , 2014 , 11, 114-27	2.2	48
98	Trends in pharmacotherapy in patients referred to a bipolar specialty clinic, 2000-2011. <i>Journal of Affective Disorders</i> , 2014 , 155, 283-7	6.6	30
97	Differential abnormalities of functional connectivity of the amygdala and hippocampus in unipolar and bipolar affective disorders. <i>Journal of Affective Disorders</i> , 2014 , 168, 243-53	6.6	35
96	The prevalence and burden of bipolar depression. <i>Journal of Affective Disorders</i> , 2014 , 169 Suppl 1, S3-11	6.6	116

95	Balancing benefits and harms of treatments for acute bipolar depression. <i>Journal of Affective Disorders</i> , 2014 , 169 Suppl 1, S24-33	6.6	37
94	A novel application of the Intent to Attend assessment to reduce bias due to missing data in a randomized controlled clinical trial. <i>Clinical Trials</i> , 2014 , 11, 494-502	2.2	4
93	Clinical assessment of lurasidone benefit and risk in the treatment of bipolar I depression using number needed to treat, number needed to harm, and likelihood to be helped or harmed. <i>Journal of Affective Disorders</i> , 2014 , 155, 20-7	6.6	45
92	Blood levels of brain derived neurotrophic factor in women with bipolar disorder and healthy control women. <i>Journal of Affective Disorders</i> , 2014 , 156, 214-8	6.6	12
91	Acute and maintenance treatments for bipolar depression. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, e10	4.6	5
90	Efficacy and safety of adjunctive armodafinil in adults with major depressive episodes associated with bipolar I disorder: a randomized, double-blind, placebo-controlled, multicenter trial. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, 1054-61	4.6	34
89	Association of exercise with quality of life and mood symptoms in a comparative effectiveness study of bipolar disorder. <i>Journal of Affective Disorders</i> , 2013 , 151, 722-727	6.6	58
88	The International Society for Bipolar Disorders (ISBD) task force report on antidepressant use in bipolar disorders. <i>American Journal of Psychiatry</i> , 2013 , 170, 1249-62	11.9	451
87	First controlled treatment trial of bipolar II hypomania with mixed symptoms: quetiapine versus placebo. <i>Journal of Affective Disorders</i> , 2013 , 150, 37-43	6.6	23
86	Effectiveness of quetiapine plus lamotrigine maintenance therapy in challenging bipolar disorder patients. <i>Journal of Affective Disorders</i> , 2012 , 137, 139-45	6.6	3
85	Pilot study of the efficacy of double-blind, placebo-controlled one-week olanzapine stabilization therapy in heterogeneous symptomatic bipolar disorder patients. <i>Journal of Psychiatric Research</i> , 2012 , 46, 920-6	5.2	2
84	Aripiprazole in combination with lamotrigine for the long-term treatment of patients with bipolar I disorder (manic or mixed): a randomized, multicenter, double-blind study (CN138-392). <i>Bipolar Disorders</i> , 2012 , 14, 41-53	3.8	44
83	Sleep Matters: Sleep Functioning and Course of Illness in Bipolar Disorder. <i>Focus (American Psychiatric Publishing)</i> , 2011 , 9, 471-476	1.1	
82	Sleep matters: sleep functioning and course of illness in bipolar disorder. <i>Journal of Affective Disorders</i> , 2011 , 134, 416-20	6.6	87
81	Clinical relevance of treatments for acute bipolar disorder: balancing therapeutic and adverse effects. <i>Clinical Therapeutics</i> , 2011 , 33, B40-8	3.5	18
80	Strategies for the early recognition of bipolar disorder. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, e22	4.6	5
79	Functional Brain Imaging Studies in Bipolar Disorder: Focus on Cerebral Metabolism and Blood Flow 2010 , 200-209		3
78	Management of Bipolar II Disorder 2010 , 342-352		

77	The link between bipolar disorders and creativity: evidence from personality and temperament studies. <i>Current Psychiatry Reports</i> , 2010 , 12, 522-30	9.1	21
76	Rapid antipsychotic response with ziprasidone predicts subsequent acute manic/mixed episode remission. <i>Journal of Psychiatric Research</i> , 2010 , 44, 8-14	5.2	23
75	Long-term effectiveness of quetiapine in bipolar disorder in a clinical setting. <i>Journal of Psychiatric Research</i> , 2010 , 44, 921-9	5.2	6
74	Toward interaction of affective and cognitive contributors to creativity in bipolar disorders: a controlled study. <i>Journal of Affective Disorders</i> , 2010 , 125, 27-34	6.6	43
73	Higher prevalence of bipolar I disorder among Asian and Latino compared to Caucasian patients receiving treatment. <i>Asia-Pacific Psychiatry</i> , 2010 , 2, 156-165	3.2	8
72	Adjunctive armodafinil for major depressive episodes associated with bipolar I disorder: a randomized, multicenter, double-blind, placebo-controlled, proof-of-concept study. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1363-70	4.6	71
71	Nosology, diagnostic challenges, and unmet needs in managing bipolar disorder. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, e27	4.6	14
70	Strategies for monitoring outcomes in patients with bipolar disorder. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2010 , 12, 10-6		18
69	Decreased prefrontal, anterior cingulate, insula, and ventral striatal metabolism in medication-free depressed outpatients with bipolar disorder. <i>Journal of Psychiatric Research</i> , 2009 , 43, 181-8	5.2	77
68	Sleep functioning in relation to mood, function, and quality of life at entry to the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). <i>Journal of Affective Disorders</i> , 2009 , 114, 41-9	6.6	96
67	Treating bipolar disorder: monotherapy versus combination therapy. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, e42	4.6	3
66	Depressive illness burden associated with complex polypharmacy in patients with bipolar disorder: findings from the STEP-BD. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 155-62	4.6	112
65	Effectiveness of lamotrigine in bipolar disorder in a clinical setting. <i>Journal of Psychiatric Research</i> , 2008 , 43, 13-23	5.2	16
64	Post-dexamethasone cortisol correlates with severity of depression before and during carbamazepine treatment in women but not men. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 104, 397-401	6.5	1
63	Incorporating trial data into bipolar disorder management. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, e21	4.6	2
62	Combination therapy versus monotherapy in bipolar disorder. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, e34	4.6	8
61	Monotherapy versus combined treatment with second-generation antipsychotics in bipolar disorder. <i>Journal of Clinical Psychiatry</i> , 2008 , 69 Suppl 5, 9-15	4.6	14
60	Effectiveness of adjunctive antidepressant treatment for bipolar depression. <i>New England Journal of Medicine</i> , 2007 , 356, 1711-22	59.2	671

59	Enhanced creativity in bipolar disorder patients: a controlled study. <i>Journal of Affective Disorders</i> , 2007 , 100, 31-9	6.6	96
58	Temperament-creativity relationships in mood disorder patients, healthy controls and highly creative individuals. <i>Journal of Affective Disorders</i> , 2007 , 100, 41-8	6.6	59
57	Rates of remission/euthymia with quetiapine monotherapy compared with placebo in patients with acute mania. <i>Journal of Affective Disorders</i> , 2007 , 100 Suppl 1, S45-53	6.6	17
56	Thirty years of clinical experience with carbamazepine in the treatment of bipolar illness: principles and practice. <i>CNS Drugs</i> , 2007 , 21, 47-71	6.7	44
55	Overweight and obesity in bipolar disorders. <i>Journal of Psychiatric Research</i> , 2006 , 40, 762-4	5.2	50
54	Predictors of recurrence in bipolar disorder: primary outcomes from the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). <i>American Journal of Psychiatry</i> , 2006 , 163, 217-24	11.9	473
53	Adjunctive aripiprazole in treatment-resistant bipolar depression. <i>Annals of Clinical Psychiatry</i> , 2006 , 18, 169-72	1.4	45
52	Treatment-resistant bipolar depression: a STEP-BD equipoise randomized effectiveness trial of antidepressant augmentation with lamotrigine, inositol, or risperidone. <i>American Journal of Psychiatry</i> , 2006 , 163, 210-6	11.9	190
51	Perceptions of weight gain and bipolar pharmacotherapy: results of a 2005 survey of physicians in clinical practice. <i>Current Medical Research and Opinion</i> , 2006 , 22, 2345-53	2.5	29
50	Question-and-Answer Forum. <i>CNS Spectrums</i> , 2006 , 11, 15-16	1.8	
49	Effects of the Female Reproductive System on Bipolar Disorder. <i>CNS Spectrums</i> , 2006 , 11, 5-6	1.8	
48	Impact of Lamotrigine and Lithium on Weight in Obese and Nonobese Patients With Bipolar I Disorder. <i>American Journal of Psychiatry</i> , 2006 , 163, 1199-1201	11.9	57
47	Effects of lamotrigine and lithium on body weight during maintenance treatment of bipolar I disorder. <i>Bipolar Disorders</i> , 2006 , 8, 175-81	3.8	51
46	Magnetic resonance spectroscopic measurement of cerebral gamma-aminobutyric acid concentrations in patients with bipolar disorders. <i>Acta Neuropsychiatrica</i> , 2006 , 18, 120-6	3.9	47
45	Differential efficacy of olanzapine and lithium in preventing manic or mixed recurrence in patients with bipolar I disorder based on number of previous manic or mixed episodes. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 95-101	4.6	60
44	The effect of dermatologic precautions on the incidence of rash with addition of lamotrigine in the treatment of bipolar I disorder: a randomized trial. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 400-6	4.6	19
43	Mood stabilizers and atypical antipsychotics: bimodal treatments for bipolar disorder. <i>Psychopharmacology Bulletin</i> , 2006 , 39, 120-46	0.9	10
42	Temperamental commonalities and differences in euthymic mood disorder patients, creative controls, and healthy controls. <i>Journal of Affective Disorders</i> , 2005 , 85, 207-15	6.6	120

41	A randomized, double-blind, placebo-controlled trial of quetiapine in the treatment of bipolar I or II depression. <i>American Journal of Psychiatry</i> , 2005 , 162, 1351-60	11.9	677
40	Extended-release carbamazepine capsules as monotherapy for acute mania in bipolar disorder: a multicenter, randomized, double-blind, placebo-controlled trial. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 323-30	4.6	123
39	Dermatology precautions and slower titration yield low incidence of lamotrigine treatment-emergent rash. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 642-5	4.6	36
38	The Texas implementation of medication algorithms: update to the algorithms for treatment of bipolar I disorder. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 870-86	4.6	250
37	Demographic and diagnostic characteristics of the first 1000 patients enrolled in the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). <i>Bipolar Disorders</i> , 2004 , 6, 460-9	3.8	97
36	Psychotic bipolar disorders: dimensionally similar to or categorically different from schizophrenia?. <i>Journal of Psychiatric Research</i> , 2004 , 38, 47-61	5.2	61
35	A multicenter, randomized, double-blind, placebo-controlled trial of extended-release carbamazepine capsules as monotherapy for bipolar disorder patients with manic or mixed episodes. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 478-84	4.6	216
34	A 6-month, multicenter, open-label evaluation of beaded, extended-release carbamazepine capsule monotherapy in bipolar disorder patients with manic or mixed episodes. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 668-73	4.6	50
33	Olanzapine versus divalproex sodium for the treatment of acute mania and maintenance of remission: a 47-week study. <i>American Journal of Psychiatry</i> , 2003 , 160, 1263-71	11.9	250
32	Potential mechanisms of action of lamotrigine in the treatment of bipolar disorders. <i>Journal of Clinical Psychopharmacology</i> , 2003 , 23, 484-95	1.7	95
31	Rationale, design, and methods of the systematic treatment enhancement program for bipolar disorder (STEP-BD). <i>Biological Psychiatry</i> , 2003 , 53, 1028-42	7.9	421
30	Efficacy of olanzapine and olanzapine-fluoxetine combination in the treatment of bipolar I depression. <i>Archives of General Psychiatry</i> , 2003 , 60, 1079-88		668
29	The diverse roles of anticonvulsants in bipolar disorders. <i>Annals of Clinical Psychiatry</i> , 2003 , 15, 95-108	1.4	12
28	The emerging differential roles of GABAergic and ant glutamatergic agents in bipolar disorders. <i>Journal of Clinical Psychiatry</i> , 2003 , 64 Suppl 3, 15-20	4.6	7
27	Synaptic, intracellular, and neuroprotective mechanisms of anticonvulsants: are they relevant for the treatment and course of bipolar disorders?. <i>Journal of Affective Disorders</i> , 2002 , 69, 1-14	6.6	80
26	Neuroimaging studies of bipolar depression: functional neuropathology, treatment effects, and predictors of clinical response. <i>Clinical Neuroscience Research</i> , 2002 , 2, 182-192		11
25	Olanzapine in diverse syndromal and subsyndromal exacerbations of bipolar disorders. <i>Bipolar Disorders</i> , 2002 , 4, 328-34	3.8	10
24	Clinical predictors of response to lamotrigine and gabapentin monotherapy in refractory affective disorders. <i>Biological Psychiatry</i> , 2002 , 51, 253-60	7.9	88

23	Regional cerebral glucose utilization in patients with a range of severities of unipolar depression. <i>Biological Psychiatry</i> , 2002 , 51, 237-52	7.9	236
22	The Emerging Role of Olanzapine in Bipolar Disorders. <i>Psychiatric Annals</i> , 2002 , 32, 753-762	0.5	4
21	Stabilization of mood from below versus above baseline in bipolar disorder: a new nomenclature. <i>Journal of Clinical Psychiatry</i> , 2002 , 63, 146-51	4.6	125
20	Predictors of treatment response in bipolar disorders: evidence from clinical and brain imaging studies. <i>Journal of Clinical Psychiatry</i> , 2002 , 63 Suppl 3, 21-5	4.6	11
19	Effects of mood and subtype on cerebral glucose metabolism in treatment-resistant bipolar disorder. <i>Biological Psychiatry</i> , 2001 , 49, 97-109	7.9	260
18	Special issues in the treatment of paediatric bipolar disorder. <i>Expert Opinion on Pharmacotherapy</i> , 2001 , 2, 613-22	4	22
17	Post-dexamethasone cortisol correlates with severity of depression before and during carbamazepine treatment in women but not men. <i>Acta Psychiatrica Scandinavica</i> , 2001 , 104, 397-401	6.5	12
16	Biology and recent brain imaging studies in affective psychoses. <i>Current Psychiatry Reports</i> , 2000 , 2, 298-304	3.04	8
15	Decreased dorsolateral prefrontal N-acetyl aspartate in bipolar disorder. <i>Biological Psychiatry</i> , 2000 , 47, 475-81	7.9	254
14	Regional cerebral metabolism associated with anxiety symptoms in affective disorder patients. <i>Biological Psychiatry</i> , 2000 , 48, 1020-3	7.9	153
13	The increasing use of polypharmacotherapy for refractory mood disorders: 22 years of study. <i>Journal of Clinical Psychiatry</i> , 2000 , 61, 9-15	4.6	285
12	A placebo-controlled study of lamotrigine and gabapentin monotherapy in refractory mood disorders. <i>Journal of Clinical Psychopharmacology</i> , 2000 , 20, 607-14	1.7	316
11	Metabolism and excretion of mood stabilizers and new anticonvulsants. <i>Cellular and Molecular Neurobiology</i> , 1999 , 19, 511-32	4.6	50
10	Baseline cerebral hypermetabolism associated with carbamazepine response, and hypometabolism with nimodipine response in mood disorders. <i>Biological Psychiatry</i> , 1999 , 46, 1364-74	7.9	68
9	Nimodipine monotherapy and carbamazepine augmentation in patients with refractory recurrent affective illness. <i>Journal of Clinical Psychopharmacology</i> , 1998 , 18, 404-13	1.7	71
8	Depressed Subjects Have Decreased rCBF Activation During Facial Emotion Recognition. <i>CNS Spectrums</i> , 1997 , 2, 45-55	1.8	2
7	Functional Brain Imaging, Limbic Function, and Affective Disorders. <i>Neuroscientist</i> , 1996 , 2, 55-65	7.6	73
6	Daily repetitive transcranial magnetic stimulation (rTMS) improves mood in depression. <i>NeuroReport</i> , 1995 , 6, 1853-6	1.7	678

5	The emerging role of cytochrome P450 3A in psychopharmacology. <i>Journal of Clinical Psychopharmacology</i> , 1995 , 15, 387-98	1.7	122
4	Preliminary controlled trial of nimodipine in ultra-rapid cycling affective dysregulation. <i>Psychiatry Research</i> , 1993 , 49, 257-72	9.9	110
3	New developments in the use of anticonvulsants as mood stabilizers. <i>Neuropsychobiology</i> , 1993 , 27, 132-7		19
2	Synergy of Carbamazepine and. <i>Journal of Clinical Psychopharmacology</i> , 1992 , 12, 276-281	1.7	23
1	Carbamazepine-Induced Increases in Total Serum Cholesterol. <i>Journal of Clinical Psychopharmacology</i> , 1992 , 12, 431-437	1.7	24