## Paola Cremonesi

## List of Publications by Citations

Source: https://exaly.com/author-pdf/6338362/paola-cremonesi-publications-by-citations.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58 1,082 20 30 g-index

60 1,414 4.6 avg, IF L-index

#	Paper	IF	Citations
58	Development of a multiplex PCR assay for the identification of Staphylococcus aureus enterotoxigenic strains isolated from milk and dairy products. <i>Molecular and Cellular Probes</i> , <b>2005</b> , 19, 299-305	3.3	86
57	A microdialysis technique for continuous subcutaneous glucose monitoring in diabetic patients (part 1). <i>Biosensors and Bioelectronics</i> , <b>2003</b> , 18, 891-8	11.8	75
56	Advances in DNA Microarray Technology for the Detection of Foodborne Pathogens. <i>Food and Bioprocess Technology</i> , <b>2011</b> , 4, 936-953	5.1	52
55	Characterization of Staphylococcus aureus strains isolated from Italian dairy products by MALDI-TOF mass fingerprinting. <i>Electrophoresis</i> , <b>2012</b> , 33, 2355-64	3.6	45
54	Isolates from Bovine Mastitis in Eight Countries: Genotypes, Detection of Genes Encoding Different Toxins and Other Virulence Genes. <i>Toxins</i> , <b>2018</b> , 10,	4.9	44
53	Milk microbiome diversity and bacterial group prevalence in a comparison between healthy Holstein Friesian and Rendena cows. <i>PLoS ONE</i> , <b>2018</b> , 13, e0205054	3.7	40
52	Strengthening insights into host responses to mastitis infection in ruminants by combining heterogeneous microarray data sources. <i>BMC Genomics</i> , <b>2011</b> , 12, 225	4.5	38
51	What we have lost: Mastitis resistance in Holstein Friesians and in a local cattle breed. <i>Research in Veterinary Science</i> , <b>2018</b> , 116, 88-98	2.5	38
50	A microdialysis technique for continuous subcutaneous glucose monitoring in diabetic patients (part 2). <i>Biosensors and Bioelectronics</i> , <b>2003</b> , 18, 899-905	11.8	37
49	Identification of Clostridium beijerinckii, Cl. butyricum, Cl. sporogenes, Cl. tyrobutyricum isolated from silage, raw milk and hard cheese by a multiplex PCR assay. <i>Journal of Dairy Research</i> , <b>2012</b> , 79, 318	3-23	36
48	Response of the goat mammary gland to infection with Staphylococcus aureus revealed by gene expression profiling in milk somatic and white blood cells. <i>BMC Genomics</i> , <b>2012</b> , 13, 540	4.5	35
47	Common bean (Phaseolus vulgaris L.) PvTIFY orchestrates global changes in transcript profile response to jasmonate and phosphorus deficiency. <i>BMC Plant Biology</i> , <b>2013</b> , 13, 26	5.3	34
46	Enterococcus lactis sp. nov., from Italian raw milk cheeses. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2012</b> , 62, 1992-1996	2.2	34
45	Pathogen detection in milk samples by ligation detection reaction-mediated universal array method. <i>Journal of Dairy Science</i> , <b>2009</b> , 92, 3027-39	4	31
44	Development of a Droplet Digital Polymerase Chain Reaction for Rapid and Simultaneous Identification of Common Foodborne Pathogens in Soft Cheese. <i>Frontiers in Microbiology</i> , <b>2016</b> , 7, 1725	5.7	31
43	Development of 23 individual TaqMan real-time PCR assays for identifying common foodborne pathogens using a single set of amplification conditions. <i>Food Microbiology</i> , <b>2014</b> , 43, 35-40	6	25
42	Differentially expressed genes associated with Staphylococcus aureus mastitis in dairy goats. <i>Veterinary Immunology and Immunopathology</i> , <b>2010</b> , 135, 208-17	2	24

41	Circulating endothelial progenitors are increased in COVID-19 patients and correlate with SARS-CoV-2 RNA in severe cases. <i>Journal of Thrombosis and Haemostasis</i> , <b>2020</b> , 18, 2744-2750	15.4	23
40	Microbial population profile during ripening of Protected Designation of Origin (PDO) Silter cheese, produced with and without autochthonous starter culture. <i>LWT - Food Science and Technology</i> , <b>2017</b> , 84, 821-831	5∙4	21
39	Development of a pentaplex PCR assay for the simultaneous detection of Streptococcus thermophilus, Lactobacillus delbrueckii subsp. bulgaricus, L. delbrueckii subsp. lactis, L. helveticus, L. fermentum in whey starter for Grana Padano cheese. <i>International Journal of Food Microbiology</i> ,	5.8	21
38	<b>2011</b> , 146, 207-11 Isolation and characterisation of an enterocin P-producing Enterococcus lactis strain from a fresh shrimp (Penaeus vannamei). <i>Antonie Van Leeuwenhoek</i> , <b>2017</b> , 110, 771-786	2.1	20
37	Development of a triplex real-time PCR assay for the simultaneous detection of Clostridium beijerinckii, Clostridium sporogenes and Clostridium tyrobutyricum in milk. <i>Anaerobe</i> , <b>2015</b> , 34, 44-9	2.8	20
36	Differential biodiversity responses between kingdoms (plants, fungi, bacteria and metazoa) along an Alpine succession gradient. <i>Molecular Ecology</i> , <b>2018</b> , 27, 3671-3685	5.7	20
35	Clonal diversity, virulence-associated genes and antimicrobial resistance profile of Staphylococcus aureus isolates from nasal cavities and soft tissue infections in wild ruminants in Italian Alps. <i>Veterinary Microbiology</i> , <b>2014</b> , 170, 157-61	3.3	18
34	Safety characterisation and inhibition of fungi and bacteria by a novel multiple enterocin-producing Enterococcus lactis 4CP3 strain. <i>Microbial Pathogenesis</i> , <b>2018</b> , 118, 32-38	3.8	16
33	Simultaneous identification by multiplex PCR of major Prototheca spp. isolated from bovine and buffalo intramammary infection and bulk tank. <i>Letters in Applied Microbiology</i> , <b>2014</b> , 59, 642-7	2.9	16
32	ORMA: a tool for identification of species-specific variations in 16S rRNA gene and oligonucleotides design. <i>Nucleic Acids Research</i> , <b>2009</b> , 37, e109	20.1	16
31	Technological characterisation, antibiotic susceptibility and antimicrobial activity of wild-type Leuconostoc strains isolated from North Italian traditional cheeses. <i>Journal of Dairy Research</i> , <b>2013</b> , 80, 457-66	1.6	14
30	Genome sequence and analysis of Lactobacillus helveticus. Frontiers in Microbiology, 2012, 3, 435	5.7	14
29	Evaluation of internal reference genes for quantitative expression analysis by real-time reverse transcription-PCR in somatic cells from goat milk. <i>Journal of Dairy Science</i> , <b>2013</b> , 96, 7932-44	4	13
28	Milk lactose and lactulose determination by the differential pH technique. <i>Dairy Science and Technology</i> , <b>2003</b> , 83, 409-416		13
27	Biotechnological potential, probiotic and safety properties of newly isolated enterocin-producing Enterococcus lactis strains. <i>LWT - Food Science and Technology</i> , <b>2018</b> , 92, 361-370	5.4	12
26	Safety, potential biotechnological and probiotic properties of bacteriocinogenic Enterococcus lactis strains isolated from raw shrimps. <i>Microbial Pathogenesis</i> , <b>2018</b> , 117, 109-117	3.8	10
25	Technical note: Identification of Prototheca species from bovine milk samples by PCR-single strand conformation polymorphism. <i>Journal of Dairy Science</i> , <b>2012</b> , 95, 6963-8	4	10
24	RAPD-PCR characterisation of two Enterococcus lactis strains and their potential on Listeria monocytogenes growth behaviour in stored chicken breast meats: Generalised linear mixed-effects approaches. LWT - Food Science and Technology, 2019, 99, 244-253	5.4	10

23	Transcript profiling of common bean nodules subjected to oxidative stress. <i>Physiologia Plantarum</i> , <b>2013</b> , 149, 389-407	4.6	8
22	Characterization of Bacterial Microbiota Composition along the Gastrointestinal Tract in Rabbits. <i>Animals</i> , <b>2020</b> , 11,	3.1	8
21	Genome sequencing of Prototheca zopfii genotypes 1 and 2 provides evidence of a severe reduction in organellar genomes. <i>Scientific Reports</i> , <b>2018</b> , 8, 14637	4.9	8
20	Identification of virulence factors in 16S-23S rRNA intergenic spacer genotyped Staphylococcus aureus isolated from water buffaloes and small ruminants. <i>Journal of Dairy Science</i> , <b>2013</b> , 96, 7666-74	4	7
19	The Role of Innate Immune Response and Microbiome in Resilience of Dairy Cattle to Disease: The Mastitis Model. <i>Animals</i> , <b>2020</b> , 10,	3.1	7
18	Prototheca blaschkeae subsp. brasiliensis subsp. nov., isolated from cow milk. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2017</b> , 67, 3865-3871	2.2	6
17	From Goats Are Genetically Heterogeneous and Distinct to Bovine Ones. <i>Frontiers in Veterinary Science</i> , <b>2020</b> , 7, 628	3.1	5
16	Surface-activated chemical ionization and cation exchange chromatography for the analysis of enterotoxin A. <i>Journal of Mass Spectrometry</i> , <b>2009</b> , 44, 1482-8	2.2	5
15	Enzymatic reactions for the determination of sugars in food samples using the differential pH technique. <i>Analyst, The</i> , <b>2001</b> , 126, 2149-52	5	5
14	A Randomized Controlled Trial of Teat-Sealant and Antibiotic Dry-Cow Treatments for Mastitis Prevention Shows Similar Effect on the Healthy Milk Microbiome. <i>Frontiers in Veterinary Science</i> , <b>2020</b> , 7, 581	3.1	5
13	Short communication: Characterization of Staphylococcus aureus from bulk tank milk of dairy cattle in Lombardy (northern Italy). <i>Journal of Dairy Science</i> , <b>2020</b> , 103, 2685-2692	4	4
12	The effect of selection on casein genetic polymorphisms and haplotypes in Italian Holstein cattle. <i>Italian Journal of Animal Science</i> , <b>2020</b> , 19, 833-839	2.2	4
11	Technical note: Development of multiplex PCR assays for the molecular characterization of Streptococcus uberis strains isolated from bovine mastitis. <i>Journal of Dairy Science</i> , <b>2020</b> , 103, 915-921	4	3
10	Feeding Pre-weaned Calves With Waste Milk Containing Antibiotic Residues Is Related to a Higher Incidence of Diarrhea and Alterations in the Fecal Microbiota. <i>Frontiers in Veterinary Science</i> , <b>2021</b> , 8, 650150	3.1	3
9	Pentraxin 3 is up-regulated in epithelial mammary cells during Staphylococcus aureus intra-mammary infection in goat. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , <b>2018</b> , 59, 8-16	2.6	3
8	Raw Milk Microbiota Modifications as Affected by Chlorine Usage for Cleaning Procedures: The Trentingrana PDO Case. <i>Frontiers in Microbiology</i> , <b>2020</b> , 11, 564749	5.7	2
7	Array Platform for Food Safety and Quality <b>2012</b> , 13-56		1
6	Bovine Milk Microbiota: Comparison among Three Different DNA Extraction Protocols To Identify a Better Approach for Bacterial Analysis. <i>Microbiology Spectrum</i> , <b>2021</b> , 9, e0037421	8.9	1

## LIST OF PUBLICATIONS

5	Comparison of the response of mammary gland tissue from two divergent lines of goat with high and low milk somatic cell scores to an experimental Staphylococcus aureus infection. <i>Veterinary Immunology and Immunopathology</i> , <b>2021</b> , 234, 110208	2	1
4	High biodiversity in a limited mountain area revealed in the traditional production of Historic Rebel cheese by an integrated microbiota-lipidomic approach. <i>Scientific Reports</i> , <b>2021</b> , 11, 10374	4.9	1
3	Development of quantitative real-time PCR and digital droplet-PCR assays for rapid and early detection of the spoilage yeasts Saccharomycopsis fibuligera and Wickerhamomyces anomalus in bread. <i>Food Microbiology</i> , <b>2022</b> , 101, 103894	6	1
2	Gut microbiome modifications over time when removing in-feed antibiotics from the prophylaxis of post-weaning diarrhea in piglets <i>PLoS ONE</i> , <b>2022</b> , 17, e0262199	3.7	1
1	Comparative secretome analysis of strains with different within-herd intramammary infection prevalence <i>Virulence</i> , <b>2022</b> , 13, 174-190	4.7	0