

Evangelia Diapouli

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6340527/evangelia-diapouli-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65
papers

2,126
citations

26
h-index

45
g-index

68
ext. papers

2,535
ext. citations

5.4
avg, IF

4.77
L-index

#	Paper	IF	Citations
65	Source apportionment of children daily exposure to particulate matter.. <i>Science of the Total Environment</i> , 2022 , 155349	10.2	2
64	A new on-line SPE LC-HRMS method for the analysis of Perfluoroalkyl and Polyfluoroalkyl Substances (PFAS) in PM and its application for screening atmospheric particulates from Dublin and Enniscorthy, Ireland.. <i>Science of the Total Environment</i> , 2022 , 155496	10.2	1
63	Scenario analysis of strategies to control air pollution. <i>Urban Climate</i> , 2022 , 44, 101201	6.8	0
62	Assessment of children's exposure to carbonaceous matter and to PM major and trace elements. <i>Science of the Total Environment</i> , 2021 , 807, 151021	10.2	2
61	Aerosol microphysics and chemistry reveal the COVID19 lockdown impact on urban air quality. <i>Scientific Reports</i> , 2021 , 11, 14477	4.9	2
60	Chemical characterisation of particulate matter in urban transport modes. <i>Journal of Environmental Sciences</i> , 2021 , 100, 51-61	6.4	15
59	Quantitative assessment of the variability in chemical profiles from source apportionment analysis of PM10 and PM2.5 at different sites within a large metropolitan area. <i>Environmental Research</i> , 2021 , 192, 110257	7.9	9
58	First-Time Source Apportionment Analysis of Deposited Particulate Matter from a Moss Biomonitoring Study in Northern Greece. <i>Atmosphere</i> , 2021 , 12, 208	2.7	3
57	Analysis of spatial factors, time-activity and infiltration on outdoor generated PM exposures of school children in five European cities. <i>Science of the Total Environment</i> , 2021 , 785, 147111	10.2	4
56	Relationship between indoor and outdoor size-fractionated particulate matter in urban microenvironments: Levels, chemical composition and sources. <i>Environmental Research</i> , 2020 , 183, 109203	7.9	30
55	Children's exposure and dose assessment to particulate matter in Lisbon. <i>Building and Environment</i> , 2020 , 171, 106666	6.5	30
54	Evaluation of receptor and chemical transport models for PM10 source apportionment. <i>Atmospheric Environment: X</i> , 2020 , 5, 100053	2.8	23
53	Contribution of locally-produced and transported air pollution to particulate matter in a small insular coastal city. <i>Atmospheric Pollution Research</i> , 2020 , 11, 667-678	4.5	5
52	Particle exposure and inhaled dose while commuting in Lisbon. <i>Environmental Pollution</i> , 2020 , 257, 113543	4.7	26
51	Ambient particulate matter source apportionment using receptor modelling in European and Central Asia urban areas. <i>Environmental Pollution</i> , 2020 , 266, 115199	9.3	30
50	Aerosol carbonaceous, elemental and ionic composition variability and origin at the Siberian High Arctic, Cape Baranova. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2020 , 72, 1-14	3.3	8
49	Summertime particulate matter and its composition in Greece. <i>Atmospheric Environment</i> , 2019 , 213, 597-607	5.9	11

48	Long-range transported biomass-burning aerosols from large-scale wildfires in Russia and surrounding regions with respect to radioactive tracers. <i>Air Quality, Atmosphere and Health</i> , 2019 , 12, 627-634	5.6	0
47	Source apportionment of the oxidative potential of fine ambient particulate matter (PM) in Athens, Greece. <i>Science of the Total Environment</i> , 2019 , 653, 1407-1416	10.2	34
46	East Siberian Arctic background and black carbon polluted aerosols at HMO Tiksi. <i>Science of the Total Environment</i> , 2019 , 655, 924-938	10.2	28
45	A new method to retrieve the real part of the equivalent refractive index of atmospheric aerosols. <i>Journal of Aerosol Science</i> , 2018 , 117, 54-62	4.3	11
44	Smoke aerosol chemistry and aging of Siberian biomass burning emissions in a large aerosol chamber. <i>Atmospheric Environment</i> , 2018 , 185, 15-28	5.3	18
43	PM10 and Elemental Concentrations in a Dismantling Plant for Waste of Electrical and Electronic Equipment in Greece. <i>Aerosol and Air Quality Research</i> , 2018 , 18, 1457-1469	4.6	7
42	XRF characterization and source apportionment of PM10 samples collected in a coastal city. <i>X-Ray Spectrometry</i> , 2018 , 47, 190-200	0.9	23
41	Estimation of the Personal Deposited Dose of Particulate Matter and Particle-Bound Metals Using Data from Selected European Cities. <i>Atmosphere</i> , 2018 , 9, 248	2.7	8
40	Evolution of air pollution source contributions over one decade, derived by PM10 and PM2.5 source apportionment in two metropolitan urban areas in Greece. <i>Atmospheric Environment</i> , 2017 , 164, 416-430	5.3	70
39	Characterization of PM chemical composition at the Demokritos suburban station, in Athens Greece. The influence of Saharan dust. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 11836-11846	5.1	14
38	Polycyclic aromatic hydrocarbons and their derivatives (nitro-PAHs, oxygenated PAHs, and azaarenes) in PM from Southern European cities. <i>Science of the Total Environment</i> , 2017 , 595, 494-504	10.2	122
37	Annual Variability of Black Carbon Concentrations Originating from Biomass and Fossil Fuel Combustion for the Suburban Aerosol in Athens, Greece. <i>Atmosphere</i> , 2017 , 8, 234	2.7	37
36	Study on particulate matter air pollution, source origin, and human health risk based of PM10 metal content in Volos City, Greece. <i>Toxicological and Environmental Chemistry</i> , 2017 , 99, 691-709	1.4	11
35	Assessment of PM2.5 sources and their corresponding level of uncertainty in a coastal urban area using EPA PMF 5.0 enhanced diagnostics. <i>Science of the Total Environment</i> , 2017 , 574, 155-164	10.2	104
34	From hygroscopic aerosols to cloud droplets: The HygrA-CD campaign in the Athens basin - An overview. <i>Science of the Total Environment</i> , 2017 , 574, 216-233	10.2	7
33	AIRUSE-LIFE +: estimation of natural source contributions to urban ambient air PM ₁₀ and PM _{2.5} concentrations in southern Europe [Implications to compliance with limit values. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 3673-3685	6.8	49
32	Long Term Flux of Saharan Dust to the Aegean Sea around the Attica Region, Greece. <i>Frontiers in Marine Science</i> , 2017 , 4,	4.5	9
31	Aerosol Pollutants during Agricultural Biomass Burning: A Case Study in Ba Vi Region in Hanoi, Vietnam. <i>Aerosol and Air Quality Research</i> , 2017 , 17, 2762-2779	4.6	16

30	Source apportionment of PM and PM in major urban Greek agglomerations using a hybrid source-receptor modeling process. <i>Science of the Total Environment</i> , 2017 , 601-602, 906-917	10.2	23
29	Optical-microphysical and physical-chemical characteristics of Siberian biomass burning: Experiments in Aerosol Chamber. <i>Atmospheric and Oceanic Optics</i> , 2016 , 29, 492-500	0.8	13
28	AIRUSE-LIFE+: a harmonized PM speciation and source apportionment in five Southern European cities. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 3289-3309	6.8	191
27	Assessment of factors influencing PM mass concentration measured by gravimetric & beta attenuation techniques at a suburban site. <i>Atmospheric Environment</i> , 2016 , 131, 409-417	5.3	23
26	Factors controlling air quality in different European subway systems. <i>Environmental Research</i> , 2016 , 146, 35-46	7.9	99
25	Case Studies of Source Apportionment and Suggested Measures at Southern European Cities. <i>Issues in Environmental Science and Technology</i> , 2016 , 168-263	0.7	4
24	Impact of Smoke Intensity on Size-Resolved Aerosol Composition and Microstructure during the Biomass Burning Season in Northwest Vietnam. <i>Aerosol and Air Quality Research</i> , 2016 , 16, 2635-2654	4.6	16
23	An iterative method for evaluating the inter-comparability between chemical mass balance and multivariate receptor models. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2016 , 155, 97-108	3.8	4
22	ECOC comparison exercise with identical thermal protocols after temperature offset correction □ instrument diagnostics by in-depth evaluation of operational parameters. <i>Atmospheric Measurement Techniques</i> , 2015 , 8, 779-792	4	69
21	The risks of acute exposure to black carbon in Southern Europe: results from the MED-PARTICLES project. <i>Occupational and Environmental Medicine</i> , 2015 , 72, 123-9	2.1	40
20	Source apportionment by PMF on elemental concentrations obtained by PIXE analysis of PM10 samples collected at the vicinity of lignite power plants and mines in Megalopolis, Greece. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2015 , 349, 114-124	1.2	47
19	A new methodology to assess the performance and uncertainty of source apportionment models II: The results of two European intercomparison exercises. <i>Atmospheric Environment</i> , 2015 , 123, 240-250	5.3	54
18	Small-Scale Study of Siberian Biomass Burning: I. Smoke Microstructure. <i>Aerosol and Air Quality Research</i> , 2015 , 15, 117-128	4.6	22
17	A Pilot Investigation of PM Indoor/Outdoor Mass Concentration and Chemical Analysis during a Period of Extensive Fireplace Use in Athens. <i>Aerosol and Air Quality Research</i> , 2015 , 15, 2485-2495	4.6	18
16	Physicochemical characterization of aged biomass burning aerosol after long-range transport to Greece from large scale wildfires in Russia and surrounding regions, Summer 2010. <i>Atmospheric Environment</i> , 2014 , 96, 393-404	5.3	45
15	Estimating the concentration of indoor particles of outdoor origin: a review. <i>Journal of the Air and Waste Management Association</i> , 2013 , 63, 1113-29	2.4	95
14	Impact of the 2009 Attica wild fires on the air quality in urban Athens. <i>Atmospheric Environment</i> , 2012 , 46, 536-544	5.3	40
13	Assessing PM10 source reduction in urban agglomerations for air quality compliance. <i>Journal of Environmental Monitoring</i> , 2012 , 14, 266-78		14

12	Radioactive pollution in Athens, Greece due to the Fukushima nuclear accident. <i>Journal of Environmental Radioactivity</i> , 2012 , 114, 100-4	2.4	42
11	Soot reference materials for instrument calibration and intercomparisons: a workshop summary with recommendations. <i>Atmospheric Measurement Techniques</i> , 2012 , 5, 1869-1887	4	162
10	Soot Reference Materials for instrument calibration and intercomparisons: a workshop summary with recommendations 2012 ,		8
9	On the quantification of atmospheric carbonate carbon by thermal/optical analysis protocols. <i>Atmospheric Measurement Techniques</i> , 2011 , 4, 2409-2419	4	55
8	Indoor and Outdoor Particle Number and Mass Concentrations in Athens. Sources, Sinks and Variability of Aerosol Parameters. <i>Aerosol and Air Quality Research</i> , 2011 , 11, 632-642	4.6	46
7	Indoor and outdoor PM mass and number concentrations at schools in the Athens area. <i>Environmental Monitoring and Assessment</i> , 2008 , 136, 13-20	3.1	86
6	PM10 and Ultrafine Particles Counts In-Vehicle and On-Road in the Athens Area. <i>Water, Air and Soil Pollution</i> , 2008 , 8, 89-97		14
5	Levels of ultrafine particles in different microenvironments--implications to children exposure. <i>Science of the Total Environment</i> , 2007 , 388, 128-36	10.2	70
4	Indoor and Outdoor Particulate Matter Concentrations at Schools in the Athens Area. <i>Indoor and Built Environment</i> , 2007 , 16, 55-61	1.8	35
3	CONTINUOUS FIELD MEASUREMENTS OF ORGANIC AND ELEMENTAL CARBON CONCENTRATIONS IN ATHENS, GREECE. <i>Journal of Aerosol Science</i> , 2004 , 35, S1077-S1078	4.3	6
2	AIRUSE-LIFE+: Estimation of natural source contributions to urban ambient air PM ₁₀ and PM _{2.5} concentrations in Southern Europe. Implications to compliance with limit values		3
1	AIRUSE-LIFE+: a harmonized PM speciation and source apportionment in 5 Southern European cities		13