

Flávio Augusto Cardoso de Faria

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/634127/publications.pdf>

Version: 2024-02-01

23
papers

480
citations

686830

13
h-index

713013

21
g-index

23
all docs

23
docs citations

23
times ranked

567
citing authors

#	ARTICLE	IF	CITATIONS
1	Epinephrine Concentration (1:100,000 or 1:200,000) Does Not Affect the Clinical Efficacy of 4% Articaine for Lower Third Molar Removal: A Double-Blind, Randomized, Crossover Study. <i>Journal of Oral and Maxillofacial Surgery</i> , 2007, 65, 2445-2452.	0.5	59
2	A comparison of the clinical anesthetic efficacy of 4% articaine and 0.5% bupivacaine (both with) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 7 <i>Oral Radiology and Endodontics</i> , 2008, 106, 19-28.	1.6	55
3	Temporomandibular disorders and painful comorbidities: clinical association and underlying mechanisms. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2017, 123, 288-297.	0.2	51
4	Functional Local Renin-Angiotensin System in Human and Rat Periodontal Tissue. <i>PLoS ONE</i> , 2015, 10, e0134601.	1.1	47
5	Analgesic and anti-inflammatory doseâ€“response relationship of 7.5 and 15mg meloxicam after lower third molar removal: a double-blind, randomized, crossover study. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2007, 36, 26-31.	0.7	35
6	Efficacy and Safety of 2% and 4% Articaine for Lower Third Molar Surgery. <i>Journal of Dental Research</i> , 2015, 94, 166S-173S.	2.5	30
7	The selective and non-selective cyclooxygenase inhibitors valdecoxib and piroxicam induce the same postoperative analgesia and control of trismus and swelling after lower third molar removal. <i>Brazilian Journal of Medical and Biological Research</i> , 2007, 40, 1133-1140.	0.7	29
8	Quantification of piroxicam and 5â€“hydroxypiroxicam in human plasma and saliva using liquid chromatographyâ€“tandem mass spectrometry following oral administration. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016, 120, 212-220.	1.4	21
9	Efficacy of piroxicam for postoperative pain after lower third molar surgery associated with CYP2C8 and CYP2C9. <i>Journal of Pain Research</i> , 2017, Volume 10, 1581-1589.	0.8	19
10	Comparison of oral versus sublingual piroxicam during postoperative pain management after lower third molar extraction. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2011, 40, 292-297.	0.7	18
11	Sublingual ketorolac and sublingual piroxicam are equally effective for postoperative pain, trismus, and swelling management in lower third molar removal. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2012, 114, 27-34.	0.2	17
12	Losartan and isoproterenol promote alterations in the local renin-angiotensin system of rat salivary glands. <i>PLoS ONE</i> , 2019, 14, e0217030.	1.1	17
13	Efficacy of oral diclofenac with or without codeine for pain control after invasive bilateral third molar extractions. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2017, 46, 621-627.	0.7	16
14	Effective method for the detection of piroxicam in human plasma using HPLC. <i>Brazilian Oral Research</i> , 2016, 30, .	0.6	12
15	Efeitos da inalaÃ§Ã£o passiva da fumaÃ§a de cigarro sobre as pregas vocais de ratos. <i>Revista Brasileira De Otorrinolaringologia</i> , 2006, 72, 210-216.	0.2	12
16	Efficacy of Ketoprofen With or Without Omeprazole for Pain And Inflammation Control After Third Molar Removal. <i>Brazilian Dental Journal</i> , 2018, 29, 140-149.	0.5	10
17	Simultaneous separation of naproxen and 6-O-desmethylnaproxen metabolite in saliva samples by liquid chromatographyâ€“tandem mass spectrometry: Pharmacokinetic study of naproxen alone and associated with esomeprazole. <i>PLoS ONE</i> , 2020, 15, e0236297.	1.1	10
18	Efficacy of naproxen with or without esomeprazole for pain and inflammation in patients after bilateral third molar extractions: A double blinded crossover study. <i>Medicina Oral, Patologia Oral Y Cirugia Bucal</i> , 2016, 22, 0-0.	0.7	8

#	ARTICLE	IF	CITATIONS
19	Pharmacogenetic and Pharmacokinetic Assays from Saliva Samples Can Guarantee Personalized Drug Prescription. Brazilian Dental Journal, 2021, 32, 3-8.	0.5	6
20	Comparison of epinephrine and felypressin pressure effects in 1K1C hypertensive rats treated or not with atenolol. Journal of Anesthesia, 2015, 29, 56-64.	0.7	5
21	Multifocal Analysis of Acute Pain After Third Molar Removal. Frontiers in Pharmacology, 2021, 12, 643874.	1.6	3
22	Comparative study between homeopathy and nimesulide on the prevention of bone resorption in experimental periodontitis in rats.. Faculdade De Odontologia De Porto Alegre Revista, 2010, 51, 5-8.	0.1	0
23	Impacto do Tabagismo Passivo na Resposta Pressã³rica ã Epinefrina e Felipressina em Ratos Hipertensos 1K1C Tratados ou nã£o com Atenolol. Arquivos Brasileiros De Cardiologia, 2019, 114, 295-303.	0.3	0