
## Kotaro Morita

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/634203/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Extraction Behavior of Metal-Thiocyanato Complexes into Third Phase Formed in an Ionic Liquid Extraction System Using Trioctylphosphine Oxide. Solvent Extraction Research and Development, 2022, 29, 61-66.	0.4	0
2	An absorption spectrophotometer compatible paper-based thin-layer cuvette with an integrated pneumatic pump. Analytical Methods, 2021, 13, 4858-4863.	2.7	0
3	Synergistic Ion-pair Extraction and Separation of Trivalent Lanthanoid Ions with 4-Isopropyltropolone and 1,10-Phenanthroline into <i>o</i> -Dichlorobenzene. Analytical Sciences, 2020, 36, 479-484.	1.6	2
4	Mutual Separation of Fe(II) and Fe(III) Using Cyclohexane/Water/Ionic-liquid Triphasic Extraction System with 2,2′-Bipyridine and Tri- <i>n</i> -octylphosphine Oxide. Analytical Sciences, 2020, 36, 1387-1391.	1.6	5
5	Capillary Electrophoretic Characterization of Carbon Nanodots Prepared from Glutamic Acid in an Electric Furnace. Chromatography, 2020, 41, 103-107.	1.7	2
6	Capillary Electrophoretic Characterization of Water-soluble Carbon Nanodots Formed from Glutamic Acid and Boric Acid under Microwave Irradiation. Analytical Sciences, 2020, 36, 941-946.	1.6	1
7	Ionic Liquid Chelate Extraction Behavior of Trivalent Group 13 Metals into 1-Alkyl-3-methylimidazolium Bis(trifluoromethanesulfonyl)imides Using 8-Quinolinol as Chelating Extractant. Analytical Sciences, 2019, 35, 1003-1007.	1.6	6
8	Formation of Minimal Third Phase in Ionic Liquid Extraction System with Trioctylphosphine Oxide and Its Possible Application to Extraction Concentration. Analytical Sciences, 2018, 34, 1063-1065.	1.6	10
9	Effect of the Elemental Composition of Precursors from Amino Acids and Their Binary Mixtures on the Photoluminescent Intensity of Carbon Nanodots. Analytical Sciences, 2017, 33, 1461-1464.	1.6	3
10	Distribution Equilibria of Amphoteric 8-Quinolinol between 1-Alkyl-3-methylimidazolium Bis(trifluoromethanesulfonyl)imide and Aqueous Phases and Their Effect on Ionic Liquid Chelate Extraction Behavior of Iron(III). Analytical Sciences, 2017, 33, 1447-1451.	1.6	10
11	Electrocatalytic Reduction of Free Chlorine at an N,N-Diethvlaniline-grafted Carbon Electrode for Improved Sensitivity in Amperometric Detection. Analytical Sciences, 2017, 33, 5-7.	1.6	4
12	Potential-Dependent Adsorption and Orientation of <i>meso-</i> Substituted Porphyrins at Liquid   Liquid Interfaces Studied by Polarization-Modulation Total Internal Reflection Fluorescence Spectroscopy. Journal of Physical Chemistry C, 2016, 120, 7248-7255.	3.1	10
13	Synergistic Ion-pair Extraction of Strontium Ion with Tri- <i>n</i> -octylphosphine Oxide and Dicyclohexano-18-crown-6. Analytical Sciences, 2016, 32, 1367-1370.	1.6	4
14	Photoluminescent Detection of Nitrite with Carbon Nanodots Prepared by Microwave-assisted Synthesis. Analytical Sciences, 2015, 31, 481-485.	1.6	6
15	Spectroelectrochemical Characterization of Dendrimer–Porphyrin Associates at Polarized Liquid Liquid Interfaces. Langmuir, 2014, 30, 937-945.	3.5	20
16	Highly Selective Synergism for the Extraction of Lanthanoid(III) Ions with β-Diketones and Trioctylphosphine Oxide in an Ionic Liquid. Analytical Sciences, 2014, 30, 323-325.	1.6	33
17	The Extraction of Copper(I) lons with Heterocyclic Bidentate Amines in the Presence of Glutathione. Solvent Extraction Research and Development, 2014, 21, 1-7.	0.4	0
18	Valence Discriminative Detection of Metal Cations by a Chromotropic Acid-grafted Glassy Carbon Electrode. Analytical Sciences, 2013, 29, 95-99.	1.6	1

KOTARO MORITA

#	Article	IF	CITATIONS
19	Effect of Organic Cations and Solvents on the Ion-Pair Extraction of Boric Acid with Salicyl Alcohol. Solvent Extraction Research and Development, 2011, 18, 199-203.	0.4	2
20	Grafting of phenylboronic acid on a glassy carbon electrode and its application as a reagentless glucose sensor. Journal of Electroanalytical Chemistry, 2011, 656, 192-197.	3.8	24
21	Synergistic Effect of 18-Crown-6 Derivatives on Chelate Extraction of Lanthanoids(III) into an Ionic Liquid with 2-Thenoyltrifluoroacetone. Analytical Sciences, 2010, 26, 607-611.	1.6	56
22	An 8-sulfonamidoquinoline derivative with imidazolium unit as an extraction reagent for use in ionic liquid chelate extraction systems. Analytica Chimica Acta, 2010, 680, 21-25.	5.4	15
23	Extraction of Cu(II) with Dioctyldithiocarbamate and a Kinetic Study of the Extraction Using a Two-Phase Microflow System. Solvent Extraction Research and Development, 2010, 17, 209-214.	0.4	14
24	Abasic site-based DNA aptamers for analytical applications. Supramolecular Chemistry, 2010, 22, 467-476.	1.2	12
25	Influence of substituent modifications on the binding of 2-amino-1,8-naphthyridines to cytosine opposite an AP site in DNA duplexes: thermodynamic characterization. Nucleic Acids Research, 2009, 37, 1411-1422.	14.5	78
26	Small-Molecule Binding at an Abasic Site of DNA: Strong Binding of Lumiflavin for Improved Recognition of Thymine-Related Single Nucleotide Polymorphisms. Journal of Physical Chemistry B, 2009, 113, 1522-1529.	2.6	32
27	Label-free aptamer-based sensor using abasic site-containing DNA and a nucleobase-specific fluorescent ligand. Chemical Communications, 2009, , 6445.	4.1	58
28	Sequence dependence of cytochrome c electrochemistry on DNA modified electrodes: Effect of hydrogen bonding of a ligand to nucleobases opposite an abasic site. Electrochemistry Communications, 2008, 10, 438-442.	4.7	9
29	Electrochemical synthesis of Au/polyaniline–poly(4-styrenesulfonate) hybrid nanoarray for sensitive biosensor design. Electrochemistry Communications, 2008, 10, 1090-1093.	4.7	22
30	Diffusion of Metal Complexes Inside of Silicaâ´'Surfactant Nanochannels within a Porous Alumina Membrane. Journal of Physical Chemistry B, 2008, 112, 2024-2030.	2.6	28
31	Fluorescence and electrochemical detection of pyrimidine/purinetransversion by a ferrocenyl aminonaphthyridine derivative. Organic and Biomolecular Chemistry, 2008, 6, 266-268.	2.8	19
32	Electrochemical SNPs detection using an abasic site-containing DNA on a gold electrode. Chemical Communications, 2006, , 2376.	4.1	14
33	Diffusivities of Tris(2,2'-bipyridyl)ruthenium inside Silica-Nanochannels Modified with Alkylsilanes. Analytical Sciences, 2006, 22, 1501-1507.	1.6	25
34	Template Synthesis of Arrays of One-dimensional Gold Nanowires Standing on a Carbon Film. Chemistry Letters, 2006, 35, 1352-1353.	1.3	22
35	Electrochemical detection at low temperature for a specific nucleobase of target nucleic acids by an abasic site-containing DNA binding ligand. Electrochemistry Communications, 2006, 8, 395-398.	4.7	10
36	Extraction mechanisms of charged organic dye molecules into silica-surfactant nanochannels in a porous alumina membrane. Analytica Chimica Acta, 2006, 556, 157-163.	5.4	21

KOTARO MORITA

#	Article	IF	CITATIONS
37	Longitudinal diffusion behavior of hemicyanine dyes across phospholipid vesicle membranes as studied by second-harmonic generation and fluorescence spectroscopies. Analytical and Bioanalytical Chemistry, 2006, 386, 627-632.	3.7	32
38	Adsorption of 5'-Thiolated DNA on a Gold Electrode Surface as Studied by a Quartz Crystal Microbalance and Electrochemical Measurements. Bunseki Kagaku, 2005, 54, 555-559.	0.2	1
39	Electrochemical modification of benzo-15-crown-5 ether on a glassy carbon electrode for alkali metal cation recognition. Journal of Electroanalytical Chemistry, 2004, 563, 249-255.	3.8	66
40	Conversion of thioureas to fluorescent isothiouronium-based photoinduced electron transfer sensors for oxoanion sensing. Perkin Transactions II RSC, 2002, , 866-870.	1.1	38