List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6342962/publications.pdf Version: 2024-02-01



| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Optimization and characterization of laser cladding of NiCr and NiCr–TiC composite coatings on AISI 420 stainless steel. Ceramics International, 2021, 47, 4097-4110.   | 4.8  | 34        |
| 2  | Effect of Argon Shroud Protection on the Laser Cladding of Nanostructured WC-12Co Powder.<br>Journal of Materials Engineering and Performance, 2021, 30, 3313-3320.   | 2.5  | 4         |
| 3  | Microstructural investigation of direct laser deposition of the Ti–6Al–4V alloy by different melt pool protection conditions. Journal of Materials Research and Technology, 2021, 13, 590-601.                          | 5.8  | 8         |
| 4  | Laser textured novel patterns on Ti6Al4V alloy for dental implants surface improvement. Journal of<br>Laser Applications, 2021, 33, .   | 1.7  | 2         |
| 5  | Empirical-Statistical Modeling and Prediction of Geometric Characteristics for Laser-Aided Direct<br>Metal Deposition of Inconel 718 Superalloy. Metals and Materials International, 2020, 26, 668-681.                 | 3.4  | 24        |
| 6  | Laser cladding of Inconel 718 powder on a non-weldable substrate: Clad bead geometry-solidification cracking relationship. Journal of Manufacturing Processes, 2020, 56, 54-62.   | 5.9  | 39        |
| 7  | Evaluation of the mechanical properties of WC-Ni composite coating on an AISI 321 steel substrate.<br>Optics and Laser Technology, 2020, 127, 106138.   | 4.6  | 23        |
| 8  | Evaluation of the mechanical properties of WC-FeAl composite coating fabricated by laser cladding method. International Journal of Refractory Metals and Hard Materials, 2020, 88, 105199.                              | 3.8  | 25        |
| 9  | Prediction of solidification cracking by an empirical-statistical analysis for laser cladding of Inconel 718 powder on a non-weldable substrate. Optics and Laser Technology, 2020, 128, 106244.                        | 4.6  | 60        |
| 10 | Dissimilar laser cladding of Inconel 718 powder on A-286 substrate: Microstructural evolution.<br>Journal of Laser Applications, 2020, 32, .  | 1.7  | 12        |
| 11 | Wear behavior of laser cladded WC-FeAl coating on 321 stainless steel substrate. Journal of Laser<br>Applications, 2020, 32, .  | 1.7  | 2         |
| 12 | The effects of Cloisite 20A content on the adhesion strength and corrosion behavior of poly<br>(amide-imide)/cloisite 20A nanocomposite coatings. Composites Part B: Engineering, 2019, 175, 107154.                    | 12.0 | 16        |
| 13 | Laser Surface Modification of Air Plasma-Sprayed Al2O3/YSZ Multilayer Thermal Barrier Coating to<br>Improve Hot Corrosion Resistance in V2O5–Na2SO4 Salts. Journal of Thermal Spray Technology, 2019,<br>28, 1906-1918. | 3.1  | 2         |
| 14 | Evaluation of solidification and microstructure in laser cladding Inconel 718 superalloy. Optics and Laser Technology, 2019, 120, 105761.   | 4.6  | 52        |
| 15 | Friction and wear behavior of laser cladded WC-Co and Ni/WC-Co deposits at high temperature.<br>International Journal of Refractory Metals and Hard Materials, 2019, 81, 137-148.                                       | 3.8  | 58        |
| 16 | The effect of laser surface treatment on the thermal shock behavior of plasma sprayed Al2O3/YSZ multilayer thermal barrier coatings. Surface and Coatings Technology, 2019, 366, 62-69.                                 | 4.8  | 16        |
| 17 | Evaluation of the hot corrosion behavior of Inconel 625 coatings on the Inconel 738 substrate by laser and TIG cladding techniques. Optics and Laser Technology, 2019, 111, 744-753.                                    | 4.6  | 52        |
| 18 | Corrosion study of laser cladded Ti-6Al-4V alloy in different corrosive environments. Engineering<br>Failure Analysis, 2019, 97, 234-241.   | 4.0  | 34        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Influence of gold nanolayer coating on the continuous-wave laser ablation of a pure aluminum surface: Evaluations of structural and optical features. Thin Solid Films, 2019, 672, 126-132.                         | 1.8 | 9         |
| 20 | Evaluation of hot corrosion behavior of plasma sprayed and laser glazed YSZ–Al2O3 thermal barrier composite. Optics and Laser Technology, 2019, 111, 687-695.   | 4.6 | 28        |
| 21 | Kinetics and oxidation behavior of laser clad WC-Co and Ni/WC-Co coatings. Ceramics International, 2018, 44, 12805-12814.   | 4.8 | 60        |
| 22 | Crystallization kinetics of MgO–Y2O3 composite nanopowder synthesized via combustion sol–gel<br>method. Journal of Thermal Analysis and Calorimetry, 2018, 132, 1325-1332.  | 3.6 | 4         |
| 23 | Nd:YAG Pulsed Laser Assisted Machining of AMS 5708 Waspaloy Alloy. Lasers in Manufacturing and Materials Processing, 2018, 5, 16-30.  | 2.2 | 0         |
| 24 | Plasma-sprayed nanostructured scandia-yttria and ceria-yttria codoped zirconia coatings:<br>Microstructure, bonding strength and thermal insulation properties. Ceramics International, 2018,<br>44, 12042-12047.   | 4.8 | 18        |
| 25 | Study of crystallization behavior and kinetics of yttria-50 vol% magnesia composite nanopowders using a non-isothermal process. Journal of Sol-Gel Science and Technology, 2018, 85, 93-102.                        | 2.4 | 5         |
| 26 | A new method for the fabrication of MgO-Y2O3 composite nanopowder at low temperature based on bioorganic material. Ceramics International, 2018, 44, 2814-2821.   | 4.8 | 7         |
| 27 | An empirical-statistical model for laser cladding of Ti-6Al-4V powder on Ti-6Al-4V substrate. Optics and Laser Technology, 2018, 100, 265-271.  | 4.6 | 75        |
| 28 | Influence of using electroless Ni-P coated WC-Co powder on laser cladding of stainless steel. Surface and Coatings Technology, 2018, 348, 41-54.  | 4.8 | 38        |
| 29 | Microstructure investigation of Inconel 625 coating obtained by laser cladding and TIG cladding methods. Surface and Coatings Technology, 2018, 353, 25-31.   | 4.8 | 68        |
| 30 | Novel nano-dimensional cubic-spherical morphology for (Y2O3)0.5-(MgO)0.5 nanocomposite: Synthesis and optical properties. Ceramics International, 2018, 44, 21099-21106.  | 4.8 | 0         |
| 31 | Experimental and numerical study of low frequency pulsed Nd:YAG laser heating of slip cast fused silica ceramics for laser assisted turning process considering laser beam overlapping. Scientia Iranica, 2018, .   | 0.4 | 2         |
| 32 | Development of MgO–Y2O3 Composite Nanopowder by Pechini Sol–Gel Method: Effect of Synthesis<br>Parameters on Morphology, Particle Size, and Phase Distribution. Journal of Cluster Science, 2017, 28,<br>1523-1539. | 3.3 | 18        |
| 33 | Preparation of yttria nanopowders for use in transparent ceramics by dry ball-milling technique.<br>Journal of the European Ceramic Society, 2017, 37, 2169-2177.   | 5.7 | 22        |
| 34 | Analytical Solution of Transient Three-Dimensional Temperature Field in a Rotating Cylinder Subject<br>to a Localized Laser Beam. Journal of Heat Transfer, 2017, 139, .  | 2.1 | 4         |
| 35 | Cation distribution and microwave absorptive behavior of gadolinium substituted cobalt ferrite ceramics. Journal of Alloys and Compounds, 2017, 706, 133-146.   | 5.5 | 30        |
| 36 | Cation distribution and magnetic analysis of wideband microwave absorptive Co x Ni 1â^'x Fe 2 O 4 ferrites. Ceramics International, 2017, 43, 6987-6995.  | 4.8 | 104       |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | High-temperature oxidation behavior of laser-aided additively manufactured NiCrAlY coating.<br>Corrosion Science, 2017, 118, 168-177.  | 6.6 | 47        |
| 38 | In-process determination of laser beam absorption coefficient for laser-assisted turning processes.<br>International Journal of Advanced Manufacturing Technology, 2017, 92, 2929-2938.                                    | 3.0 | 10        |
| 39 | Wear Behavior of Laser-Cladded Co-Cr-Mo Coating on Î <sup>3</sup> -TiAl Substrate. Journal of Materials<br>Engineering and Performance, 2017, 26, 3226-3238.   | 2.5 | 13        |
| 40 | The effects of organoclay on the morphology and mechanical properties of PAI/clay nanocomposites coatings prepared by the ultrasonication assisted process. Ultrasonics Sonochemistry, 2017, 38, 306-316.                  | 8.2 | 15        |
| 41 | Improving the Thermal Shock Resistance of Thermal Barrier Coatings Through Formation of an In Situ<br>YSZ/Al2O3 Composite via Laser Cladding. Journal of Materials Engineering and Performance, 2017, 26,<br>1890-1899.    | 2.5 | 19        |
| 42 | Advance Techniques for the Synthesis of Nanostructured Zirconia-Based Ceramics for Thermal Barrier Application. , 2017, , 21-91.   |     | 6         |
| 43 | The Effects of organoclay on the morphology, thermal stability, transparence and hydrophobicity<br>properties of polyamide â°' imide/nanoclay nanocomposite coatings. Progress in Organic Coatings, 2017,<br>112, 162-168. | 3.9 | 15        |
| 44 | An empirical-statistical model for laser cladding of WC-12Co powder on AISI 321 stainless steel. Optics and Laser Technology, 2017, 97, 180-186.   | 4.6 | 99        |
| 45 | Shape factors dependence of magnetic features of CoFe2â^'xGdxO4 nanocrystals. Journal of Alloys and Compounds, 2017, 693, 1231-1242.   | 5.5 | 4         |
| 46 | Modification of Pechini sol–gel process for the synthesis of MgO-Y2O3 composite nanopowder using sucrose-mediated technique. Ceramics International, 2017, 43, 2541-2548.  | 4.8 | 16        |
| 47 | Development of Magnesia–Yttria nanocomposite powder by new non-alkoxide sol-gel method.<br>Ceramics International, 2017, 43, 1217-1226.  | 4.8 | 8         |
| 48 | Pulsed laser-assisted machining of Inconel 718 superalloy. Optics and Laser Technology, 2017, 87, 72-78.   | 4.6 | 69        |
| 49 | Synthesis of MgO-Y2O3 composite nanopowder with a high specific surface area by the Pechini method. Ceramics International, 2017, 43, 345-354.   | 4.8 | 25        |
| 50 | The role of shell thickness on the exchange spring mechanism of cobalt ferrite/iron cobalt magnetic nanocomposites. Ceramics International, 2017, 43, 617-624.   | 4.8 | 18        |
| 51 | High temperature oxidation behavior of laser clad Co–Cr–Mo coating on γ-TiAl substrate. Journal of<br>Laser Applications, 2016, 28, .  | 1.7 | 9         |
| 52 | Synthesis of Yttria Nanopowders by Two Precipitation Methods andÂlnvestigation of Synthesis<br>Conditions. International Journal of Applied Ceramic Technology, 2016, 13, 209-218.   | 2.1 | 16        |
| 53 | Magnetic properties of hard-soft SrFe10Al2O19/Co0.8Ni0.2Fe2O4 ferrite synthesized by one-pot sol–gel<br>auto-combustion. Journal of Magnetism and Magnetic Materials, 2016, 416, 408-416.                                  | 2.3 | 70        |
| 54 | Non-interacting Neél–Brown or interacting Vogel–Fulcher models in magnetic CoFe2â^'Gd O4<br>nanocrystals. Journal of Magnetism and Magnetic Materials, 2016, 417, 11-20.   | 2.3 | 5         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Synthesis and characterization of Y2O3 nanoparticles by sol–gel process for transparent ceramics applications. Journal of Sol-Gel Science and Technology, 2016, 78, 682-691.   | 2.4 | 59        |
| 56 | Wear behavior of polyurethane/carbon black coatings on 6061 aluminum alloy substrates. Progress in Organic Coatings, 2016, 97, 37-43.  | 3.9 | 12        |
| 57 | Effect of scandia content on the thermal shock behavior of SYSZ thermal sprayed barrier coatings.<br>Ceramics International, 2016, 42, 11118-11125.  | 4.8 | 37        |
| 58 | Effect of molten V 2 O 5 salt on the corrosion behavior of micro- and nano-structured thermal sprayed SYSZ and YSZ coatings. Ceramics International, 2016, 42, 12825-12837.  | 4.8 | 17        |
| 59 | Spark plasma sintering of zirconia-doped yttria ceramic and evaluation of the microstructure and optical properties. Ceramics International, 2016, 42, 18931-18936.  | 4.8 | 19        |
| 60 | Water-based polyamide imide – nanoclay coating: Preparation, characterization, thermal stability and visible transparency. Progress in Organic Coatings, 2016, 101, 502-509.   | 3.9 | 9         |
| 61 | An empirical-statistical model for coaxial laser cladding of NiCrAlY powder on Inconel 738 superalloy. Optics and Laser Technology, 2016, 86, 136-144.   | 4.6 | 97        |
| 62 | A novel approach for enhancement of coercivity in magnetic cobalt ferrite nanocrystal without applying post annealing. Ceramics International, 2016, 42, 17357-17365.  | 4.8 | 13        |
| 63 | Mechanical and optical properties of spark plasma sintered transparent Y2O3 ceramics. Ceramics International, 2016, 42, 17081-17088.   | 4.8 | 41        |
| 64 | Controlled growth of large-area arrays of gadolinium-substituted cobalt ferrite nanorods by<br>hydrothermal processing without use of any template. Ceramics International, 2016, 42, 17420-17428.                     | 4.8 | 26        |
| 65 | Hot corrosion behavior of Al2O3 laser clad plasma sprayed YSZ thermal barrier coatings. Ceramics<br>International, 2016, 42, 17698-17705.  | 4.8 | 32        |
| 66 | Analytical Prediction of the Temperature Field in Laser Assisted Machining. Procedia CIRP, 2016, 46, 575-578.  | 1.9 | 10        |
| 67 | Laser surface heat treatment of electroless Ni–P–SiC coating on Al356 alloy. Optics and Laser<br>Technology, 2016, 85, 1-6.  | 4.6 | 11        |
| 68 | Development of novel exchange spring magnet by employing nanocomposites of CoFe2O4 and CoFe2.<br>Journal of Magnetism and Magnetic Materials, 2016, 419, 92-97.  | 2.3 | 9         |
| 69 | Laser Surface Treatment of Stellite 6 Coating Deposited by HVOF on 316L Alloy. Journal of Materials<br>Engineering and Performance, 2016, 25, 2583-2595.   | 2.5 | 40        |
| 70 | Spark plasma sintering of transparent Y 2 O 3 ceramic using hydrothermal synthesized nanopowders.<br>Ceramics International, 2016, 42, 14403-14410.  | 4.8 | 22        |
| 71 | Thermal stability and sintering behavior of plasma sprayed nanostructured 7YSZ, 15YSZ and 5.5SYSZ coatings at elevated temperatures. Ceramics International, 2016, 42, 14374-14383.                                    | 4.8 | 27        |
| 72 | Rietveld structure refinement, cations distribution and magnetic features of CoFe2O4 nanoparticles synthesized by co-precipitation, hydrothermal, and combustion methods. Ceramics International, 2016, 42, 6375-6382. | 4.8 | 66        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Nd:YAG laser cladding of Co–Cr–Mo alloy on γ-TiAl substrate. Optics and Laser Technology, 2016, 80,<br>145-152.   | 4.6 | 70        |
| 74 | Laser beam welding of Waspaloy: Characterization and corrosion behavior evaluation. Optics and Laser Technology, 2016, 82, 113-120.   | 4.6 | 22        |
| 75 | Structural and Magnetic Properties of High Coercive Al-Substituted Strontium Hexaferrite Nanoparticles. Journal of Superconductivity and Novel Magnetism, 2016, 29, 1627-1640.  | 1.8 | 34        |
| 76 | Effect of sintering temperature on microstructural and optical properties of transparent yttria ceramics fabricated by spark plasma sintering. Ceramics International, 2016, 42, 7819-7823.   | 4.8 | 38        |
| 77 | Structural and Magnetic Consequences of Mn0.6Zn0.4Fe2â^'x Gd x O4 Ferrite. Journal of Superconductivity and Novel Magnetism, 2016, 29, 1617-1625.   | 1.8 | 21        |
| 78 | Comparison of hot corrosion behavior of nanostructured ScYSZ and YSZ thermal barrier coatings.<br>Ceramics International, 2016, 42, 7432-7439.  | 4.8 | 68        |
| 79 | Synthesis, characterization and optical properties of Zr+4/La+3/Nd+3 tri-doped yttria nanopowder by sol–gel combustion method. Ceramics International, 2016, 42, 10551-10558.   | 4.8 | 21        |
| 80 | Na2SO4 and V2O5 molten salts corrosion resistance of plasma-sprayed nanostructured ceria and yttria co-stabilized zirconia thermal barrier coatings. Ceramics International, 2016, 42, 5433-5446.                                   | 4.8 | 47        |
| 81 | The Effect of Solution pH Value on the Morphology of Ceria–Yttria Co Stabilized Zirconia Particles<br>Prepared Using the Polymerizable Complex Method. Journal of Cluster Science, 2016, 27, 469-483.                               | 3.3 | 11        |
| 82 | Microstructural Characteristics and Magnetic Properties of Gadolinium-Substituted Cobalt Ferrite<br>Nanocrystals Synthesized by Hydrothermal Processing. Journal of Cluster Science, 2016, 27, 1239-1251.                           | 3.3 | 11        |
| 83 | COMPARISON OF THERMAL SHOCK BEHAVIOR OF 7YSZ, 15YSZ AND SYSZ THERMAL BARRIER COATINGS PRODUCED BY APS METHOD. Ceramics - Silikaty, 2016, , 210-219.   | 0.3 | 4         |
| 84 | Evaluation of oxidation behavior of laser clad CoWSi–WSi2 coating on pure Ni substrate at different<br>temperatures. Ceramics International, 2015, 41, 9715-9721.   | 4.8 | 28        |
| 85 | Synthesis and the Surface Resistivity of Carbon Black Pigment on Black Silicone Thermal Control<br>Coating. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 2015, 45,<br>502-506.                   | 0.6 | 20        |
| 86 | Synthesis and Characterization of Yttria Nanopowders by Precipitation Method. Transactions of the<br>Indian Ceramic Society, 2015, 74, 208-212.   | 1.0 | 5         |
| 87 | Effect of microstructure and phase of nanostructured YSZ thermal barrier coatings on its thermal shock behaviour. Surface Engineering, 2015, 31, 64-73.   | 2.2 | 40        |
| 88 | Synthesis and characterization of ceria–yttria co-stabilized zirconia (CYSZ) nanoparticles by sol–gel<br>process for thermal barrier coatings (TBCs) applications. Journal of Sol-Gel Science and Technology,<br>2015, 74, 603-612. | 2.4 | 29        |
| 89 | The role of pH on the particle size and magnetic consequence of cobalt ferrite. Journal of Magnetism<br>and Magnetic Materials, 2015, 396, 288-294.   | 2.3 | 93        |
| 90 | Synthesis of porous magnetite Fe3O4 and its application in thermal control coatings as new black pigment. Journal of Coatings Technology Research, 2015, 12, 1065-1071.   | 2.5 | 7         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Evaluation of hot corrosion behavior of plasma sprayed scandia and yttria co-stabilized<br>nanostructured thermal barrier coatings in the presence of molten sulfate and vanadate salt. Journal<br>of the European Ceramic Society, 2015, 35, 693-702. | 5.7 | 92        |
| 92  | Optimizing sol–gel synthesis of magnesia-stabilized zirconia (MSZ) nanoparticles using Taguchi<br>robust design for thermal barrier coatings (TBCs) applications. Journal of Sol-Gel Science and<br>Technology, 2015, 73, 227-241.                     | 2.4 | 25        |
| 93  | Large-scale synthesis of YSZ nanopowder by Pechini method. Bulletin of Materials Science, 2014, 37, 969-973.   | 1.7 | 20        |
| 94  | The influence of laser treatment on thermal shock resistance of plasma-sprayed nanostructured yttria stabilized zirconia thermal barrier coatings. Ceramics International, 2014, 40, 347-355.  | 4.8 | 72        |
| 95  | A New Approach of Improving Rain Erosion Resistance of Nanocomposite Sol-Gel Coatings by<br>Optimization Process Factors. Metallurgical and Materials Transactions A: Physical Metallurgy and<br>Materials Science, 2014, 45, 2522-2531.               | 2.2 | 19        |
| 96  | Synthesis and characterization of non-transformable tetragonal YSZ nanopowder by means of Pechini<br>method for thermal barrier coatings (TBCs) applications. Journal of Sol-Gel Science and Technology,<br>2014, 70, 6-13.                            | 2.4 | 33        |
| 97  | Experimental and numerical investigation of temperature distribution and melt pool geometry during pulsed laser welding of Ti6Al4V alloy. Optics and Laser Technology, 2014, 59, 52-59.  | 4.6 | 126       |
| 98  | The influence of laser treatment on hot corrosion behavior of plasma-sprayed nanostructured yttria stabilized zirconia thermal barrier coatings. Journal of the European Ceramic Society, 2014, 34, 2013-2021.   | 5.7 | 69        |
| 99  | Synthesis and characterization of cobalt oxide nanocomposite based on the Co3O4–zeolite Y.<br>Superlattices and Microstructures, 2014, 66, 85-95.  | 3.1 | 22        |
| 100 | Comparison of hot corrosion behaviors of plasma-sprayed nanostructured and conventional YSZ thermal barrier coatings exposure to molten vanadium pentoxide and sodium sulfate. Journal of the European Ceramic Society, 2014, 34, 485-492.             | 5.7 | 82        |
| 101 | Life time of new SYSZ thermal barrier coatings produced by plasma spraying method under thermal shock test and high temperature treatment. Ceramics International, 2014, 40, 1405-1414.  | 4.8 | 87        |
| 102 | Preparation of nanostructured YSZ granules by the spray drying method. Ceramics International, 2014, 40, 3721-3729.  | 4.8 | 34        |
| 103 | Improving the hot corrosion resistance of plasma sprayed ceria–yttria stabilized zirconia thermal barrier coatings by laser surface treatment. Materials & Design, 2014, 57, 336-341.  | 5.1 | 65        |
| 104 | Hydrothermal synthesis of ZnO nanopigments with high UV absorption and vis/NIR reflectance.<br>Ceramics International, 2014, 40, 11261-11268.  | 4.8 | 60        |
| 105 | An experimental investigation of pulsed laser-assisted machining of AISI 52100 steel. Optics and Laser Technology, 2014, 63, 137-143.  | 4.6 | 35        |
| 106 | Laser cladding of CoWSi/WSi2 on Ni substrate and evaluation of its high temperature oxidation behavior. Ceramics International, 2014, 40, 13447-13452.   | 4.8 | 13        |
| 107 | Evaluation of shape and size effects on optical properties of ZnO pigment. Applied Surface Science, 2013, 270, 33-38.  | 6.1 | 61        |
| 108 | Optimization of process factors for the synthesis of advanced chrome-free nanocomposite sol–gel<br>coatings for corrosion protection of marine aluminum alloy AA5083 by design of experiment.<br>Progress in Organic Coatings, 2013, 76, 307-317.      | 3.9 | 23        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Comparative studies on synthesis of nanocrystalline Sc2O3–Y2O3 doped zirconia (SYDZ) and YSZ solid solution via modified and classic Pechini method. CrystEngComm, 2013, 15, 5898.                            | 2.6 | 67        |
| 110 | Sol–gel processing of hybrid nanocomposite protective coatings using experimental design. Progress<br>in Organic Coatings, 2013, 76, 293-301.   | 3.9 | 25        |
| 111 | Wear behavior of silicone rubber/carbon black coatings on 6061 aluminum alloy surfaces. Progress in<br>Organic Coatings, 2013, 76, 277-285.   | 3.9 | 4         |
| 112 | Spray drying of nanometric SYSZ powders to obtain plasma sprayable nanostructured granules.<br>Ceramics International, 2013, 39, 9447-9457.   | 4.8 | 44        |
| 113 | Laser surface modification of plasma sprayed CYSZ thermal barrier coatings. Ceramics International, 2013, 39, 2473-2480.  | 4.8 | 64        |
| 114 | Large scale synthesis of non-transformable tetragonal Sc2O3, Y2O3 doped ZrO2 nanopowders via the citric acid based gel method to obtain plasma sprayed coating. Ceramics International, 2013, 39, 7817-7829.  | 4.8 | 24        |
| 115 | Template synthesis of zinc oxide nanoparticles entrapped in the zeolite Y matrix and applying them for thermal control paint. Materials Science in Semiconductor Processing, 2013, 16, 547-553.               | 4.0 | 43        |
| 116 | Hydrothermal synthesis and optical property of scale- and spindle-like ZnO. Ceramics International, 2013, 39, 813-818.  | 4.8 | 49        |
| 117 | Comparison of microstructure and mechanical properties of plasma-sprayed nanostructured and conventional yttria stabilized zirconia thermal barrier coatings. Ceramics International, 2013, 39, 8805-8813.    | 4.8 | 111       |
| 118 | Laser glazing of plasma-sprayed nanostructured yttria stabilized zirconia thermal barrier coatings.<br>Ceramics International, 2013, 39, 9483-9490.   | 4.8 | 63        |
| 119 | Improvement of spacecraft white thermal control coatings using the new synthesized Zn-MCM-41 pigment. Dyes and Pigments, 2013, 96, 403-406.   | 3.7 | 36        |
| 120 | Mechanical property evaluation of corrosion protection sol–gel nanocomposite coatings. Surface<br>Engineering, 2013, 29, 249-254.   | 2.2 | 24        |
| 121 | Fabrication and Evaluation of Plasma-Sprayed Nanostructured and Conventional YSZ Thermal Barrier Coatings. Current Nanoscience, 2012, 8, 402-409.   | 1.2 | 77        |
| 122 | Synthesis of Scandia, Yttria Stabilized Zirconia (SYSZ) Nanoparticles by New Wet Chemistry Method.<br>Current Nanoscience, 2012, 8, 767-775.  | 1.2 | 22        |
| 123 | Different morphologies of ZnO nanostructures via polymeric complex sol–gel method: synthesis and characterization. Journal of Sol-Gel Science and Technology, 2012, 64, 193-199.                              | 2.4 | 67        |
| 124 | Characterization and optical property of ZnO nano-, submicro- and microrods synthesized by hydrothermal method on a large-scale. Superlattices and Microstructures, 2012, 52, 704-710.                        | 3.1 | 52        |
| 125 | Evaluation of hot corrosion behavior of plasma sprayed ceria and yttria stabilized zirconia thermal barrier coatings in the presence of Na2SO4+V2O5 molten salt. Ceramics International, 2012, 38, 6613-6620. | 4.8 | 114       |
| 126 | Comparison of thermal shock resistances of plasma-sprayed nanostructured and conventional yttria stabilized zirconia thermal barrier coatings. Ceramics International, 2012, 38, 6705-6712.                   | 4.8 | 149       |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Synthesis and Characterizations of Copper Oxide Nanoparticles Within Zeolite Y. Journal of Cluster Science, 2012, 23, 1097-1106.  | 3.3 | 48        |
| 128 | Improving the thermal shock resistance of plasma sprayed CYSZ thermal barrier coatings by laser surface modification. Optics and Lasers in Engineering, 2012, 50, 780-786.  | 3.8 | 81        |
| 129 | Evaluation of two new white silicone thermal control paints under atomic oxygen. Progress in Organic Coatings, 2012, 74, 603-607.   | 3.9 | 10        |
| 130 | Laser Surface Treatment of Silica Sol-gel Coating to Produce Nanocrystalline Structure. AIP Conference Proceedings, 2011, , .   | 0.4 | 1         |
| 131 | Optimization of wear resistance of PU/TiO2 coatings on aluminum surfaces. Progress in Organic Coatings, 2011, 72, 486-491.  | 3.9 | 12        |
| 132 | Mathematical Modeling of Heat Transfer in Laser Surface Hardening of AISI 1050 Steel. Defect and Diffusion Forum, 2011, 312-315, 381-386.   | 0.4 | 0         |
| 133 | A review of the corrosion of laser nitrided Tiâ€6Alâ€4V. Anti-Corrosion Methods and Materials, 2011, 58, 140-154.   | 1.5 | 19        |
| 134 | Large Scale Synthesis of Zinc Oxide Nano- and Submicro-Structures by Pechinis Method: Effect of<br>Ethylene glycol/Citric Acid Mole Ratio on Structural and Optical Properties. Current Nanoscience,<br>2011, 7, 807-812. | 1.2 | 40        |
| 135 | Evaluation of the Corrosion Behavior of the Laser Gas Nitrided Ti-6Al-4V. Defect and Diffusion Forum, 2010, 297-301, 1160-1166.   | 0.4 | 0         |
| 136 | Corrosion behaviour of laser gas nitrided Ti–6Al–4V in HCl solution. Corrosion Science, 2009, 51,<br>2324-2329.   | 6.6 | 52        |
| 137 | Laser surface alloying of an electroless Ni–P coating with Al-356 substrate. Optics and Lasers in<br>Engineering, 2008, 46, 550-557.  | 3.8 | 44        |
| 138 | Laser surface treatment of electroless Ni–P coatings on Al356 alloy. Journal of Materials Processing<br>Technology, 2008, 195, 154-159.   | 6.3 | 23        |
| 139 | Corrosion behaviour of laser gas-nitrided Ti–6Al–4V alloy in nitric acid solution. Journal of<br>Materials Processing Technology, 2008, 203, 315-320.   | 6.3 | 25        |
| 140 | Corrosion of chromate conversion films on aluminium in electrically bonded interfaces.<br>Anti-Corrosion Methods and Materials, 2007, 54, 283-288.  | 1.5 | 3         |
| 141 | Effect of Laser Gas Nitriding on the Microstructure and Corrosion Properties of Ti–6Al–4V Alloy. ISIJ<br>International, 2007, 47, 709-714.  | 1.4 | 22        |
| 142 | Processing and Properties of GPTMS-TEOS Hybrid Coatings on 5083 Aluminium Alloy. Advanced<br>Materials Research, 0, 239-242, 736-742.   | 0.3 | 18        |
| 143 | Corrosion Behavior of Laser Nitrided Ti-6Al-4V Alloy: A Review. Defect and Diffusion Forum, 0, 312-315, 376-380.  | 0.4 | 4         |
| 144 | Effect of Carbon Black Pigment on the Surface Resistivity of the Black Silicone Thermal Control<br>Coating. Advanced Materials Research, 0, 472-475, 110-113.   | 0.3 | 4         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Comparison of Hot Corrosion Resistance of YSZ and CYSZ Thermal Barrier Coatings in Presence of Sulfate-Vanadate Molten Salts. Advanced Materials Research, 0, 472-475, 141-144. | 0.3 | 10        |
| 146 | Optimization of Morphology and Particle Size of Modified Sol Gel Synthesized YSZ Nanopowder Using<br>Taguchi Method. Journal of Nano Research, 0, 21, 65-70.                    | 0.8 | 23        |
| 147 | Investigation of Thermal Shock Behavior of Plasma-Sprayed NiCoCrAlY/YSZ Thermal Barrier Coatings.<br>Advanced Materials Research, 0, 472-475, 246-250.                          | 0.3 | 13        |
| 148 | Synthesis and Thermal Stability of Nontransformable Tetragonal<br>(ZrO <sub>2</sub> ) <sub>0.96</sub> (REO <sub>1.5</sub> ) <sub>0.04<td>Jb&gt;</td><td>10</td></sub>           | Jb> | 10        |

(Re=Sc<sup&gt;3+&lt;/sup&gt;3+&lt;/sup&gt;) Nanocrystals. Defect and Diffusion Forum,
0, 334-335, 60-64.