Astrid Marie Kolte

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6343628/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Feelings of guilt and loss of control dominate in stress and depression inventories from women with recurrent pregnancy loss. European Journal of Contraception and Reproductive Health Care, 2022, 27, 153-158.	1.5	7
2	Pregnancy loss and risk of multiple sclerosis and autoimmune neurological disorder: A nationwide cohort study. PLoS ONE, 2022, 17, e0266203.	2.5	2
3	SARS-CoV-2 in first trimester pregnancy: a cohort study. Human Reproduction, 2021, 36, 40-47.	0.9	45
4	Serum ferritin level is inversely related to number of previous pregnancy losses in women with recurrent pregnancy loss. Fertility and Sterility, 2021, 115, 389-396.	1.0	4
5	HLA-DRB1 polymorphism in recurrent pregnancy loss: New evidence for an association to HLA-DRB1*07. Journal of Reproductive Immunology, 2021, 145, 103308.	1.9	11
6	Stress and depression among women and men who have experienced recurrent pregnancy loss: focusing on both sexes. Reproductive BioMedicine Online, 2021, 42, 1172-1180.	2.4	8
7	Meditation and mindfulness reduce perceived stress in women with recurrent pregnancy loss: a randomized controlled trial. Reproductive BioMedicine Online, 2021, 43, 246-256.	2.4	9
8	The impact of early pregnancy complications on completed family size—A nationwide, registryâ€based cohort study with 40 years of data. Acta Obstetricia Et Gynecologica Scandinavica, 2021, 100, 2226-2233.	2.8	0
9	Chance of live birth: a nationwide, registry-based cohort study. Human Reproduction, 2021, 36, 1065-1073.	0.9	31
10	Pregnancy loss is associated with type 2 diabetes: a nationwide case–control study. Diabetologia, 2020, 63, 1521-1529.	6.3	24
11	Chance of live birth in the first pregnancy after referral among patients with recurrent pregnancy loss is not influenced by their relatives' reproductive history. European Journal of Contraception and Reproductive Health Care, 2020, 25, 209-212.	1.5	1
12	Recurrent pregnancy loss: diagnostic workup after two or three pregnancy losses? A systematic review of the literature and meta-analysis. Human Reproduction Update, 2020, 26, 356-367.	10.8	89
13	Pregnancy loss: A 40â€year nationwide assessment. Acta Obstetricia Et Gynecologica Scandinavica, 2020, 99, 1492-1496.	2.8	25
14	Thyroid Peroxidase Antibodies and Prospective Live Birth Rate: A Cohort Study of Women with Recurrent Pregnancy Loss. Thyroid, 2019, 29, 1465-1474.	4.5	43
15	Treatment with intravenous immunoglobulin in patients with recurrent pregnancy loss: An update. Journal of Reproductive Immunology, 2019, 133, 37-42.	1.9	32
16	Pregnancy Loss and Cancer Risk: A Nationwide Observational Study. EClinicalMedicine, 2019, 15, 80-88.	7.1	12
17	Pregnancy outcomes after recurrent pregnancy loss: a longitudinal cohort study on stress and depression. Reproductive BioMedicine Online, 2019, 38, 599-605.	2.4	12
18	Recurrent pregnancy loss: couples' perspectives on their need for treatment, support and follow up. Human Reproduction, 2019, 34, 291-296.	0.9	53

Astrid Marie Kolte

#	Article	IF	CITATIONS
19	ESHRE guideline: recurrent pregnancy loss. Human Reproduction Open, 2018, 2018, hoy004.	5.4	498
20	Recurrent pregnancy loss: what is the impact of consecutive versus non-consecutive losses?. Human Reproduction, 2016, 31, 2428-2434.	0.9	45
21	Maternal HY-restricting HLA class II alleles are associated with poor long-term outcome in recurrent pregnancy loss after a boy. American Journal of Reproductive Immunology, 2016, 76, 400-405.	1.2	16
22	Inheritance of the 8.1 ancestral haplotype in recurrent pregnancy loss. Evolution, Medicine and Public Health, 2015, 2015, 325-31.	2.5	2
23	Depression and emotional stress is highly prevalent among women with recurrent pregnancy loss. Human Reproduction, 2015, 30, 777-782.	0.9	132
24	Terminology for pregnancy loss prior to viability: a consensus statement from the ESHRE early pregnancy special interest group. Human Reproduction, 2015, 30, 495-498.	0.9	238
25	Non-visualized pregnancy losses are prognostically important for unexplained recurrent miscarriage. Human Reproduction, 2014, 29, 931-937.	0.9	59
26	Immunomodulatory treatment with intravenous immunoglobulin and prednisone in patients with recurrent miscarriage and implantation failure after inÂvitro fertilization/intracytoplasmic sperm injection. Fertility and Sterility, 2014, 102, 1650-1655.e1.	1.0	45
27	New insights into mechanisms behind miscarriage. BMC Medicine, 2013, 11, 154.	5.5	396
28	A genome-wide scan in affected sibling pairs with idiopathic recurrent miscarriage suggests genetic linkage. Molecular Human Reproduction, 2011, 17, 379-385.	2.8	70
29	Study of the structure and impact of human leukocyte antigen (HLA)-G-A, HLA-G-B, and HLA-G-DRB1 haplotypes in families with recurrent miscarriage. Human Immunology, 2010, 71, 482-488.	2.4	28
30	A firstborn boy is suggestive of a strong prognostic factor in secondary recurrent miscarriage: a confirmatory study. Fertility and Sterility, 2008, 89, 907-911.	1.0	43