

Jin-Hyoung Cho

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6343977/jin-hyoung-cho-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

8

papers

241

citations

6

h-index

8

g-index

8

ext. papers

280

ext. citations

1.7

avg, IF

2.39

L-index

#	Paper	IF	Citations
8	Factors associated with initial stability of miniscrews for orthodontic treatment. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2009 , 136, 236-42	2.1	81
7	Accuracy of three-dimensional printing for manufacturing replica teeth. <i>Korean Journal of Orthodontics</i> , 2015 , 45, 217-25	1.4	57
6	Root proximity and cortical bone thickness effects on the success rate of orthodontic micro-implants using cone beam computed tomography. <i>Angle Orthodontist</i> , 2012 , 82, 1014-21	2.6	36
5	Placement angle effects on the success rate of orthodontic microimplants and other factors with cone-beam computed tomography. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2013 , 143, 173-81	2.1	27
4	Effects of various toothpastes on remineralization of white spot lesions. <i>Korean Journal of Orthodontics</i> , 2014 , 44, 113-8	1.4	18
3	Bone density effects on the success rate of orthodontic microimplants evaluated with cone-beam computed tomography. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2016 , 149, 217-24	2.1	17
2	Construction reproducibility of a composite tooth model composed of an intraoral-scanned crown and a cone-beam computed tomography-scanned root. <i>Korean Journal of Orthodontics</i> , 2020 , 50, 229-237	1.4	4
1	Evaluation of mesiodistal tooth axis using a CBCT-generated panoramic view. <i>Korean Journal of Orthodontics</i> , 2011 , 41, 255	1.4	1