

Kazuomi Kario

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6344014/kazuomi-kario-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

462
papers

19,203
citations

64
h-index

125
g-index

515
ext. papers

24,156
ext. citations

4.4
avg, IF

7.23
L-index

#	Paper	IF	Citations
462	Cardiovascular risk assessment tools in Asia.. <i>Journal of Clinical Hypertension</i> , 2022 ,	2.3	1
461	The worldwide impact of telemedicine during COVID-19: current evidence and recommendations for the future. 2022 , 1, 7-35		4
460	Efficacy of sacubitril/valsartan versus olmesartan in Japanese patients with essential hypertension: a randomized, double-blind, multicenter study.. <i>Hypertension Research</i> , 2022 ,	4.7	4
459	Seven-action approaches for the management of hypertension in Asia - The HOPE Asia network.. <i>Journal of Clinical Hypertension</i> , 2022 ,	2.3	6
458	Association of Night-to-Night Adherence of Continuous Positive Airway Pressure With Day-to-Day Morning Home Blood Pressure and Its Seasonal Variation in Obstructive Sleep Apnea.. <i>Journal of the American Heart Association</i> , 2022 , e024865	6	0
457	Long-term efficacy and safety of renal denervation in the presence of antihypertensive drugs (SPYRAL HTN-ON MED): a randomised, sham-controlled trial.. <i>Lancet, The</i> , 2022 , 399, 1401-1410	4.0	11
456	Arterial stiffness and atherosclerosis: mechanistic and pathophysiologic interactions 2022 , 609-620		0
455	Long-Term Effect of Febuxostat on Endothelial Function in Patients With Asymptomatic Hyperuricemia: A Sub-Analysis of the PRIZE Study.. <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 882821	5.4	0
454	Validation of an ambulatory blood pressure monitoring device employing a novel method to detect atrial fibrillation.. <i>Hypertension Research</i> , 2022 ,	4.7	1
453	Left ventricular mass as a predictor of cardiovascular events in the era of hypertension management using home blood pressure measurement: the J-HOP study.. <i>Hypertension Research</i> , 2022 ,	4.7	1
452	Nighttime Home Blood Pressure Is Associated With the Cardiovascular Disease Events Risk in Treatment-Resistant Hypertension. <i>Hypertension</i> , 2021 , HYPERTENSIONAHA12118534	8.5	1
451	Validation of novel identification algorithms for major adverse cardiovascular events in a Japanese claims database. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 646-655	2.3	2
450	Determining the Relationship between Triglycerides and Arterial Stiffness in Cardiovascular Risk Patients Without Low-Density Lipoprotein Cholesterol-Lowering Therapy. <i>International Heart Journal</i> , 2021 , 62, 1320-1327	1.8	0
449	Electrocardiogram abnormalities in residents in cold homes: a cross-sectional analysis of the nationwide Smart Wellness Housing survey in Japan. <i>Environmental Health and Preventive Medicine</i> , 2021 , 26, 104	4.2	1
448	Effect of esaxerenone on nocturnal blood pressure and natriuretic peptide in different dipping phenotypes. <i>Hypertension Research</i> , 2021 ,	4.7	4
447	Annual reports on hypertension research 2020. <i>Hypertension Research</i> , 2021 ,	4.7	3
446	Differential impact of antihypertensive drugs on cardiovascular remodeling: a review of findings and perspectives for HFpEF prevention. <i>Hypertension Research</i> , 2021 ,	4.7	2

445	Catheter-based ultrasound renal denervation in patients with resistant hypertension: the randomized, controlled REQUIRE trial. <i>Hypertension Research</i> , 2021 ,	4.7	7
444	Relationship between blood pressure repeatedly measured by a wrist-cuff oscillometric wearable blood pressure monitoring device and left ventricular mass index in working hypertensive patients. <i>Hypertension Research</i> , 2021 ,	4.7	4
443	Effects of renal denervation on blood pressures in patients with hypertension: a systematic review and meta-analysis of randomized sham-controlled trials. <i>Hypertension Research</i> , 2021 ,	4.7	4
442	Association of treatment-resistant hypertension defined by home blood pressure monitoring with cardiovascular outcome. <i>Hypertension Research</i> , 2021 ,	4.7	7
441	A Japan nationwide web-based survey of patient preference for renal denervation for hypertension treatment. <i>Hypertension Research</i> , 2021 ,	4.7	3
440	Cardiovascular Prognosis in Drug-Resistant Hypertension Stratified by 24-Hour Ambulatory Blood Pressure: The JAMP Study. <i>Hypertension</i> , 2021 , 78, 1781-1790	8.5	6
439	Automatically assessed P-wave predicts cardiac events independently of left atrial enlargement in patients with cardiovascular risks: The Japan Morning Surge-Home Blood Pressure Study. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 301-308	2.3	2
438	Hypertension in a multi-ethnic Asian population of Singapore. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 522-528	2.3	5
437	Hypertension and erectile dysfunction: The role of endovascular therapy in Asia. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 481-488	2.3	4
436	Long sleep duration and cardiovascular disease: Associations with arterial stiffness and blood pressure variability. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 496-503	2.3	1
435	The Global Ambulatory Blood Pressure Monitoring (ABPM) in Heart Failure with Preserved Ejection Fraction (HFpEF) Registry. Rationale, design and objectives. <i>Journal of Human Hypertension</i> , 2021 , 35, 1029-1037	2.6	0
434	Seasonal Variation in Masked Nocturnal Hypertension: The J-HOP Nocturnal Blood Pressure Study. <i>American Journal of Hypertension</i> , 2021 , 34, 609-618	2.3	5
433	Non-pharmacological management of hypertension. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 1275-1283	2.3	9
432	Regional differences in office and self-measured home heart rates in Asian hypertensive patients: AsiaBP@Home study. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 606-613	2.3	4
431	Sleep Rate Mode of Pacemaker-Dependent Patients with Sick Sinus Syndrome Increases Dipper Blood Pressure and Dipper Heart Rate Patterns. <i>International Heart Journal</i> , 2021 , 62, 344-349	1.8	
430	Comparison of nighttime measurement schedules using a wrist-type nocturnal home blood pressure monitoring device. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 1144-1149	2.3	4
429	Obstructive Sleep Apnea-Induced Neurogenic Nocturnal Hypertension: A Potential Role of Renal Denervation?. <i>Hypertension</i> , 2021 , 77, 1047-1060	8.5	7
428	Response by Kario et al to Letter Regarding Article, "Nighttime Blood Pressure Phenotype and Cardiovascular Prognosis: Practitioner-Based Nationwide JAMP Study". <i>Circulation</i> , 2021 , 143, e982-e983	16.7	

427	Clinical studies on pharmacological treatment of hypertension in Japan. <i>Journal of Human Hypertension</i> , 2021 ,	2.6	1
426	Toward Zero Cardiovascular Events in Asia: The HOPE Asia Network. <i>JACC Asia</i> , 2021 , 1, 121-124		1
425	Diversity in Hypertension and Cardiovascular Disease Around the Globe. <i>Current Hypertension Reviews</i> , 2021 , 17, 1-2	2.3	0
424	Comparison of Brachial Blood Pressure and Central Blood Pressure in Attended, Unattended, and Unattended Standing Situations. <i>Hypertension Research</i> , 2021 , 44, 1283-1290	4.7	0
423	Nighttime home blood pressure as a mediator of N-terminal pro-brain natriuretic peptide in cardiovascular events. <i>Hypertension Research</i> , 2021 , 44, 1138-1146	4.7	11
422	Sleep and cardiovascular outcomes in relation to nocturnal hypertension: the J-HOP Nocturnal Blood Pressure Study. <i>Hypertension Research</i> , 2021 , 44, 1589-1596	4.7	7
421	Impact of indoor temperature instability on diurnal and day-by-day variability of home blood pressure in winter: a nationwide Smart Wellness Housing survey in Japan. <i>Hypertension Research</i> , 2021 , 44, 1406-1416	4.7	4
420	European Society of Hypertension position paper on renal denervation 2021. <i>Journal of Hypertension</i> , 2021 , 39, 1733-1741	1.9	21
419	Home blood pressure monitoring: methodology, clinical relevance and practical application: a 2021 position paper by the Working Group on Blood Pressure Monitoring and Cardiovascular Variability of the European Society of Hypertension. <i>Journal of Hypertension</i> , 2021 , 39, 1742-1767	1.9	15
418	Visit-to-visit office blood pressure variability revisited in SPRINT. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 1526-1528	2.3	1
417	Day-to-day blood pressure variability and severity of COVID-19: Is sympathetic overdrive a potential link?. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 1681-1683	2.3	0
416	Effect of renal denervation in attenuating the stress of morning surge in blood pressure: post-hoc analysis from the SPYRAL HTN-ON MED trial. <i>Clinical Research in Cardiology</i> , 2021 , 110, 725-731	6.1	7
415	Stress-Induced Blood Pressure Elevation Self-Measured by a Wearable Watch-Type Device. <i>American Journal of Hypertension</i> , 2021 , 34, 377-382	2.3	4
414	Insights on home blood pressure monitoring in Asia: Expert perspectives from 10 countries/regions. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 3-11	2.3	3
413	Effect of the Nonsteroidal Mineralocorticoid Receptor Blocker, Esaxerenone, on Nocturnal Hypertension: A Post Hoc Analysis of the ESAX-HTN Study. <i>American Journal of Hypertension</i> , 2021 , 34, 540-551	2.3	9
412	High prevalence of masked uncontrolled morning hypertension in elderly non-valvular atrial fibrillation patients: Home blood pressure substudy of the ANAFIE Registry. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 73-82	2.3	2
411	Isolated systolic hypertension in Asia. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 467-474	2.3	1
410	Dietary intervention for the management of hypertension in Asia. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 538-544	2.3	1

409	Hypertension and stroke in Asia: A comprehensive review from HOPE Asia. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 513-521	2.3	8
408	The effects of foot reflexology on blood pressure and heart rate: A randomized clinical trial in stage-2 hypertensive patients. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 680-686	2.3	2
407	Differences in ambulatory blood pressure profiles between Japanese and Thai patients with hypertension /suspected hypertension. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 614-620	2.3	2
406	Angiotensin receptor neprilysin inhibitor as a novel antihypertensive drug: Evidence from Asia and around the globe. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 556-567	2.3	6
405	Guidance on ambulatory blood pressure monitoring: A statement from the HOPE Asia Network. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 411-421	2.3	10
404	Association of lower nighttime diastolic blood pressure and hypoxia with silent myocardial injury: The Japan Morning Surge-Home Blood Pressure study. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 272-280 ^{2,3}	2.3	1
403	The feasibility of polypill for cardiovascular disease prevention in Asian Population. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 545-555	2.3	3
402	Office blood pressure threshold of 130/80mmHg better predicts uncontrolled out-of-office blood pressure in apparent treatment-resistant hypertension. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 595-605 ^{2,3}	2.3	1
401	Mental health problems and hypertension in the elderly: Review from the HOPE Asia Network. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 504-512	2.3	5
400	Self-measured worksite blood pressure and its association with organ damage in working adults: Japan Morning Surge Home Blood Pressure (J-HOP) worksite study. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 53-60	2.3	3
399	Safety and efficacy of empagliflozin in elderly Japanese patients with type 2 diabetes mellitus: A post hoc analysis of data from the SACRA study. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 860-869	2.3	5
398	Single-pill combination of cilnidipine, an l/n-type calcium channel blocker, and valsartan reduces the day-by-day variability of morning home systolic blood pressure in patients with treated hypertension: A sub-analysis of the HOPE-combi survey. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 392-397	2.3	5
397	Atrial fibrillation is associated with cardiovascular events in obese Japanese with one or more cardiovascular risk factors: The Japan Morning Surge Home Blood Pressure (J-HOP) Study. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 665-671	2.3	2
396	Comparative effects of topiroxostat and febuxostat on arterial properties in hypertensive patients with hyperuricemia. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 334-344	2.3	4
395	Renal Sodium Handling: Perspective on Adaptation to Clinical Practice. <i>American Journal of Hypertension</i> , 2021 , 34, 332-334	2.3	
394	Different age-related impacts of lean and obesity on cardiovascular prognosis in Japanese patients with cardiovascular risks: The J-HOP (Japan Morning Surge-Home Blood Pressure) Study. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 382-388	2.3	1
393	Simultaneous self-monitoring comparison of a supine algorithm-equipped wrist nocturnal home blood pressure monitoring device with an upper arm device. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 793-801	2.3	10
392	Assessment of preferred methods to measure insulin resistance in Asian patients with hypertension. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 529-537	2.3	12

391	Telemedicine in the management of hypertension: Evolving technological platforms for blood pressure telemonitoring. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 435-439	2.3	13
390	Relationship Between Home Blood Pressure and the Onset Season of Cardiovascular Events: The J-HOP Study (Japan Morning Surge-Home Blood Pressure). <i>American Journal of Hypertension</i> , 2021 , 34, 729-736	2.3	2
389	Office blood pressure measurement: A comprehensive review. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 440-449	2.3	3
388	Quantitative evaluation of white matter hyperintensities in patients with heart failure using an innovative magnetic resonance image analysis method: Association with disrupted circadian blood pressure variation. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 1089-1092	2.3	2
387	Assessment of a new algorithm to detect atrial fibrillation in home blood pressure monitoring device among healthy adults and patients with atrial fibrillation. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 1085-1088	2.3	2
386	Disaster hypertension and cardiovascular events in disaster and COVID-19 pandemic. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 575-583	2.3	6
385	Clinical significance of nocturnal home blood pressure monitoring and nocturnal hypertension in Asia. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 457-466	2.3	6
384	Is the newest angiotensin-receptor blocker azilsartan medoxomil more efficacious in lowering blood pressure than the older ones? A systematic review and network meta-analysis. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 901-914	2.3	3
383	Characteristics and control of the 24-hour ambulatory blood pressure in patients with metabolic syndrome. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 450-456	2.3	1
382	Hypertension and chronic kidney disease in Asian populations. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 475-480	2.3	4
381	Applications of artificial intelligence for hypertension management. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 568-574	2.3	5
380	Comparison of guidelines for the management of hypertension: Similarities and differences between international and Asian countries; perspectives from HOPE-Asia Network. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 422-434	2.3	3
379	Home Blood Pressure Monitoring: Current Status and New Developments. <i>American Journal of Hypertension</i> , 2021 , 34, 783-794	2.3	10
378	Characteristics of hypertension in obstructive sleep apnea: An Asian experience. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 489-495	2.3	4
377	Difference between morning and evening home blood pressure and cardiovascular events: the J-HOP Study (Japan Morning Surge-Home Blood Pressure). <i>Hypertension Research</i> , 2021 , 44, 1597-1605	4.7	6
376	Impact of home blood pressure variability on cardiovascular outcome in patients with arterial stiffness: Results of the J-HOP study. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 1529-1537	2.3	4
375	Calcium phosphate microcrystals in the renal tubular fluid accelerate chronic kidney disease progression. <i>Journal of Clinical Investigation</i> , 2021 , 131,	15.9	12
374	Efficacy of a digital therapeutics system in the management of essential hypertension: the HERB-DH1 pivotal trial. <i>European Heart Journal</i> , 2021 , 42, 4111-4122	9.5	12

373	A Japan nationwide web-based survey of estimation on patients for renal denervation based on blood pressure level and the number of antihypertensives (J-NEEDs survey). <i>Journal of Clinical Hypertension</i> , 2021 , 23, 1684-1694	2.3	1
372	Differential Effect of the Morning Blood Pressure Surge on Prognoses Between Heart Failure With Reduced and Preserved Ejection Fractions. <i>Circulation Journal</i> , 2021 , 85, 1535-1542	2.9	3
371	Reproducibility of nighttime home blood pressure measured by a wrist-type nocturnal home blood pressure monitoring device. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 1872-1878	2.3	3
370	Sympathetic modulation by antihypertensive drugs. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 1715-1717	2.3	2
369	Clinical Impact of the Maximum Mean Value of Home Blood Pressure on Cardiovascular Outcomes: A Novel Indicator of Home Blood Pressure Variability. <i>Hypertension</i> , 2021 , 78, 840-850	8.5	5
368	Morning Surge in Blood Pressure and Stroke Events in a Large Modern Ambulatory Blood Pressure Monitoring Cohort: Results of the JAMP Study. <i>Hypertension</i> , 2021 , 78, 894-896	8.5	5
367	Trial of Intensive Blood-Pressure Control in Older Patients with Hypertension. <i>New England Journal of Medicine</i> , 2021 , 385, 1268-1279	59.2	55
366	Nocturnal Hypertension and Heart Failure: Mechanisms, Evidence, and New Treatments. <i>Hypertension</i> , 2021 , 78, 564-577	8.5	8
365	Association Between Blood Pressure Variability With Dementia and Cognitive Impairment: A Systematic Review and Meta-Analysis. <i>Hypertension</i> , 2021 , 78, 1478-1489	8.5	6
364	Seasonal variation in blood pressure: current evidence and recommendations for hypertension management. <i>Hypertension Research</i> , 2021 , 44, 1363-1372	4.7	6
363	Renal denervation based on experimental rationale. <i>Hypertension Research</i> , 2021 , 44, 1385-1394	4.7	6
362	Critical angioedema induced by a renin angiotensin system blocker in the contemporary era of increasing heart failure: A case report and commentary. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 692-695 ³	2.3	1
361	World Heart Federation Roadmap for Hypertension - A 2021 Update. <i>Global Heart</i> , 2021 , 16, 63	2.9	13
360	Differences in exercise-induced blood pressure changes between young trained and untrained individuals. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 843-848	2.3	1
359	Comparative effects of valsartan plus cilnidipine or hydrochlorothiazide on nocturnal home blood pressure. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 687-691	2.3	1
358	Digital therapeutics for essential hypertension using a smartphone application: A randomized, open-label, multicenter pilot study. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 923-934	2.3	4
357	Development of Small and Lightweight Beat-By-Beat Blood Pressure Monitoring Device Based on Tonometry. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2021 , 2021, 5455-5458	0.9	2
356	Growth Differentiation Factor-15 Predicts Death and Stroke Event in Outpatients With Cardiovascular Risk Factors: The J-HOP Study. <i>Journal of the American Heart Association</i> , 2021 , e022601 ⁶	6	1

355	Nocturnal blood pressure surge in seconds is a new determinant of left ventricular mass index.. <i>Journal of Clinical Hypertension</i> , 2021 ,	2.3	2
354	Renal denervation: basic and clinical evidence.. <i>Hypertension Research</i> , 2021 ,	4.7	1
353	A multicenter clinical trial to assess the efficacy of the digital therapeutics for essential hypertension: Rationale and design of the HERB-DH1 trial. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 1713-1722	2.3	6
352	Nighttime Blood Pressure Phenotype and Cardiovascular Prognosis: Practitioner-Based Nationwide JAMP Study. <i>Circulation</i> , 2020 , 142, 1810-1820	16.7	49
351	Increased Arterial Stiffness Amplifies the Association Between Home Blood Pressure Variability and Cardiac Overload: The J-HOP Study. <i>Hypertension</i> , 2020 , 75, 1600-1606	8.5	12
350	Validation of a wrist-type home nocturnal blood pressure monitor in the sitting and supine position according to the ANSI/AAMI/ISO81060-2:2013 guidelines: Omron HEM-9601T. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 970-978	2.3	11
349	Associations Between Day-by-Day Home Blood Pressure Variability and Renal Function and Albuminuria in Patients With and Without Diabetes. <i>American Journal of Hypertension</i> , 2020 , 33, 860-868 ^{2,3}	2.3	7
348	Direct Comparison of Home Versus Ambulatory Defined Nocturnal Hypertension for Predicting Cardiovascular Events: The Japan Morning Surge-Home Blood Pressure (J-HOP) Study. <i>Hypertension</i> , 2020 , 76, 554-561	8.5	14
347	Cardiovascular Event Risks Associated With Masked Nocturnal Hypertension Defined by Home Blood Pressure Monitoring in the J-HOP Nocturnal Blood Pressure Study. <i>Hypertension</i> , 2020 , 76, 259-266 ^{8,5}	8.5	19
346	Disparities of indoor temperature in winter: A cross-sectional analysis of the Nationwide Smart Wellness Housing Survey in Japan. <i>Indoor Air</i> , 2020 , 30, 1317-1328	5.4	7
345	Seasonal variation in blood pressure: Evidence, consensus and recommendations for clinical practice. Consensus statement by the European Society of Hypertension Working Group on Blood Pressure Monitoring and Cardiovascular Variability. <i>Journal of Hypertension</i> , 2020 , 38, 1235-1243	1.9	26
344	Age-related difference of the association of cardiovascular risk factors with the cardio-ankle vascular index in the Cardiovascular Prognostic Coupling Study in Japan (the Coupling Registry). <i>Journal of Clinical Hypertension</i> , 2020 , 22, 1208-1215	2.3	4
343	Advances and Challenges in the Electrocardiographic Diagnosis of Left Ventricular Hypertrophy in Hypertensive Individuals. <i>American Journal of Hypertension</i> , 2020 , 33, 819-821	2.3	2
342	Seasonal Variation of Home Blood Pressure and Its Association With Target Organ Damage: The J-HOP Study (Japan Morning Surge-Home Blood Pressure). <i>American Journal of Hypertension</i> , 2020 , 33, 620-628	2.3	16
341	Efficacy of catheter-based renal denervation in the absence of antihypertensive medications (SPYRAL HTN-OFF MED Pivotal): a multicentre, randomised, sham-controlled trial. <i>Lancet, The</i> , 2020 , 395, 1444-1451	4.0	166
340	COVID-19 and hypertension-evidence and practical management: Guidance from the HOPE Asia Network. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 1109-1119	2.3	21
339	The Combination of Non-dipper Heart Rate and High Brain Natriuretic Peptide Predicts Cardiovascular Events: The Japan Morning Surge-Home Blood Pressure (J-HOP) Study. <i>American Journal of Hypertension</i> , 2020 , 33, 430-438	2.3	4
338	Rationale, design, and baseline characteristics of the Cardiovascular Prognostic COUPLING Study in Japan (the COUPLING Registry). <i>Journal of Clinical Hypertension</i> , 2020 , 22, 465-474	2.3	11

337	Perfect 24-hr Blood Pressure Control: Up-to-Date 2020. <i>Current Hypertension Reviews</i> , 2020 , 16, 2-10	2.3	3
336	The HOPE Asia Network activity for "zero" cardiovascular events in Asia: Overview 2020. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 321-330	2.3	12
335	A post-marketing survey evaluating the safety and efficacy of a fixed-dose single-pill combination of cilnidipine and valsartan in patients with hypertension: Real-world JSH 2014 and 2019 implementations. <i>Clinical and Experimental Hypertension</i> , 2020 , 42, 502-511	2.2	3
334	An overview of hypertension and cardiac involvement in Asia: Focus on heart failure. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 423-430	2.3	14
333	What is new in the 2018 Chinese hypertension guideline and the implication for the management of hypertension in Asia?. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 363-368	2.3	12
332	The first study comparing a wearable watch-type blood pressure monitor with a conventional ambulatory blood pressure monitor on in-office and out-of-office settings. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 135-141	2.3	30
331	Prediction of blood pressure variability using deep neural networks. <i>International Journal of Medical Informatics</i> , 2020 , 136, 104067	5.3	23
330	Renal Denervation in Asia: Consensus Statement of the Asia Renal Denervation Consortium. <i>Hypertension</i> , 2020 , 75, 590-602	8.5	22
329	Control of 24-hour blood pressure with SGLT2 inhibitors to prevent cardiovascular disease. <i>Progress in Cardiovascular Diseases</i> , 2020 , 63, 249-262	8.5	21
328	Prognostic Value of a Riser Pattern of Nighttime Blood Pressure in Very Elderly Adults of 80 Years: A General Practice-Based Prospective SEARCH Study. <i>American Journal of Hypertension</i> , 2020 , 33, 520-527	2.3	4
327	Febuxostat does not delay progression of carotid atherosclerosis in patients with asymptomatic hyperuricemia: A randomized, controlled trial. <i>PLoS Medicine</i> , 2020 , 17, e1003095	11.6	17
326	Improvement of Actisensitivity After Ventricular Reverse Remodeling in Heart Failure: New ICT-Based Multisensor Ambulatory Blood Pressure Monitoring. <i>American Journal of Hypertension</i> , 2020 , 33, 161-164	2.3	2
325	Nocturnal Home Blood Pressure Monitoring. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2020 , 121-129	0.1	
324	Home Blood Pressure Monitoring in Clinical Research. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2020 , 89-101	0.1	
323	Guidelines for Home Blood Pressure Monitoring. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2020 , 165-170	0.1	0
322	Diagnostic Value of Home Blood Pressure. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2020 , 45-54	0.1	2
321	Current status of adherence interventions in hypertension management in Asian countries: A report from the HOPE Asia Network. <i>Journal of Clinical Hypertension</i> , 2020 , 23, 584	2.3	2
320	Intervention study of the effect of insulation retrofitting on home blood pressure in winter: a nationwide Smart Wellness Housing survey. <i>Journal of Hypertension</i> , 2020 , 38, 2510-2518	1.9	3

319	Asian management of hypertension: Current status, home blood pressure, and specific concerns in Malaysia. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 497-500	2.3	6
318	Current status of ambulatory blood pressure monitoring in Asian countries: A report from the HOPE Asia Network. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 384-390	2.3	13
317	Asian management of hypertension: Current status, home blood pressure, and specific concerns in Japan. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 486-492	2.3	8
316	Highlights of the 2019 Japanese Society of Hypertension Guidelines and perspectives on the management of Asian hypertensive patients. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 369-377	2.3	9
315	Comparison of day-to-day blood pressure variability in hypertensive patients with type 2 diabetes mellitus to those without diabetes: Asia BP@Home Study. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 407-414	2.3	3
314	The influence of the ambient temperature on blood pressure and how it will affect the epidemiology of hypertension in Asia. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 438-444	2.3	20
313	Target blood pressure and control status in Asia. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 344-350	2.3	9
312	Central blood pressure for the management of hypertension: Is it a practical clinical tool in current practice?. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 391-406	2.3	15
311	Systemic hemodynamic atherothrombotic syndrome (SHATS) - Coupling vascular disease and blood pressure variability: Proposed concept from pulse of Asia. <i>Progress in Cardiovascular Diseases</i> , 2020 , 63, 22-32	8.5	27
310	2020 Consensus summary on the management of hypertension in Asia from the HOPE Asia Network. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 351-362	2.3	37
309	High blood pressure in dementia: How low can we go?. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 415-422.	2.3	4
308	Impact of pre-existing hypertension and control status before atrial fibrillation onset on cardiovascular prognosis in patients with non-valvular atrial fibrillation: A real-world database analysis in Japan. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 431-437	2.3	8
307	Highly precise risk prediction model for new-onset hypertension using artificial intelligence techniques. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 445-450	2.3	24
306	Diversity of and initiatives for hypertension management in Asia-Why we need the HOPE Asia Network. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 331-343	2.3	22
305	Class effect of xanthine oxidase inhibitors on flow-mediated dilatation in hypertensive patients: A randomized controlled trial. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 451-456	2.3	3
304	Association Between Blood Pressure Variability and Cerebral Small-Vessel Disease: A Systematic Review and Meta-Analysis. <i>Journal of the American Heart Association</i> , 2020 , 9, e013841	6	34
303	Association of Extreme Nocturnal Dipping With Cardiovascular Events Strongly Depends on Age. <i>Hypertension</i> , 2020 , 75, 324-330	8.5	12
302	Randomized, "head-to-head" studies comparing different SGLT2 inhibitors are definitely needed. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 2391-2392	2.3	1

301	Cardiovascular outcome and home blood pressure in relation to silent myocardial ischemia in a clinical population: The J-HOP study. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 2214-2220	2.3	2
300	Left Atrial Size and Ischemic Events after Ischemic Stroke or Transient Ischemic Attack in Patients with Nonvalvular Atrial Fibrillation. <i>Cerebrovascular Diseases</i> , 2020 , 49, 619-624	3.2	5
299	Management of Hypertension in the Digital Era: Small Wearable Monitoring Devices for Remote Blood Pressure Monitoring. <i>Hypertension</i> , 2020 , 76, 640-650	8.5	39
298	The Importance of the Early Detection of Masked Hypertension. <i>American Journal of Hypertension</i> , 2020 , 33, 990-992	2.3	
297	Hypertension and related diseases in the era of COVID-19: a report from the Japanese Society of Hypertension Task Force on COVID-19. <i>Hypertension Research</i> , 2020 , 43, 1028-1046	4.7	65
296	Effects of luseogliflozin on arterial properties in patients with type 2 diabetes mellitus: The multicenter, exploratory LUSCAR study. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 1585-1593	2.3	17
295	The Insular Cortex, Alzheimer Disease Pathology, and Their Effects on Blood Pressure Variability. <i>Alzheimer Disease and Associated Disorders</i> , 2020 , 34, 282-291	2.5	9
294	Prevalence and prognosis of the 2018 vs 2008 AHA definitions of apparent treatment-resistant hypertension in high-risk hypertension patients. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 2093-2102	2.3	6
293	Hypertension, heart failure, and frailty in older people: A common but unclear situation. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 1763-1768	2.3	9
292	Evidence and Recommendations on the Use of Telemedicine for the Management of Arterial Hypertension: An International Expert Position Paper. <i>Hypertension</i> , 2020 , 76, 1368-1383	8.5	56
291	The possibility that long-term isometric handgrip exercise contributes to left atrial enlargement in patients with hypertension. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 2137-2140	2.3	
290	Combination therapy with an Xa inhibitor and antihypertensive agent improved anticoagulant activity in patients with nonvalvular atrial fibrillation: the hypertension and atrial fibrillation treated by rivaroxaban for the morning and night with sYnergy with calcium antagonists (HAFINIA) study. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 2145-2150	2.2	
289	Automatic detection algorithm for establishing standard to identify "surge blood pressure". <i>Medical and Biological Engineering and Computing</i> , 2020 , 58, 1393-1404	3.1	6
288	Single-pill combination of cilnidipine, an L-/N-type calcium channel blocker, and valsartan effectively reduces home pulse pressure in patients with uncontrolled hypertension and sympathetic hyperactivity: The HOPE-Combi survey. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 457-464	2.3	4
287	Expert panel consensus recommendations for ambulatory blood pressure monitoring in Asia: The HOPE Asia Network. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 1250-1283	2.3	65
286	The effects of topiroxostat on vascular function in patients with hyperuricemia. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 1713-1720	2.3	7
285	Salt Intake and Risk of Disaster Hypertension Among Evacuees in a Shelter After the Great East Japan Earthquake. <i>Hypertension</i> , 2019 , 74, 564-571	8.5	17
284	Cross-Sectional Analysis of the Relationship Between Home Blood Pressure and Indoor Temperature in Winter: A Nationwide Smart Wellness Housing Survey in Japan. <i>Hypertension</i> , 2019 , 74, 756-766	8.5	28

283	Central Glucagon-like Peptide-1 Receptor Signaling via Brainstem Catecholamine Neurons Counteracts Hypertension in Spontaneously Hypertensive Rats. <i>Scientific Reports</i> , 2019 , 9, 12986	4.9	13
282	Validation of a wrist-type home nocturnal blood pressure monitor in the sitting and supine position according to the ANSI/AAMI/ISO81060-2:2013 guidelines: Omron HEM-9600T. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 463-469	2.3	19
281	Comparison of blood pressure values-self-measured at home, measured at an unattended office, and measured at a conventional attended office. <i>Hypertension Research</i> , 2019 , 42, 1726-1737	4.7	12
280	Added predictive value of high uric acid for cardiovascular events in the Ambulatory Blood Pressure International Study. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 966-974	2.3	6
279	Hypertension and Dementia: A comprehensive review from the HOPE Asia Network. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 1091-1098	2.3	24
278	Association of calciprotein particles measured by a new method with coronary artery plaque in patients with coronary artery disease: A cross-sectional study. <i>Journal of Cardiology</i> , 2019 , 74, 428-435	3	17
277	Systemic hemodynamic atherothrombotic syndrome (SHATS): Diagnosis and severity assessment score. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 1011-1015	2.3	20
276	Nighttime Blood Pressure Measured by Home Blood Pressure Monitoring as an Independent Predictor of Cardiovascular Events in General Practice. <i>Hypertension</i> , 2019 , 73, 1240-1248	8.5	69
275	Effect of suvorexant on nighttime blood pressure in hypertensive patients with insomnia: The SUPER-1 study. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 896-903	2.3	10
274	Validation of two watch-type wearable blood pressure monitors according to the ANSI/AAMI/ISO81060-2:2013 guidelines: Omron HEM-6410T-ZM and HEM-6410T-ZL. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 853-858	2.3	44
273	Early morning-Best time window of hourly 24-hour ambulatory blood pressure in relation to hypertensive organ damage: The Japan Morning Surge-Home Blood Pressure study. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 579-586	2.3	13
272	Blood Pressure Measurement and Treatment Decisions. <i>Circulation Research</i> , 2019 , 124, 990-1008	15.7	37
271	Electrocardiographic ST-T Area Assessed by a Computerized Quantitative Method and Its Relation to Cardiovascular Events: The J-HOP Study. <i>American Journal of Hypertension</i> , 2019 , 32, 282-288	2.3	1
270	Home Blood Pressure-guided Anticipation Management of Hypertension: Effective to the Gap Between the Guidelines and the Individualized Medicine. <i>Current Hypertension Reviews</i> , 2019 , 15, 2-6	2.3	4
269	Sufficient and Persistent Blood Pressure Reduction in the Final Long-Term Results From SYMPPLICITY HTN-Japan - Safety and Efficacy of Renal Denervation at 3 Years. <i>Circulation Journal</i> , 2019 , 83, 622-629	2.9	22
268	Hemodynamic Stress, Pulse Pressure, and Blood Pressure Variability May Be Strong Triggers of Cardiovascular Events in Diabetes. <i>American Journal of Hypertension</i> , 2019 , 32, 1045-1047	2.3	
267	Diagnostic accuracy of an algorithm for detecting atrial fibrillation in a wrist-type pulse wave monitor. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 1393-1398	2.3	7
266	The Japanese Society of Hypertension Guidelines for the Management of Hypertension (JSH 2019). <i>Hypertension Research</i> , 2019 , 42, 1235-1481	4.7	468

265	Usefulness of a salt check sheet for elementary school and junior high school children. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 722-729	2.3	3
264	Emergence of Home Blood Pressure-Guided Management of Hypertension Based on Global Evidence. <i>Hypertension</i> , 2019 , HYPERTENSIONAHA11912630	8.5	36
263	Changes in 24-Hour Patterns of Blood Pressure in Hypertension Following Renal Denervation Therapy. <i>Hypertension</i> , 2019 , HYPERTENSIONAHA11913081	8.5	12
262	Renal Denervation for Treating Hypertension: Current Scientific and Clinical Evidence. <i>JACC: Cardiovascular Interventions</i> , 2019 , 12, 1095-1105	5	36
261	Key Points of the 2019 Japanese Society of Hypertension Guidelines for the Management of Hypertension. <i>Korean Circulation Journal</i> , 2019 , 49, 1123-1135	2.2	4
260	Winter morning surge in blood pressure after the Great East Japan Earthquake. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 208-216	2.3	13
259	Constipation-induced pressor effects as triggers for cardiovascular events. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 421-425	2.3	14
258	Brachial-Ankle Pulse Wave Velocity Versus Its Stiffness Index Transformed Value as Risk Marker for Cardiovascular Disease. <i>Journal of the American Heart Association</i> , 2019 , 8, e013004	6	9
257	Validation of an automatic device for the self-measurement of blood pressure in sitting and supine positions according to the ANSI/AAMI/ISO81060-2: 2013 guidelines: the Omron HEM-9700T. <i>Blood Pressure Monitoring</i> , 2019 , 24, 146-150	1.3	7
256	Nocturnal blood pressure measured by home devices: evidence and perspective for clinical application. <i>Journal of Hypertension</i> , 2019 , 37, 905-916	1.9	45
255	Lower Systolic Blood Pressure and Cardiovascular Event Risk Stratified by Renal Resistive Index in Hospitalized Cardiovascular Patients: J-VAS Study. <i>American Journal of Hypertension</i> , 2019 , 32, 365-374	2.3	1
254	Effect Modification by Age on the Benefit or Harm of Antihypertensive Treatment for Elderly Hypertensives: A Systematic Review and Meta-analysis. <i>American Journal of Hypertension</i> , 2019 , 32, 163-174	2.3	7
253	Cardio-ankle vascular index and cardiovascular disease: Systematic review and meta-analysis of prospective and cross-sectional studies. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 16-24	2.3	55
252	Hypertension Is Predicted by Both Large and Small Artery Disease. <i>Hypertension</i> , 2019 , 73, 75-83	8.5	17
251	Maximum home systolic blood pressure is a marker of carotid atherosclerosis. <i>Clinical and Experimental Hypertension</i> , 2019 , 41, 774-778	2.2	3
250	Validation of the TM-2441 ambulatory blood pressure measurement device according to the ISO 81060-2: 2013 standard. <i>Blood Pressure Monitoring</i> , 2019 , 24, 38-41	1.3	9
249	Steno-Stiffness Approach for Cardiovascular Disease Risk Assessment in Primary Prevention. <i>Hypertension</i> , 2019 , 73, 508-513	8.5	6
248	Disparities in the impact of overweight on hypertension among Asians: a Japanese and Thai population-based study. <i>Journal of Human Hypertension</i> , 2019 , 33, 123-130	2.6	

247	Comparative Assessment of Cutoffs for the Cardio-Ankle Vascular Index and Brachial-Ankle Pulse Wave Velocity in a Nationwide Registry: A Cardiovascular Prognostic Coupling Study. <i>Pulse</i> , 2019 , 6, 131-136	1.6	13
246	Morning surge in blood pressure and blood pressure variability in Asia: Evidence and statement from the HOPE Asia Network. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 324-334	2.3	34
245	Carotid atherosclerosis and the association between nocturnal blood pressure dipping and cardiovascular events. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 450-455	2.3	6
244	Exaggerated blood pressure variability is associated with memory impairment in very elderly patients. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 637-644	2.3	10
243	Could 130/80 mm Hg Be Adopted as the Diagnostic Threshold and Management Goal of Hypertension in Consideration of the Characteristics of Asian Populations?. <i>Hypertension</i> , 2018 , 71, 979-984	8.5	49
242	Reliability of morning, before-dinner, and at-bedtime home blood pressure measurements in patients with hypertension. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 315-323	2.3	13
241	Developing and validating a new precise risk-prediction model for new-onset hypertension: The Jichi Genki hypertension prediction model (JG model). <i>Journal of Clinical Hypertension</i> , 2018 , 20, 880-890	2.3	9
240	Prospective observational study in elderly patients with non-valvular atrial fibrillation: Rationale and design of the All Nippon AF In the Elderly (ANAFIE) Registry. <i>Journal of Cardiology</i> , 2018 , 72, 300-306	2.3	16
239	Home blood pressure and cardiovascular outcomes in very elderly patients receiving antihypertensive drug therapy: a subgroup analysis of Home blood pressure measurement with Olmesartan Naive patients to Establish Standard Target blood pressure (HONEST) study. <i>Clinical and Experimental Hypertension</i> , 2018 , 40, 407-413	2.2	1
238	Guidance on home blood pressure monitoring: A statement of the HOPE Asia Network. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 456-461	2.3	46
237	Rationale and design for the Asia BP@Home study on home blood pressure control status in 12 Asian countries and regions. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 33-38	2.3	24
236	Expert panel consensus recommendations for home blood pressure monitoring in Asia: the Hope Asia Network. <i>Journal of Human Hypertension</i> , 2018 , 32, 249-258	2.6	61
235	Global Impact of 2017 American Heart Association/American College of Cardiology Hypertension Guidelines: A Perspective From Japan. <i>Circulation</i> , 2018 , 137, 543-545	16.7	51
234	The Sacubitril/Valsartan, a First-in-Class, Angiotensin Receptor Neprilysin Inhibitor (ARNI): Potential Uses in Hypertension, Heart Failure, and Beyond. <i>Current Cardiology Reports</i> , 2018 , 20, 5	4.2	20
233	Management of morning hypertension: a consensus statement of an Asian expert panel. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 39-44	2.3	42
232	Association between decreased respiratory function and increased blood pressure variability. <i>Blood Pressure Monitoring</i> , 2018 , 23, 79-84	1.3	2
231	Consensus Document on Improving Hypertension Management in Asian Patients, Taking Into Account Asian Characteristics. <i>Hypertension</i> , 2018 , 71, 375-382	8.5	67
230	Comparative effects of valsartan plus either cilnidipine or hydrochlorothiazide on home morning blood pressure surge evaluated by information and communication technology-based nocturnal home blood pressure monitoring. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 159-167	2.3	16

229	Maximum home blood pressure readings are associated with left atrial diameter in essential hypertensives. <i>Journal of Human Hypertension</i> , 2018 , 32, 432-439	2.6	2
228	Nocturnal Hypertension: New Technology and Evidence. <i>Hypertension</i> , 2018 , 71, 997-1009	8.5	104
227	Associations between Pre-Admission Risk Scores and Two-Year Clinical Outcomes in Ischemic Stroke or Transient Ischemic Attack Patients with Non-Valvular Atrial Fibrillation. <i>Cerebrovascular Diseases</i> , 2018 , 45, 170-179	3.2	4
226	Integrated flow-mediated vasodilation response predicts cardiovascular events in elderly patients with cardiovascular risk factors: the Japan Morning Surge-Home Blood Pressure study. <i>Journal of the American Society of Hypertension</i> , 2018 , 12, 340-345.e2		6
225	Relationship Between Blood Pressure Variability and Cognitive Function in Elderly Patients With Good Blood Pressure Control. <i>American Journal of Hypertension</i> , 2018 , 31, 293-298	2.3	33
224	Glomerular hyperfiltration is a predictor of adverse cardiovascular outcomes. <i>Kidney International</i> , 2018 , 93, 195-203	9.9	40
223	Increased Resting Heart Rate on Electrocardiogram Relative to In-office Pulse Rate Indicates Cardiac Overload: The J-HOP Study. <i>American Journal of Hypertension</i> , 2018 , 31, 1106-1112	2.3	3
222	Patterns of ambulatory blood pressure: clinical relevance and application. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 1112-1115	2.3	18
221	Home blood pressure monitoring in the 21st century. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 1116-1121		36
220	Differential Approaches are Much Needed for "Real World" Management of Hypertension in the Era of "Hypertension Paradox". <i>Current Hypertension Reviews</i> , 2018 , 14, 2-5	2.3	5
219	Association Between Change in Central Nocturnal Blood Pressure and Urine Albumin-Creatinine Ratio by a Valsartan/Amlodipine Combination: A CPET Study. <i>American Journal of Hypertension</i> , 2018 , 31, 995-1001	2.3	
218	Cross-sectional and longitudinal associations between serum uric acid and endothelial function in subjects with treated hypertension. <i>International Journal of Cardiology</i> , 2018 , 272, 308-313	3.2	13
217	Effect of Lowering Home Blood Pressure on Subclinical Cardiovascular Disease in Masked Uncontrolled Hypertension. <i>Journal of the American College of Cardiology</i> , 2018 , 71, 2858-2859	15.1	8
216	5) Sleep Apnea Syndrome. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2018 , 107, 1779-1787		0
215	24-Hour Blood Pressure-Lowering Effect of an SGLT-2 Inhibitor in Patients with Diabetes and Uncontrolled Nocturnal Hypertension: Results from the Randomized, Placebo-Controlled SACRA Study. <i>Circulation</i> , 2018 ,	16.7	100
214	Brachial artery diameter as a marker for cardiovascular risk assessment: FMD-J study. <i>Atherosclerosis</i> , 2018 , 268, 92-98	3.1	16
213	Day-by-Day Variability of Home Blood Pressure and Incident Cardiovascular Disease in Clinical Practice: The J-HOP Study (Japan Morning Surge-Home Blood Pressure). <i>Hypertension</i> , 2018 , 71, 177-184	8.5	48
212	Longitudinal association among endothelial function, arterial stiffness and subclinical organ damage in hypertension. <i>International Journal of Cardiology</i> , 2018 , 253, 161-166	3.2	40

211	Sleep and Circadian Cardiovascular Medicine 2018 , 424-437		3
210	Home blood pressure control status in 2017-2018 for hypertension specialist centers in Asia: Results of the Asia BP@Home study. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 1686-1695	2.3	42
209	Effect of canagliflozin on nocturnal home blood pressure in Japanese patients with type 2 diabetes mellitus: The SHIFT-J study. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 1527-1535	2.3	28
208	Long Sleep Duration: An Epiphenomenon or a Risk for Dementia?. <i>Journal of the American Geriatrics Society</i> , 2018 , 66, 2224-2225	5.6	2
207	Comparison of different schedules of nocturnal home blood pressure measurement using an information/communication technology-based device in hypertensive patients. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 1633-1641	2.3	12
206	Twenty-Four-Hour Ambulatory Blood Pressure Reduction Patterns After Renal Denervation in the SPYRAL HTN-OFF MED Trial. <i>Circulation</i> , 2018 , 138, 1602-1604	16.7	28
205	Physiological Diagnostic Criteria for Vascular Failure. <i>Hypertension</i> , 2018 , 72, 1060-1071	8.5	87
204	Lowering the systolic blood pressure target in hypertensive patients: current controversies and future outlook. <i>Expert Review of Cardiovascular Therapy</i> , 2018 , 16, 889-895	2.5	2
203	Morning Home Blood Pressure and Cardiovascular Events in Japanese Hypertensive Patients. <i>Hypertension</i> , 2018 , 72, 854-861	8.5	23
202	Associations Between Characteristics of Obstructive Sleep Apnea and Nocturnal Blood Pressure Surge. <i>Hypertension</i> , 2018 , 72, 1133-1140	8.5	14
201	Morning Home Blood Pressure and Cardiovascular Events in a Japanese General Practice Population Over 80 Years Old: The J-HOP Study. <i>American Journal of Hypertension</i> , 2018 , 31, 1190-1196	2.3	6
200	Early Achievement of Blood Pressure Lowering and Hematoma Growth in Acute Intracerebral Hemorrhage: Stroke Acute Management with Urgent Risk-Factor Assessment and Improvement-Intracerebral Hemorrhage Study. <i>Cerebrovascular Diseases</i> , 2018 , 46, 118-124	3.2	4
199	Sex differences and the prognosis of depressive and nondepressive patients with cardiovascular risk factors: the Japan Morning Surge-Home Blood Pressure (J-HOP) study. <i>Hypertension Research</i> , 2018 , 41, 965-972	4.7	5
198	Association of Cardiovascular Outcomes With Masked Hypertension Defined by Home Blood Pressure Monitoring in a Japanese General Practice Population. <i>JAMA Cardiology</i> , 2018 , 3, 583-590	16.2	47
197	Effect of renal denervation on blood pressure in the presence of antihypertensive drugs: 6-month efficacy and safety results from the SPYRAL HTN-ON MED proof-of-concept randomised trial. <i>Lancet, The</i> , 2018 , 391, 2346-2355	40	358
196	Polysomnography-derived sleep parameters as a determinant of nocturnal blood pressure profile in patients with obstructive sleep apnea. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 1039-1048	2.3	19
195	Ankle-brachial index measured by oscillometry is predictive for cardiovascular disease and premature death in the Japanese population: An individual participant data meta-analysis. <i>Atherosclerosis</i> , 2018 , 275, 141-148	3.1	18
194	Effects of Sacubitril/Valsartan Versus Olmesartan on Central Hemodynamics in the Elderly With Systolic Hypertension: The PARAMETER Study. <i>Hypertension</i> , 2017 , 69, 411-420	8.5	107

193	Association between nondipper pulse rate and measures of cardiac overload: The J-HOP Study. <i>Journal of Clinical Hypertension</i> , 2017 , 19, 402-409	2.3	11
192	Brachial-Ankle Pulse Wave Velocity and the Risk Prediction of Cardiovascular Disease: An Individual Participant Data Meta-Analysis. <i>Hypertension</i> , 2017 , 69, 1045-1052	8.5	220
191	Morning blood pressure monitoring in the management of hypertension. <i>Journal of Hypertension</i> , 2017 , 35, 1554-1563	1.9	29
190	Which blood pressure measurement, systolic or diastolic, better predicts future hypertension in normotensive young adults?. <i>Journal of Clinical Hypertension</i> , 2017 , 19, 603-610	2.3	20
189	Comparison of ambulatory blood pressure-lowering effects of higher doses of different calcium antagonists in uncontrolled hypertension: the Calcium Antagonist Controlled-Release High-Dose Therapy in Uncontrolled Refractory Hypertensive Patients (CARILLON) Study. <i>Blood Pressure</i> , 2017 , 26, 284-293	1.7	6
188	Comparison of waiting room and examination room blood pressure with home blood pressure level in a rural clinical practice. <i>Journal of Clinical Hypertension</i> , 2017 , 19, 1051-1053	2.3	2
187	Association of Morning Hypertension Subtype With Vascular Target Organ Damage and Central Hemodynamics. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	5
186	A lack of day-by-day variability in blood pressure in a Cushing's disease patient. <i>Journal of Human Hypertension</i> , 2017 , 31, 602-603	2.6	
185	Masked tachycardia. A predictor of adverse outcome in hypertension. <i>Journal of Hypertension</i> , 2017 , 35, 487-492	1.9	17
184	Difference in evening home blood pressure between before dinner and at bedtime in Japanese elderly hypertensive patients. <i>Journal of Clinical Hypertension</i> , 2017 , 19, 731-739	2.3	16
183	Vascular aging and hypertension: Implications for the clinical application of central blood pressure. <i>International Journal of Cardiology</i> , 2017 , 230, 209-213	3.2	35
182	Hemodynamic Biomarker-Initiated Anticipation Medicine in the Future Management of Hypertension. <i>American Journal of Hypertension</i> , 2017 , 30, 226-228	2.3	7
181	Should Pre-hypertension Be Treated?. <i>Current Hypertension Reports</i> , 2017 , 19, 91	4.7	9
180	Riser Pattern Is a Novel Predictor of Adverse Events in Heart Failure Patients With Preserved Ejection Fraction. <i>Circulation Journal</i> , 2017 , 81, 220-226	2.9	31
179	Comparative Effects of an Angiotensin II Receptor Blocker (ARB)/Diuretic vs. ARB/Calcium-Channel Blocker Combination on Uncontrolled Nocturnal Hypertension Evaluated by Information and Communication Technology-Based Nocturnal Home Blood Pressure Monitoring - The NOCTURNE Study. <i>Circulation Journal</i> , 2017 , 81, 948-957	2.9	39
178	Differences in Dynamic Diurnal Blood Pressure Variability Between Japanese and American Treatment-Resistant Hypertensive Populations. <i>Circulation Journal</i> , 2017 , 81, 1337-1345	2.9	21
177	The relationship between a blunted morning surge and a reversed nocturnal blood pressure dipping or "riser" pattern. <i>Journal of Clinical Hypertension</i> , 2017 , 19, 1108-1114	2.3	13
176	Role of ambulatory blood pressure monitoring for the management of hypertension in Asian populations. <i>Journal of Clinical Hypertension</i> , 2017 , 19, 1240-1245	2.3	19

175	Current status of home blood pressure monitoring in Asia: Statement from the HOPE Asia Network. <i>Journal of Clinical Hypertension</i> , 2017 , 19, 1192-1201	2.3	48
174	Endothelial Function Is Impaired in Patients Receiving Antihypertensive Drug Treatment Regardless of Blood Pressure Level: FMD-J Study (Flow-Mediated Dilation Japan). <i>Hypertension</i> , 2017 , 70, 790-797	8.5	16
173	Diagnostic accuracy of a new algorithm to detect atrial fibrillation in a home blood pressure monitor. <i>Journal of Clinical Hypertension</i> , 2017 , 19, 1143-1147	2.3	10
172	Novel Triggered Nocturnal Blood Pressure Monitoring for Sleep Apnea Syndrome: Distribution and Reproducibility of Hypoxia-Triggered Nocturnal Blood Pressure Measurements. <i>Journal of Clinical Hypertension</i> , 2017 , 19, 30-37	2.3	21
171	[PP.16.11] RELATIONSHIP BETWEEN BLOOD PRESSURE VARIABILITY AND COGNITIVE FUNCTION IN ELDERLY PATIENTS WITH STRICT BLOOD PRESSURE CONTROL. <i>Journal of Hypertension</i> , 2017 , 35, e220	1.9	2
170	The effect of the bedtime-dosing doxazosin on nocturnal hypoxia-triggered blood pressure surge in a young adult man with severe obstructive sleep apnea syndrome and a history of three recurrent sleep-onset strokes. <i>Blood Pressure Monitoring</i> , 2017 , 22, 173-174	1.3	4
169	Prognostic Utility of Morning Blood Pressure Surge for 20-Year All-Cause and Cardiovascular Mortalities: Results of a Community-Based Study. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	21
168	Comparison of morning vs bedtime administration of the combination of valsartan/amlodipine on nocturnal brachial and central blood pressure in patients with hypertension. <i>Journal of Clinical Hypertension</i> , 2017 , 19, 1319-1326	2.3	16
167	Development of a New ICT-Based Multisensor Blood Pressure Monitoring System for Use in Hemodynamic Biomarker-Initiated Anticipation Medicine for Cardiovascular Disease: The National IMPACT Program Project. <i>Progress in Cardiovascular Diseases</i> , 2017 , 60, 435-449	8.5	57
166	Long-term (52-week) safety and efficacy of Sacubitril/valsartan in Asian patients with hypertension. <i>Hypertension Research</i> , 2017 , 40, 472-476	4.7	20
165	Strict Blood Pressure Control Achieved Using an ICT-Based Home Blood Pressure Monitoring System in a Catastrophically Damaged Area After a Disaster. <i>Journal of Clinical Hypertension</i> , 2017 , 19, 26-29	2.3	35
164	Perfect 24-h management of hypertension: clinical relevance and perspectives. <i>Journal of Human Hypertension</i> , 2017 , 31, 231-243	2.6	21
163	Increased cardiovascular risk of treated white coat and masked hypertension in patients with diabetes and chronic kidney disease: the HONEST Study. <i>Hypertension Research</i> , 2017 , 40, 87-95	4.7	35
162	Catheter-based renal denervation in patients with uncontrolled hypertension in the absence of antihypertensive medications (SPYRAL HTN-OFF MED): a randomised, sham-controlled, proof-of-concept trial. <i>Lancet, The</i> , 2017 , 390, 2160-2170	4.0	406
161	P1801Polarity of atrial premature complexes predict stroke events in a community-dwelling population. <i>Europace</i> , 2017 , 19, iii398-iii398	3.9	
160	P1748An increase of vectorcardiographic QRS area was associated with good prognosis in patients who underwent cardiac resynchronization therapy. <i>Europace</i> , 2017 , 19, iii382-iii382	3.9	
159	New Insight of Morning Blood Pressure Surge Into the Triggers of Cardiovascular Disease-Synergistic Resonance of Blood Pressure Variability. <i>American Journal of Hypertension</i> , 2016 , 29, 14-6	2.3	28
158	Management of Hypertension in Patients with Chronic Kidney Disease in Asia. <i>Current Hypertension Reviews</i> , 2016 , 12, 181-185	2.3	7

157	Research and Development of Information and Communication Technology-based Home Blood Pressure Monitoring from Morning to Nocturnal Hypertension. <i>Annals of Global Health</i> , 2016 , 82, 254-73 ^{3,3}		18
156	Impact of Renal Denervation on Patients With Obstructive Sleep Apnea and Resistant Hypertension - Insights From the SYMPLICITY HTN-3 Trial. <i>Circulation Journal</i> , 2016 , 80, 1404-12	2.9	41
155	Methodology and technology for peripheral and central blood pressure and blood pressure variability measurement: current status and future directions - Position statement of the European Society of Hypertension Working Group on blood pressure monitoring and cardiovascular variability. <i>Journal of Hypertension</i> , 2016 , 34, 1665-77	1.9	89
154	Riser Blood Pressure Pattern Is Associated With Mild Cognitive Impairment in Heart Failure Patients. <i>American Journal of Hypertension</i> , 2016 , 29, 194-201	2.3	19
153	Morning Blood Pressure Surge as a Predictor of Development of Chronic Kidney Disease. <i>Journal of Clinical Hypertension</i> , 2016 , 18, 444-8	2.3	18
152	Dose Timing of an Angiotensin II Receptor Blocker/Calcium Channel Blocker Combination in Hypertensive Patients With Paroxysmal Atrial Fibrillation. <i>Journal of Clinical Hypertension</i> , 2016 , 18, 1036-1044 ¹⁶	2.3	16
151	Recurrence of stroke caused by nocturnal hypoxia-induced blood pressure surge in a young adult male with severe obstructive sleep apnea syndrome. <i>Journal of the American Society of Hypertension</i> , 2016 , 10, 201-4		18
150	Hypertension: Benefits of strict blood-pressure lowering in hypertension. <i>Nature Reviews Cardiology</i> , 2016 , 13, 125-6	14.8	8
149	Prognostic Effect of the Nocturnal Blood Pressure Fall in Hypertensive Patients: The Ambulatory Blood Pressure Collaboration in Patients With Hypertension (ABC-H) Meta-Analysis. <i>Hypertension</i> , 2016 , 67, 693-700	8.5	282
148	Long sleep duration: a nonconventional indicator of arterial stiffness in Japanese at high risk of cardiovascular disease: the J-HOP study. <i>Journal of the American Society of Hypertension</i> , 2016 , 10, 429-37		14
147	Ambulatory BP monitoring and clinic BP in predicting small-for-gestational-age infants during pregnancy. <i>Journal of Human Hypertension</i> , 2016 , 30, 62-7	2.6	12
146	The SPYRAL HTN Global Clinical Trial Program: Rationale and design for studies of renal denervation in the absence (SPYRAL HTN OFF-MED) and presence (SPYRAL HTN ON-MED) of antihypertensive medications. <i>American Heart Journal</i> , 2016 , 171, 82-91	4.9	104
145	Treatment Considerations of Clinical Physician on Hypertension Management in Asia. <i>Current Hypertension Reviews</i> , 2016 , 12, 164-8	2.3	9
144	Impact of Introducing Catheter-based Renal Denervation into Japan for Hypertension Management: Estimation of Number of Target Patients and Clinical Relevance of Ambulatory Blood Pressure Reduction. <i>Current Hypertension Reviews</i> , 2016 , 12, 156-63	2.3	9
143	Systemic Hemodynamic Atherothrombotic Syndrome and Resonance Hypothesis of Blood Pressure Variability: Triggering Cardiovascular Events. <i>Korean Circulation Journal</i> , 2016 , 46, 456-67	2.2	20
142	Development of a Triggered Nocturnal Blood Pressure Monitoring which Detects Nighttime Blood Pressure Surges in Sleep Apnea Syndrome. <i>Current Hypertension Reviews</i> , 2016 , 12, 27-31	2.3	7
141	Target Blood Pressure in Patients with Diabetes: Asian Perspective. <i>Yonsei Medical Journal</i> , 2016 , 57, 1307-11	3	10
140	From mercury sphygmomanometer to electric device on blood pressure measurement: correspondence of Minamata Convention on Mercury. <i>Hypertension Research</i> , 2016 , 39, 179-82	4.7	11

139	Hypertension types defined by clinic and ambulatory blood pressure in 14 143 patients referred to hypertension clinics worldwide. Data from the ARTEMIS study. <i>Journal of Hypertension</i> , 2016 , 34, 2187-98 ^{1.9}	1.9	64
138	Prognostic significance of on-treatment home and clinic blood pressure for predicting cardiovascular events in hypertensive patients in the HONEST study. <i>Journal of Hypertension</i> , 2016 , 34, 1520-7	1.9	15
137	Morning Home Blood Pressure Is a Strong Predictor of Coronary Artery Disease: The HONEST Study. <i>Journal of the American College of Cardiology</i> , 2016 , 67, 1519-1527	15.1	92
136	Evidence and Perspectives on the 24-hour Management of Hypertension: Hemodynamic Biomarker-Initiated 'Anticipation Medicine' for Zero Cardiovascular Event. <i>Progress in Cardiovascular Diseases</i> , 2016 , 59, 262-281	8.5	88
135	Morning and Evening Home Blood Pressure and Risks of Incident Stroke and Coronary Artery Disease in the Japanese General Practice Population: The Japan Morning Surge-Home Blood Pressure Study. <i>Hypertension</i> , 2016 , 68, 54-61	8.5	117
134	Add-On Use of Eplerenone Is Effective for Lowering Home and Ambulatory Blood Pressure in Drug-Resistant Hypertension. <i>Journal of Clinical Hypertension</i> , 2016 , 18, 1250-1257	2.3	17
133	Catheter-Based Renal Denervation Reduces Hypoxia-Triggered Nocturnal Blood Pressure Peak in Obstructive Sleep Apnea Syndrome. <i>Journal of Clinical Hypertension</i> , 2016 , 18, 707-9	2.3	20
132	Effect of Intensive Salt-Restriction Education on Clinic, Home, and Ambulatory Blood Pressure Levels in Treated Hypertensive Patients During a 3-Month Education Period. <i>Journal of Clinical Hypertension</i> , 2016 , 18, 385-92	2.3	19
131	Riser Pattern: Another Determinant of Heart Failure With Preserved Ejection Fraction. <i>Journal of Clinical Hypertension</i> , 2016 , 18, 994-999	2.3	16
130	Differing Effects of Aliskiren/Amlodipine Combination and High-Dose Amlodipine Monotherapy on Ambulatory Blood Pressure and Target Organ Protection. <i>Journal of Clinical Hypertension</i> , 2016 , 18, 70-8 ^{2.3}	2.3	8
129	Coexistence of PM2.5 and low temperature is associated with morning hypertension in hypertensives. <i>Clinical and Experimental Hypertension</i> , 2015 , 37, 468-72	2.2	12
128	Role of neprilysin inhibitor combinations in hypertension: insights from hypertension and heart failure trials. <i>European Heart Journal</i> , 2015 , 36, 1967-73	9.5	58
127	Prognosis in relation to blood pressure variability: pro side of the argument. <i>Hypertension</i> , 2015 , 65, 1163-9; discussion 1169	8.5	65
126	Depression in hypertension and blood pressure variability over shorter time periods. <i>Hypertension Research</i> , 2015 , 38, 713-5	4.7	3
125	Ethnic differences in the degree of morning blood pressure surge and in its determinants between Japanese and European hypertensive subjects: data from the ARTEMIS study. <i>Hypertension</i> , 2015 , 66, 750-6	8.5	69
124	Visit-to-visit blood pressure variability and dementia. <i>Geriatrics and Gerontology International</i> , 2015 , 15 Suppl 1, 26-33	2.9	22
123	Systemic hemodynamic atherothrombotic syndrome: a blind spot in the current management of hypertension. <i>Journal of Clinical Hypertension</i> , 2015 , 17, 328-31	2.3	21
122	Nocturnal Blood Pressure Surge Behind Morning Surge in Obstructive Sleep Apnea Syndrome: Another Phenotype of Systemic Hemodynamic Atherothrombotic Syndrome. <i>Journal of Clinical Hypertension</i> , 2015 , 17, 682-5	2.3	16

121	Sleep Blood Pressure Self-Measured at Home as a Novel Determinant of Organ Damage: Japan Morning Surge Home Blood Pressure (J-HOP) Study. <i>Journal of Clinical Hypertension</i> , 2015 , 17, 340-8	2.3	57
120	Effect of Catheter-Based Renal Denervation on Morning and Nocturnal Blood Pressure: Insights From SYMPLICITY HTN-3 and SYMPLICITY HTN-Japan. <i>Hypertension</i> , 2015 , 66, 1130-7	8.5	34
119	Systolic hypertension: an increasing clinical challenge in Asia. <i>Hypertension Research</i> , 2015 , 38, 227-36	4.7	53
118	Age-related difference in the sleep pressure-lowering effect between an angiotensin II receptor blocker and a calcium channel blocker in Asian hypertensives: the ACS1 Study. <i>Hypertension</i> , 2015 , 65, 729-35	8.5	14
117	Morning surge in blood pressure: a phenotype of systemic hemodynamic atherothrombotic syndrome. <i>American Journal of Hypertension</i> , 2015 , 28, 7-9	2.3	17
116	Effects of nighttime single-dose administration of vasodilating vs sympatholytic antihypertensive agents on sleep blood pressure in hypertensive patients with sleep apnea syndrome. <i>Journal of Clinical Hypertension</i> , 2014 , 16, 459-66	2.3	31
115	Association of morning and evening blood pressure at home with asymptomatic organ damage in the J-HOP Study. <i>American Journal of Hypertension</i> , 2014 , 27, 939-47	2.3	64
114	Efficacy and safety of LCZ696, a first-in-class angiotensin receptor neprilysin inhibitor, in Asian patients with hypertension: a randomized, double-blind, placebo-controlled study. <i>Hypertension</i> , 2014 , 63, 698-705	8.5	138
113	The Japanese Society of Hypertension Guidelines for the Management of Hypertension (JSH 2014). <i>Hypertension Research</i> , 2014 , 37, 253-390	4.7	846
112	Obstructive sleep apnea syndrome as a cause of resistant hypertension. <i>Hypertension Research</i> , 2014 , 37, 601-13	4.7	50
111	Added predictive value of night-time blood pressure variability for cardiovascular events and mortality: the Ambulatory Blood Pressure-International Study. <i>Hypertension</i> , 2014 , 64, 487-93	8.5	121
110	Association of cognitive dysfunction with cardiovascular disease events in elderly hypertensive patients. <i>Journal of Hypertension</i> , 2014 , 32, 423-31	1.9	13
109	Efficacy of olmesartan/amlodipine combination therapy in reducing ambulatory blood pressure in moderate-to-severe hypertensive patients not controlled by amlodipine alone. <i>Hypertension Research</i> , 2014 , 37, 836-44	4.7	11
108	Nifedipine controlled-release 40 mg b.i.d. in Japanese patients with essential hypertension who responded insufficiently to nifedipine controlled-release 40 mg q.d.: a phase III, randomized, double-blind and parallel-group study. <i>Hypertension Research</i> , 2014 , 37, 69-75	4.7	197
107	Home BP monitoring using a telemonitoring system is effective for controlling BP in a remote island in Japan. <i>Journal of Clinical Hypertension</i> , 2014 , 16, 814-9	2.3	11
106	Association of high-sensitivity cardiac troponin T and N-terminal pro-brain-type natriuretic peptide with left ventricular structure: J-HOP study. <i>Journal of Clinical Hypertension</i> , 2014 , 16, 354-61	2.3	5
105	Home blood pressure and cardiovascular outcomes in patients during antihypertensive therapy: primary results of HONEST, a large-scale prospective, real-world observational study. <i>Hypertension</i> , 2014 , 64, 989-96	8.5	112
104	European Society of Hypertension practice guidelines for ambulatory blood pressure monitoring. <i>Journal of Hypertension</i> , 2014 , 32, 1359-66	1.9	547

103	Effect of azilsartan versus candesartan on morning blood pressure surges in Japanese patients with essential hypertension. <i>Blood Pressure Monitoring</i> , 2014 , 19, 164-9	1.3	10
102	Prognostic impact from clinic, daytime, and night-time systolic blood pressure in nine cohorts of 13,844 patients with hypertension. <i>Journal of Hypertension</i> , 2014 , 32, 2332-40; discussion 2340	1.9	175
101	Assessment of the reductions in night-time blood pressure and dipping induced by antihypertensive medication using a home blood pressure monitor. <i>Journal of Hypertension</i> , 2014 , 32, 82-9	1.9	34
100	Visit-to-visit blood pressure variability in the elderly: associations with cognitive impairment and carotid artery remodeling. <i>Atherosclerosis</i> , 2014 , 233, 19-26	3.1	46
99	Effects of antihypertensive treatment in Asian populations: a meta-analysis of prospective randomized controlled studies (CARDiovascular protection group in Asia: CARNA). <i>Journal of the American Society of Hypertension</i> , 2014 , 8, 103-16		17
98	Inhibitory effects of azelnidipine tablets on morning hypertension. <i>Drugs in R and D</i> , 2013 , 13, 63-73	3.4	14
97	Effect of the angiotensin II receptor antagonist olmesartan on morning home blood pressure in hypertension: HONEST study at 16 weeks. <i>Journal of Human Hypertension</i> , 2013 , 27, 721-8	2.6	17
96	Effect of a novel calcium channel blocker on abnormal nocturnal blood pressure in hypertensive patients. <i>Journal of Clinical Hypertension</i> , 2013 , 15, 465-72	2.3	18
95	The effects of the L/N-type calcium channel blocker (cilnidipine) on sympathetic hyperactive morning hypertension: results from ACHIEVE-ONE. <i>Journal of Clinical Hypertension</i> , 2013 , 15, 133-42	2.3	20
94	Orthostatic hypertension-a new haemodynamic cardiovascular risk factor. <i>Nature Reviews Nephrology</i> , 2013 , 9, 726-38	14.9	93
93	Sleep duration and insomnia in the elderly: associations with blood pressure variability and carotid artery remodeling. <i>American Journal of Hypertension</i> , 2013 , 26, 981-9	2.3	40
92	Proposal of a new strategy for ambulatory blood pressure profile-based management of resistant hypertension in the era of renal denervation. <i>Hypertension Research</i> , 2013 , 36, 478-84	4.7	50
91	Oscillation of blood sugar and the occurrence of cardiovascular events in coronary artery disease with diabetes mellitus. <i>European Heart Journal</i> , 2013 , 34, P4256-P4256	9.5	
90	Comparison of wrist-type and arm-type 24-h blood pressure monitoring devices for ambulatory use. <i>Blood Pressure Monitoring</i> , 2013 , 18, 57-62	1.3	30
89	European Society of Hypertension position paper on ambulatory blood pressure monitoring. <i>Journal of Hypertension</i> , 2013 , 31, 1731-68	1.9	898
88	Masked hypertension defined by home blood pressure monitoring is associated with impaired flow-mediated vasodilatation in patients with cardiovascular risk factors. <i>Journal of Clinical Hypertension</i> , 2013 , 15, 630-6	2.3	10
87	Rationale, study design, baseline characteristics and blood pressure at 16 weeks in the HONEST Study. <i>Hypertension Research</i> , 2013 , 36, 177-82	4.7	23
86	Disaster hypertension - its characteristics, mechanism, and management -. <i>Circulation Journal</i> , 2012 , 76, 553-62	2.9	83

85	Differential effects of strict blood pressure lowering by losartan/hydrochlorothiazide combination therapy and high-dose amlodipine monotherapy on microalbuminuria: the ALPHABET study. <i>Journal of the American Society of Hypertension</i> , 2012 , 6, 73-82		10
84	The time course of flow-mediated vasodilation and endothelial dysfunction in patients with a cardiovascular risk factor. <i>Journal of the American Society of Hypertension</i> , 2012 , 6, 109-16		19
83	Nocturnal blood pressure and cardiovascular disease: a review of recent advances. <i>Hypertension Research</i> , 2012 , 35, 695-701	4.7	130
82	Visit-to-visit and ambulatory blood pressure variability as predictors of incident cardiovascular events in patients with hypertension. <i>American Journal of Hypertension</i> , 2012 , 25, 962-8	2.3	105
81	Is home blood pressure variability itself an interventional target beyond lowering mean home blood pressure during anti-hypertensive treatment?. <i>Hypertension Research</i> , 2012 , 35, 862-6	4.7	23
80	The Japanese Society of Hypertension Guidelines for Self-monitoring of Blood Pressure at Home (Second Edition). <i>Hypertension Research</i> , 2012 , 35, 777-95	4.7	135
79	Nighttime home blood pressure and the risk of hypertensive target organ damage. <i>Hypertension</i> , 2012 , 60, 921-8	8.5	96
78	Association of home and ambulatory blood pressure changes with changes in cardiovascular biomarkers during antihypertensive treatment. <i>American Journal of Hypertension</i> , 2012 , 25, 306-12	2.3	19
77	Visit-to-visit blood pressure variations: new independent determinants for cognitive function in the elderly at high risk of cardiovascular disease. <i>Journal of Hypertension</i> , 2012 , 30, 1556-63	1.9	66
76	Visit-to-visit blood pressure variations: new independent determinants for carotid artery measures in the elderly at high risk of cardiovascular disease. <i>Journal of the American Society of Hypertension</i> , 2011 , 5, 184-92		118
75	The relationship between the morning blood pressure surge and low-grade inflammation on silent cerebral infarct and clinical stroke events. <i>Atherosclerosis</i> , 2011 , 219, 316-21	3.1	39
74	Development of a disaster cardiovascular prevention network. <i>Lancet, The</i> , 2011 , 378, 1125-7	4.0	30
73	Maximum value of home blood pressure: a novel indicator of target organ damage in hypertension. <i>Hypertension</i> , 2011 , 57, 1087-93	8.5	98
72	Use of dihydropyridine calcium channel blockers in the management of hypertension in Eastern Asians: a scientific statement from the Asian Pacific Heart Association. <i>Hypertension Research</i> , 2011 , 34, 423-30	4.7	54
71	Efficacy of eplerenone added to renin-angiotensin blockade in elderly hypertensive patients: the Jichi-Eplerenone Treatment (JET) study. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2011 , 12, 340-7	3	18
70	Association of poor physical function and cognitive dysfunction with high nocturnal blood pressure level in treated elderly hypertensive patients. <i>American Journal of Hypertension</i> , 2011 , 24, 285-91	2.3	32
69	Additional impact of morning haemostatic risk factors and morning blood pressure surge on stroke risk in older Japanese hypertensive patients. <i>European Heart Journal</i> , 2011 , 32, 574-80	9.5	35
68	Development and clinical application of a new technique for detecting 'sleep blood pressure surges' in sleep apnea patients based on a variable desaturation threshold. <i>Hypertension Research</i> , 2011 , 34, 922-8	4.7	29

67	Sleep duration as a risk factor for cardiovascular disease- a review of the recent literature. <i>Current Cardiology Reviews</i> , 2010 , 6, 54-61	2.4	142
66	Morning surge in blood pressure and cardiovascular risk: evidence and perspectives. <i>Hypertension</i> , 2010 , 56, 765-73	8.5	221
65	European Society of Hypertension practice guidelines for home blood pressure monitoring. <i>Journal of Human Hypertension</i> , 2010 , 24, 779-85	2.6	349
64	Hypertension and dementia. <i>American Journal of Hypertension</i> , 2010 , 23, 116-24	2.3	116
63	The insular cortex and cardiovascular system: a new insight into the brain-heart axis. <i>Journal of the American Society of Hypertension</i> , 2010 , 4, 174-82		208
62	Prehypertension and the risk for cardiovascular disease in the Japanese general population: the Jichi Medical School Cohort Study. <i>Journal of Hypertension</i> , 2010 , 28, 1630-7	1.9	42
61	Effect of dosing time of angiotensin II receptor blockade titrated by self-measured blood pressure recordings on cardiorenal protection in hypertensives: the Japan Morning Surge-Target Organ Protection (J-TOP) study. <i>Journal of Hypertension</i> , 2010 , 28, 1574-83	1.9	90
60	Reproducibility of ambulatory blood pressure in treated and untreated hypertensive patients. <i>Journal of Hypertension</i> , 2010 , 28, 918-24	1.9	42
59	Impact of arterial stiffness reduction on urinary albumin excretion during antihypertensive treatment: the Japan morning Surge-1 study. <i>Journal of Hypertension</i> , 2010 , 28, 1752-60	1.9	15
58	Poor blood pressure and urinary albumin excretion responses to home blood pressure-based antihypertensive therapy in depressive hypertensive patients. <i>Journal of Clinical Hypertension</i> , 2010 , 12, 345-9	2.3	2
57	Morning hypertension assessed by home monitoring is a strong predictor of concentric left ventricular hypertrophy in patients with untreated hypertension. <i>Journal of Clinical Hypertension</i> , 2010 , 12, 776-83	2.3	20
56	Association between morning blood pressure surge and cardiovascular remodeling in treated elderly hypertensive subjects. <i>American Journal of Hypertension</i> , 2009 , 22, 1177-82	2.3	44
55	Insular cortex atrophy as an independent determinant of disrupted diurnal rhythm of ambulatory blood pressure in elderly hypertension. <i>American Journal of Hypertension</i> , 2009 , 22, 723-9	2.3	18
54	Obstructive sleep apnea syndrome and hypertension: mechanism of the linkage and 24-h blood pressure control. <i>Hypertension Research</i> , 2009 , 32, 537-41	4.7	62
53	Obstructive sleep apnea syndrome and hypertension: ambulatory blood pressure. <i>Hypertension Research</i> , 2009 , 32, 428-32	4.7	120
52	Differential effects between a calcium channel blocker and a diuretic when used in combination with angiotensin II receptor blocker on central aortic pressure in hypertensive patients. <i>Hypertension</i> , 2009 , 54, 716-23	8.5	154
51	Possible difference in the sympathetic activation on extreme dippers with or without exaggerated morning surge. <i>Hypertension</i> , 2009 , 53, e1; author reply e2	8.5	5
50	A home blood pressure monitor equipped with a graphic function facilitates faster blood pressure control than the conventional home blood pressure monitor. <i>Journal of Clinical Hypertension</i> , 2009 , 11, 422-5	2.3	10

49	Association between the morning-evening difference in home blood pressure and cardiac damage in untreated hypertensive patients. <i>Journal of Hypertension</i> , 2009 , 27, 712-20	1.9	35
48	The Japanese Society of Hypertension Guidelines for the Management of Hypertension (JSH 2009). <i>Hypertension Research</i> , 2009 , 32, 3-107	4.7	403
47	Cardiovascular risks of dipping status and chronic kidney disease in elderly Japanese hypertensive patients. <i>Journal of Clinical Hypertension</i> , 2008 , 10, 787-94	2.3	20
46	Relationship between morning hypertension identified by home blood pressure monitoring and brain natriuretic peptide and estimated glomerular filtration rate: the Japan Morning Surge 1 (JMS-1) Study. <i>Journal of Clinical Hypertension</i> , 2008 , 10, 34-42	2.3	26
45	Early morning hypertension: what does it contribute to overall cardiovascular risk assessment?. <i>Journal of the American Society of Hypertension</i> , 2008 , 2, 397-402		57
44	Prevalence and determinants of prehypertension in a Japanese general population: the Jichi Medical School Cohort Study. <i>Hypertension Research</i> , 2008 , 31, 1323-30	4.7	62
43	Cognitive dysfunction and physical disability are associated with mortality in extremely elderly patients. <i>Hypertension Research</i> , 2008 , 31, 1331-8	4.7	8
42	European Society of Hypertension guidelines for blood pressure monitoring at home: a summary report of the Second International Consensus Conference on Home Blood Pressure Monitoring. <i>Journal of Hypertension</i> , 2008 , 26, 1505-26	1.9	578
41	Short sleep duration as an independent predictor of cardiovascular events in Japanese patients with hypertension. <i>Archives of Internal Medicine</i> , 2008 , 168, 2225-31		93
40	Ambulatory blood pressure as an independent determinant of brain atrophy and cognitive function in elderly hypertension. <i>Journal of Hypertension</i> , 2008 , 26, 1636-41	1.9	103
39	An alpha-adrenergic blocker titrated by self-measured blood pressure recordings lowered blood pressure and microalbuminuria in patients with morning hypertension: the Japan Morning Surge-1 Study. <i>Journal of Hypertension</i> , 2008 , 26, 1257-65	1.9	62
38	Short-term and long-term repeatability of the morning blood pressure in older patients with isolated systolic hypertension. <i>Journal of Hypertension</i> , 2008 , 26, 1328-35	1.9	48
37	Masked nocturnal hypertension and target organ damage in hypertensives with well-controlled self-measured home blood pressure. <i>Hypertension Research</i> , 2007 , 30, 143-9	4.7	57
36	Alterations in placental growth factor levels before and after the onset of preeclampsia are more pronounced in women with early onset severe preeclampsia. <i>Hypertension Research</i> , 2007 , 30, 151-9	4.7	73
35	Effects of new calcium channel blocker, azelnidipine, and amlodipine on baroreflex sensitivity and ambulatory blood pressure. <i>Journal of Cardiovascular Pharmacology</i> , 2007 , 49, 394-400	3.1	28
34	Age-specific impact of self-monitored pulse pressure on hypertensive target organ damage in treated hypertensive patients. <i>Journal of Clinical Hypertension</i> , 2007 , 9, 522-9	2.3	3
33	Linear relationship between blood pressure and stroke: the Jichi Medical School Cohort Study. <i>Journal of Clinical Hypertension</i> , 2007 , 9, 677-83	2.3	11
32	Exaggerated ambulatory blood pressure variability is associated with cognitive dysfunction in the very elderly and quality of life in the younger elderly. <i>American Journal of Hypertension</i> , 2007 , 20, 720-7	2.3	58

31	Caution for winter morning surge in blood pressure: a possible link with cardiovascular risk in the elderly. <i>Hypertension</i> , 2006 , 47, 139-40	8.5	22
30	Morning hypertension: the strongest independent risk factor for stroke in elderly hypertensive patients. <i>Hypertension Research</i> , 2006 , 29, 581-7	4.7	145
29	A new technique for detecting sleep apnea-related "midnight" surge of blood pressure. <i>Hypertension Research</i> , 2006 , 29, 695-702	4.7	36
28	Establishing reference values for both total soluble Fms-like tyrosine kinase 1 and free placental growth factor in pregnant women. <i>Hypertension Research</i> , 2005 , 28, 727-32	4.7	38
27	Comparison of the effects of cilnidipine and amlodipine on ambulatory blood pressure. <i>Hypertension Research</i> , 2005 , 28, 1003-8	4.7	36
26	Short- and long-term incidence of stroke in white-coat hypertension. <i>Hypertension</i> , 2005 , 45, 203-8	8.5	230
25	Effects of bedtime vs. morning administration of the long-acting lipophilic angiotensin-converting enzyme inhibitor trandolapril on morning blood pressure in hypertensive patients. <i>Hypertension Research</i> , 2004 , 27, 15-20	4.7	53
24	Risers and extreme-dippers of nocturnal blood pressure in hypertension: antihypertensive strategy for nocturnal blood pressure. <i>Clinical and Experimental Hypertension</i> , 2004 , 26, 177-89	2.2	95
23	Blood pressure variability in hypertension: a possible cardiovascular risk factor. <i>American Journal of Hypertension</i> , 2004 , 17, 1075-1076	2.3	12
22	Morning blood pressure surge and hypertensive cerebrovascular disease: role of the alpha adrenergic sympathetic nervous system. <i>American Journal of Hypertension</i> , 2004 , 17, 668-75	2.3	127
21	Blood pressure variability in hypertension: a possible cardiovascular risk factor. <i>American Journal of Hypertension</i> , 2004 , 17, 1075-6	2.3	10
20	Greater impact of coexistence of hypertension and diabetes on silent cerebral infarcts. <i>Stroke</i> , 2003 , 34, 2471-4	6.7	78
19	Comparison of candesartan with lisinopril on ambulatory blood pressure and morning surge in patients with systemic hypertension. <i>American Journal of Cardiology</i> , 2003 , 92, 621-4	3	27
18	Morning surge in blood pressure as a predictor of silent and clinical cerebrovascular disease in elderly hypertensives: a prospective study. <i>Circulation</i> , 2003 , 107, 1401-6	16.7	978
17	The influence of work- and home-related stress on the levels and diurnal variation of ambulatory blood pressure and neurohumoral factors in employed women. <i>Hypertension Research</i> , 2002 , 25, 499-506	4.7	43
16	Psychological and physical stress-induced cardiovascular reactivity and diurnal blood pressure variation in women with different work shifts. <i>Hypertension Research</i> , 2002 , 25, 543-51	4.7	47
15	Gender differences in associations of diurnal blood pressure variation, awake physical activity, and sleep quality with negative affect: the work site blood pressure study. <i>Hypertension</i> , 2001 , 38, 997-1002	8.5	63
14	Silent cerebral infarcts in basal ganglia are advanced in congenital protein C-deficient heterozygotes with hypertension. <i>American Journal of Hypertension</i> , 2001 , 14, 818-22	2.3	8

13	Changes of nocturnal blood pressure dipping status in hypertensives by nighttime dosing of alpha-adrenergic blocker, doxazosin : results from the HALT study. <i>Hypertension</i> , 2000 , 35, 787-94	8.5	128
12	Blood pressure variability in elderly patients. <i>Lancet, The</i> , 2000 , 355, 1645-6	40	50
11	Ambulatory physical activity as a determinant of diurnal blood pressure variation. <i>Hypertension</i> , 1999 , 34, 685-91	8.5	169
10	A019: Hemodynamic cerebral infarction in hypertensive emergencies: Blood pressure reduction and a predisposing condition. <i>American Journal of Hypertension</i> , 1999 , 12, 151	2.3	
9	A020: Plasma levels of natriuretic peptides, 24-hour blood pressure and cardiovascular remodelling in a community-based Japanese population. <i>American Journal of Hypertension</i> , 1999 , 12, 151	2.3	2
8	Lipid-lowering therapy corrects endothelial cell dysfunction in a short time but does not affect hypercoagulable state even after long-term use in hyperlipidemic patients. <i>Blood Coagulation and Fibrinolysis</i> , 1999 , 10, 269-76	1	16
7	Relationship between extreme dippers and orthostatic hypertension in elderly hypertensive patients. <i>Hypertension</i> , 1998 , 31, 77-82	8.5	97
6	Endothelial cell damage and angiotensin-converting enzyme insertion/deletion genotype in elderly hypertensive patients. <i>Journal of the American College of Cardiology</i> , 1998 , 32, 444-50	15.1	7
5	Differential effects of amlodipine on ambulatory blood pressure in elderly hypertensive patients with different nocturnal reductions in blood pressure. <i>American Journal of Hypertension</i> , 1997 , 10, 261-8 ^{2.3}	2.3	56
4	Earthquake-induced potentiation of acute risk factors in hypertensive elderly patients: possible triggering of cardiovascular events after a major earthquake. <i>Journal of the American College of Cardiology</i> , 1997 , 29, 926-33	15.1	139
3	Autonomic nervous system dysfunction in elderly hypertensive patients with abnormal diurnal blood pressure variation: relation to silent cerebrovascular disease. <i>Hypertension</i> , 1997 , 30, 1504-10	8.5	63
2	Nocturnal fall of blood pressure and silent cerebrovascular damage in elderly hypertensive patients. Advanced silent cerebrovascular damage in extreme dippers. <i>Hypertension</i> , 1996 , 27, 130-5	8.5	379
1	"White coat" hypertension and the Hanshin-Awaji earthquake. <i>Lancet, The</i> , 1995 , 345, 1365	40	28