

Jesus Osada

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6344207/jesus-osada-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

93 papers	2,110 citations	28 h-index	42 g-index
100 ext. papers	2,551 ext. citations	4.1 avg, IF	4.51 L-index

#	Paper	IF	Citations
93	Hepatic galectin-3 is associated with lipid droplet area in non-alcoholic steatohepatitis in a new swine model.. <i>Scientific Reports</i> , 2022 , 12, 1024	4.9	1
92	Squalene through Its Post-Squalene Metabolites Is a Modulator of Hepatic Transcriptome in Rabbits.. <i>International Journal of Molecular Sciences</i> , 2022 , 23,	6.3	2
91	Unveiling the Antioxidant Therapeutic Functionality of Sustainable Olive Pomace Active Ingredients. <i>Antioxidants</i> , 2022 , 11, 828	7.1	0
90	Phenolic-Rich Extracts from Avocado Fruit Residues as Functional Food Ingredients with Antioxidant and Antiproliferative Properties. <i>Biomolecules</i> , 2021 , 11,	5.9	7
89	Dietary squalene modifies plasma lipoproteins and hepatic cholesterol metabolism in rabbits. <i>Food and Function</i> , 2021 , 12, 8141-8153	6.1	1
88	Grape Stem Extracts with Potential Anticancer and Antioxidant Properties. <i>Antioxidants</i> , 2021 , 10,	7.1	10
87	Valorization of agro-food by-products and their potential therapeutic applications. <i>Food and Bioproducts Processing</i> , 2021 , 128, 247-258	4.9	9
86	Effect of Melatonin as an Antioxidant Drug to Reverse Hepatic Steatosis: Experimental Model. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2020 , 2020, 7315253	2.8	6
85	is responsible for the sex differences in hepatic mRNA expression in hepatic steatosis of mice fed a Western diet. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2020 , 318, E249-E261	6	7
84	Could squalene be an added value to use olive by-products?. <i>Journal of the Science of Food and Agriculture</i> , 2020 , 100, 915-925	4.3	12
83	Dietary Erythrodiol Modifies Hepatic Transcriptome in Mice in a Sex and Dose-Dependent Way. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	2
82	Hepatic Synaptotagmin 1 is involved in the remodelling of liver plasma- membrane lipid composition and gene expression in male Apoe-deficient mice consuming a Western diet. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2020 , 1865, 158790	5	1
81	Dietary Squalene Induces Cytochromes Cyp2b10 and Cyp2c55 Independently of Sex, Dose, and Diet in Several Mouse Models. <i>Molecular Nutrition and Food Research</i> , 2020 , 64, e2000354	5.9	3
80	Toxicity of Carbon Nanomaterials and Their Potential Application as Drug Delivery Systems: In Vitro Studies in Caco-2 and MCF-7 Cell Lines. <i>Nanomaterials</i> , 2020 , 10,	5.4	23
79	Virgin Olive Oil and Health: Summary of the III International Conference on Virgin Olive Oil and Health Consensus Report, JAEN (Spain) 2018. <i>Nutrients</i> , 2019 , 11,	6.7	59
78	LPS-squalene interaction on D-galactose intestinal absorption. <i>Journal of Physiology and Biochemistry</i> , 2019 , 75, 329-340	5	3
77	Protein Hydrolysates from Fenugreek () as Nutraceutical Molecules in Colon Cancer Treatment. <i>Nutrients</i> , 2019 , 11,	6.7	13

76	Identification and validation of common molecular targets of hydroxytyrosol. <i>Food and Function</i> , 2019 , 10, 4897-4910	6.1	8
75	A Combination of Extracts and Gold Complex Favors Apoptosis of Caco-2 Cells by Increasing Oxidative Stress and Mitochondrial Dysfunction. <i>Antioxidants</i> , 2019 , 9,	7.1	5
74	Hepatic subcellular distribution of squalene changes according to the experimental setting. <i>Journal of Physiology and Biochemistry</i> , 2018 , 74, 531-538	5	4
73	Determination of total plasma oxysterols by enzymatic hydrolysis, solid phase extraction and liquid chromatography coupled to mass-spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 150, 396-405	3.5	2
72	Current Insights into the Biological Action of Squalene. <i>Molecular Nutrition and Food Research</i> , 2018 , 62, e1800136	5.9	44
71	Fenugreek proteins and their hydrolysates prevent hypercholesterolemia and enhance the HDL antioxidant properties in rats. <i>Nutrition and Food Science</i> , 2018 , 48, 973-989	1.5	4
70	Prenylcysteine oxidase 1, a pro-oxidant enzyme of low density lipoproteins. <i>Frontiers in Bioscience - Landmark</i> , 2018 , 23, 1020-1037	2.8	6
69	Hypocholesterolaemic and antioxidant efficiency of chickpea (<i>Cicer arietinum</i>) protein hydrolysates depend on its degree of hydrolysis in cholesterol-fed rat. <i>Nutrition and Food Science</i> , 2017 , 47, 254-269	1.5	3
68	Transcriptomics and the Mediterranean Diet: A Systematic Review. <i>Nutrients</i> , 2017 , 9,	6.7	28
67	The Search for Dietary Supplements to Elevate or Activate Circulating Paraoxonases. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	10
66	Diet and sexual hormones regulate hepatic synaptotagmin 1 mRNA in mice. <i>Frontiers in Bioscience - Elite</i> , 2016 , 8, 129-142	1.6	1
65	Diet and sexual hormones regulate hepatic synaptotagmin 1 mRNA in mice. <i>Frontiers in Bioscience - Elite</i> , 2016 , 8, 129-42	1.6	1
64	Cloning and expression of hepatic synaptotagmin 1 in mouse. <i>Gene</i> , 2015 , 562, 236-43	3.8	3
63	PON1 and Mediterranean Diet. <i>Nutrients</i> , 2015 , 7, 4068-92	6.7	29
62	Differential antioxidative and hypocholesterolemic responses to two fish protein hydrolysates (<i>Sardina pilchardus</i> and Boops boops) in cholesterol-fed rats. <i>Nutrition and Food Science</i> , 2015 , 45, 448-466	1.5	4
61	Caloric restriction or telmisartan control dyslipidemia and nephropathy in obese diabetic Zucker rats. <i>Diabetology and Metabolic Syndrome</i> , 2014 , 6, 10	5.6	4
60	Extra virgin olive oil intake delays the development of amyotrophic lateral sclerosis associated with reduced reticulum stress and autophagy in muscle of SOD1G93A mice. <i>Journal of Nutritional Biochemistry</i> , 2014 , 25, 885-92	6.3	24
59	Dietary squalene increases high density lipoprotein-cholesterol and paraoxonase 1 and decreases oxidative stress in mice. <i>PLoS ONE</i> , 2014 , 9, e104224	3.7	30

58	TXNDC5, a newly discovered disulfide isomerase with a key role in cell physiology and pathology. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 23501-18	6.3	39
57	The pig as an animal model for human pathologies: A proteomics perspective. <i>Proteomics - Clinical Applications</i> , 2014 , 8, 715-31	3.1	140
56	Dietary oleanolic acid mediates circadian clock gene expression in liver independently of diet and animal model but requires apolipoprotein A1. <i>Journal of Nutritional Biochemistry</i> , 2013 , 24, 2100-9	6.3	18
55	Sphingomyelin in high-density lipoproteins: structural role and biological function. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 7716-41	6.3	42
54	Over-expression of neuron-derived orphan receptor-1 (NOR-1) exacerbates neointimal hyperplasia after vascular injury. <i>Human Molecular Genetics</i> , 2013 , 22, 1949-59	5.6	38
53	In comparison with palm oil, dietary nut supplementation delays the progression of atherosclerotic lesions in female apoE-deficient mice. <i>British Journal of Nutrition</i> , 2013 , 109, 202-9	3.6	13
52	Postprandial changes in high density lipoproteins in rats subjected to gavage administration of virgin olive oil. <i>PLoS ONE</i> , 2013 , 8, e55231	3.7	16
51	The use of transcriptomics to unveil the role of nutrients in Mammalian liver. <i>ISRN Nutrition</i> , 2013 , 2013, 403792		10
50	Proteomics and gene expression analyses of mitochondria from squalene-treated apoE-deficient mice identify short-chain specific acyl-CoA dehydrogenase changes associated with fatty liver amelioration. <i>Journal of Proteomics</i> , 2012 , 75, 2563-75	3.9	10
49	Proteomics and gene expression analyses of squalene-supplemented mice identify microsomal thioredoxin domain-containing protein 5 changes associated with hepatic steatosis. <i>Journal of Proteomics</i> , 2012 , 77, 27-39	3.9	15
48	Cystathionine β -synthase deficiency causes infertility by impairing decidualization and gene expression networks in uterus implantation sites. <i>Physiological Genomics</i> , 2012 , 44, 702-16	3.6	27
47	Immunomodulatory properties of beta-sitosterol in pig immune responses. <i>International Immunopharmacology</i> , 2012 , 13, 316-21	5.8	39
46	Efficacy of bioactive compounds from extra virgin olive oil to modulate atherosclerosis development. <i>Molecular Nutrition and Food Research</i> , 2012 , 56, 1043-57	5.9	64
45	HDL-related mechanisms of olive oil protection in cardiovascular disease. <i>Current Vascular Pharmacology</i> , 2012 , 10, 392-409	3.3	13
44	Postprandial transcriptome associated with virgin olive oil intake in rat liver. <i>Frontiers in Bioscience - Elite</i> , 2011 , 3, 11-21	1.6	11
43	New genes involved in hepatic steatosis. <i>Current Opinion in Lipidology</i> , 2011 , 22, 159-64	4.4	16
42	Selection of reference genes for gene expression studies in rats. <i>Journal of Biotechnology</i> , 2011 , 151, 325-34	3.7	41
41	Olive Oil Cultivars and Atherosclerotic Protection in Apolipoprotein E-knockout Mice 2010 , 845-852		

40	Microarray Analysis of Hepatic Genes Altered in Response to Olive Oil Fractions 2010 , 1143-1149		
39	Effects of Hydroxytyrosol on Atherosclerotic Lesions in apoE-Deficient Mice 2010 , 1269-1274		
38	Hiperhomocisteinemia. Panorama actual y contribuci3n del rat3n a su estudio. <i>Cl3nica E Investigaci3n En Arteriosclerosis</i> , 2010 , 22, 200-219	1.4	
37	Cysteinemia, rather than homocysteinemia, is associated with plasma apolipoprotein A-I levels in hyperhomocysteinemia: lipid metabolism in cystathionine beta-synthase deficiency. <i>Atherosclerosis</i> , 2010 , 212, 268-73	3.1	11
36	Olive oils modulate fatty acid content and signaling protein expression in apolipoprotein E knockout mice brain. <i>Lipids</i> , 2010 , 45, 53-61	1.6	16
35	Nitric oxide involved in the IL-13-induced inhibition of fructose intestinal transport. <i>Journal of Cellular Biochemistry</i> , 2010 , 111, 1321-9	4.7	8
34	Sex as a profound modifier of atherosclerotic lesion development in apolipoprotein E-deficient mice with different genetic backgrounds. <i>Journal of Atherosclerosis and Thrombosis</i> , 2010 , 17, 712-21	4	24
33	Microarray analysis of hepatic gene expression identifies new genes involved in steatotic liver. <i>Physiological Genomics</i> , 2009 , 37, 187-98	3.6	82
32	Nitric oxide-releasing agent, LA419, reduces atherogenesis in apolipoprotein E-deficient mice. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2009 , 379, 489-500	3.4	3
31	Apolipoprotein E determines the hepatic transcriptional profile of dietary maslinic acid in mice. <i>Journal of Nutritional Biochemistry</i> , 2009 , 20, 882-93	6.3	16
30	Knowledge of the biological actions of extra virgin olive oil gained from mice lacking apolipoprotein E. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2009 , 62, 294-304	0.7	1
29	Conocimiento de la acci3n biol3gica del aceite de oliva virgen extra mediante el uso del rat3n carente de la apolipoprote3na E. <i>Revista Espanola De Cardiologia</i> , 2009 , 62, 294-304	1.5	6
28	Squalene in a sex-dependent manner modulates atherosclerotic lesion which correlates with hepatic fat content in apoE-knockout male mice. <i>Atherosclerosis</i> , 2008 , 197, 72-83	3.1	41
27	Simvastatin reverses the hypertension of heterozygous mice lacking cystathionine beta-synthase and apolipoprotein A-I. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2008 , 377, 35-43	3.4	7
26	Extra virgin olive oils increase hepatic fat accumulation and hepatic antioxidant protein levels in APOE-/- mice. <i>Journal of Proteome Research</i> , 2007 , 6, 4041-54	5.6	48
25	Olive oil preparation determines the atherosclerotic protection in apolipoprotein E knockout mice. <i>Journal of Nutritional Biochemistry</i> , 2007 , 18, 418-24	6.3	38
24	Genetically based hypertension generated through interaction of mild hypoalphalipoproteinemia and mild hyperhomocysteinemia. <i>Journal of Hypertension</i> , 2007 , 25, 1597-607	1.9	10
23	Microarray analysis of hepatic genes differentially expressed in the presence of the unsaponifiable fraction of olive oil in apolipoprotein E-deficient mice. <i>British Journal of Nutrition</i> , 2007 , 97, 628-38	3.6	31

22	Cloning, characterization, expression and comparative analysis of pig Golgi membrane sphingomyelin synthase 1. <i>Gene</i> , 2007 , 388, 117-24	3.8	10
21	Folic acid supplementation delays atherosclerotic lesion development in apoE-deficient mice. <i>Life Sciences</i> , 2007 , 80, 638-43	6.8	22
20	Accelerated atherosclerosis in apolipoprotein E-deficient mice fed Western diets containing palm oil compared with extra virgin olive oils: a role for small, dense high-density lipoproteins. <i>Atherosclerosis</i> , 2007 , 194, 372-82	3.1	30
19	Minor Components of Olive Oil: Evidence to Date of Health Benefits in Humans. <i>Nutrition Reviews</i> , 2006 , 64, 20-30	6.4	72
18	Hydroxytyrosol administration enhances atherosclerotic lesion development in apo E deficient mice. <i>Journal of Biochemistry</i> , 2006 , 140, 383-91	3.1	66
17	Cystathionine beta-synthase is essential for female reproductive function. <i>Human Molecular Genetics</i> , 2006 , 15, 3168-76	5.6	33
16	Selective effect of conjugated linoleic acid isomers on atherosclerotic lesion development in apolipoprotein E knockout mice. <i>Atherosclerosis</i> , 2006 , 189, 318-27	3.1	79
15	Trans-10, cis-12- and cis-9, trans-11-conjugated linoleic acid isomers selectively modify HDL-apolipoprotein composition in apolipoprotein E knockout mice. <i>Journal of Nutrition</i> , 2006 , 136, 353-9 ¹	4.1	54
14	Understanding the role of dietary components on atherosclerosis using genetic engineered mouse models. <i>Frontiers in Bioscience - Landmark</i> , 2006 , 11, 955-67	2.8	27
13	Minor Components of Olive Oil: Evidence to Date of Health Benefits in Humans. <i>Nutrition Reviews</i> , 2006 , 64, S20-S30	6.4	103
12	Dietary cholesterol suppresses the ability of olive oil to delay the development of atherosclerotic lesions in apolipoprotein E knockout mice. <i>Atherosclerosis</i> , 2005 , 182, 17-28	3.1	47
11	Immune-regulation of the apolipoprotein A-I/C-III/A-IV gene cluster in experimental inflammation. <i>Cytokine</i> , 2005 , 31, 52-63	4	65
10	Divergent mechanisms of cis9, trans11-and trans10, cis12-conjugated linoleic acid affecting insulin resistance and inflammation in apolipoprotein E knockout mice: a proteomics approach. <i>FASEB Journal</i> , 2005 , 19, 1746-8	0.9	69
9	Cloning, characterization and comparative analysis of pig plasma apolipoprotein A-IV. <i>Gene</i> , 2004 , 325, 157-64	3.8	9
8	Response of ApoA-IV in pigs to long-term increased dietary oil intake and to the degree of unsaturation of the fatty acids. <i>British Journal of Nutrition</i> , 2004 , 92, 763-9	3.6	13
7	The value of apolipoprotein E knockout mice for studying the effects of dietary fat and cholesterol on atherogenesis. <i>Current Opinion in Lipidology</i> , 2000 , 11, 25-9	4.4	65
6	Effects of dietary fat amount and saturation on the regulation of hepatic mRNA and plasma apolipoprotein A-I in rats. <i>Atherosclerosis</i> , 2000 , 152, 69-78	3.1	24
5	Preparation of knockout mice. <i>Methods in Molecular Biology</i> , 1998 , 110, 79-92	1.4	6

4	Microsomal sphingomyelin accumulation in thioacetamide-injured regenerating rat liver: involvement of sphingomyelin synthase activity. <i>Carcinogenesis</i> , 1993 , 14, 941-6	4.6	22
3	Nucleotide sequences of the Macaca fascicularis apolipoprotein C-III and A-IV genes. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1993 , 1172, 335-9		6
2	Isolation of rat liver lysosomes by a single two-phase partition on dextran/polyethylene glycol. <i>Analytical Biochemistry</i> , 1990 , 185, 249-53	3.1	21
1	Transcriptomics and Nutrition in Mammals581-608		2