

David J Booth

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6346292/david-j-booth-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

152
papers

5,409
citations

41
h-index

69
g-index

155
ext. papers

6,449
ext. citations

4.5
avg, IF

5.82
L-index

#	Paper	IF	Citations
152	Movement patterns of an iconic recreational fish species, mulloway (<i>Argyrosomus japonicus</i>), revealed by cooperative citizen-science tagging programs in coastal eastern Australia. <i>Fisheries Research</i> , 2022 , 247, 106179	2.3	2
151	Phenotypic responses in fish behaviour narrow as climate ramps up. <i>Climatic Change</i> , 2022 , 171, 1	4.5	
150	Searching for seadragons: predicting micro-habitat use for the common (weedy) seadragon (<i>Phyllopteryx taeniolatus</i>) based on habitat and prey.. <i>Journal of Fish Biology</i> , 2022 ,	1.9	1
149	Coral-reef fishes can become more risk-averse at their poleward range limits.. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2022 , 289, 20212676	4.4	1
148	Behavioural generalism could facilitate coexistence of tropical and temperate fishes under climate change. <i>Journal of Animal Ecology</i> , 2021 ,	4.7	4
147	Space use by the endemic common (weedy) seadragon (<i>Phyllopteryx taeniolatus</i>): influence of habitat and prey. <i>Journal of Fish Biology</i> , 2021 ,	1.9	1
146	Long-term demographics of a coral-reef fish: growth, survival and abundance at several spatial scales. <i>Coral Reefs</i> , 2021 , 40, 1257-1266	4.2	0
145	Novel species interactions and environmental conditions reduce foraging competency at the temperate range edge of a range-extending coral reef fish. <i>Coral Reefs</i> , 2021 , 40, 1525-1536	4.2	5
144	Opposing life stage-specific effects of ocean warming at source and sink populations of range-shifting coral-reef fishes. <i>Journal of Animal Ecology</i> , 2021 , 90, 615-627	4.7	0
143	Odd one in: Oddity within mixed-species shoals does not affect shoal preference by vagrant tropical damselfish in the presence or absence of a predator. <i>Ethology</i> , 2021 , 127, 125-134	1.7	3
142	Ocean acidification may slow the pace of tropicalization of temperate fish communities. <i>Nature Climate Change</i> , 2021 , 11, 249-256	21.4	4
141	Natural and anthropogenic climate variability shape assemblages of range-extending coral-reef fishes. <i>Journal of Biogeography</i> , 2021 , 48, 1063-1075	4.1	3
140	Response of estuarine fishes to elevated temperatures within temperate Australia: Implications of climate change on fish growth and foraging performance. <i>Journal of Experimental Marine Biology and Ecology</i> , 2021 , 544, 151626	2.1	0
139	Ocean warming and acidification degrade shoaling performance and lateralization of novel tropical-temperate fish shoals.. <i>Global Change Biology</i> , 2021 ,	11.4	2
138	Impact of Spatial Management on Nontarget Species in an Oceanic Penaeid Trawl Fishery. <i>North American Journal of Fisheries Management</i> , 2020 , 40, 509-520	1.1	3
137	Dietary generalism accelerates arrival and persistence of coral-reef fishes in their novel ranges under climate change. <i>Global Change Biology</i> , 2020 , 26, 5564-5573	11.4	13
136	Predation avoidance and foraging efficiency contribute to mixed-species shoaling by tropical and temperate fishes. <i>Journal of Fish Biology</i> , 2020 , 96, 806-814	1.9	11

135	Opposing climate-change impacts on poleward-shifting coral-reef fishes. <i>Coral Reefs</i> , 2020 , 39, 577-581	4.2	2
134	Enhancing the Scientific Value of Industry Remotely Operated Vehicles (ROVs) in Our Oceans. <i>Frontiers in Marine Science</i> , 2020 , 7,	4.5	12
133	Genomic and morphological evidence of distinct populations in the endemic common (weedy) seadragon <i>Phyllopteryx taeniolatus</i> (Syngnathidae) along the east coast of Australia. <i>PLoS ONE</i> , 2020 , 15, e0243446	3.7	3
132	Trophic niche segregation allows range-extending coral reef fishes to co-exist with temperate species under climate change. <i>Global Change Biology</i> , 2020 , 26, 721-733	11.4	14
131	Range-extending coral reef fishes trade-off growth for maintenance of body condition in cooler waters. <i>Science of the Total Environment</i> , 2020 , 703, 134598	10.2	8
130	The effect of subsampling when monitoring bycatch in a penaeid trawl fishery. <i>Fisheries Research</i> , 2020 , 224, 105459	2.3	5
129	Predicting Geographic Ranges of Marine Animal Populations Using Stable Isotopes: A Case Study of Great Hammerhead Sharks in Eastern Australia. <i>Frontiers in Marine Science</i> , 2020 , 7,	4.5	1
128	Meeting fisheries, ecosystem function, and biodiversity goals in a human-dominated world. <i>Science</i> , 2020 , 368, 307-311	33.3	45
127	Genomic and morphological evidence of distinct populations in the endemic common (weedy) seadragon <i>Phyllopteryx taeniolatus</i> (Syngnathidae) along the east coast of Australia 2020 , 15, e0243446		
126	Genomic and morphological evidence of distinct populations in the endemic common (weedy) seadragon <i>Phyllopteryx taeniolatus</i> (Syngnathidae) along the east coast of Australia 2020 , 15, e0243446		
125	Genomic and morphological evidence of distinct populations in the endemic common (weedy) seadragon <i>Phyllopteryx taeniolatus</i> (Syngnathidae) along the east coast of Australia 2020 , 15, e0243446		
124	Genomic and morphological evidence of distinct populations in the endemic common (weedy) seadragon <i>Phyllopteryx taeniolatus</i> (Syngnathidae) along the east coast of Australia 2020 , 15, e0243446		
123	Genomic and morphological evidence of distinct populations in the endemic common (weedy) seadragon <i>Phyllopteryx taeniolatus</i> (Syngnathidae) along the east coast of Australia 2020 , 15, e0243446		
122	Genomic and morphological evidence of distinct populations in the endemic common (weedy) seadragon <i>Phyllopteryx taeniolatus</i> (Syngnathidae) along the east coast of Australia 2020 , 15, e0243446		
121	Towards an ultimate explanation for mixed-species shoaling. <i>Fish and Fisheries</i> , 2019 , 20, 921-933	6	19
120	Global Observing Needs in the Deep Ocean. <i>Frontiers in Marine Science</i> , 2019 , 6,	4.5	71
119	Can temperature-dependent predation rates regulate range expansion potential of tropical vagrant fishes?. <i>Marine Biology</i> , 2019 , 166, 1	2.5	14
118	Understanding interactions between plasticity, adaptation and range shifts in response to marine environmental change. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2019 , 374, 20180186	5.8	73

117	The effects of water temperature on the juvenile performance of two tropical damselfishes expatriating to temperate reefs. <i>Scientific Reports</i> , 2019 , 9, 13937	4.9	13
116	Decommissioning of offshore oil and gas structures - Environmental opportunities and challenges. <i>Science of the Total Environment</i> , 2019 , 658, 973-981	10.2	34
115	Coexistence 2019 , 37-41		
114	Temperature influences habitat preference of coral reef fishes: Will generalists become more specialised in a warming ocean?. <i>Global Change Biology</i> , 2018 , 24, 3158-3169	11.4	11
113	Eyes in the sea: Unlocking the mysteries of the ocean using industrial, remotely operated vehicles (ROVs). <i>Science of the Total Environment</i> , 2018 , 634, 1077-1091	10.2	41
112	'Stick with your own kind, or hang with the locals?' Implications of shoaling strategy for tropical reef fish on a range-expansion frontline. <i>Global Change Biology</i> , 2018 , 24, 1663-1672	11.4	20
111	New poleward observations of 30 tropical reef fishes in temperate southeastern Australia. <i>Marine Biodiversity</i> , 2018 , 48, 2249-2254	1.4	14
110	Community-wide scan identifies fish species associated with coral reef services across the Indo-Pacific. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2018 , 285,	4.4	9
109	Predicting Success of Range-Expanding Coral Reef Fish in Temperate Habitats Using Temperature-Abundance Relationships. <i>Frontiers in Marine Science</i> , 2018 , 5,	4.5	18
108	Benthic meiofaunal community response to the cascading effects of herbivory within an algal halo system of the Great Barrier Reef. <i>PLoS ONE</i> , 2018 , 13, e0193932	3.7	8
107	Gravity of human impacts mediates coral reef conservation gains. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E6116-E6125	11.5	108
106	Some Old Movies Become Classics [A Case Study Determining the Scientific Value of ROV Inspection Footage on a Platform on Australia's North West Shelf. <i>Frontiers in Marine Science</i> , 2018 , 5,	4.5	8
105	Coral expansion in Sydney and associated coral-reef fishes. <i>Coral Reefs</i> , 2018 , 37, 995-995	4.2	16
104	Environmental benefits of leaving offshore infrastructure in the ocean. <i>Frontiers in Ecology and the Environment</i> , 2018 , 16, 571-578	5.5	48
103	Temperate macroalgae impacts tropical fish recruitment at forefronts of range expansion. <i>Coral Reefs</i> , 2017 , 36, 639-651	4.2	11
102	Biodiversity and Climate Change in the Oceans 2017 , 63-89		6
101	Ontogenetic milestones of chemotactic behaviour reflect innate species-specific response to habitat cues in larval fish. <i>Animal Behaviour</i> , 2017 , 132, 61-71	2.8	6
100	Tropical Marine Fishes and Fisheries and Climate Change 2017 , 875-896		7

99	Deep-sea observations at hydrocarbon drilling locations: Contributions from the SERPENT Project after 120 field visits. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2017 , 137, 463-479	2.3	26
98	Australia's coastal fisheries and farmed seafood: an ecological basis for determining sustainability. <i>Australian Zoologist</i> , 2017 , 39, 3-16	0.7	1
97	Sediment pollution impacts sensory ability and performance of settling coral-reef fish. <i>Oecologia</i> , 2016 , 180, 11-21	2.9	22
96	Response to Comment on Seagrass Viviparous Propagules as a Potential Long-Distance Dispersal Mechanism by A. C. G. Thomson et al. <i>Estuaries and Coasts</i> , 2016 , 39, 875-876	2.8	2
95	Bright spots among the world's coral reefs. <i>Nature</i> , 2016 , 535, 416-9	50.4	275
94	Rapid growth and short life spans characterize pipefish populations in vulnerable seagrass beds. <i>Journal of Fish Biology</i> , 2016 , 88, 1847-55	1.9	2
93	Ability to home in small site-attached coral reef fishes. <i>Journal of Fish Biology</i> , 2016 , 89, 1501-6	1.9	7
92	Distribution and spatial modelling of a soft coral habitat in the Port Stephens Great Lakes Marine Park: implications for management. <i>Marine and Freshwater Research</i> , 2016 , 67, 256	2.2	17
91	Temperate predators and seasonal water temperatures impact feeding of a range expanding tropical fish. <i>Marine Biology</i> , 2016 , 163, 1	2.5	14
90	Predicting range-shift success potential for tropical marine fishes using external morphology. <i>Biology Letters</i> , 2016 , 12,	3.6	16
89	Partial migration of grey mullet (<i>Mugil cephalus</i>) on Australia's east coast revealed by otolith chemistry. <i>Marine Environmental Research</i> , 2016 , 119, 238-44	3.3	39
88	Transgenerational plasticity of reproduction depends on rate of warming across generations. <i>Evolutionary Applications</i> , 2016 , 9, 1072-1081	4.8	56
87	Seagrass Viviparous Propagules as a Potential Long-Distance Dispersal Mechanism. <i>Estuaries and Coasts</i> , 2015 , 38, 927-940	2.8	22
86	Impact of cigarette butt leachate on tidepool snails. <i>Marine Pollution Bulletin</i> , 2015 , 95, 362-4	6.7	49
85	Using otolith microchemistry and shape to assess the habitat value of oil structures for reef fish. <i>Marine Environmental Research</i> , 2015 , 106, 103-13	3.3	15
84	Fluctuating asymmetry as a pollution monitor: The Australian estuarine smooth toadfish <i>Tetractenos glaber</i> (Teleostei: Tetraodontidae). <i>Marine Pollution Bulletin</i> , 2015 , 101, 758-67	6.7	16
83	Latitude-wide genetic patterns reveal historical effects and contrasting patterns of turnover and nestedness at the range peripheries of a tropical marine fish. <i>Ecography</i> , 2015 , 38, 1212-1224	6.5	15
82	Renewables-to-reefs: Participatory multicriteria decision analysis is required to optimize wind farm decommissioning. <i>Marine Pollution Bulletin</i> , 2015 , 98, 368-71	6.7	2

81	Sydney Harbour: what we do and do not know about a highly diverse estuary. <i>Marine and Freshwater Research</i> , 2015 , 66, 1073	2.2	32
80	Sydney Harbour: a review of anthropogenic impacts on the biodiversity and ecosystem function of one of the world. <i>Marine and Freshwater Research</i> , 2015 , 66, 1088	2.2	50
79	Should we "reef" obsolete oil platforms?. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, E102	11.5	16
78	Fish Habitat Provided by Saipan WWII Submerged Heritage. <i>SpringerBriefs in Archaeology</i> , 2015 , 117-134	4.3	3
77	Do otolith increments allow correct inferences about age and growth of coral reef fishes?. <i>Coral Reefs</i> , 2014 , 33, 255-258	4.2	4
76	A multi-criteria decision approach to decommissioning of offshore oil and gas infrastructure. <i>Ocean and Coastal Management</i> , 2014 , 87, 20-29	3.9	100
75	Beyond the transect: an alternative microchemical imaging method for fine scale analysis of trace elements in fish otoliths during early life. <i>Science of the Total Environment</i> , 2014 , 494-495, 177-86	10.2	13
74	Growth and temperature relationships for juvenile fish species in seagrass beds: implications of climate change. <i>Journal of Fish Biology</i> , 2014 , 84, 231-6	1.9	3
73	Latitudinal shifts in coral reef fishes: why some species do and others do not shift. <i>Fish and Fisheries</i> , 2014 , 15, 593-615	6	109
72	Reproductive acclimation to increased water temperature in a tropical reef fish. <i>PLoS ONE</i> , 2014 , 9, e97223	3.7	52
71	The tropicalization of temperate marine ecosystems: climate-mediated changes in herbivory and community phase shifts. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2014 , 281, 20140846	4.4	488
70	Assessing range shifts of tropical reef fishes: a comparison of belt transect and roaming underwater visual census methods. <i>Bulletin of Marine Science</i> , 2014 , 90, 705-721	1.3	22
69	Fish assemblages associated with oil industry structures on the continental shelf of north-western Australia. <i>Journal of Fish Biology</i> , 2014 , 84, 247-55	1.9	41
68	Biodiversity value of a geographically restricted soft coral species within a temperate estuary. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2013 , 23, 838-849	2.6	24
67	Seasonal dynamics of fish assemblages on breakwaters and natural rocky reefs in a temperate estuary: consistent assemblage differences driven by sub-adults. <i>PLoS ONE</i> , 2013 , 8, e75790	3.7	15
66	Physiological and morphological responses of the temperate seagrass <i>Zostera muelleri</i> to multiple stressors: investigating the interactive effects of light and temperature. <i>PLoS ONE</i> , 2013 , 8, e76377	3.7	69
65	Positive responses of a seagrass ecosystem to experimental nutrient enrichment. <i>Marine Ecology - Progress Series</i> , 2013 , 487, 15-25	2.6	17
64	Trophic responses to nutrient enrichment in a temperate seagrass food chain. <i>Marine Ecology - Progress Series</i> , 2012 , 449, 291-296	2.6	11

63	Evidence of sustained populations of a small reef fish on artificial structures. Does depth affect production on artificial reefs?. <i>Journal of Fish Biology</i> , 2012 , 80, 613-29	1.9	25
62	Rigs-to-reefs policy: can science trump public sentiment?. <i>Frontiers in Ecology and the Environment</i> , 2012 , 10, 179-180	5.5	22
61	Science under siege-comment on Kearney article: Faith, vested interests and the scientific method: a critique of Kearney. <i>Australian Zoologist</i> , 2012 , 36, 143-144	0.7	
60	Detecting range shifts among Australian fishes in response to climate change. <i>Marine and Freshwater Research</i> , 2011 , 62, 1027	2.2	102
59	Landscape of fear visible from space. <i>Scientific Reports</i> , 2011 , 1, 14	4.9	86
58	Research challenges to improve the management and conservation of subtropical reefs to tackle climate change threats. <i>Ecological Management and Restoration</i> , 2011 , 12, e7-e10	1.4	17
57	Resource partitioning amongst co-occurring decapods on wellheads from Australia's North West shelf. An analysis of carbon and nitrogen stable isotopes. <i>Journal of Experimental Marine Biology and Ecology</i> , 2011 , 409, 186-193	2.1	4
56	Pelagic larval duration is similar across 23° of latitude for two species of butterflyfish (Chaetodontidae) in eastern Australia. <i>Coral Reefs</i> , 2011 , 30, 1071-1075	4.2	15
55	Rigs-to-reefs: will the deep sea benefit from artificial habitat?. <i>Frontiers in Ecology and the Environment</i> , 2011 , 9, 455-461	5.5	120
54	Implications of climate change for macrophytic rafts and their hitchhikers. <i>Marine Ecology - Progress Series</i> , 2011 , 443, 285-292	2.6	29
53	Global human footprint on the linkage between biodiversity and ecosystem functioning in reef fishes. <i>PLoS Biology</i> , 2011 , 9, e1000606	9.7	204
52	The reproductive biology of the common stingaree Trygonoptera testacea (Urolophidae) in eastern Australia. <i>Australian Zoologist</i> , 2011 , 35, 627-632	0.7	2
51	Increasing ocean temperatures allow tropical fishes to survive overwinter in temperate waters. <i>Global Change Biology</i> , 2010 , 16, 506-516	11.4	168
50	Crucial knowledge gaps in current understanding of climate change impacts on coral reef fishes. <i>Journal of Experimental Biology</i> , 2010 , 213, 894-900	3	70
49	Personality in two species of temperate damselfish. <i>Marine Ecology - Progress Series</i> , 2010 , 420, 273-276	2.6	19
48	Extreme boldness precedes starvation mortality in six-lined trumpeter (Pelates sexlineatus). <i>Hydrobiologia</i> , 2009 , 635, 395-398	2.4	20
47	Ontogeny of space use and diet of two temperate damselfish species, Parma microlepis and Parma unifasciata. <i>Marine Biology</i> , 2009 , 156, 1497-1505	2.5	16
46	Performance of tropical fish recruiting to temperate habitats: role of ambient temperature and implications of climate change. <i>Marine Ecology - Progress Series</i> , 2009 , 384, 231-239	2.6	57

45	Selective mortality of a coral reef damselfish: role of predator-competitor synergisms. <i>Oecologia</i> , 2008 , 156, 215-26	2.9	14
44	Patterns of seagrass biomass removal by two temperate Australian fishes (Monacanthidae). <i>Marine and Freshwater Research</i> , 2008 , 59, 408	2.2	6
43	Species boundaries and phylogenetic relationships within the green algal genus <i>Codium</i> (Bryopsidales) based on plastid DNA sequences. <i>Molecular Phylogenetics and Evolution</i> , 2007 , 44, 240-54 ^{4.1}	4.1	74
42	Feeding preferences of two seagrass grazing monacanthid fishes. <i>Journal of Fish Biology</i> , 2007 , 71, 272-278	2.7	19
41	Tracking biological invasions in space and time: elucidating the invasive history of the green alga <i>Codium fragile</i> using old DNA. <i>Diversity and Distributions</i> , 2007 , 14, 343-354	5	68
40	Occurrence of tropical fishes in temperate southeastern Australia: Role of the East Australian Current. <i>Estuarine, Coastal and Shelf Science</i> , 2007 , 72, 102-114	2.9	138
39	Mechanisms for climate-induced mortality of fish populations in whole-lake experiments. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 9715-9	11.5	60
38	Molecular approaches to the study of invasive seaweeds. <i>Botanica Marina</i> , 2007 , 50,	1.8	25
37	Effects of photoperiod and feeding frequency on performance of newly weaned Australian snapper <i>Pagrus auratus</i> . <i>Aquaculture</i> , 2006 , 258, 514-520	4.4	49
36	Effects of metals on condition and reproductive output of the smooth toadfish in Sydney estuaries, south-eastern Australia. <i>Environmental Pollution</i> , 2006 , 142, 116-22	9.3	36
35	Metal accumulation in the smooth toadfish, <i>Tetractenos glaber</i> , in estuaries around Sydney, Australia. <i>Environmental Pollution</i> , 2006 , 142, 123-31	9.3	41
34	Density, habitat use and behaviour of the weedy seadragon <i>Phyllopteryx taeniolatus</i> (Teleostei:Syngnathidae) around Sydney, New South Wales, Australia. <i>Marine and Freshwater Research</i> , 2006 , 57, 737	2.2	17
33	Variability in growth of longfinned eels among coastal catchments of south-eastern Australia. <i>Journal of Fish Biology</i> , 2006 , 68, 1693-1706	1.9	13
32	Ratio-dependent response of a temperate Australian estuarine system to sustained nitrogen loading. <i>Oecologia</i> , 2006 , 149, 701-8	2.9	23
31	Fish assemblages in habitats dominated by <i>Caulerpa taxifolia</i> and native seagrasses in south-eastern Australia. <i>Marine Ecology - Progress Series</i> , 2006 , 312, 223-234	2.6	51
30	Reproductive cycle and growth of <i>Phyllopteryx taeniolatus</i> . <i>Journal of Fish Biology</i> , 2005 , 67, 133-148	1.9	15
29	SYNERGISTIC EFFECTS OF CONSPECIFICS AND FOOD ON GROWTH AND ENERGY ALLOCATION OF A DAMSELFISH. <i>Ecology</i> , 2004 , 85, 2881-2887	4.6	16
28	Variation in the sex ratio, size and age of longfinned eels within and among coastal catchments of south-eastern Australia. <i>Journal of Fish Biology</i> , 2004 , 64, 1297-1312	1.9	14

27	Movement, Home Range and Site Fidelity of the Weedy Seadragon <i>Phyllopteryx taeniolatus</i> (Teleostei: Syngnathidae). <i>Environmental Biology of Fishes</i> , 2004 , 70, 31-41	1.6	17
26	Influence of recruit condition on food competition and predation risk in a coral reef fish. <i>Oecologia</i> , 2004 , 140, 289-94	2.9	36
25	Estuarine habitat preferences of <i>Anguilla australis</i> and <i>A. reinhardtii</i> glass eels as inferred from laboratory experiments. <i>Environmental Biology of Fishes</i> , 2004 , 71, 395-402	1.6	6
24	Settlement and Density of Juvenile Fish Assemblages in Natural, <i>Zostera Capricorni</i> (Zosteraceae) and Artificial Seagrass Beds. <i>Environmental Biology of Fishes</i> , 2003 , 66, 91-97	1.6	15
23	Density- and size-dependent mortality of a settling coral-reef damselfish (<i>Pomacentrus moluccensis</i> Bleeker). <i>Oecologia</i> , 2003 , 137, 377-84	2.9	33
22	Sexual dimorphism and gonadal development of the Australian longfinned river eel. <i>Journal of Fish Biology</i> , 2003 , 63, 137-152	1.9	19
21	Food supplementation increases larval growth, condition and survival of <i>Acanthochromis polyacanthus</i> . <i>Journal of Fish Biology</i> , 2002 , 60, 1126-1133	1.9	20
20	Distribution changes after settlement in 6 species of damselfish (Pomacentridae) in One Tree Island lagoon, Great Barrier Reef. <i>Marine Ecology - Progress Series</i> , 2002 , 226, 157-164	2.6	33
19	Changes in a fish assemblage after a coral bleaching event. <i>Marine Ecology - Progress Series</i> , 2002 , 245, 205-212	2.6	94
18	Resource use by <i>Enneapterygius Rufopileus</i> and Other Rockpool Fishes. <i>Environmental Biology of Fishes</i> , 2001 , 61, 195-204	1.6	23
17	Estuarine macrobenthic community structure in the Hawkesbury River, Australia: relationships with sediment physicochemical and anthropogenic parameters. <i>Environmental Monitoring and Assessment</i> , 2001 , 72, 51-78	3.1	24
16	A novel artificial habitat collection device for studying resettlement patterns in anguillid glass eels. <i>Journal of Fish Biology</i> , 2001 , 58, 1359-1370	1.9	19
15	ENCORE: the effect of nutrient enrichment on coral reefs. Synthesis of results and conclusions. <i>Marine Pollution Bulletin</i> , 2001 , 42, 91-120	6.7	316
14	The Semaphore crab, <i>Heloecius cordiformis</i> : bio-indication potential for heavy metals in estuarine systems. <i>Aquatic Toxicology</i> , 2000 , 50, 153-166	5.1	46
13	Recruitment of damselfishes in One Tree Island lagoon: persistent interannual spatial patterns. <i>Marine Ecology - Progress Series</i> , 2000 , 202, 219-230	2.6	33
12	Food ration and condition affect early survival of the coral reef damselfish, <i>Stegastes partitus</i> . <i>Oecologia</i> , 1999 , 121, 364-368	2.9	61
11	Settlement preferences in coral-reef fishes: Effects on patterns of adult and juvenile distributions, individual fitness and population structure. <i>Austral Ecology</i> , 1998 , 23, 274-279	1.5	48
10	Habitat Selection before Settlement by <i>Pomacentrus coelestis</i> . <i>Marine and Freshwater Research</i> , 1996 , 47, 391	2.2	30

9	Juvenile Groups in a Coral-Reef Damselfish: Density-Dependent Effects on Individual Fitness and Population Demography. <i>Ecology</i> , 1995 , 76, 91-106	4.6	126
8	The Role of Recruitment Dynamics in Rocky Shore and Coral Reef Fish Communities. <i>Advances in Ecological Research</i> , 1995 , 309-385	4.6	69
7	Seasonal recruitment, habitat associations and survival of pomacentrid reef fish in the US Virgin Islands. <i>Coral Reefs</i> , 1994 , 13, 81-89	4.2	68
6	Larval settlement patterns and preferences by domino damselfish <i>Dascyllus albisella</i> Gill. <i>Journal of Experimental Marine Biology and Ecology</i> , 1992 , 155, 85-104	2.1	121
5	The effects of sampling frequency on estimates of recruitment of the domino damselfish <i>Dascyllus albisella</i> Gill. <i>Journal of Experimental Marine Biology and Ecology</i> , 1991 , 145, 149-159	2.1	53
4	Effect of water temperature on stomach evacuation rates, and estimation of daily food intake of bluegill sunfish (<i>Lepomis macrochirus</i> Rafinesque). <i>Canadian Journal of Zoology</i> , 1990 , 68, 591-595	1.5	14
3	Growth energy partitioning by juvenile bluegill sunfish, <i>Lepomis macrochirus</i> Rafinesque. <i>Journal of Fish Biology</i> , 1986 , 28, 37-45	1.9	49
2	Mortality differentials within large American cities in 1890. <i>Human Ecology</i> , 1979 , 7, 353-370	2	21
1	Single-species subgroups form within mixed-species shoals of tropical and temperate fishes. <i>Environmental Biology of Fishes</i> , 1	1.6	0