

# Rolando Armijo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6347304/publications.pdf>

Version: 2024-02-01

71  
papers

10,560  
citations

53794

45  
h-index

82547

72  
g-index

73  
all docs

73  
docs citations

73  
times ranked

5966  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Geometry of Flexural Uplift by Continental Rifting in Corinth, Greece. <i>Tectonics</i> , 2020, 39, e2019TC005685.   | 2.8  | 15        |
| 2  | How do sea-level curves influence modeled marine terrace sequences?. <i>Quaternary Science Reviews</i> , 2020, 229, 106132.  | 3.0  | 22        |
| 3  | A new crustal fault formed the modern Corinth Rift. <i>Earth-Science Reviews</i> , 2019, 199, 102919.  | 9.1  | 15        |
| 4  | Lithospheric flexure and rheology determined by climate cycle markers in the Corinth Rift. <i>Scientific Reports</i> , 2019, 9, 4260.  | 3.3  | 24        |
| 5  | Revisiting the Crustal Structure and Kinematics of the Central Andes at 33.5°S: Implications for the Mechanics of Andean Mountain Building. <i>Tectonics</i> , 2018, 37, 1347-1375.  | 2.8  | 31        |
| 6  | Kinematics of the active West Andean fold-and-thrust belt (central Chile): Structure and long-term shortening rate. <i>Tectonics</i> , 2017, 36, 287-303.  | 2.8  | 26        |
| 7  | Coupled tectonic evolution of Andean orogeny and global climate. <i>Earth-Science Reviews</i> , 2015, 143, 1-35.   | 9.1  | 187       |
| 8  | The region of the Strandja Sill (North Turkey) and the Messinian events. <i>Marine and Petroleum Geology</i> , 2015, 66, 149-164.  | 3.3  | 25        |
| 9  | Andean growth and monsoon winds drive landscape evolution at SW margin of South America. <i>Earth and Planetary Science Letters</i> , 2015, 414, 87-99.  | 4.4  | 8         |
| 10 | Probing large intraplate earthquakes at the west flank of the Andes. <i>Geology</i> , 2014, 42, 1083-1086.   | 4.4  | 54        |
| 11 | Andean structural control on interseismic coupling in the North Chile subduction zone. <i>Nature Geoscience</i> , 2013, 6, 462-467.  | 12.9 | 138       |
| 12 | A two-step process for the reflooding of the Mediterranean after the Messinian Salinity Crisis. <i>Basin Research</i> , 2012, 24, 125-153.   | 2.7  | 134       |
| 13 | The 2010 Mw 8.8 Maule Megathrust Earthquake of Central Chile, Monitored by GPS. <i>Science</i> , 2011, 332, 1417-1421.   | 12.6 | 345       |
| 14 | Normal Faulting during the August 1989 Earthquakes in Central Afar: Sequential Triggering and Propagation of Rupture along the Dobi Graben. <i>Bulletin of the Seismological Society of America</i> , 2011, 101, 994-1023. | 2.3  | 23        |
| 15 | Asperities and barriers on the seismogenic zone in North Chile: state-of-the-art after the 2007 Mw 7.7 Tocopilla earthquake inferred by GPS and InSAR data. <i>Geophysical Journal International</i> , 2010, 183, 390-406. | 2.4  | 73        |
| 16 | Reply to the comment by R. A. Astini and F. M. Dávila on "The West Andean Thrust, the San Ramón Fault, and the seismic hazard for Santiago, Chile". <i>Tectonics</i> , 2010, 29, n/a-n/a.                                  | 2.8  | 2         |
| 17 | The West Andean Thrust, the San Ramón Fault, and the seismic hazard for Santiago, Chile. <i>Tectonics</i> , 2010, 29, n/a-n/a.   | 2.8  | 64        |
| 18 | The Messinian Salinity Crisis in the Dardanelles region: Chronostratigraphic constraints. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2009, 278, 24-39.   | 2.3  | 40        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Long-term evolution of the North Anatolian Fault: new constraints from its eastern termination. Geological Society Special Publication, 2009, 311, 133-154.  | 1.3 | 41        |
| 20 | Late Quaternary co-seismic sedimentation in the Sea of Marmara's deep basins. Sedimentary Geology, 2007, 199, 65-89.   | 2.1 | 92        |
| 21 | Compressional deformation north of the Easter microplate: a manned submersible and seafloor gravity investigation. Geophysical Journal International, 2006, 164, 359-369.                                | 2.4 | 3         |
| 22 | Submarine fault scarps in the Sea of Marmara pull-apart (North Anatolian Fault): Implications for seismic hazard in Istanbul. Geochemistry, Geophysics, Geosystems, 2005, 6, .                           | 2.5 | 226       |
| 23 | The 1995 Kozani-Grevena (northern Greece) earthquake revisited: an improved faulting model from synthetic aperture radar interferometry. Geophysical Journal International, 2004, 157, 727-736.          | 2.4 | 23        |
| 24 | Crustal deformation and fault slip during the seismic cycle in the North Chile subduction zone, from GPS and InSAR observations. Geophysical Journal International, 2004, 158, 695-711.                  | 2.4 | 139       |
| 25 | The mechanical interaction between the propagating North Anatolian Fault and the back-arc extension in the Aegean. Earth and Planetary Science Letters, 2004, 224, 347-362.                              | 4.4 | 146       |
| 26 | Linear elastic fracture mechanics explains the past and present evolution of the Aegean. Earth and Planetary Science Letters, 2004, 217, 85-95.  | 4.4 | 80        |
| 27 | Motion on the Kaparelli fault (Greece) prior to the 1981 earthquake sequence determined from <sup>36</sup> Cl cosmogenic dating. Terra Nova, 2003, 15, 118-124.  | 2.1 | 67        |
| 28 | Long-term elasticity in the continental lithosphere; modelling the Aden Ridge propagation and the Anatolian extrusion process. Geophysical Journal International, 2003, 153, 111-132.                    | 2.4 | 120       |
| 29 | Slip partitioning in the Sea of Marmara pull-apart determined from GPS velocity vectors. Geophysical Journal International, 2003, 154, 1-7.  | 2.4 | 133       |
| 30 | Coseismic and early post-seismic slip associated with the 1999 Izmit earthquake (Turkey), from SAR interferometry and tectonic field observations. Geophysical Journal International, 2003, 155, 93-110. | 2.4 | 123       |
| 31 | The Surface Rupture and Slip Distribution of the 17 August 1999 Izmit Earthquake (M 7.4), North Anatolian Fault. Bulletin of the Seismological Society of America, 2002, 92, 43-60.                      | 2.3 | 281       |
| 32 | Surface Rupture and Slip Distribution of the 12 November 1999 Duzce Earthquake (M 7.1), North Anatolian Fault, Bolu, Turkey. Bulletin of the Seismological Society of America, 2002, 92, 61-66.          | 2.3 | 110       |
| 33 | Morphology, displacement, and slip rates along the North Anatolian Fault, Turkey. Journal of Geophysical Research, 2002, 107, ETG 9-1-ETG 9-33.  | 3.3 | 226       |
| 34 | Post-glacial slip history of the Sparta fault (Greece) determined by <sup>36</sup> Cl cosmogenic dating: Evidence for non-periodic earthquakes. Geophysical Research Letters, 2002, 29, 87-1-87-4.       | 4.0 | 114       |
| 35 | Active faulting in SW Bulgaria: possible surface rupture of the 1904 Struma earthquakes. Geophysical Journal International, 2002, 148, 246-255.  | 2.4 | 11        |
| 36 | Asymmetric slip partitioning in the Sea of Marmara pull-apart: a clue to propagation processes of the North Anatolian Fault?. Terra Nova, 2002, 14, 80-86.   | 2.1 | 288       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Title is missing!. Marine Geophysical Researches, 2002, 23, 1-12.  | 1.2  | 8         |
| 38 | Was the TrÃ©varesse thrust the source of the 1909 Lambesc (Provence, France) earthquake? Historical and geomorphic evidence. Comptes Rendus De L'AcadÃ©mie Des Sciences Earth & Planetary Sciences SÃ©rie II, Sciences De La Terre Et Des PlanÃ©tes =, 2001, 333, 571-581. | 0.2  | 6         |
| 39 | Coulomb interactions and the 17 August 1999 Izmit, Turkey earthquake. Comptes Rendus De L'AcadÃ©mie Des Sciences Earth & Planetary Sciences SÃ©rie II, Sciences De La Terre Et Des PlanÃ©tes =, 2001, 333, 557-569.  | 0.2  | 3         |
| 40 | The active Main Marmara Fault. Earth and Planetary Science Letters, 2001, 192, 595-616.  | 4.4  | 336       |
| 41 | Westward propagation of North Anatolian fault into the northern Aegean:Timing and kinematics: Comment and Reply. Geology, 2000, 28, 188.   | 4.4  | 15        |
| 42 | Seismic hazard in the Marmara Sea region following the 17 August 1999 Izmit earthquake. Nature, 2000, 404, 269-273.  | 27.8 | 238       |
| 43 | Westward propagation of North Anatolian fault into the northern Aegean:Timing and kinematics: Comment and Reply. Geology, 2000, 28, 187-189.   | 4.4  | 2         |
| 44 | Westward propagation of the North Anatolian fault into the northern Aegean: Timing and kinematics. Geology, 1999, 27, 267.   | 4.4  | 541       |
| 45 | Results from combining tectonic observations and SAR interferometry for the 1995 Grevena earthquake: A summary. Journal of Geodynamics, 1998, 26, 255-259.   | 1.6  | 12        |
| 46 | The MW=8.1 Antofagasta (North Chile) Earthquake of July 30, 1995: First results from teleseismic and geodetic data. Geophysical Research Letters, 1996, 23, 917-920.   | 4.0  | 101       |
| 47 | The 1995 Grevena (northern Greece) Earthquake: Fault model constrained with tectonic observations and SAR interferometry. Geophysical Research Letters, 1996, 23, 2677-2680.   | 4.0  | 69        |
| 48 | Erratum to "fault re-activation, stress interaction and rupture propagation of the 1981 corinth earthquake sequence" [Earth Planet. Sci. Lett. 142 (1996) 573-585]. Earth and Planetary Science Letters, 1996, 144, 611-613.   | 4.4  | 3         |
| 49 | Petrology of the Easter microplate region in the South Pacific. Journal of Volcanology and Geothermal Research, 1996, 72, 259-289.   | 2.1  | 37        |
| 50 | A microseismic study in the western part of the Gulf of Corinth (Greece): implications for large-scale normal faulting mechanisms. Geophysical Journal International, 1996, 126, 663-688.  | 2.4  | 254       |
| 51 | Quaternary evolution of the Corinth Rift and its implications for the Late Cenozoic evolution of the Aegean. Geophysical Journal International, 1996, 126, 11-53.  | 2.4  | 600       |
| 52 | From plate tectonics to the design of the Dul Hasti hydroelectric project in Kashmir (India). Engineering Geology, 1994, 36, 211-241.  | 6.3  | 3         |
| 53 | Petrology of the East Pacific Rise crust and upper mantle exposed in Hess deep (eastern equatorial) Tj ETQq1 1 0.784314 rgBT /Overlo   | 3.3  | 123       |
| 54 | Dyke complex of the East Pacific Rise exposed in the walls of Hess Deep and the structure of the upper oceanic crust. Earth and Planetary Science Letters, 1992, 111, 109-121.   | 4.4  | 88        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | A possible normal-fault rupture for the 464 BC Sparta earthquake. <i>Nature</i> , 1991, 351, 137-139.  | 27.8 | 51        |
| 56 | Bookshelf faulting and horizontal block rotations between overlapping rifts in southern Afar. <i>Geophysical Research Letters</i> , 1990, 17, 1-4.   | 4.0  | 144       |
| 57 | Active faulting in northern Chile: ramp stacking and lateral decoupling along a subduction plate boundary?. <i>Earth and Planetary Science Letters</i> , 1990, 98, 40-61.                              | 4.4  | 146       |
| 58 | 1 Ma East Pacific Rise oceanic crust and uppermost mantle exposed by rifting in Hess Deep (equatorial) Tj ETQq0 0 0 rgBT /Overlap 10   | 4.4  | 172       |
| 59 | Magnitude of Late Quaternary Left-Lateral Displacements Along the North Edge of Tibet. <i>Science</i> , 1989, 246, 1285-1289.  | 12.6 | 253       |
| 60 | Late Cenozoic right-lateral strike-slip faulting in southern Tibet. <i>Journal of Geophysical Research</i> , 1989, 94, 2787-2838.  | 3.3  | 481       |
| 61 | Pito and Orongo fracture zones: the northern and southern boundaries of the Easter microplate (southeast Pacific). <i>Earth and Planetary Science Letters</i> , 1988, 89, 363-374.                     | 4.4  | 54        |
| 62 | Kinematics of the Sinai triple junction and a two-phase model of Arabia-Africa rifting. <i>Geological Society Special Publication</i> , 1987, 28, 559-573.   | 1.3  | 39        |
| 63 | The Sinai triple junction revisited. <i>Tectonophysics</i> , 1987, 141, 181-190.   | 2.2  | 59        |
| 64 | Change from Late Tertiary compression to Quaternary extension in southern Tibet during the India-Asia Collision. <i>Tectonics</i> , 1987, 6, 275-304.  | 2.8  | 174       |
| 65 | Quaternary extension in southern Tibet: Field observations and tectonic implications. <i>Journal of Geophysical Research</i> , 1986, 91, 13803-13872.  | 3.3  | 751       |
| 66 | On the mechanics of the collision between India and Asia. <i>Geological Society Special Publication</i> , 1986, 19, 113-157.   | 1.3  | 716       |
| 67 | Structure and evolution of the Himalaya-Tibet orogenic belt. <i>Nature</i> , 1984, 307, 17-22.   | 27.8 | 942       |
| 68 | The inverse problem in microtectonics and the separation of tectonic phases. <i>Tectonophysics</i> , 1982, 82, 145-160.  | 2.2  | 181       |
| 69 | The Tibetan side of the India-Eurasia collision. <i>Nature</i> , 1981, 294, 405-410.   | 27.8 | 248       |
| 70 | Field evidence for active normal faulting in Tibet. <i>Nature</i> , 1981, 294, 410-414.  | 27.8 | 152       |
| 71 | Fault interactions in the Sea of Marmara pull-apart (North Anatolian Fault): earthquake clustering and propagating earthquake sequences. <i>Geophysical Journal International</i> , 0, 171, 1185-1197. | 2.4  | 101       |