

Chris Dickens

List of Publications by Citations

Source: <https://exaly.com/author-pdf/634795/chris-dickens-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92
papers

4,859
citations

38
h-index

69
g-index

94
ext. papers

5,577
ext. citations

4.1
avg, IF

5.34
L-index

| # | Paper | IF | Citations |
|----|--|------|-----------|
| 92 | Collaborative care for depression and anxiety problems. <i>The Cochrane Library</i> , 2012 , 10, CD006525 | 5.2 | 451 |
| 91 | Depression in rheumatoid arthritis: a systematic review of the literature with meta-analysis. <i>Psychosomatic Medicine</i> , 2002 , 64, 52-60 | 3.7 | 418 |
| 90 | Effectiveness of mindfulness-based stress reduction and mindfulness based cognitive therapy in vascular disease: A systematic review and meta-analysis of randomised controlled trials. <i>Journal of Psychosomatic Research</i> , 2014 , 76, 341-51 | 4.1 | 181 |
| 89 | New variant Creutzfeldt-Jakob disease: psychiatric features. <i>Lancet, The</i> , 1997 , 350, 908-10 | 4.0 | 175 |
| 88 | Assessing the independent contribution to quality of life from anxiety and depression in patients with advanced cancer. <i>Palliative Medicine</i> , 2003 , 17, 509-13 | 5.5 | 162 |
| 87 | Impact of depression on experimental pain perception: a systematic review of the literature with meta-analysis. <i>Psychosomatic Medicine</i> , 2003 , 65, 369-75 | 3.7 | 161 |
| 86 | Integrated primary care for patients with mental and physical multimorbidity: cluster randomised controlled trial of collaborative care for patients with depression comorbid with diabetes or cardiovascular disease. <i>BMJ, The</i> , 2015 , 350, h638 | 5.9 | 159 |
| 85 | Mechanisms of action in mindfulness-based cognitive therapy (MBCT) and mindfulness-based stress reduction (MBSR) in people with physical and/or psychological conditions: A systematic review. <i>Clinical Psychology Review</i> , 2017 , 55, 74-91 | 10.8 | 135 |
| 84 | Depression, illness perception and coping in rheumatoid arthritis. <i>Journal of Psychosomatic Research</i> , 1999 , 46, 155-64 | 4.1 | 133 |
| 83 | The associations of anxiety, depression and personal illness representations with glycaemic control and health-related quality of life in patients with type 2 diabetes mellitus. <i>Journal of Psychosomatic Research</i> , 2004 , 57, 557-64 | 4.1 | 125 |
| 82 | Characteristics of effective collaborative care for treatment of depression: a systematic review and meta-regression of 74 randomised controlled trials. <i>PLoS ONE</i> , 2014 , 9, e108114 | 3.7 | 115 |
| 81 | Multimorbidity, service organization and clinical decision making in primary care: a qualitative study. <i>Family Practice</i> , 2011 , 28, 579-87 | 1.9 | 115 |
| 80 | Hypothalamic-pituitary-adrenal stress axis function and the relationship with chronic widespread pain and its antecedents. <i>Arthritis Research and Therapy</i> , 2005 , 7, R992-R1000 | 5.7 | 115 |
| 79 | Psychosocial predictors of health-related quality of life and health service utilisation in people with chronic low back pain. <i>Pain</i> , 2008 , 135, 142-50 | 8 | 107 |
| 78 | Talking about depression: a qualitative study of barriers to managing depression in people with long term conditions in primary care. <i>BMC Family Practice</i> , 2011 , 12, 10 | 2.6 | 106 |
| 77 | Depression and anxiety predict health-related quality of life in chronic obstructive pulmonary disease: systematic review and meta-analysis. <i>International Journal of COPD</i> , 2014 , 9, 501-12 | 3 | 99 |
| 76 | The effect of complex interventions on depression and anxiety in chronic obstructive pulmonary disease: systematic review and meta-analysis. <i>PLoS ONE</i> , 2013 , 8, e60532 | 3.7 | 98 |

| | | | |
|----|--|------|----|
| 75 | New onset depression following myocardial infarction predicts cardiac mortality. <i>Psychosomatic Medicine</i> , 2008 , 70, 450-5 | 3.7 | 94 |
| 74 | Characteristics of psychological interventions that improve depression in people with coronary heart disease: a systematic review and meta-regression. <i>Psychosomatic Medicine</i> , 2013 , 75, 211-21 | 3.7 | 86 |
| 73 | Association of depression and rheumatoid arthritis. <i>Psychosomatics</i> , 2003 , 44, 209-15 | 2.6 | 83 |
| 72 | The puzzle of depression and acute coronary syndrome: reviewing the role of acute inflammation. <i>Journal of Psychosomatic Research</i> , 2011 , 71, 61-8 | 4.1 | 79 |
| 71 | Mental health in UK Biobank - development, implementation and results from an online questionnaire completed by 157 366 participants: a reanalysis. <i>BJPsych Open</i> , 2020 , 6, e18 | 5 | 76 |
| 70 | Tumour necrosis factor- α inhibitor therapy in chronic physical illness: A systematic review and meta-analysis of the effect on depression and anxiety. <i>Journal of Psychosomatic Research</i> , 2015 , 79, 175-84 | 4.1 | 72 |
| 69 | The relationship between pain and depression in a trial using paroxetine in sufferers of chronic low back pain. <i>Psychosomatics</i> , 2000 , 41, 490-9 | 2.6 | 72 |
| 68 | Contribution of depression and anxiety to impaired health-related quality of life following first myocardial infarction. <i>British Journal of Psychiatry</i> , 2006 , 189, 367-72 | 5.4 | 69 |
| 67 | The relationship between vital exhaustion, depression and comorbid illnesses in patients following first myocardial infarction. <i>Journal of Psychosomatic Research</i> , 2004 , 57, 183-8 | 4.1 | 67 |
| 66 | The risk factors for depression in first myocardial infarction patients. <i>Psychological Medicine</i> , 2004 , 34, 1083-92 | 6.9 | 66 |
| 65 | Mental health in UK Biobank: development, implementation and results from an online questionnaire completed by 157 366 participants. <i>BJPsych Open</i> , 2018 , 4, 83-90 | 5 | 61 |
| 64 | Lack of a close confidant, but not depression, predicts further cardiac events after myocardial infarction. <i>British Heart Journal</i> , 2004 , 90, 518-22 | | 60 |
| 63 | Depression and health-related quality of life in people with coronary heart disease: a systematic review. <i>European Journal of Cardiovascular Nursing</i> , 2012 , 11, 265-75 | 3.3 | 57 |
| 62 | Association Between Chronic Physical Conditions and the Effectiveness of Collaborative Care for Depression: An Individual Participant Data Meta-analysis. <i>JAMA Psychiatry</i> , 2016 , 73, 978-89 | 14.5 | 54 |
| 61 | Exploring the relationship between cognitive illness representations and poor emotional health and their combined association with diabetes self-care. A systematic review with meta-analysis. <i>Journal of Psychosomatic Research</i> , 2014 , 76, 265-74 | 4.1 | 51 |
| 60 | Depression is a risk factor for mortality after myocardial infarction: fact or artifact?. <i>Journal of the American College of Cardiology</i> , 2007 , 49, 1834-40 | 15.1 | 49 |
| 59 | Negative illness perceptions are associated with new-onset depression following myocardial infarction. <i>General Hospital Psychiatry</i> , 2008 , 30, 414-20 | 5.6 | 47 |
| 58 | The association between neighbourhood socio-economic status and the onset of chronic widespread pain: results from the EPIFUND study. <i>European Journal of Pain</i> , 2009 , 13, 635-40 | 3.7 | 46 |

| | | | |
|----|---|-----|----|
| 57 | Does depression predict the use of urgent and unscheduled care by people with long term conditions? A systematic review with meta-analysis. <i>Journal of Psychosomatic Research</i> , 2012 , 73, 334-42 | 4.1 | 45 |
| 56 | The effects of dothiepin on subjects with rheumatoid arthritis and depression. <i>Rheumatology</i> , 1999 , 38, 959-67 | 3.9 | 41 |
| 55 | Depression in people with coronary heart disease: prognostic significance and mechanisms. <i>Current Cardiology Reports</i> , 2015 , 17, 83 | 4.2 | 39 |
| 54 | The effects of acute inflammation on cognitive functioning and emotional processing in humans: A systematic review of experimental studies. <i>Journal of Psychosomatic Research</i> , 2017 , 94, 47-55 | 4.1 | 37 |
| 53 | A mixed-methods pilot study of the acceptability and effectiveness of a brief meditation and mindfulness intervention for people with diabetes and coronary heart disease. <i>Behavioral Medicine</i> , 2014 , 40, 53-64 | 4.4 | 37 |
| 52 | Role of road traffic accidents and other traumatic events in the onset of chronic widespread pain: Results from a population-based prospective study. <i>Arthritis Care and Research</i> , 2011 , 63, 696-701 | 4.7 | 36 |
| 51 | The association of perseverative negative thinking with depression, anxiety and emotional distress in people with long term conditions: A systematic review. <i>Journal of Psychosomatic Research</i> , 2016 , 91, 89-101 | 4.1 | 34 |
| 50 | What characterizes persons who do not report musculoskeletal pain? Results from a 4-year Population-based longitudinal study (the Epifund study). <i>Journal of Rheumatology</i> , 2009 , 36, 1071-7 | 4.1 | 33 |
| 49 | Psychological correlates of pain behavior in patients with chronic low back pain. <i>Psychosomatics</i> , 2002 , 43, 42-8 | 2.6 | 33 |
| 48 | Depression predicts future emergency hospital admissions in primary care patients with chronic physical illness. <i>Journal of Psychosomatic Research</i> , 2016 , 82, 54-61 | 4.1 | 30 |
| 47 | Association between depressive episode before first myocardial infarction and worse cardiac failure following infarction. <i>Psychosomatics</i> , 2005 , 46, 523-8 | 2.6 | 24 |
| 46 | Interventions to improve the mental health of children and young people with long-term physical conditions: linked evidence syntheses. <i>Health Technology Assessment</i> , 2019 , 23, 1-164 | 4.4 | 23 |
| 45 | Collaborative Interventions for Circulation and Depression (COINCIDE): study protocol for a cluster randomized controlled trial of collaborative care for depression in people with diabetes and/or coronary heart disease. <i>Trials</i> , 2012 , 13, 139 | 2.8 | 22 |
| 44 | Is There a Core Process Across Depression and Anxiety?. <i>Cognitive Therapy and Research</i> , 2013 , 37, 307-323 | | 21 |
| 43 | Accessing primary health care: a meta-ethnography of the experiences of British South Asian patients with diabetes, coronary heart disease or a mental health problem. <i>Chronic Illness</i> , 2012 , 8, 135-55 | 1.4 | 21 |
| 42 | The effectiveness of community-based coordinating interventions in dementia care: a meta-analysis and subgroup analysis of intervention components. <i>BMC Health Services Research</i> , 2017 , 17, 717 | 2.9 | 20 |
| 41 | How does mental-physical multimorbidity express itself in lived time and space? A phenomenological analysis of encounters with depression and chronic physical illness. <i>Social Science and Medicine</i> , 2014 , 118, 108-18 | 5.1 | 20 |
| 40 | Complex interventions that reduce urgent care use in COPD: a systematic review with meta-regression. <i>Respiratory Medicine</i> , 2014 , 108, 426-37 | 4.6 | 17 |

| | | | |
|----|--|-----|----|
| 39 | Process and Outcome of a Non-Guided Self-Help Manual for Anxiety and Depression in Primary Care: A Pilot Study. <i>Behavioural and Cognitive Psychotherapy</i> , 2005 , 33, 319-331 | 2.1 | 17 |
| 38 | Long-term cost-effectiveness of collaborative care (vs usual care) for people with depression and comorbid diabetes or cardiovascular disease: a Markov model informed by the COINCIDE randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e012514 | 3 | 17 |
| 37 | Depression predicts emergency care use in people with chronic obstructive pulmonary disease: a large cohort study in primary care. <i>International Journal of COPD</i> , 2019 , 14, 1343-1353 | 3 | 16 |
| 36 | Combining mirtazapine with SSRIs or SNRIs for treatment-resistant depression: the MIR RCT. <i>Health Technology Assessment</i> , 2018 , 22, 1-136 | 4.4 | 16 |
| 35 | Assessing the effectiveness of enhanced psychological care for patients with depressive symptoms attending cardiac rehabilitation compared with treatment as usual (CADENCE): study protocol for a pilot cluster randomised controlled trial. <i>Trials</i> , 2016 , 17, 59 | 2.8 | 12 |
| 34 | Examining the relation between post myocardial infarction depression and cardiovascular prognosis using a validated prediction model for post myocardial mortality. <i>International Journal of Cardiology</i> , 2013 , 167, 2533-8 | 3.2 | 11 |
| 33 | Stakeholders perspectives on the key components of community-based interventions coordinating care in dementia: a qualitative systematic review. <i>BMC Health Services Research</i> , 2017 , 17, 767 | 2.9 | 10 |
| 32 | STEPWISE - STructured lifestyle Education for People With SchizophrEnia: a study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 475 | 2.8 | 10 |
| 31 | Impact of telephone delivered case-management on the effectiveness of collaborative care for depression and anti-depressant use: A systematic review and meta-regression. <i>PLoS ONE</i> , 2019 , 14, e0217948 | 3.7 | 9 |
| 30 | Assessing the effectiveness of Enhanced Psychological Care for patients with depressive symptoms attending cardiac rehabilitation compared with treatment as usual (CADENCE): a pilot cluster randomised controlled trial. <i>Trials</i> , 2018 , 19, 211 | 2.8 | 9 |
| 29 | Mirtazapine added to selective serotonin reuptake inhibitors for treatment-resistant depression in primary care (MIR trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 66 | 2.8 | 9 |
| 28 | Factors associated with depression in people with inflammatory bowel disease: The relationship between active disease and biases in neurocognitive processing. <i>Neurogastroenterology and Motility</i> , 2019 , 31, e13647 | 4 | 9 |
| 27 | Depression in the medically ill | | 9 |
| 26 | Network meta-analysis of randomised trials of pharmacological, psychotherapeutic, exercise and collaborative care interventions for depressive symptoms in patients with coronary artery disease: hybrid systematic review of systematic reviews protocol. <i>Systematic Reviews</i> , 2019 , 8, 71 | 3 | 8 |
| 25 | Key components in models of community-based interventions coordinating care in dementia: a mixed studies systematic review protocol. <i>Systematic Reviews</i> , 2015 , 4, 156 | 3 | 8 |
| 24 | Perseverative negative cognitive processes are associated with depression in people with long-term conditions. <i>Chronic Illness</i> , 2012 , 8, 102-11 | 1.4 | 8 |
| 23 | Barriers and facilitators to GP-patient communication about emotional concerns in UK primary care: a systematic review. <i>Family Practice</i> , 2020 , 37, 434-444 | 1.9 | 8 |
| 22 | The role of relapse prevention for depression in collaborative care: A systematic review. <i>Journal of Affective Disorders</i> , 2020 , 265, 618-644 | 6.6 | 8 |

| | | | |
|----|--|-----|---|
| 21 | Commentary on Who is at risk of post-MI depressive symptoms. <i>Journal of Psychosomatic Research</i> , 2005 , 58, 433-434 | 4.1 | 7 |
| 20 | Enhanced psychological care in cardiac rehabilitation services for patients with new-onset depression: the CADENCE feasibility study and pilot RCT. <i>Health Technology Assessment</i> , 2018 , 22, 1-220 | 4.4 | 7 |
| 19 | Psychological interventions to improve psychological well-being in people with dementia or mild cognitive impairment: systematic review and meta-analysis protocol. <i>BMJ Open</i> , 2016 , 6, e009713 | 3 | 7 |
| 18 | What are the combined effects of negative emotions and illness cognitions on self-care in people with type 2 diabetes? A longitudinal structural equation model. <i>Psychology and Health</i> , 2016 , 31, 873-90 | 2.9 | 6 |
| 17 | Development and refinement of a complex intervention within cardiac rehabilitation services: experiences from the CADENCE feasibility study. <i>Pilot and Feasibility Studies</i> , 2017 , 3, 9 | 1.9 | 6 |
| 16 | Do cognitive and behavioral factors mediate the impact of depression on medical outcomes in people with coronary heart disease?. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2011 , 31, 105-10 | 3.6 | 6 |
| 15 | Behavioural activation written self-help to improve mood, wellbeing and quality of life in people with dementia supported by informal carers (PROMOTE): a study protocol for a single-arm feasibility study. <i>Pilot and Feasibility Studies</i> , 2016 , 2, 42 | 1.9 | 6 |
| 14 | Feasibility and Acceptability of Mindfulness-based Cognitive Therapy Compared with Mindfulness-based Stress Reduction and Treatment as Usual in People with Depression and Cardiovascular Disorders: a Three-Arm Randomised Controlled Trial. <i>Mindfulness</i> , 2020 , 11, 30-50 | 2.9 | 6 |
| 13 | Update on the collaborative interventions for circulation and depression (COINCIDE) trial: changes to planned methodology of a cluster randomized controlled trial of collaborative care for depression in people with diabetes and/or coronary heart disease. <i>Trials</i> , 2013 , 14, 136 | 2.8 | 5 |
| 12 | Complex interventions reduce use of urgent healthcare in adults with asthma: systematic review with meta-regression. <i>Respiratory Medicine</i> , 2015 , 109, 147-56 | 4.6 | 5 |
| 11 | "Every structure we're taught goes out the window": General practitioners' experiences of providing help for patients with emotional concerns. <i>Health and Social Care in the Community</i> , 2020 , 28, 260-269 | 2.6 | 5 |
| 10 | The association between perseverative negative cognitive processes and negative affect in people with long term conditions: a protocol for systematic review and meta-analysis. <i>Systematic Reviews</i> , 2014 , 3, 5 | 3 | 4 |
| 9 | Variation in ambulance call rates for care homes in Torbay, UK. <i>Health and Social Care in the Community</i> , 2017 , 25, 932-937 | 2.6 | 4 |
| 8 | Does anxiety predict the use of urgent care by people with long term conditions? A systematic review with meta-analysis. <i>Journal of Psychosomatic Research</i> , 2014 , 77, 232-9 | 4.1 | 3 |
| 7 | Behavioural activation interventions for depressed individuals with a chronic physical illness: a systematic review protocol. <i>Systematic Reviews</i> , 2013 , 2, 105 | 3 | 3 |
| 6 | Patients' experiences of seeking help for emotional concerns in primary care: doctor as drug, detective and collaborator. <i>BMC Family Practice</i> , 2020 , 21, 35 | 2.6 | 2 |
| 5 | Perseverative negative thinking predicts depression in people with acute coronary syndrome. <i>General Hospital Psychiatry</i> , 2019 , 61, 16-25 | 5.6 | 2 |
| 4 | CHOICE: Choosing Health Options In Chronic Care Emergencies. <i>Programme Grants for Applied Research</i> , 2017 , 5, 1-272 | 1.5 | 1 |

- 3 Depression interventions for individuals with coronary artery disease - Cost-effectiveness calculations from an Irish perspective.. *Journal of Psychosomatic Research*, **2022**, 155, 110747 4.1 ○
- 2 P2-309: DO PARATHYROID HORMONE LEVELS PLAY A ROLE IN DEMENTIA? A SYSTEMATIC REVIEW **2014**, 10, P591-P592
- 1 Musculo-skeletal disorders527-546