

Jong-Won Ha

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6348231/jong-won-ha-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

246
papers

5,501
citations

38
h-index

63
g-index

258
ext. papers

6,539
ext. citations

4.5
avg, IF

5.21
L-index

#	Paper	IF	Citations
246	Mitral and Aortic Regurgitation in Patients Undergoing Kidney Transplantation: The Natural Course and Factors Associated With Progression.. <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 809707	5.4	
245	Prognostic Implications of Left Ventricular Global Longitudinal Strain in Patients With Surgically Treated Mitral Valve Disease and Preserved Ejection Fraction.. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 775533	5.4	1
244	Temporal Trends in Diagnosis, Treatments, and Outcomes in Patients With Bicuspid Aortic Valve. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 766430	5.4	0
243	Sex Differences in Mitral Annular Calcification and the Clinical Implications. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 736040	5.4	
242	Clinical Impact of Diabetes Mellitus in Cardiovascular Diseases. <i>Stroke Revisited</i> , 2021 , 43-49	0.1	
241	Anti-atherosclerotic vaccination against as a potential comparator of statin in mice. <i>PeerJ</i> , 2021 , 9, e112933	3.1	1
240	Left Ventricular Global Longitudinal Strain Is Associated With Cardiovascular Outcomes in Patients Who Underwent Permanent Pacemaker Implantation. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 705778	5.4	
239	Randomized, Controlled Trial to Evaluate the Effect of Dapagliflozin on Left Ventricular Diastolic Function in Patients With Type 2 Diabetes Mellitus: The IDZIA Trial. <i>Circulation</i> , 2021 , 143, 510-512	16.7	20
238	Diastology Stress Test 2021 , 240-248		
237	Determinants of left atrial reservoir and pump strain and use of atrial strain for evaluation of left ventricular filling pressure. <i>European Heart Journal Cardiovascular Imaging</i> , 2021 ,	4.1	24
236	Structural and Functional Characteristics of Mitral Paravalvular Leakage Identified by Multimodal Imaging and Their Implication on Clinical Presentation. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
235	Efficacy and safety of edoxaban in patients early after surgical bioprosthetic valve implantation or valve repair: A randomized clinical trial. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2021 ,	1.5	11
234	Subclinical Thrombosis on Mechanical Aortic Valve: Should Cardiac Computed Tomography Be Included in Routine Evaluation?. <i>Korean Circulation Journal</i> , 2021 , 51, 471-473	2.2	0
233	Prevalence, functional characteristics, and clinical significance of right ventricular involvement in patients with hypertrophic cardiomyopathy. <i>Scientific Reports</i> , 2020 , 10, 21908	4.9	6
232	Association of Left Ventricular Global Longitudinal Strain during Dobutamine Stress Echocardiography with Adverse Events in Patients with Severe Low-Flow, Low-Gradient Aortic Stenosis. <i>Journal of the American Society of Echocardiography</i> , 2020 , 33, 1424-1425	5.8	
231	Malignant pericardial mesothelioma: diagnostic clues in multimodality imaging. <i>International Journal of Cardiovascular Imaging</i> , 2020 , 36, 1385	2.5	0
230	Prevalence, predictors, and prognosis of tricuspid regurgitation following permanent pacemaker implantation. <i>PLoS ONE</i> , 2020 , 15, e0235230	3.7	5

229	Characteristics and Implications of Left Atrial Calcium on Cardiac Computed Tomography in Patients With Earlier Mitral Valve Operation. <i>American Journal of Cardiology</i> , 2020 , 128, 60-66	3	1
228	Morphological and functional characteristics of mitral annular calcification and their relationship to stroke. <i>PLoS ONE</i> , 2020 , 15, e0227753	3.7	12
227	Primary cardiac chondrosarcoma mimicking chronic pulmonary thromboembolism in multimodality imaging. <i>European Heart Journal Cardiovascular Imaging</i> , 2020 , 21, 235	4.1	2
226	Acute Localized Myocarditis: Role of Speckle Tracking Echocardiography. <i>Korean Circulation Journal</i> , 2020 , 50, 638-640	2.2	0
225	Assessing Diastolic Function as an Important Tool for Clinical Decision-making in Critically Ill Patients. <i>Journal of Cardiovascular Imaging</i> , 2020 , 28, 165-173	1.3	1
224	Clinical features differentiating Takotsubo cardiomyopathy in the peripartum period from peripartum cardiomyopathy. <i>Heart and Vessels</i> , 2020 , 35, 665-671	2.1	1
223	Relationship between health-related quality of life and blood pressure control in patients with uncontrolled hypertension. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 1415-1424	2.3	5
222	Contemporary Multimodality Imaging for Cardiovascular Beh̄t Disease. <i>JACC: Cardiovascular Imaging</i> , 2020 , 13, 2435-2444	8.4	2
221	Characteristics and prognostic implications of tricuspid regurgitation in patients with arrhythmogenic cardiomyopathy. <i>ESC Heart Failure</i> , 2020 , 7, 2933-2940	3.7	2
220	Diastolic Stress Test: Invasive and Noninvasive Testing. <i>JACC: Cardiovascular Imaging</i> , 2020 , 13, 272-282	8.4	24
219	Progression and Outcomes of Non-dysfunctional Bicuspid Aortic Valve: Longitudinal Data From a Large Korean Bicuspid Aortic Valve Registry. <i>Frontiers in Cardiovascular Medicine</i> , 2020 , 7, 603323	5.4	2
218	Predicting Disease Progression in Patients with Bicuspid Aortic Stenosis Using Mathematical Modeling. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	3
217	PRavastatin Versus FLUVastatin After Statin Intolerance: The PRUV-Intolerance Study With Propensity Score Matching. <i>American Journal of Medicine</i> , 2019 , 132, 1320-1326.e1	2.4	4
216	Stroke Outcomes in the COMPASS Trial. <i>Circulation</i> , 2019 , 139, 1134-1145	16.7	72
215	Statin and clinical outcomes of primary prevention in individuals aged >75 years: The SCOPE-75 study. <i>Atherosclerosis</i> , 2019 , 284, 31-36	3.1	18
214	Ventricular Stiffness and Ventricular-Arterial Coupling in Heart Failure: What Is It, How to Assess, and Why?. <i>Heart Failure Clinics</i> , 2019 , 15, 267-274	3.3	7
213	Rationale, design, and baseline participant characteristics in the MRI and cognitive substudy of the cardiovascular outcomes for people using anticoagulation strategies trial. <i>International Journal of Stroke</i> , 2019 , 14, 270-281	6.3	9
212	Continuous Positive Airway Pressure Therapy Restores Cardiac Mechanical Function in Patients With Severe Obstructive Sleep Apnea: A Randomized, Sham-Controlled Study. <i>Journal of the American Society of Echocardiography</i> , 2019 , 32, 826-835	5.8	15

211	Prevalence, Characteristics, and Clinical Significance of Concomitant Cardiomyopathies in Subjects with Bicuspid Aortic Valves. <i>Yonsei Medical Journal</i> , 2019 , 60, 816-823	3	4
210	Differences in Flow-Gradient Patterns Between Severe Bicuspid Aortic Stenosis and Severe Tricuspid Aortic Stenosis - Mechanistic Insight From Multimodal Imaging. <i>Circulation Journal</i> , 2019 , 84, 119-126	2.9	3
209	Infective Endocarditis in Cancer Patients - Causative Organisms, Predisposing Procedures, and Prognosis Differ From Infective Endocarditis in Non-Cancer Patients. <i>Circulation Journal</i> , 2019 , 83, 452-460	2.9	9
208	Effects of continuous positive airway pressure therapy on left ventricular diastolic function: a randomised, sham-controlled clinical trial. <i>European Respiratory Journal</i> , 2018 , 51,	13.6	18
207	Incremental predictive value of carotid arterial strain in patients with stroke. <i>International Journal of Cardiovascular Imaging</i> , 2018 , 34, 893-902	2.5	3
206	Post-operative left atrial volume index is a predictor of the occurrence of permanent atrial fibrillation after mitral valve surgery in patients who undergo mitral valve surgery. <i>Cardiovascular Ultrasound</i> , 2018 , 16, 5	2.4	8
205	Comparison of Cardiac Computed Tomography With Transesophageal Echocardiography for Identifying Vegetation and Intracardiac Complications in Patients With Infective Endocarditis in the Era of 3-Dimensional Images. <i>Circulation: Cardiovascular Imaging</i> , 2018 , 11, e006986	3.9	43
204	Predictors of Long-Term Outcomes of Percutaneous Mitral Valvuloplasty in Patients with Rheumatic Mitral Stenosis. <i>Yonsei Medical Journal</i> , 2018 , 59, 273-278	3	5
203	Adverse effects of left ventricular electrical dyssynchrony on cardiac reverse remodeling and prognosis after aortic valve surgery. <i>Journal of Cardiology</i> , 2018 , 72, 385-392	3	1
202	Impact of Ambulatory Blood Pressure on Early Cardiac and Renal Dysfunction in Hypertensive Patients without Clinically Apparent Target Organ Damage. <i>Yonsei Medical Journal</i> , 2018 , 59, 265-272	3	3
201	Association of non-alcoholic steatohepatitis with subclinical myocardial dysfunction in non-cirrhotic patients. <i>Journal of Hepatology</i> , 2018 , 68, 764-772	13.4	55
200	Rivaroxaban with or without aspirin in patients with stable coronary artery disease: an international, randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2018 , 391, 205-218	40	204
199	Changes of body composition after valve surgery in patients with mitral valve disease. <i>PLoS ONE</i> , 2018 , 13, e0203798	3.7	1
198	Effect of fenofibrate in 1113 patients at low-density lipoprotein cholesterol goal but high triglyceride levels: Real-world results and factors associated with triglyceride reduction. <i>PLoS ONE</i> , 2018 , 13, e0205006	3.7	5
197	Sinus node dysfunction after surgical atrial fibrillation ablation with concomitant mitral valve surgery: Determinants and clinical outcomes. <i>PLoS ONE</i> , 2018 , 13, e0203828	3.7	2
196	Dynamic change in left ventricular apical back rotation: a marker of diastolic suction with exercise. <i>European Heart Journal Cardiovascular Imaging</i> , 2018 , 19, 12-19	4.1	7
195	Clinical Implications of Three-Dimensional Real-Time Color Doppler Transthoracic Echocardiography in Quantifying Mitral Regurgitation: A Comparison with Conventional Two-Dimensional Methods. <i>Journal of the American Society of Echocardiography</i> , 2017 , 30, 393-403.e7	5.8	21
194	Estimating Left Ventricular Filling Pressure by Echocardiography. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 1937-1948	15.1	200

193	Long-term outcome of patients with triphasic mitral flow with a mid-diastolic L wave: prognostic role of left atrial volume and N-terminal pro-brain natriuretic peptide. <i>International Journal of Cardiovascular Imaging</i> , 2017 , 33, 1377-1384	2.5	8
192	Factors Determining Aortic Valve Dysfunction in Korean Subjects With a Bicuspid Aortic Valve. <i>American Journal of Cardiology</i> , 2017 , 119, 2049-2055	3	7
191	Rationale, Design and Baseline Characteristics of Participants in the Cardiovascular Outcomes for People Using Anticoagulation Strategies (COMPASS) Trial. <i>Canadian Journal of Cardiology</i> , 2017 , 33, 1027-1035	2.8	97
190	Prognostic implication of left atrial sphericity in atrial fibrillation patients undergoing radiofrequency catheter ablation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017 , 40, 713-720	1.6	12
189	Determinants and Prognostic Significance of Symptomatic Status in Patients with Moderately Dysfunctional Bicuspid Aortic Valves. <i>PLoS ONE</i> , 2017 , 12, e0169285	3.7	4
188	Differences in left ventricular functional adaptation to arterial stiffness and neurohormonal activation in patients with hypertension: a study with two-dimensional layer-specific speckle tracking echocardiography. <i>Clinical Hypertension</i> , 2017 , 23, 21	4.8	15
187	Deceleration time of left ventricular outflow tract flow as a simple surrogate marker for central haemodynamics at rest and as well as during exercise. <i>European Heart Journal Cardiovascular Imaging</i> , 2017 , 18, 568-575	4.1	2
186	Reply: Issues With Estimating "Diastolic Function" and Left Ventricular Filling Pressure Using the New Guidelines. <i>Journal of the American College of Cardiology</i> , 2017 , 70, 1198-1199	15.1	1
185	Prognostic significance of interventricular septal thickness in patients with AL amyloidosis. <i>Leukemia Research</i> , 2017 , 60, 36-43	2.7	2
184	Characteristics of Carotid Artery Structure and Mechanical Function and Their Relationships with Aortopathy in Patients with Bicuspid Aortic Valves. <i>Frontiers in Physiology</i> , 2017 , 8, 622	4.6	5
183	Future Development for the Board Licensing Examination of Internal Medicine. <i>Korean Journal of Medicine</i> , 2017 , 92, 109-111	0.5	
182	Heart failure across Asia: Same healthcare burden but differences in organization of care. <i>International Journal of Cardiology</i> , 2016 , 223, 163-167	3.2	64
181	Hypertensive response to exercise: mechanisms and clinical implication. <i>Clinical Hypertension</i> , 2016 , 22, 17	4.8	40
180	Blood Pressure and Cholesterol-lowering Efficacy of a Fixed-dose Combination With Irbesartan and Atorvastatin in Patients With Hypertension and Hypercholesterolemia: A Randomized, Double-blind, Factorial, Multicenter Phase III Study. <i>Clinical Therapeutics</i> , 2016 , 38, 2171-2184	3.5	15
179	The clinical use of stress echocardiography in non-ischaemic heart disease: recommendations from the European Association of Cardiovascular Imaging and the American Society of Echocardiography. <i>European Heart Journal Cardiovascular Imaging</i> , 2016 , 17, 1191-1229	4.1	169
178	Alterations of carotid arterial mechanics preceding the wall thickening in patients with hypertension. <i>Atherosclerosis</i> , 2016 , 248, 84-90	3.1	6
177	Left Atrial Volume as a Predictor of Left Ventricular Functional Recovery in Patients With Dilated Cardiomyopathy and Absence of Delayed Enhancement in Cardiac Magnetic Resonance. <i>Journal of Cardiac Failure</i> , 2016 , 22, 265-71	3.3	9
176	Impact of D-Dimer for Prediction of Incident Occult Cancer in Patients with Unprovoked Venous Thromboembolism. <i>PLoS ONE</i> , 2016 , 11, e0153514	3.7	15

175	Incidence, Predictors, and Clinical Outcomes of Postoperative Cardiac Tamponade in Patients Undergoing Heart Valve Surgery. <i>PLoS ONE</i> , 2016 , 11, e0165754	3.7	9
174	Statin Intensity and Clinical Outcome in Patients with Stable Coronary Artery Disease and Very Low LDL-Cholesterol. <i>PLoS ONE</i> , 2016 , 11, e0166246	3.7	7
173	Prosthesis-Patient Mismatch after Mitral Valve Replacement: Comparison of Different Methods of Effective Orifice Area Calculation. <i>Yonsei Medical Journal</i> , 2016 , 57, 328-36	3	13
172	Incremental Value of Left Atrial Global Longitudinal Strain for Prediction of Post Stroke Atrial Fibrillation in Patients with Acute Ischemic Stroke. <i>Journal of Cardiovascular Imaging</i> , 2016 , 24, 20-7	0	19
171	Fabry disease in patients with hypertrophic cardiomyopathy: a practical approach to diagnosis. <i>Journal of Human Genetics</i> , 2016 , 61, 775-80	4.3	14
170	Clinical Implications and Determinants of Left Atrial Mechanical Dysfunction in Patients With Stroke. <i>Stroke</i> , 2016 , 47, 1444-51	6.7	25
169	Effect of End-Stage Renal Disease on Rate of Progression of Aortic Stenosis. <i>American Journal of Cardiology</i> , 2016 , 117, 1972-7	3	17
168	Differences in Characteristics, Left Atrial Reverse Remodeling, and Functional Outcomes after Mitral Valve Replacement in Patients with Low-Gradient Very Severe Mitral Stenosis. <i>Journal of the American Society of Echocardiography</i> , 2016 , 29, 759-767	5.8	13
167	Time course of left atrial reverse remodelling after mitral valve surgery and the impact of left ventricular global longitudinal strain in patients with chronic severe mitral regurgitation. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2016 , 23, 876-882	1.8	3
166	Transient apical wall thickening in patients with stress cardiomyopathy: Prevalence, profile, and impact on clinical course. <i>International Journal of Cardiology</i> , 2015 , 194, 87-92	3.2	5
165	Automatic quantification of aortic regurgitation using 3D full volume color doppler echocardiography: a validation study with cardiac magnetic resonance imaging. <i>International Journal of Cardiovascular Imaging</i> , 2015 , 31, 1379-89	2.5	15
164	Association of aortic phenotypes and mechanical function with left ventricular diastolic function in subjects with normally functioning bicuspid aortic valves and comparison to subjects with tricuspid aortic valves. <i>American Journal of Cardiology</i> , 2015 , 116, 1547-54	3	21
163	Characterization of CD8(+)CD57(+) T cells in patients with acute myocardial infarction. <i>Cellular and Molecular Immunology</i> , 2015 , 12, 466-73	15.4	43
162	Automated quantification of left atrial size using three-beat averaging real-time three dimensional Echocardiography in patients with atrial fibrillation. <i>Cardiovascular Ultrasound</i> , 2015 , 13, 38	2.4	7
161	Non-invasive assessment of vascular alteration using ultrasound. <i>Clinical Hypertension</i> , 2015 , 21, 25	4.8	5
160	Impact of central haemodynamics on left ventricular function in individuals with an exaggerated blood pressure response to exercise. <i>Journal of Hypertension</i> , 2015 , 33, 612-20; discussion 620	1.9	11
159	Left atrial volume index as a predictor for persistent left ventricular dysfunction after aortic valve surgery in patients with chronic aortic regurgitation: the role of early postoperative echocardiography. <i>Echocardiography</i> , 2015 , 32, 896-903	1.5	3
158	Relationship between Myocardial Extracellular Space Expansion Estimated with Post-Contrast T1 Mapping MRI and Left Ventricular Remodeling and Neurohormonal Activation in Patients with Dilated Cardiomyopathy. <i>Korean Journal of Radiology</i> , 2015 , 16, 1153-62	6.9	7

157	Efficacy of fimasartan/hydrochlorothiazide combination in hypertensive patients inadequately controlled by fimasartan monotherapy. <i>Drug Design, Development and Therapy</i> , 2015 , 9, 2847-54	4.4	9
156	Differential Impact of Constrictive Physiology after Pericardiocentesis in Malignancy Patients with Pericardial Effusion. <i>PLoS ONE</i> , 2015 , 10, e0145461	3.7	1
155	Tricuspid regurgitation duration correlates with cardiovascular magnetic resonance-derived right ventricular ejection fraction and predict prognosis in patients with pulmonary arterial hypertension. <i>European Heart Journal Cardiovascular Imaging</i> , 2014 , 15, 18-23	4.1	11
154	Safety and cost-effectiveness of bridge therapies for invasive dental procedures in patients with mechanical heart valves. <i>Yonsei Medical Journal</i> , 2014 , 55, 937-43	3	5
153	Predictors of prognosis in patients with mild to moderate paravalvular leakage after mitral valve replacement. <i>Journal of Cardiac Surgery</i> , 2014 , 29, 149-54	1.3	13
152	Metabolic syndrome does not impact long-term survival in patients with acute myocardial infarction after successful percutaneous coronary intervention with drug-eluting stents. <i>Catheterization and Cardiovascular Interventions</i> , 2014 , 83, 713-20	2.7	19
151	Combination of a peroxisome proliferator-activated receptor-gamma agonist and an angiotensinII receptor blocker attenuates myocardial fibrosis and dysfunction in typeII diabetic rats. <i>Journal of Diabetes Investigation</i> , 2014 , 5, 362-71	3.9	14
150	Short stature and ischemic stroke in nonvalvular atrial fibrillation: new insight into the old observation. <i>International Journal of Cardiology</i> , 2014 , 174, 541-4	3.2	5
149	Soluble CD93 levels in patients with acute myocardial infarction and its implication on clinical outcome. <i>PLoS ONE</i> , 2014 , 9, e96538	3.7	12
148	The incidence and clinical outcome of constrictive physiology after coronary artery bypass graft surgery. <i>Journal of the American College of Cardiology</i> , 2013 , 61, 2110-2	15.1	18
147	Prediction of Contrast-Induced Nephropathy With Persistent Renal Dysfunction and Adverse Long-term Outcomes in Patients With Acute Myocardial Infarction Using the Mehran Risk Score. <i>Clinical Cardiology</i> , 2013 , 36, 46-53	3.3	32
146	High prevalence of unrecognized chordae tendineae rupture in mitral valve prolapse patients undergoing valve replacement surgery. <i>Canadian Journal of Cardiology</i> , 2013 , 29, 1643-8	3.8	5
145	Small left atrial volume is an independent predictor for fainting during head-up tilt test: the impact of intracardiac volume reserve in vasovagal syncope. <i>International Journal of Cardiology</i> , 2013 , 166, 44-9	3.2	8
144	Impact of atorvastatin treatment in first-degree relatives of patients with premature coronary artery disease with endothelial dysfunction: a double-blind, randomized, placebo-controlled crossover trial. <i>Clinical Cardiology</i> , 2013 , 36, 480-5	3.3	7
143	Quantitative assessment of aortic elasticity with aging using velocity-vector imaging and its histologic correlation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013 , 33, 1306-12	9.4	33
142	Spontaneous rupture of a papillary muscle. <i>Circulation</i> , 2013 , 127, e586-8	16.7	2
141	Left ventricular diastolic function is closely associated with mechanical function of the left atrium in patients with paroxysmal atrial fibrillation. <i>Circulation Journal</i> , 2013 , 77, 697-704	2.9	26
140	Extent of late gadolinium enhancement on cardiovascular magnetic resonance imaging and its relation to left ventricular longitudinal functional reserve during exercise in patients with hypertrophic cardiomyopathy. <i>Circulation Journal</i> , 2013 , 77, 1742-9	2.9	17

139	Prosthetic mitral valve leaflet escape. <i>Journal of Cardiovascular Imaging</i> , 2013 , 21, 96-9	0	3
138	Prediction of hemorrhagic transformation following embolic stroke in patients with prosthetic valve endocarditis. <i>Journal of Cardiovascular Imaging</i> , 2013 , 21, 123-9	0	5
137	The case of isolated double atrial septum with persistent interatrial space. <i>Journal of Cardiovascular Imaging</i> , 2013 , 21, 197-9	0	4
136	Aortic valve avulsion: uncommon complication of coronary angiography. <i>Journal of the American College of Cardiology</i> , 2012 , 60, e3	15.1	4
135	Images in clinical medicine. Porcelain aorta. <i>New England Journal of Medicine</i> , 2012 , 366, e40	59.2	6
134	Serial plasma levels of angiogenic factors in patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. <i>Korean Circulation Journal</i> , 2012 , 42, 464-70	2.2	2
133	Visceral obesity of the heart: extensive lipomatous hypertrophy of interatrial septum. <i>Journal of Cardiovascular Imaging</i> , 2012 , 20, 161-2	0	
132	A case of esophageal achalasia compressing left atrium diagnosed by echocardiography in patient with acute chest pain. <i>Journal of Cardiovascular Imaging</i> , 2012 , 20, 218-9	0	3
131	Prediction of left atrial fibrosis with speckle tracking echocardiography in mitral valve disease: a comparative study with histopathology. <i>Korean Circulation Journal</i> , 2012 , 42, 311-8	2.2	64
130	Impact of serum calcium and phosphate on coronary atherosclerosis detected by cardiac computed tomography. <i>European Heart Journal</i> , 2012 , 33, 2873-81	9.5	48
129	Vanishing asymmetric septal hypertrophy in a patient with hypertrophic obstructive cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2011 , 57, e213	15.1	
128	Sex differences in central hemodynamics and their relationship to left ventricular diastolic function. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 1226-33	15.1	122
127	Overweight and its association with aortic pressure wave reflection after exercise. <i>American Journal of Hypertension</i> , 2011 , 24, 1136-42	2.3	22
126	Relation of inflammation and left atrial remodeling in atrial fibrillation occurring in early phase of acute myocardial infarction. <i>International Journal of Cardiology</i> , 2011 , 146, 28-31	3.2	30
125	Central aortic stiffness and its association with ascending aorta dilation in subjects with a bicuspid aortic valve. <i>Journal of the American Society of Echocardiography</i> , 2011 , 24, 847-52	5.8	32
124	Transient right ventricular dysfunction after pericardiectomy in patients with constrictive pericarditis. <i>Korean Circulation Journal</i> , 2011 , 41, 283-6	2.2	13
123	Hemorrhagic transformation of ischemic stroke: severe complications of prosthetic valve endocarditis. <i>Korean Circulation Journal</i> , 2011 , 41, 490-3	2.2	2
122	Prognostic value of N-terminal probrain natriuretic peptide level on admission in patients with acute myocardial infarction and preserved left ventricular ejection fraction. <i>Coronary Artery Disease</i> , 2011 , 22, 153-7	1.4	5

121	Asynchronous arterial systolic expansion as a marker of vascular aging: assessment of the carotid artery with velocity vector imaging. <i>Journal of Hypertension</i> , 2011 , 29, 2404-12	1.9	14
120	Mechanism of mitral regurgitation in the acute phase of inferior wall myocardial infarction: reduced closing force as a consequence of left ventricular systolic dysfunction in the presence of tethering as a determinant of mitral regurgitation. <i>Circulation Journal</i> , 2011 , 75, 619-25	2.9	5
119	Different clinical outcome of paravalvular leakage after aortic or mitral valve replacement. <i>American Journal of Cardiology</i> , 2011 , 107, 280-4	3	34
118	Clinical and echocardiographic predictors of outcomes in patients with apical hypertrophic cardiomyopathy. <i>American Journal of Cardiology</i> , 2011 , 108, 1614-9	3	45
117	Vena contracta width as a predictor of adverse outcomes in patients with severe isolated tricuspid regurgitation. <i>Journal of the American Society of Echocardiography</i> , 2011 , 24, 1013-9	5.8	20
116	Clinical outcomes of exercise-induced pulmonary hypertension in subjects with preserved left ventricular ejection fraction: implication of an increase in left ventricular filling pressure during exercise. <i>Heart</i> , 2011 , 97, 1417-24	5.1	58
115	Impact of left ventricular longitudinal diastolic functional reserve on clinical outcome in patients with type 2 diabetes mellitus. <i>Heart</i> , 2011 , 97, 1233-8	5.1	22
114	Dual-enhanced cardiac CT for detection of left atrial appendage thrombus in patients with stroke: a prospective comparison study with transesophageal echocardiography. <i>Stroke</i> , 2011 , 42, 2471-7	6.7	96
113	Dynamic change of mitral apparatus as potential cause of left ventricular outflow tract obstruction in hypertrophic cardiomyopathy. <i>European Journal of Echocardiography</i> , 2011 , 12, 19-25		22
112	Impact of contrast-induced acute kidney injury with transient or persistent renal dysfunction on long-term outcomes of patients with acute myocardial infarction undergoing percutaneous coronary intervention. <i>Heart</i> , 2011 , 97, 1753-7	5.1	124
111	Diastolic Stress Test for the Evaluation of Exertional Dyspnea 2011 , 213-215		
110	Association of plasma retinol-binding protein 4, adiponectin, and high molecular weight adiponectin with insulin resistance in non-diabetic hypertensive patients. <i>Yonsei Medical Journal</i> , 2010 , 51, 375-84	3	15
109	Ischemia-modified albumin: is it a reliable diagnostic and prognostic marker for myocardial ischemia in real clinical practice?. <i>Cardiology</i> , 2010 , 116, 123-9	1.6	12
108	Are electrocardiographic changes in patients with acute subarachnoid hemorrhage associated with Takotsubo cardiomyopathy?. <i>Cardiology</i> , 2010 , 115, 98-106	1.6	13
107	Dyssynchronous systolic expansion of carotid artery in patients with marfan syndrome. <i>Journal of the American Society of Echocardiography</i> , 2010 , 23, 1310-6	5.8	14
106	Passive leg-raise is helpful to identify impaired diastolic functional reserve during exercise in patients with abnormal myocardial relaxation. <i>Journal of the American Society of Echocardiography</i> , 2010 , 23, 523-30	5.8	20
105	Visceral adiposity and the severity of coronary artery disease in middle-aged subjects with normal waist circumference and its relation with lipocalin-2 and MCP-1. <i>Atherosclerosis</i> , 2010 , 213, 592-7	3.1	46
104	Coronary sinus obstruction by primary cardiac lymphoma as a cause of dyspnea due to significant diastolic dysfunction and elevated filling pressures. <i>Journal of the American Society of Echocardiography</i> , 2010 , 23, 682.e5-7	5.8	11

103	Assessment of tissue characteristics of noncalcified coronary plaques by 64-slice computed tomography in comparison with integrated backscatter intravascular ultrasound. <i>Coronary Artery Disease</i> , 2010 , 21, 168-74	1.4	2
102	Delayed enhancement magnetic resonance imaging is a significant prognostic factor in patients with non-ischemic cardiomyopathy. <i>Circulation Journal</i> , 2010 , 74, 476-83	2.9	22
101	Assessment of mechanical properties of common carotid artery in Takayasu's arteritis using velocity vector imaging. <i>Circulation Journal</i> , 2010 , 74, 1465-70	2.9	25
100	Abnormal myocardial capillary density in apical hypertrophic cardiomyopathy can be assessed by myocardial contrast echocardiography. <i>Circulation Journal</i> , 2010 , 74, 2166-72	2.9	14
99	Therapeutic strategies for diastolic dysfunction: a clinical perspective. <i>Journal of Cardiovascular Imaging</i> , 2009 , 17, 86-95	0	14
98	Cardiac computed tomographic angiography for detection of cardiac sources of embolism in stroke patients. <i>Stroke</i> , 2009 , 40, 2073-8	6.7	58
97	Patent foramen ovale: diagnosis with multidetector CT--comparison with transesophageal echocardiography. <i>Radiology</i> , 2009 , 250, 61-7	20.5	65
96	Left atrial appendage thrombi in stroke patients: detection with two-phase cardiac CT angiography versus transesophageal echocardiography. <i>Radiology</i> , 2009 , 251, 683-90	20.5	124
95	Patterns of late gadolinium enhancement are associated with ventricular stiffness in patients with advanced non-ischaemic dilated cardiomyopathy. <i>European Journal of Heart Failure</i> , 2009 , 11, 573-80	12.3	22
94	Effects of pericardiectomy on early diastolic mitral annular velocity in patients with constrictive pericarditis. <i>International Journal of Cardiology</i> , 2009 , 133, 18-22	3.2	12
93	The clopidogrel resistance can be attenuated with triple antiplatelet therapy in patients undergoing drug-eluting stents implantation. <i>International Journal of Cardiology</i> , 2009 , 134, 351-5	3.2	36
92	Recovery and recurrence of left ventricular systolic dysfunction in patients with idiopathic dilated cardiomyopathy. <i>Canadian Journal of Cardiology</i> , 2009 , 25, e147-50	3.8	43
91	Left atrial volume index: a predictor of adverse outcome in patients with hypertrophic cardiomyopathy. <i>Journal of the American Society of Echocardiography</i> , 2009 , 22, 1338-43	5.8	67
90	Impact of coronary artery collaterals on infarct size assessed by serial cardiac magnetic resonance imaging after primary percutaneous coronary intervention in patients with acute myocardial infarction. <i>Coronary Artery Disease</i> , 2009 , 20, 440-5	1.4	13
89	Plasma adiponectin and resistin levels as predictors of mortality in patients with acute myocardial infarction: data from infarction prognosis study registry. <i>Coronary Artery Disease</i> , 2009 , 20, 33-9	1.4	45
88	Value of ventricular stiffness index and ventriculoarterial interaction in patients with nonischemic dilated cardiomyopathy. <i>Circulation Journal</i> , 2009 , 73, 1683-90	2.9	15
87	Relationship between serum biochemical markers of myocardial fibrosis and diastolic function at rest and with exercise in hypertrophic cardiomyopathy. <i>Korean Circulation Journal</i> , 2009 , 39, 519-24	2.2	5
86	Diabetic Cardiomyopathy. <i>Korean Diabetes Journal</i> , 2009 , 33, 9		

85	Effects of hemoglobin concentration and creatinine clearance in pro-B-type natriuretic peptide-based left ventricular filling pressure prediction in patients with preserved left ventricular systolic function. <i>American Journal of Cardiology</i> , 2008 , 101, 364-9	3	5
84	Factors determining early left atrial reverse remodeling after mitral valve surgery. <i>American Journal of Cardiology</i> , 2008 , 101, 374-7	3	20
83	Impact of left ventricular function on immediate and long-term outcomes after pericardiectomy in constrictive pericarditis. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2008 , 136, 1136-41	1.5	32
82	Is albuminuria an indicator of myocardial dysfunction in diabetic patients without overt heart disease? A study with Doppler strain and strain rate imaging. <i>Metabolism: Clinical and Experimental</i> , 2008 , 57, 448-52	12.7	19
81	Exaggerated blood pressure response to exercise is associated with augmented rise of angiotensin II during exercise. <i>Journal of the American College of Cardiology</i> , 2008 , 52, 287-92	15.1	58
80	Incremental value of left ventricular diastolic function reserve index for predicting exercise capacity in patients with hypertrophic cardiomyopathy. <i>Journal of the American Society of Echocardiography</i> , 2008 , 21, 487-92	5.8	24
79	Effect of geometric remodeling on left ventricular longitudinal contractile reserve in patients with hypertension. <i>Journal of the American Society of Echocardiography</i> , 2008 , 21, 246-50	5.8	8
78	Increased plasma aldosterone-to-renin ratio is associated with impaired left ventricular longitudinal functional reserve in patients with uncomplicated hypertension. <i>Journal of the American Society of Echocardiography</i> , 2008 , 21, 251-6	5.8	11
77	Uncommon variation in the papillary muscles presenting with ST elevation and T-wave inversion. <i>European Heart Journal</i> , 2008 , 29, 2633	9.5	1
76	Phenotypic spectrum and clinical characteristics of apical hypertrophic cardiomyopathy: multicenter echo-Doppler study. <i>Cardiology</i> , 2008 , 110, 53-61	1.6	26
75	Assessment of Left Ventricular Filling Pressure with Stress 2008 , 72-78		
74	Gender-related difference in arterial elastance during exercise in patients with hypertension. <i>Hypertension</i> , 2008 , 51, 1163-9	8.5	28
73	Evaluation of metabolic syndrome risk in Korean premenopausal women: not waist circumference but visceral fat. <i>Circulation Journal</i> , 2008 , 72, 1308-15	2.9	37
72	Time course of recovery of left ventricular filling pressure after exercise in healthy subjects. <i>Circulation Journal</i> , 2008 , 72, 186-8	2.9	14
71	Extent of late gadolinium enhancement in cardiovascular magnetic resonance and its relation with left ventricular diastolic function in patients with hypertrophic cardiomyopathy. <i>Circulation Journal</i> , 2008 , 72, 1449-53	2.9	22
70	Gender-related difference in left ventricular diastolic elastance during exercise in patients with diabetes mellitus. <i>Circulation Journal</i> , 2008 , 72, 1443-8	2.9	24
69	Right ventricular remodeling and dysfunction with subsequent annular dilatation and tethering as a mechanism of isolated tricuspid regurgitation. <i>Circulation Journal</i> , 2008 , 72, 1645-9	2.9	17
68	Delayed enhancement in hypertrophic cardiomyopathy: comparison with myocardial tagging MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2008 , 27, 1054-60	5.6	35

67	Left ventricular remodeling can be predicted with left ventricular volume response during dobutamine echocardiography after acute myocardial infarction. <i>Clinical Cardiology</i> , 2008 , 31, 259-64	3.3	5
66	Diagnosis of Coronary Restenosis Using Coronary Flow Reserve Measurements Obtained Through Transthoracic Doppler Echocardiography. <i>Korean Circulation Journal</i> , 2008 , 38, 325	2.2	
65	Incremental value of combining systolic mitral annular velocity and time difference between mitral inflow and diastolic mitral annular velocity to early diastolic annular velocity for differentiating constrictive pericarditis from restrictive cardiomyopathy. <i>Journal of the American Society of Echocardiography</i> , 2007 , 20, 738-43	5.8	41
64	Endothelial nitric oxide synthase Glu298Asp gene polymorphism is associated with hypertensive response to exercise in well-controlled hypertensive patients. <i>Yonsei Medical Journal</i> , 2007 , 48, 389-395	3	6
63	Comparison of long-term outcome after mitral valve replacement or repeated balloon mitral valvotomy in patients with restenosis after previous balloon valvotomy. <i>American Journal of Cardiology</i> , 2007 , 99, 1571-4	3	22
62	Incremental value of measuring the time difference between onset of mitral inflow and onset of early diastolic mitral annulus velocity for the evaluation of left ventricular diastolic pressures in patients with normal systolic function and an indeterminate E/EP. <i>American Journal of Cardiology</i> , 2007 , 100, 221-26	3	32
61	Long-term clinical results of mitral valvuloplasty using flexible and rigid rings: a prospective and randomized study. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2007 , 133, 995-1003	1.5	75
60	Abnormal left ventricular longitudinal functional reserve in patients with diabetes mellitus: implication for detecting subclinical myocardial dysfunction using exercise tissue Doppler echocardiography. <i>Heart</i> , 2007 , 93, 1571-6	5.1	106
59	Value of echo-Doppler derived pulmonary vascular resistance, net-atrioventricular compliance and tricuspid annular velocity in determining exercise capacity in patients with mitral stenosis. <i>Circulation Journal</i> , 2007 , 71, 1721-7	2.9	11
58	Genetic polymorphism in the pregnancy-associated plasma protein-A associated with acute myocardial infarction. <i>Coronary Artery Disease</i> , 2007 , 18, 417-22	1.4	28
57	Pulmonary artery aneurysm due to systemic vasculitis: assessment of vascular inflammation using F-18 FDG positron emission tomography. <i>European Heart Journal</i> , 2007 , 28, 779	9.5	3
56	Lymphotoxin-alpha gene 252A>G and metabolic syndrome features in Korean men with coronary artery disease. <i>Clinica Chimica Acta</i> , 2007 , 384, 124-8	6.2	10
55	Three-Dimensional Geometry of Aortic Valve: A new Trial of Visualization With Real-Time Three-Dimensional Echocardiography. <i>Journal of Echocardiography</i> , 2007 , 5, 55-57	1.6	2
54	Transthoracic Echocardiographic Detection, Differential Diagnosis, and Follow-Up of Esophageal Hematoma. <i>Korean Circulation Journal</i> , 2007 , 37, 666	2.2	1
53	Noncompaction of the ventricular myocardium combined with polycystic kidney disease. <i>Heart and Vessels</i> , 2006 , 21, 195-8	2.1	20
52	Triphasic mitral inflow velocity with mid-diastolic flow: the presence of mid-diastolic mitral annular velocity indicates advanced diastolic dysfunction. <i>European Journal of Echocardiography</i> , 2006 , 7, 16-21		24
51	Prediction of transmural extent of infarction with contrast echocardiographically derived index of myocardial blood flow and myocardial blood volume fraction: comparison with contrast-enhanced magnetic resonance imaging. <i>Journal of the American Society of Echocardiography</i> , 2006 , 19, 1211-9	5.8	12
50	Abnormal longitudinal myocardial functional reserve assessed by exercise tissue Doppler echocardiography in patients with hypertrophic cardiomyopathy. <i>Journal of the American Society of Echocardiography</i> , 2006 , 19, 1314-9	5.8	31

49	Delayed hyperenhancement magnetic resonance imaging is useful in predicting functional recovery of nonischemic left ventricular systolic dysfunction. <i>Journal of Cardiac Failure</i> , 2006 , 12, 93-9	3.3	24
48	Insulin resistance is associated with hypertensive response to exercise in non-diabetic hypertensive patients. <i>Diabetes Research and Clinical Practice</i> , 2006 , 73, 65-9	7.4	14
47	Inflammatory and vasoactive factors in the aspirate from the culprit coronary artery of patients with acute myocardial infarction. <i>International Journal of Cardiology</i> , 2006 , 112, 66-71	3.2	37
46	Diastolic stress echocardiography: a novel noninvasive diagnostic test for diastolic dysfunction using supine bicycle exercise Doppler echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2005 , 18, 63-8	5.8	212
45	The mitral L wave: a marker of pseudonormal filling and predictor of heart failure in patients with left ventricular hypertrophy. <i>Journal of the American Society of Echocardiography</i> , 2005 , 18, 336-41	5.8	38
44	A beneficial effect of simvastatin on DNA damage in 242T allele of the NADPH oxidase p22phox in hypercholesterolemic patients. <i>Clinica Chimica Acta</i> , 2005 , 360, 46-51	6.2	16
43	A randomized, open-label study to evaluate the efficacy and safety of pitavastatin compared with simvastatin in Korean patients with hypercholesterolemia. <i>Clinical Therapeutics</i> , 2005 , 27, 1074-82	3.5	42
42	Can pro-brain natriuretic peptide be used as a noninvasive predictor of elevated left ventricular diastolic pressures in patients with normal systolic function?. <i>American Heart Journal</i> , 2005 , 150, 1213-9	4.9	16
41	Serial assessment of myocardial properties using cyclic variation of integrated backscatter in an adriamycin-induced cardiomyopathy rat model. <i>Yonsei Medical Journal</i> , 2005 , 46, 73-7	3	5
40	The utility of multi-detector row spiral CT for detection of coronary artery stenoses. <i>Yonsei Medical Journal</i> , 2005 , 46, 86-94	3	16
39	Images in cardiovascular medicine. Constrictive epicarditis as an unusual cause of constrictive physiology: typical presentation with unusual pathology. <i>Circulation</i> , 2005 , 111, e365-6	16.7	3
38	Tissue Doppler-derived indices predict exercise capacity in patients with apical hypertrophic cardiomyopathy. <i>Chest</i> , 2005 , 128, 3428-33	5.3	20
37	Magnitude of left atrial V wave is the determinant of exercise capacity in patients with mitral stenosis. <i>American Journal of Cardiology</i> , 2004 , 94, 243-5	3	9
36	Differentiation of constrictive pericarditis from restrictive cardiomyopathy using mitral annular velocity by tissue Doppler echocardiography. <i>American Journal of Cardiology</i> , 2004 , 94, 316-9	3	135
35	Triphasic mitral inflow velocity with middiastolic filling: clinical implications and associated echocardiographic findings. <i>Journal of the American Society of Echocardiography</i> , 2004 , 17, 428-31	5.8	56
34	Effects of treadmill exercise on mitral inflow and annular velocities in healthy adults. <i>American Journal of Cardiology</i> , 2003 , 91, 114-5	3	97
33	Pulmonary venous flow in pure mitral stenosis and sinus rhythm--does pulmonary hypertension alter pulmonary venous flow velocity?. <i>Echocardiography</i> , 2003 , 20, 129-35	1.5	1
32	Alteration of surgical management following intraoperative transesophageal echocardiography in a patient with mobile left atrial thrombi embolized during anesthesia. <i>Echocardiography</i> , 2003 , 20, 291-2	1.5	5

31	Isolated noncompaction of the ventricular myocardium: contrast echocardiographic findings and review of the literature. <i>Echocardiography</i> , 2002 , 19, 153-6	1.5	35
30	Hypertensive response to exercise: a potential cause for new wall motion abnormality in the absence of coronary artery disease. <i>Journal of the American College of Cardiology</i> , 2002 , 39, 323-7	15.1	66
29	Diagnostic value of mitral annular velocity for constrictive pericarditis in the absence of respiratory variation in mitral inflow velocity. <i>Journal of the American Society of Echocardiography</i> , 2002 , 15, 1468-71	5.8	67
28	Right coronary artery to left ventricle fistula. <i>Echocardiography</i> , 2001 , 18, 185-8	1.5	
27	Left atrial appendage stenosis. <i>Echocardiography</i> , 2001 , 18, 295-7	1.5	11
26	Flail aortic valve and acute aortic regurgitation due to spontaneous localized intimal tear of ascending aorta. <i>Echocardiography</i> , 2001 , 18, 381-3	1.5	1
25	Effects of left atrial compliance on left atrial pressure in pure mitral stenosis. <i>Catheterization and Cardiovascular Interventions</i> , 2001 , 52, 328-33	2.7	17
24	A mitral valve myxoma prolapsing into the left ventricular outflow tract. <i>Clinical Cardiology</i> , 2001 , 24, 570	3.3	
23	Enhanced detection of right-to-left shunt through patent foramen ovale by transthoracic contrast echocardiography using harmonic imaging. <i>American Journal of Cardiology</i> , 2001 , 87, 669-71, A11	3	77
22	Annulus paradoxus: transmitral flow velocity to mitral annular velocity ratio is inversely proportional to pulmonary capillary wedge pressure in patients with constrictive pericarditis. <i>Circulation</i> , 2001 , 104, 976-8	16.7	133
21	Assessment of left atrial appendage filling pattern by using intravenous administration of microbubbles: comparison between mitral stenosis and mitral regurgitation. <i>Journal of the American Society of Echocardiography</i> , 2001 , 14, 1100-6	5.8	8
20	Assessment of elastic properties of the descending thoracic aorta by transesophageal echocardiography with acoustic quantification in patients with a stroke. <i>Echocardiography</i> , 2000 , 17, 713-20	1.5	6
19	Is the left atrial v. wave the determinant of peak pulmonary artery pressure in patients with pure mitral stenosis?. <i>American Journal of Cardiology</i> , 2000 , 85, 986-91	3	29
18	Tricuspid stenosis and regurgitation: Doppler and color flow echocardiography and cardiac catheterization findings. <i>Clinical Cardiology</i> , 2000 , 23, 51-2	3.3	3
17	Cardiac hemangioma. <i>Clinical Cardiology</i> , 2000 , 23, 53-4	3.3	2
16	Images in cardiology. Coronary artery aneurysm in Kawasaki disease. <i>Clinical Cardiology</i> , 2000 , 23, 928	3.3	
15	Evaluation of cardiac adrenergic neuronal damage in rats with doxorubicin-induced cardiomyopathy using iodine-131 MIBG autoradiography and PGP 9.5 immunohistochemistry. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2000 , 27, 686-93	8.8	24
14	Clinical utility of harmonic imaging in the detection of right to left shunt through patent foramen ovale by transthoracic contrast echocardiography. <i>Sunhwanlgi</i> , 2000 , 30, 433		

13	Enhanced detection of left atrial spontaneous echo contrast by transthoracic harmonic imaging in mitral stenosis. <i>Journal of the American Society of Echocardiography</i> , 2000 , 13, 849-54	5.8	7
12	Aortic saddle embolism. <i>Clinical Cardiology</i> , 1999 , 22, 229-30	3.3	4
11	Double-orifice mitral valve. <i>Clinical Cardiology</i> , 1999 , 22, 425	3.3	5
10	Mitral stenosis with left atrial thrombi. <i>Clinical Cardiology</i> , 1999 , 22, 491	3.3	
9	Echocardiographic and morphologic characteristics of left atrial myxoma and their relation to systemic embolism. <i>American Journal of Cardiology</i> , 1999 , 83, 1579-82, A8	3	94
8	Intracardiac tuberculoma. <i>Annals of Thoracic Surgery</i> , 1999 , 67, 226-8	2.7	22
7	Papillary muscle rupture during acute myocardial infarction. <i>Clinical Cardiology</i> , 1998 , 21, 511-2	3.3	1
6	Left ventricular aneurysm after myocardial infarction. <i>Clinical Cardiology</i> , 1998 , 21, 917	3.3	3
5	123I-MIBG myocardial scintigraphy as a noninvasive screen for the diagnosis of coronary artery spasm. <i>Journal of Nuclear Cardiology</i> , 1998 , 5, 591-7	2.1	8
4	Transesophageal echocardiographic identification of left upper pulmonary venous obstruction caused by compression by spontaneous pseudoaneurysm of the descending thoracic aorta. <i>Journal of the American Society of Echocardiography</i> , 1998 , 11, 992-6	5.8	1
3	Pulsed wave and color Doppler echocardiography and cardiac catheterization findings in bilateral pulmonary vein stenosis. <i>Journal of the American Society of Echocardiography</i> , 1998 , 11, 393-6	5.8	9
2	Acute mitral regurgitation due to leaflet tear after balloon valvotomy. <i>Circulation</i> , 1998 , 98, 2095-7	16.7	3
1	Echocardiographic Evaluation of Patients with Chronic Dyspnea164-174		2