

Lihua Zhang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6348458/lihua-zhang-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

161
papers

2,978
citations

32
h-index

45
g-index

187
ext. papers

3,583
ext. citations

6.3
avg, IF

5.26
L-index

#	Paper	IF	Citations
161	Highly selective enrichment of surface proteins from living cells by photo-crosslinking probe enabled in-depth analysis of surfaceome.. <i>Analytica Chimica Acta</i> , 2022 , 1203, 339694	6.6	
160	Protein phosphatase 2A regulates cytotoxicity and drug resistance by dephosphorylating xenobiotic metabolism enzymes AHR and MDR1.. <i>Journal of Biological Chemistry</i> , 2022 , 101918	5.4	0
159	Zn(II)-DPA functionalized graphene oxide two-dimensional nanocomposites for N-phosphoproteins enrichment.. <i>Talanta</i> , 2022 , 243, 123384	6.2	1
158	Silver(I) metal-organic framework-embedded polylactic acid electrospun fibrous membranes for efficient inhibition of bacteria.. <i>Dalton Transactions</i> , 2022 ,	4.3	1
157	Comparative proteomics analysis of cultivating in glucose and methanol.. <i>Synthetic and Systems Biotechnology</i> , 2022 , 7, 862-868	4.2	0
156	Monolithic Materials-Based RPLC-MS for Proteoform Separation and Identification. <i>Methods in Molecular Biology</i> , 2022 , 43-53	1.4	
155	Thermodynamical Origin of Nonmonotonic Inserting Behavior of Imidazole Ionic Liquids into the Lipid Bilayer. <i>Journal of Physical Chemistry Letters</i> , 2021 , 12, 9926-9932	6.4	2
154	Bone marrow mesenchymal stem cell-derived exosomal miR-34c-5p ameliorates RIF by inhibiting the core fucosylation of multiple proteins. <i>Molecular Therapy</i> , 2021 ,	11.7	2
153	PP2A-mTOR-p70S6K/4E-BP1 axis regulates M1 polarization of pulmonary macrophages and promotes ambient particulate matter induced mouse lung injury. <i>Journal of Hazardous Materials</i> , 2021 , 424, 127624	12.8	1
152	Multi-omics analysis to reveal disorders of cell metabolism and integrin signaling pathways induced by PM. <i>Journal of Hazardous Materials</i> , 2021 , 424, 127573	12.8	3
151	Fully automated sample treatment method for high throughput proteome analysis. <i>Science China Chemistry</i> , 2021 , 64, 313-321	7.9	3
150	Quantitative proteomics identifies FOLR1 to drive sorafenib resistance via activating autophagy in hepatocellular carcinoma cells. <i>Carcinogenesis</i> , 2021 , 42, 753-761	4.6	3
149	Integrated proteomic sample preparation with combination of on-line high-abundance protein depletion, denaturation, reduction, desalting and digestion to achieve high throughput plasma proteome quantification. <i>Analytica Chimica Acta</i> , 2021 , 1154, 338343	6.6	1
148	Covalent Probes for Aggregated Protein Imaging via Michael Addition. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 11335-11343	16.4	12
147	Covalent Probes for Aggregated Protein Imaging via Michael Addition. <i>Angewandte Chemie</i> , 2021 , 133, 11436-11444	3.6	4
146	Polyethyleneimine-functionalized FeO/attapulgite particles for hydrophilic interaction-based magnetic dispersive solid-phase extraction of fluoroquinolones in chicken muscle. <i>Analytical and Bioanalytical Chemistry</i> , 2021 , 413, 3529-3540	4.4	1
145	Antibody-free enrichment method for proteome-wide analysis of endogenous SUMOylation sites. <i>Analytica Chimica Acta</i> , 2021 , 1154, 338324	6.6	0

144	Fully integrated protein absolute quantification platform for analysis of multiple tumor markers in human plasma. <i>Talanta</i> , 2021 , 226, 122102	6.2	0
143	Perturbation of Specific Signaling Pathways Is Involved in Initiation of Mouse Liver Fibrosis. <i>Hepatology</i> , 2021 , 73, 1551-1569	11.2	5
142	Quantitative proteomics of epigenetic histone modifications in MCF-7 cells under estradiol stimulation. <i>Analytical Methods</i> , 2021 , 13, 469-476	3.2	
141	Novel synthesized attapulgite nanoparticles-based hydrophobic monolithic column for in-tube solid-phase microextraction of thiosildenafil, pseudovardenafil, and norneosildenafil in functional foods. <i>Analytical and Bioanalytical Chemistry</i> , 2021 , 413, 1871-1882	4.4	4
140	Exogenous artificial DNA forms chromatin structure with active transcription in yeast.. <i>Science China Life Sciences</i> , 2021 , 1	8.5	2
139	Bis(zinc(II)-dipicolylamine)-functionalized sub-2 μm core-shell microspheres for the analysis of N-phosphoproteome. <i>Nature Communications</i> , 2020 , 11, 6226	17.4	15
138	Carboxypeptidase B-Assisted Charge-Based Fractional Diagonal Chromatography for Deep Screening of C-Terminome. <i>Analytical Chemistry</i> , 2020 , 92, 8005-8009	7.8	4
137	Ionic liquid-assisted protein extraction method for plant phosphoproteome analysis. <i>Talanta</i> , 2020 , 213, 120848	6.2	6
136	Proteomic Analysis Reveals that EPHX1 Contributes to 5-Fluorouracil Resistance in a Human Hepatocellular Carcinoma Cell Line. <i>Proteomics - Clinical Applications</i> , 2020 , 14, e1900080	3.1	4
135	A multi-omics investigation of the molecular characteristics and classification of six metabolic syndrome relevant diseases. <i>Theranostics</i> , 2020 , 10, 2029-2046	12.1	14
134	Antibody-Free Hydrogel with the Synergistic Effect of Cell Imprinting and Boronate Affinity: Toward the Selective Capture and Release of Undamaged Circulating Tumor Cells. <i>Small</i> , 2020 , 16, e19041199	11.99	17
133	Advances and applications of stable isotope labeling-based methods for proteome relative quantitation. <i>TrAC - Trends in Analytical Chemistry</i> , 2020 , 124, 115815	14.6	3
132	Identification of interactive molecules between antler stem cells and dermal papilla cells using an in vitro co-culture system. <i>Journal of Molecular Histology</i> , 2020 , 51, 15-31	3.3	3
131	Smart Cutter: An Efficient Strategy for Increasing the Coverage of Chemical Cross-Linking Analysis. <i>Analytical Chemistry</i> , 2020 , 92, 1097-1105	7.8	2
130	Comprehensive Analysis of Protein N-Terminome by Guanidination of Terminal Amines. <i>Analytical Chemistry</i> , 2020 , 92, 567-572	7.8	6
129	Fabrication and Evaluation of a Xenogeneic Decellularized Nerve-Derived Material: Preclinical Studies of a New Strategy for Nerve Repair. <i>Neurotherapeutics</i> , 2020 , 17, 356-370	6.4	10
128	Molecular Dynamics Simulation-assisted Ionic Liquid Screening for Deep Coverage Proteome Analysis. <i>Molecular and Cellular Proteomics</i> , 2020 , 19, 1724-1737	7.6	11
127	Combination of continuous digestion by peptidase and spectral similarity comparisons for peptide sequencing. <i>Journal of Separation Science</i> , 2020 , 43, 3665-3673	3.4	2

126	Quantitative proteomics analysis of deer antlerogenic periosteal cells reveals potential bioactive factors in velvet antlers. <i>Journal of Chromatography A</i> , 2020 , 1609, 460496	4.5	5
125	Ampholine immobilized polymer microspheres for increasing coverage of human urinary proteome. <i>Talanta</i> , 2020 , 215, 120931	6.2	2
124	Sequential amidation of peptide C-termini for improving fragmentation efficiency. <i>Journal of Mass Spectrometry</i> , 2020 , 56, e4529	2.2	1
123	Metagenomic Analysis of the Diversity of DNA Viruses in the Surface and Deep Sea of the South China Sea. <i>Frontiers in Microbiology</i> , 2019 , 10, 1951	5.7	21
122	Poly(ether sulfone) nanoparticles and controllably modified nanoparticles obtained through temperature-dependent cryogelation. <i>Journal of Applied Polymer Science</i> , 2019 , 136, 47485	2.9	2
121	Artificial Antibody with Site-Enhanced Multivalent Aptamers for Specific Capture of Circulating Tumor Cells. <i>Analytical Chemistry</i> , 2019 , 91, 2591-2594	7.8	30
120	Bridged Hybrid Monolithic Column Coupled to High-Resolution Mass Spectrometry for Top-Down Proteomics. <i>Analytical Chemistry</i> , 2019 , 91, 1743-1747	7.8	16
119	Cleavable hydrophobic derivatization strategy for enrichment and identification of phosphorylated lysine peptides. <i>Analytical and Bioanalytical Chemistry</i> , 2019 , 411, 4159-4166	4.4	6
118	Aptamer functionalized magnetic graphene oxide nanocomposites for highly selective capture of histones. <i>Electrophoresis</i> , 2019 , 40, 2135-2141	3.6	5
117	High Anti-Interfering Profiling of Endogenous Glycopeptides for Human Plasma by the Dual-Hydrophilic Metal-Organic Framework. <i>Analytical Chemistry</i> , 2019 , 91, 4852-4859	7.8	28
116	Isolation and identification of phosphorylated lysine peptides by retention time difference combining dimethyl labeling strategy. <i>Science China Chemistry</i> , 2019 , 62, 708-712	7.9	5
115	Well-Defined Materials for High-Performance Chromatographic Separation. <i>Annual Review of Analytical Chemistry</i> , 2019 , 12, 451-473	12.5	6
114	Surface modification with highly-homogeneous porous silica layer for enzyme immobilization in capillary enzyme microreactors. <i>Talanta</i> , 2019 , 197, 539-547	6.2	21
113	Epitope Imprinting Technology: Progress, Applications, and Perspectives toward Artificial Antibodies. <i>Advanced Materials</i> , 2019 , 31, e1902048	24	67
112	Advances in exosome isolation methods and their applications in proteomic analysis of biological samples. <i>Analytical and Bioanalytical Chemistry</i> , 2019 , 411, 5351-5361	4.4	27
111	Determination of vitamin A in blood serum based on solid-phase extraction using cetyltrimethyl ammonium bromide-modified attapulgite. <i>Journal of Separation Science</i> , 2019 , 42, 3521-3527	3.4	5
110	Site-Specific Quantification of Persulfidome by Combining an Isotope-Coded Affinity Tag with Strong Cation-Exchange-Based Fractionation. <i>Analytical Chemistry</i> , 2019 , 91, 14860-14864	7.8	6
109	A Multiplex Fragment-Ion-Based Method for Accurate Proteome Quantification. <i>Analytical Chemistry</i> , 2019 , 91, 3921-3928	7.8	7

108	A Novel Benthic Phage Infecting with Strong Replication Ability. <i>Viruses</i> , 2019 , 11,	6.2	8
107	Unique -glycosylation of a recombinant exo-inulinase from and its effect on enzymatic activity and thermostability. <i>Journal of Biological Engineering</i> , 2019 , 13, 81	6.3	9
106	Recent Advances in Multidimensional Separation for Proteome Analysis. <i>Analytical Chemistry</i> , 2019 , 91, 264-276	7.8	23
105	Cell-imprinted polydimethylsiloxane for the selective cell adhesion. <i>Chinese Chemical Letters</i> , 2019 , 30, 672-675	8.1	3
104	Ethane-bridged hybrid monoliths with well-defined mesoporosity and great stability for high-performance peptide separation. <i>Analytica Chimica Acta</i> , 2018 , 1019, 128-134	6.6	7
103	3-Carboxybenzoboroxole Functionalized Polyethylenimine Modified Magnetic Graphene Oxide Nanocomposites for Human Plasma Glycoproteins Enrichment under Physiological Conditions. <i>Analytical Chemistry</i> , 2018 , 90, 2671-2677	7.8	43
102	Integrated platform with combination of on-line protein digestion, isotope dimethyl labeling and multidimensional peptide separation for high-throughput proteome quantification. <i>Analytica Chimica Acta</i> , 2018 , 1000, 172-179	6.6	6
101	A polyethyleneimine-modified attapulgite as a novel solid support in matrix solid-phase dispersion for the extraction of cadmium traces in seafood products. <i>Talanta</i> , 2018 , 180, 254-259	6.2	24
100	Surface sieving coordinated IMAC material for purification of His-tagged proteins. <i>Analytica Chimica Acta</i> , 2018 , 997, 9-15	6.6	11
99	"Thiol-ene" grafting of silica particles with three-dimensional branched copolymer for HILIC/cation-exchange chromatographic separation and N-glycopeptide enrichment. <i>Analytical and Bioanalytical Chemistry</i> , 2018 , 410, 1019-1027	4.4	18
98	A robust and effective intact protein fractionation strategy by GO/PEI/Au/PEG nanocomposites for human plasma proteome analysis. <i>Talanta</i> , 2018 , 178, 49-56	6.2	6
97	Preparation of attapulgite nanoparticles-based hybrid monolithic column with covalent bond for hydrophilic interaction liquid chromatography. <i>Talanta</i> , 2018 , 189, 397-403	6.2	7
96	Identification of PGAM1 as a putative therapeutic target for pancreatic ductal adenocarcinoma metastasis using quantitative proteomics. <i>OncoTargets and Therapy</i> , 2018 , 11, 3345-3357	4.4	14
95	Application of polyethyleneimine-modified attapulgite for the solid-phase extraction of chlorophenols at trace levels in environmental water samples. <i>Analytical and Bioanalytical Chemistry</i> , 2018 , 410, 6643-6651	4.4	14
94	Proteomics investigation of the changes in serum proteins after high- and low-flux hemodialysis. <i>Renal Failure</i> , 2018 , 40, 506-513	2.9	7
93	Advances of ionic liquids-based methods for protein analysis. <i>TrAC - Trends in Analytical Chemistry</i> , 2018 , 108, 239-246	14.6	18
92	Macro-mesoporous organosilica monoliths with bridged-ethylene and terminal-vinyl: High-density click functionalization for chromatographic separation. <i>Analytica Chimica Acta</i> , 2018 , 1038, 198-205	6.6	9
91	In-Depth Proteome Coverage by Improving Efficiency for Membrane Proteome Analysis. <i>Analytical Chemistry</i> , 2017 , 89, 5179-5185	7.8	17

90	Enzymatic Reactor with Trypsin Immobilized on Graphene Oxide Modified Polymer Microspheres To Achieve Automated Proteome Quantification. <i>Analytical Chemistry</i> , 2017 , 89, 6324-6329	7.8	23
89	NIPTL-Novo: Non-isobaric peptide termini labeling assisted peptide de novo sequencing. <i>Journal of Proteomics</i> , 2017 , 154, 40-48	3.9	1
88	Preparation and application of silver nanoparticle-functionalized magnetic graphene oxide nanocomposites. <i>Nanoscale</i> , 2017 , 9, 1607-1615	7.7	23
87	Proteomic study provides new clues for complications of hemodialysis caused by dialysis membrane. <i>Science Bulletin</i> , 2017 , 62, 1251-1255	10.6	4
86	Aptamer-immobilized open tubular capillary column to capture circulating tumor cells for proteome analysis. <i>Talanta</i> , 2017 , 175, 189-193	6.2	12
85	Proteomics Investigations into Serum Proteins Adsorbed by High-Flux and Low-Flux Dialysis Membranes. <i>Proteomics - Clinical Applications</i> , 2017 , 11, 1700079	3.1	12
84	Analysis of melamine and analogs in complex matrices: Advances and trends. <i>Journal of Separation Science</i> , 2017 , 40, 170-182	3.4	8
83	Preparation of hydrophilic monolithic capillary column by in situ photo-polymerization of N-vinyl-2-pyrrolidinone and acrylamide for highly selective and sensitive enrichment of N-linked glycopeptides. <i>Talanta</i> , 2016 , 146, 225-30	6.2	35
82	Hydrophobic Tagging-Assisted N-Termini Enrichment for In-Depth N-Terminome Analysis. <i>Analytical Chemistry</i> , 2016 , 88, 8390-5	7.8	32
81	Quantitative secretomic analysis of pancreatic cancer cells in serum-containing conditioned medium. <i>Scientific Reports</i> , 2016 , 6, 37606	4.9	25
80	Hydrogen-bond interaction assisted branched copolymer HILIC material for separation and N-glycopeptides enrichment. <i>Talanta</i> , 2016 , 158, 361-367	6.2	36
79	Gold-Coated Nanoelectrospray Emitters Fabricated by Gravity-Assisted Etching Self-Termination and Electroless Deposition. <i>Analytical Chemistry</i> , 2016 , 88, 11347-11351	7.8	6
78	Fast MS/MS acquisition without dynamic exclusion enables precise and accurate quantification of proteome by MS/MS fragment intensity. <i>Scientific Reports</i> , 2016 , 6, 26392	4.9	5
77	Pseudo isobaric peptide termini labelling for relative proteome quantification by SWATH MS acquisition. <i>Analyst, The</i> , 2016 , 141, 4912-8	5	9
76	Clickable Periodic Mesoporous Organosilica Monolith for Highly Efficient Capillary Chromatographic Separation. <i>Analytical Chemistry</i> , 2016 , 88, 1521-5	7.8	38
75	Epitope imprinting enhanced IMAC (EI-IMAC) for highly selective purification of His-tagged protein. <i>Journal of Materials Chemistry B</i> , 2016 , 4, 1960-1967	7.3	25
74	Hydrophilic GO/Fe ₃ O ₄ /Au/PEG nanocomposites for highly selective enrichment of glycopeptides. <i>Nanoscale</i> , 2016 , 8, 4894-7	7.7	68
73	4-Mercaptophenylboronic acid functionalized graphene oxide composites: Preparation, characterization and selective enrichment of glycopeptides. <i>Analytica Chimica Acta</i> , 2016 , 912, 41-8	6.6	28

72	imFASP: An integrated approach combining in-situ filter-aided sample pretreatment with microwave-assisted protein digestion for fast and efficient proteome sample preparation. <i>Analytica Chimica Acta</i> , 2016 , 912, 58-64	6.6	11
71	Thermoresponsive Epitope Surface-Imprinted Nanoparticles for Specific Capture and Release of Target Protein from Human Plasma. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 5747-51	9.5	49
70	Aptamer functionalized hydrophilic polymer monolith with gold nanoparticles modification for the sensitive detection of human α thrombin. <i>Talanta</i> , 2016 , 154, 555-9	6.2	36
69	Attapulgite Nanoparticles-Modified Monolithic Column for Hydrophilic In-Tube Solid-Phase Microextraction of Cyromazine and Melamine. <i>Analytical Chemistry</i> , 2016 , 88, 1535-41	7.8	50
68	Aptamer-conjugated gold functionalized graphene oxide nanocomposites for human α thrombin specific recognition. <i>Journal of Chromatography A</i> , 2016 , 1427, 16-21	4.5	17
67	Preparation of surface imprinted core-shell particles via a metal chelating strategy: specific recognition of porcine serum albumin. <i>Mikrochimica Acta</i> , 2016 , 183, 345-352	5.8	17
66	Protein-imprinted material for the treatment of antibiotic-resistant bacteria. <i>Science Bulletin</i> , 2016 , 61, 1890-1891	10.6	5
65	In-Depth Proteomic Quantification of Cell Secretome in Serum-Containing Conditioned Medium. <i>Analytical Chemistry</i> , 2016 , 88, 4971-8	7.8	27
64	Boronic Acid-Functionalized Particles with Flexible Three-Dimensional Polymer Branch for Highly Specific Recognition of Glycoproteins. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 9552-6	9.5	47
63	Depletion of internal peptides by site-selective blocking, phosphate labeling, and TiO ₂ adsorption for in-depth analysis of C-terminome. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 3867-74	4.4	7
62	Effective isolation of exosomes with polyethylene glycol from cell culture supernatant for in-depth proteome profiling. <i>Analyst, The</i> , 2016 , 141, 4640-6	5	111
61	Multiepitope Templates Imprinted Particles for the Simultaneous Capture of Various Target Proteins. <i>Analytical Chemistry</i> , 2016 , 88, 5621-5	7.8	32
60	Glycan Moieties as Bait to Fish Plasma Membrane Proteins. <i>Analytical Chemistry</i> , 2016 , 88, 5065-71	7.8	6
59	Ionic liquid-based method for direct proteome characterization of velvet antler cartilage. <i>Talanta</i> , 2016 , 161, 541-546	6.2	11
58	Dissolving capability difference based sequential extraction: A versatile tool for in-depth membrane proteome analysis. <i>Analytica Chimica Acta</i> , 2016 , 945, 39-46	6.6	8
57	Synthesis of Zwitterionic Polymer Particles via Combined Distillation Precipitation Polymerization and Click Chemistry for Highly Efficient Enrichment of Glycopeptide. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 22018-24	9.5	37
56	Teicoplanin bonded sub-2 μ m superficially porous particles for enantioseparation of native amino acids. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 114, 247-53	3.5	18
55	Releasing N-glycan from peptide N-terminus by N-terminal succinylation assisted enzymatic deglycosylation. <i>Scientific Reports</i> , 2015 , 5, 9770	4.9	18

54	Surface-imprinted nanoparticles prepared with a His-tag-anchored epitope as the template. <i>Analytical Chemistry</i> , 2015 , 87, 4617-20	7.8	58
53	Integrated SDS removal and protein digestion by hollow fiber membrane based device for SDS-assisted proteome analysis. <i>Talanta</i> , 2015 , 141, 235-8	6.2	6
52	Dandelion-like core-shell silica microspheres with hierarchical pores. <i>RSC Advances</i> , 2015 , 5, 26269-26273	7.7	9
51	Establishment of a new OSCC cell line derived from OLK and identification of malignant transformation-related proteins by differential proteomics approach. <i>Scientific Reports</i> , 2015 , 5, 12668	4.9	14
50	Silica microspheres with fibrous shells: synthesis and application in HPLC. <i>Analytical Chemistry</i> , 2015 , 87, 9631-8	7.8	57
49	Facile synthesis of gallium ions immobilized and adenosine functionalized magnetic nanoparticles with high selectivity for multi-phosphopeptides. <i>Analytica Chimica Acta</i> , 2015 , 900, 46-55	6.6	25
48	Gold nanoparticles immobilized hydrophilic monoliths with variable functional modification for highly selective enrichment and on-line deglycosylation of glycopeptides. <i>Analytica Chimica Acta</i> , 2015 , 900, 83-9	6.6	40
47	Partially isobaric peptide termini labeling assisted proteome quantitation based on MS and MS/MS signals. <i>Journal of Proteomics</i> , 2015 , 114, 152-60	3.9	8
46	Integrated platform with a combination of online digestion and (18)O labeling for proteome quantification via an immobilized trypsin microreactor. <i>Analyst, The</i> , 2015 , 140, 5227-34	5	13
45	An efficient approach to prepare boronate core-shell polymer nanoparticles for glycoprotein recognition via combined distillation precipitation polymerization and RAFT media precipitation polymerization. <i>Chemical Communications</i> , 2015 , 51, 3896-8	5.8	44
44	A paired ions scoring algorithm based on Morpheus for simultaneous identification and quantification of proteome samples prepared by isobaric peptide termini labeling strategies. <i>Proteomics</i> , 2015 , 15, 1781-8	4.8	10
43	A rapid protein sample preparation method based on organic-aqueous microwave irradiation technique. <i>Science China Chemistry</i> , 2015 , 58, 526-531	7.9	2
42	Improved Accuracy of Proteome Quantification by MS/MS Fragment Intensity. <i>FASEB Journal</i> , 2015 , 29, 567.9	0.9	
41	Preparation of protein imprinted materials by hierarchical imprinting techniques and application in selective depletion of albumin from human serum. <i>Scientific Reports</i> , 2014 , 4, 5487	4.9	49
40	Mass spectrometry-based tag and its application to high efficient peptide analysis - A review. <i>Talanta</i> , 2014 , 126, 91-102	6.2	18
39	Dendrimer-grafted graphene oxide nanosheets as novel support for trypsin immobilization to achieve fast on-plate digestion of proteins. <i>Talanta</i> , 2014 , 122, 278-84	6.2	37
38	Preparation of high efficiency and low carry-over immobilized enzymatic reactor with methacrylic acid-silica hybrid monolith as matrix for on-line protein digestion. <i>Journal of Chromatography A</i> , 2014 , 1371, 48-57	4.5	34
37	Epitope imprinted polyethersulfone beads by self-assembly for target protein capture from the plasma proteome. <i>Chemical Communications</i> , 2014 , 50, 9521-4	5.8	47

36	New GO-PEI-Au-L-Cys ZIC-HILIC composites: synthesis and selective enrichment of glycopeptides. <i>Nanoscale</i> , 2014 , 6, 5616-9	7.7	85
35	1-Dodecyl-3-methylimidazolium chloride-assisted sample preparation method for efficient integral membrane proteome analysis. <i>Analytical Chemistry</i> , 2014 , 86, 7544-50	7.8	42
34	1.9 μ m superficially porous packing material with radially oriented pores and tailored pore size for ultra-fast separation of small molecules and biomolecules. <i>Journal of Chromatography A</i> , 2014 , 1356, 148-56	4.5	29
33	Monodisperse boronate polymeric particles synthesized by a precipitation polymerization strategy: particle formation and glycoprotein response from the standpoint of the Flory-Huggins model. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 2059-66	9.5	22
32	Recent advances in stable isotope labeling based techniques for proteome relative quantification. <i>Journal of Chromatography A</i> , 2014 , 1365, 1-11	4.5	31
31	Label-free quantification of differentially expressed proteins in mouse liver cancer cells with high and low metastasis rates by a SWATH acquisition method. <i>Science China Chemistry</i> , 2014 , 57, 718-722	7.9	1
30	An integrated sample pretreatment platform for quantitative N-glycoproteome analysis with combination of on-line glycopeptide enrichment, deglycosylation and dimethyl labeling. <i>Analytica Chimica Acta</i> , 2014 , 833, 1-8	6.6	23
29	Surface protein imprinted core-shell particles for high selective lysozyme recognition prepared by reversible addition-fragmentation chain transfer strategy. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 21954-60	9.5	45
28	Decrease of dynamic range of proteins in human plasma by ampholine immobilized polymer microspheres. <i>Analytica Chimica Acta</i> , 2014 , 826, 43-50	6.6	5
27	Recent advances in monolithic columns for protein and peptide separation by capillary liquid chromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 2095-106	4.4	37
26	Transferrin recognition based on a protein imprinted material prepared by hierarchical imprinting technique. <i>Mikrochimica Acta</i> , 2013 , 180, 1379-1386	5.8	11
25	Biphasic microreactor for efficient membrane protein pretreatment with a combination of formic acid assisted solubilization, on-column pH adjustment, reduction, alkylation, and tryptic digestion. <i>Analytical Chemistry</i> , 2013 , 85, 8507-12	7.8	17
24	Mass defect-based pseudo-isobaric dimethyl labeling for proteome quantification. <i>Analytical Chemistry</i> , 2013 , 85, 10658-63	7.8	38
23	Boronic Acid functionalized core-shell polymer nanoparticles prepared by distillation precipitation polymerization for glycopeptide enrichment. <i>Chemistry - A European Journal</i> , 2012 , 18, 9056-62	4.8	95
22	Synthesis of adenosine functionalized metal immobilized magnetic nanoparticles for highly selective and sensitive enrichment of phosphopeptides. <i>Chemical Communications</i> , 2012 , 48, 6274-6	5.8	77
21	Integrated platform for proteome profiling with combination of microreversed phase based protein and peptide separation via online solvent exchange and protein digestion. <i>Analytical Chemistry</i> , 2012 , 84, 5124-32	7.8	17
20	Prefractionation and separation by C8 stationary phase: effective strategies for integral membrane proteins analysis. <i>Talanta</i> , 2012 , 88, 567-72	6.2	11
19	A hydrophilic immobilized trypsin reactor with N-vinyl-2-pyrrolidinone modified polymer microparticles as matrix for highly efficient protein digestion with low peptide residue. <i>Journal of Chromatography A</i> , 2012 , 1246, 111-6	4.5	21

18	Nano-flow multidimensional liquid chromatography platform integrated with combination of protein and peptide separation for proteome analysis. <i>Journal of Separation Science</i> , 2012 , 35, 1764-70	3.4	15
17	Protein-imprinted materials: rational design, application and challenges. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 403, 2173-83	4.4	80
16	Recent advances in proteolysis and peptide/protein separation by chromatographic strategies. <i>Science China Chemistry</i> , 2010 , 53, 685-694	7.9	5
15	Integrated platform for proteome analysis with combination of protein and peptide separation via online digestion. <i>Analytical Chemistry</i> , 2009 , 81, 8708-14	7.8	40
14	Preparation of polyacrylamide based monolith with immobilized pH gradient and its application for protein analysis. <i>Science in China Series B: Chemistry</i> , 2007 , 50, 526-529		3
13	Effects of experimental parameters on the signal intensity of capillary electrophoresis electrospray ionization mass spectrometry in protein analysis. <i>Chromatographia</i> , 2003 , 57, 617-621	2.1	20
12	Rapid separation of nucleosides by capillary electrochromatography with a methacrylate-based monolithic stationary phase. <i>Chromatographia</i> , 2003 , 57, 629-633	2.1	19
11	Abnormal phenomenon of the dependence of the retention factors for uncharged species on applied voltage in capillary electrochromatography. <i>Chromatographia</i> , 2003 , 57, 777-781	2.1	4
10	Preparation and characterization of monolithic columns for capillary electrochromatography with weak electroosmotic flow. <i>Journal of Separation Science</i> , 2003 , 26, 331-336	3.4	28
9	Characteristics of electroosmotic flow and migration of neutral solutes under stepwise gradient elution of capillary electrochromatography. <i>Electrophoresis</i> , 2002 , 23, 2417-23	3.6	4
8	Capillary Electrochromatography with Monolithic Poly(styrene-co-divinylbenzene-co-methacrylic acid) as the Stationary Phase. <i>Journal of High Resolution Chromatography</i> , 2000 , 23, 67-72		96
7	Properties and Applications of Mixed Packing Capillary Electrochromatography. <i>Journal of High Resolution Chromatography</i> , 1999 , 22, 666-670		21
6	SEPARATION OF NEUTRAL COMPOUNDS BY HIGH SPEED CAPILLARY ELECTROCHROMATOGRAPHY. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1999 , 22, 2715-2758	1.3	8
5	Spatially resolved profiling of protein conformation and interactions by biocompatible chemical cross-linking in living cells		1
4	Improving the Identification Coverage of Protein Interactome by Enhancing the Click Chemistry-based Cross-linking Enrichment Efficiency		1
3	Development of a compact alkynyl-enrichable crosslinker for in-depth in-vivo crosslinking analysis		1
2	Deciphering In-vivo Cross-linking Mass Spectrometry Data for Dynamic Protein Structure Analysis. <i>Chemical Research in Chinese Universities</i> , 1	2.2	
1	A Temporal PROTAC Cocktail-Mediated Sequential Degradation of AURKA Abrogates Acute Myeloid Leukemia Stem Cells. <i>Advanced Science</i> , 2104823	13.6	0

