

Luis Henrique M Da Silva

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6349111/luis-henrique-m-da-silva-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

151
papers

3,693
citations

37
h-index

52
g-index

158
ext. papers

4,005
ext. citations

4.9
avg, IF

5.25
L-index

#	Paper	IF	Citations
151	Identification of 1,3-dialkylimidazolium salt supramolecular aggregates in solution. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 4341-9	3.4	277
150	Calorimetric Investigation of the Formation of Aqueous Two-Phase Systems in Ternary Mixtures of Water, Poly(ethylene oxide) and Electrolytes (Or Dextran). <i>Journal of Physical Chemistry B</i> , 2000 , 104, 10069-10073	3.4	115
149	Separation of Cd and Ni from NiCd batteries by an environmentally safe methodology employing aqueous two-phase systems. <i>Journal of Power Sources</i> , 2009 , 193, 908-913	8.9	91
148	Liquid-Liquid extraction of metal ions without use of organic solvent. <i>Separation and Purification Technology</i> , 2008 , 62, 687-693	8.3	90
147	Development and evaluation of active packaging for sliced mozzarella preservation. <i>Packaging Technology and Science</i> , 2008 , 21, 375-383	2.3	86
146	Liquid-Liquid Equilibria of an Aqueous Two-Phase System Containing Poly(ethylene) Glycol 1500 and Sulfate Salts at Different Temperatures. <i>Journal of Chemical & Engineering Data</i> , 2008 , 53, 238-241	2.8	79
145	Aqueous two-phase systems: an efficient, environmentally safe and economically viable method for purification of natural dye carmine. <i>Journal of Chromatography A</i> , 2009 , 1216, 7623-9	4.5	77
144	Adsorption of red azo dyes on multi-walled carbon nanotubes and activated carbon: A thermodynamic study. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2017 , 529, 531-540	5.1	64
143	Investigations on the mechanism of aqueous solubility increase caused by some hydrotropes. <i>Thermochimica Acta</i> , 1999 , 328, 161-167	2.9	64
142	Interactions between Carrageenan and chitosan in nanolayered coatings: Structural and transport properties. <i>Carbohydrate Polymers</i> , 2012 , 87, 1081-1090	10.3	60
141	Equilibrium Data for PEG 4000 + Salt + Water Systems from (278.15 to 318.15) K. <i>Journal of Chemical & Engineering Data</i> , 2007 , 52, 351-356	2.8	59
140	Hydrophobic effect on the partitioning of [Fe(CN) ₅ (NO)] ²⁻ and [Fe(CN) ₆] ³⁻ anions in aqueous two-phase systems formed by triblock copolymers and phosphate salts. <i>Separation and Purification Technology</i> , 2008 , 60, 103-112	8.3	59
139	Modeling adsorption of copper(II), cobalt(II) and nickel(II) metal ions from aqueous solution onto a new carboxylated sugarcane bagasse. Part II: Optimization of monocomponent fixed-bed column adsorption. <i>Journal of Colloid and Interface Science</i> , 2018 , 516, 431-445	9.3	54
138	Application of aqueous two-phase systems for the development of a new method of cobalt(II), iron(III) and nickel(II) extraction: a green chemistry approach. <i>Journal of Hazardous Materials</i> , 2011 , 193, 311-8	12.8	54
137	Trimellitated sugarcane bagasse: A versatile adsorbent for removal of cationic dyes from aqueous solution. Part I: Batch adsorption in a monocomponent system. <i>Journal of Colloid and Interface Science</i> , 2018 , 515, 172-188	9.3	52
136	A colorimetric biosensor for the detection of foodborne bacteria. <i>Sensors and Actuators B: Chemical</i> , 2011 , 153, 17-23	8.5	51
135	Application of hydrophobic extractant in aqueous two-phase systems for selective extraction of cobalt, nickel and cadmium. <i>Journal of Chromatography A</i> , 2013 , 1279, 13-9	4.5	50

134	Nitroprusside-PEO enthalpic interaction as a driving force for partitioning of the [Fe(CN) ₅ NO] ²⁻ anion in aqueous two-phase systems formed by poly(ethylene oxide) and sulfate salts. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 23540-6	3.4	50
133	Liquid-Liquid Equilibria of Biphasic Systems Composed of Sodium Citrate + Polyethylene(glycol) 1500 or 4000 at Different Temperatures. <i>Journal of Chemical & Engineering Data</i> , 2008 , 53, 895-899	2.8	49
132	Removal of Acid Green 68:1 from aqueous solutions by calcined and uncalcined layered double hydroxides. <i>Applied Clay Science</i> , 2013 , 80-81, 189-195	5.2	46
131	Copper recovery from ore by liquid-liquid extraction using aqueous two-phase system. <i>Journal of Hazardous Materials</i> , 2012 , 237-238, 209-14	12.8	46
130	A green and sensitive method to determine phenols in water and wastewater samples using an aqueous two-phase system. <i>Talanta</i> , 2010 , 80, 1139-44	6.2	46
129	Phase Compositions of Aqueous Two-Phase Systems Formed by L35 and Salts at Different Temperatures. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 1193-1199	2.8	45
128	Liquid-Liquid Phase Equilibrium of Triblock Copolymer L64, Poly(ethylene oxide-b-propylene oxide-b-ethylene oxide), with Sulfate Salts from (278.15 to 298.15) K. <i>Journal of Chemical & Engineering Data</i> , 2009 , 54, 1894-1898	2.8	45
127	Liquid-Liquid Equilibrium of Aqueous Mixture of Triblock Copolymers L35 and F68 with Na ₂ SO ₄ , Li ₂ SO ₄ , or MgSO ₄ . <i>Journal of Chemical & Engineering Data</i> , 2006 , 51, 2260-2264	2.8	45
126	Cryogel Poly(acrylamide): Synthesis, Structure and Applications. <i>Separation and Purification Reviews</i> , 2014 , 43, 241-262	7.3	44
125	Hydrophobic interaction adsorption of whey proteins: effect of temperature and salt concentration and thermodynamic analysis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2006 , 844, 6-14	3.2	44
124	PEO-[M(CN) ₅ NO] ^(x-) (M = Fe, Mn, or Cr) interaction as a driving force in the partitioning of the pentacyanonitrosylmetallate anion in ATPS: strong effect of the central atom. <i>Journal of Physical Chemistry B</i> , 2008 , 112, 11669-78	3.4	42
123	Partitioning of caseinomacropetide in aqueous two-phase systems. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007 , 858, 205-10	3.2	42
122	Liquid-Liquid equilibrium of aqueous two-phase systems composed of poly(ethylene oxide) 1500 and different electrolytes ((NH ₄) ₂ SO ₄ , ZnSO ₄ and K ₂ HPO ₄): Experimental and correlation. <i>Fluid Phase Equilibria</i> , 2011 , 305, 19-24	2.5	40
121	Liquid-Liquid Equilibrium of Aqueous Two-Phase System Composed of Poly(ethylene glycol) 400 and Sulfate Salts. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 1247-1251	2.8	40
120	Phase diagram and thermodynamic modeling of PEO+organic salts+H ₂ O and PPO+organic salts+H ₂ O aqueous two-phase systems. <i>Fluid Phase Equilibria</i> , 2011 , 305, 1-8	2.5	39
119	Aqueous two-phase systems of copolymer L64+organic salt+water: Enthalpic L64 ^{alt} interaction and Othmer ^{alt} obias, NRTL and UNIFAC thermodynamic modeling. <i>Chemical Engineering Journal</i> , 2011 , 171, 9-15	14.7	38
118	Thermodynamic study of colorimetric transitions in polydiacetylene vesicles induced by the solvent effect. <i>Journal of Physical Chemistry B</i> , 2010 , 114, 13365-71	3.4	38
117	Phase Diagrams of Aqueous Two-Phase Systems with Organic Salts and F68 Triblock Copolymer at Different Temperatures. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 1158-1165	2.8	38

116	Green separation of copper and zinc using triblock copolymer aqueous two-phase systems. <i>Separation and Purification Technology</i> , 2013 , 115, 107-113	8.3	37
115	Liquid-Liquid Equilibria of an Aqueous Two-Phase System Formed by a Triblock Copolymer and Sodium Salts at Different Temperatures. <i>Journal of Chemical & Engineering Data</i> , 2009 , 54, 2891-2894	2.8	37
114	Control of Microbial Adhesion as a Strategy for Food and Bioprocess Technology. <i>Food and Bioprocess Technology</i> , 2010 , 3, 321-332	5.1	37
113	Equilibrium Phase Behavior of Triblock Copolymer + Salt + Water Two-Phase Systems at Different Temperatures and pH. <i>Journal of Chemical & Engineering Data</i> , 2005 , 50, 1457-1461	2.8	36
112	Thermodynamic and kinetic analyses of curcumin and bovine serum albumin binding. <i>Food Chemistry</i> , 2018 , 242, 505-512	8.5	31
111	Antimicrobial effects of silver nanoparticles against bacterial cells adhered to stainless steel surfaces. <i>Journal of Food Protection</i> , 2012 , 75, 701-5	2.5	31
110	Self-assembly Characterization of the β -Cyclodextrin and Hydrochlorothiazide System: NMR, Phase Solubility, ITC and QELS. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2006 , 55, 41-49		31
109	Synthesis and application of a new carboxylated cellulose derivative. Part I: Removal of Co(2+), Cu(2+) and Ni(2+) from monocomponent spiked aqueous solution. <i>Journal of Colloid and Interface Science</i> , 2016 , 483, 185-200	9.3	31
108	Thermodynamics and optimization of norbixin transfer processes in aqueous biphasic systems formed by polymers and organic salts. <i>Separation and Purification Technology</i> , 2012 , 98, 69-77	8.3	30
107	Adsorption of Chemically Modified Xylans on Eucalyptus Pulp and Its Effect on the Pulp Physical Properties. <i>Industrial & Engineering Chemistry Research</i> , 2011 , 50, 1138-1145	3.9	30
106	Green recovery of mercury from domestic and industrial waste. <i>Journal of Hazardous Materials</i> , 2016 , 304, 417-24	12.8	28
105	Polydiacetylene as a Biosensor: Fundamentals and Applications in the Food Industry. <i>Food and Bioprocess Technology</i> , 2010 , 3, 172-181	5.1	28
104	Liquid-Liquid Equilibrium of Aqueous Two-Phase Systems Containing Poly(ethylene) Glycol 4000 and Zinc Sulfate at Different Temperatures. <i>Journal of Chemical & Engineering Data</i> , 2008 , 53, 919-922	2.8	28
103	Ovomucoid partitioning in aqueous two-phase systems. <i>Biochemical Engineering Journal</i> , 2009 , 47, 55-60	4.2	27
102	Increased preservation of sliced mozzarella cheese by antimicrobial sachet incorporated with allyl isothiocyanate. <i>Brazilian Journal of Microbiology</i> , 2009 , 40, 1002-1008	2.2	27
101	Application of the response surface methodology for optimization of whey protein partitioning in PEG/phosphate aqueous two-phase system. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 1881-5	3.2	26
100	The effect of poly(ethylene glycol) on the activity and structure of glucose-6-phosphate dehydrogenase in solution. <i>Colloids and Surfaces B: Biointerfaces</i> , 2002 , 26, 291-300	6	25
99	A novel micellar medium using triblock copolymer for cobalt determination. <i>Analytical Sciences</i> , 2005 , 21, 933-7	1.7	25

98	Binding thermodynamics of synthetic dye Allura Red with bovine serum albumin. <i>Food Chemistry</i> , 2017 , 217, 52-58	8.5	24
97	Density, Electrical Conductivity, Kinematic Viscosity, and Refractive Index of Binary Mixtures Containing Poly(ethylene glycol) 4000, Lithium Sulfate, and Water at Different Temperatures. <i>Journal of Chemical & Engineering Data</i> , 2007 , 52, 1567-1570	2.8	24
96	Synthesis and application of a new carboxylated cellulose derivative. Part III: Removal of auramine-O and safranin-T from mono- and bi-component spiked aqueous solutions. <i>Journal of Colloid and Interface Science</i> , 2018 , 512, 575-590	9.3	24
95	Chromium speciation using aqueous biphasic systems: Development and mechanistic aspects. <i>Separation and Purification Technology</i> , 2016 , 158, 144-154	8.3	23
94	Microcalorimetric and SAXS determination of PEO-SDS interactions: the effect of cosolutes formed by ions. <i>Journal of Physical Chemistry B</i> , 2010 , 114, 11967-74	3.4	23
93	Equilibrium Phase Behavior for Ternary Mixtures of Poly(ethylene) Glycol 6000 + Water + Sulfate Salts at Different Temperatures. <i>Journal of Chemical & Engineering Data</i> , 2008 , 53, 2441-2443	2.8	23
92	Thermodynamic studies of partitioning behavior of lysozyme and conalbumin in aqueous two-phase systems. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 2579-84	3.2	22
91	Sistema aquoso bifásico: uma alternativa eficiente para extração de ôleos. <i>Química Nova</i> , 2006 , 29, 1332-1339	1.6	21
90	Easy and efficient processes for catalyst recycling and product recovery in organic biphasic systems tested in the hydrogenation of hex-1-ene. <i>Chemical Communications</i> , 2000 , 33-34	5.8	21
89	Phase diagrams, densities and refractive indexes of poly(ethylene oxide) + organic salts + water aqueous two-phase systems: Effect of temperature, anion and molar mass. <i>Fluid Phase Equilibria</i> , 2015 , 406, 70-76	2.5	20
88	Sistemas aquosos bifásicos: fundamentos e aplicações para partição/purificação de proteínas. <i>Química Nova</i> , 2006 , 29, 1345-1351	1.6	20
87	Thermodynamic and kinetic study of epigallocatechin-3-gallate-bovine lactoferrin complex formation determined by surface plasmon resonance (SPR): A comparative study with fluorescence spectroscopy. <i>Food Hydrocolloids</i> , 2019 , 95, 526-532	10.6	19
86	Measurement and Modeling of Phase Equilibrium in Aqueous Two-Phase Systems: L35 + Sodium Citrate + Water, L35 Sodium Tartrate + Water, and L35 + Sodium Hydrogen Sulfite + Water at Different Temperatures. <i>Journal of Chemical & Engineering Data</i> , 2012 , 57, 462-468	2.8	19
85	Aspectos coloidais da adesão de micro-organismos. <i>Química Nova</i> , 2010 , 33, 1940-1948	1.6	19
84	Aqueous two-phase systems: a new approach for the determination of p-aminophenol. <i>Journal of Hazardous Materials</i> , 2011 , 192, 292-8	12.8	19
83	Partitioning of β -lactalbumin and β -lactoglobulin from cheese whey in aqueous two-phase systems containing poly(ethylene glycol) and sodium polyacrylate. <i>Food and Bioprocess Technology</i> , 2014 , 92, 409-415	4.9	18
82	Surface Excess Enthalpy of PEO + Salt + Water and L35 + Salt + Water Aqueous Two-Phase Systems. <i>Journal of Chemical & Engineering Data</i> , 2009 , 54, 531-535	2.8	18
81	Polymer induced multiphase generation in water/organic solvent mixtures. Strategies towards the design of triphasic and tetraphasic liquid systems. <i>Chemical Communications</i> , 1998 , 787-788	5.8	18

80	Interfacial Tension and Viscosity for Poly(ethylene glycol) + Maltodextrin Aqueous Two-Phase Systems. <i>Journal of Chemical & Engineering Data</i> , 2006 , 51, 1144-1147	2.8	18
79	Microcalorimetric study of the adsorption of lactoferrin in supermacroporous continuous cryogel with immobilized Cu(2+) ions. <i>Journal of Chromatography A</i> , 2013 , 1312, 1-9	4.5	17
78	Equilibrium Phase Behavior of Triblock Copolymer + Sodium or + Potassium Hydroxides + Water Two-Phase Systems at Different Temperatures. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 3847-3852	2.8	17
77	Liquid-Liquid Phase Equilibrium of Triblock Copolymer F68, Poly(ethylene oxide)-b-poly(propylene oxide)-b-poly(ethylene oxide), with Sulfate Salts. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 1618-1622	2.8	17
76	Polydiacetylene/triblock copolymer nanosensor for the detection of native and free bovine serum albumin. <i>Materials Science and Engineering C</i> , 2017 , 70, 535-543	8.3	16
75	Adsorption isotherms and thermodynamics of β -lactalbumin on an anionic exchanger. <i>Fluid Phase Equilibria</i> , 2013 , 348, 39-44	2.5	16
74	Equilibrium Data of the Biphasic System Poly(ethylene oxide) 4000 + Copper Sulfate + Water at (5, 10, 35, and 45) °C. <i>Journal of Chemical & Engineering Data</i> , 2008 , 53, 1571-1573	2.8	16
73	Influence of the temperature and type of salt on the phase equilibrium of peg 1500 + potassium phosphate and peg 1500 + sodium citrate aqueous two-phase systems. <i>Quimica Nova</i> , 2008 , 31, 209-213	1.6	16
72	Physicochemical Aspects of Chitosan Dispersibility in Acidic Aqueous Media: Effects of the Food Acid Counter-Anion. <i>Food Biophysics</i> , 2016 , 11, 388-399	3.2	16
71	Influence of protein conformation and selected Hofmeister salts on bovine serum albumin/lutein complex formation. <i>Food Chemistry</i> , 2020 , 305, 125463	8.5	16
70	Determination of driving forces for bovine serum albumin-Ponceau4R binding using surface plasmon resonance and fluorescence spectroscopy: A comparative study. <i>Food Hydrocolloids</i> , 2017 , 70, 29-35	10.6	15
69	Measurement and Correlation of the Phase Equilibrium of Aqueous Two-Phase Systems Composed of Polyethylene(glycol) 1500 or 4000 + Sodium Sulfite + Water at Different Temperatures. <i>Journal of Chemical & Engineering Data</i> , 2014 , 59, 382-390	2.8	15
68	Aminated cellulose as a versatile adsorbent for batch removal of As(V) and Cu(II) from mono- and multicomponent aqueous solutions. <i>Journal of Colloid and Interface Science</i> , 2020 , 576, 158-175	9.3	15
67	Interaction of cinnamic acid and methyl cinnamate with bovine serum albumin: A thermodynamic approach. <i>Food Chemistry</i> , 2017 , 237, 525-531	8.5	14
66	Phase Diagram, Densities, and the Refractive Index of New Aqueous Two-Phase System Formed by PEO1500 + Thiosulfate + H ₂ O at Different Temperatures. <i>Journal of Chemical & Engineering Data</i> , 2012 , 57, 274-279	2.8	14
65	Microcalorimetric study of adsorption of glycomacropeptide on anion-exchange chromatography adsorbent. <i>Journal of Chromatography A</i> , 2009 , 1216, 4440-4	4.5	13
64	Liquid biphasic systems formed in ternary mixtures of two organic solvents and ethylene oxide oligomers or polymers. <i>Journal of the Brazilian Chemical Society</i> , 2000 , 11, 375-380	1.5	13
63	Human serum albumin-resveratrol complex formation: Effect of the phenolic chemical structure on the kinetic and thermodynamic parameters of the interactions. <i>Food Chemistry</i> , 2020 , 307, 125514	8.5	13

62	Surface plasmon resonance study of interaction between lactoferrin and naringin. <i>Food Chemistry</i> , 2019 , 297, 125022	8.5	12
61	Kinetics and thermodynamics of bovine serum albumin interactions with Congo red dye. <i>Colloids and Surfaces B: Biointerfaces</i> , 2017 , 159, 737-742	6	12
60	Modification of stainless steel surface hydrophobicity by silver nanoparticles: strategies to prevent bacterial adhesion in the food processing. <i>Journal of Adhesion Science and Technology</i> , 2013 , 27, 2686-2695	2.95	11
59	Partitioning of glutenin flour of special wheat using aqueous two-phase systems. <i>Journal of Cereal Science</i> , 2010 , 52, 270-274	3.8	11
58	Equilibrium Data for Poly(propylene glycol) + Sucrose + Water and Poly(propylene Glycol) + Fructose + Water Systems from (15 to 45) °C. <i>Journal of Chemical & Engineering Data</i> , 2007 , 52, 1649-1652	2.8	11
57	Driving forces for chymosin partitioning on the macromolecule-salt aqueous two phase system. <i>Food and Bioprocesses</i> , 2016 , 100, 361-371	4.9	11
56	Synthesis and application of sugarcane bagasse cellulose mixed esters. Part I: Removal of Co and Ni from single spiked aqueous solutions in batch mode using sugarcane bagasse cellulose succinate phthalate. <i>Journal of Colloid and Interface Science</i> , 2019 , 533, 678-691	9.3	11
55	Lactoferrin-phenothiazine dye interactions: Thermodynamic and kinetic approach. <i>International Journal of Biological Macromolecules</i> , 2019 , 136, 559-569	7.9	10
54	A simple and inexpensive thermal optic nanosensor formed by triblock copolymer and polydiacetylene mixture. <i>Food Chemistry</i> , 2018 , 241, 358-363	8.5	10
53	Polydiacetylene/triblock copolymer nanoblend applied as a sensor for micellar casein: A thermodynamic approach. <i>Food Chemistry</i> , 2016 , 197, 841-7	8.5	10
52	Distribution and Quality of the Organic Matter in Light and Heavy Fractions of a Red Latosol under Different Uses and Management Practices. <i>Communications in Soil Science and Plant Analysis</i> , 2012 , 43, 835-846	1.5	10
51	Polydiacetylene/triblock copolymer/surfactant nanoblend: A simple and rapid method for the colorimetric screening of enrofloxacin residue. <i>Food Chemistry</i> , 2019 , 280, 1-7	8.5	10
50	Liquid-liquid equilibrium of the ternary ammonium salt + poly(propylene glycol) + water system. <i>Fluid Phase Equilibria</i> , 2017 , 442, 96-103	2.5	9
49	Insights into protein-curcumin interactions: Kinetics and thermodynamics of curcumin and lactoferrin binding. <i>Food Hydrocolloids</i> , 2020 , 105, 105825	10.6	9
48	Alternativas verdes para o preparo de amostra e determinação de poluentes fenólicos em água. <i>Química Nova</i> , 2010 , 33, 1370-1378	1.6	9
47	Monosegmented flow analysis exploiting aqueous two-phase systems for the determination of cobalt. <i>Analytical Sciences</i> , 2012 , 28, 1213-8	1.7	9
46	Partition of alpha-lactoalbumin and beta-lactoglobulin by cloud point extraction. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2008 , 867, 189-93	3.2	9
45	Green separation of lanthanum, cerium and nickel from waste nickel metal hydride battery. <i>Waste Management</i> , 2021 , 125, 154-162	8.6	9

44	Lanthanum and Cerium Separation Using an Aqueous Two-Phase System with Ionic Liquid. <i>Journal of Chemical & Engineering Data</i> , 2019 , 64, 4239-4246	2.8	8
43	Curcumin-micellar casein multisite interactions elucidated by surface plasmon resonance. <i>International Journal of Biological Macromolecules</i> , 2019 , 133, 860-866	7.9	8
42	Effect of 1-Butyl-3-methylimidazolium Halide on the Relative Stability between Sodium Dodecyl Sulfate Micelles and Sodium Dodecyl Sulfate-Poly(ethylene oxide) Nanoaggregates. <i>Journal of Physical Chemistry B</i> , 2015 , 119, 15758-68	3.4	8
41	Modification of polysulfone membrane used in the water filtration process to reduce biofouling. <i>Journal of Nanoscience and Nanotechnology</i> , 2014 , 14, 6355-67	1.3	8
40	Synthesis and application of sugarcane bagasse cellulose mixed esters. Part II: Removal of Co and Ni from single spiked aqueous solutions in batch and continuous mode. <i>Journal of Colloid and Interface Science</i> , 2019 , 552, 337-350	9.3	7
39	Energetic parameters of β -casein/quercetin activated and thermodynamically stable complex formation accessed by Surface Plasmon Resonance. <i>Colloids and Surfaces B: Biointerfaces</i> , 2019 , 181, 798-805	6	6
38	β -Casein monomers as potential flavonoids nanocarriers: Thermodynamics and kinetics of β -casein-naringin binding by fluorescence spectroscopy and surface plasmon resonance. <i>International Dairy Journal</i> , 2020 , 108, 104728	3.5	6
37	Partitioning of cocaine and its adulterants in aqueous two-phase systems: An alternative drug identification method. <i>Fluid Phase Equilibria</i> , 2020 , 506, 112367	2.5	6
36	Temperature modulation of lutein-lysozyme hydrophobic-hydrophilic interaction balance. <i>Journal of Molecular Liquids</i> , 2020 , 316, 113887	6	6
35	Depletion interactions and modulation of DNA-intercalators binding: Opposite behavior of the "neutral" polymer poly(ethylene-glycol). <i>Biopolymers</i> , 2016 , 105, 227-33	2.2	6
34	Lactoferrin denaturation induced by anionic surfactants: The role of the ferric ion in the protein stabilization. <i>International Journal of Biological Macromolecules</i> , 2018 , 117, 1039-1049	7.9	6
33	Doxorubicin hinders DNA condensation promoted by the protein bovine serum albumin (BSA). <i>Biopolymers</i> , 2017 , 107, e23071	2.2	5
32	Naringenin-lactoferrin binding: Impact on naringenin bitterness and thermodynamic characterization of the complex. <i>Food Chemistry</i> , 2020 , 331, 127337	8.5	5
31	Phase equilibrium of aqueous two-phase systems composed by L35 triblock copolymer + organic and inorganic ammonium electrolytes + water at 298.2 and 313.2 K. <i>Fluid Phase Equilibria</i> , 2018 , 469, 26-32	2.5	5
30	β -Carotene and Milk Protein Complexation: a Thermodynamic Approach and a Photo Stabilization Study. <i>Food and Bioprocess Technology</i> , 2018 , 11, 610-620	5.1	5
29	Green speciation of iron using aqueous two-phase system. <i>Anais Da Academia Brasileira De Ciencias</i> , 2018 , 90, 1929-1944	1.4	5
28	Acquisition of Water Solubility Diagrams in Ternary Systems (AOT/Organic Solvent/Alcohol) and Extraction of β -lactalbumin Using Reverse Micellar Systems. <i>Journal of Surfactants and Detergents</i> , 2017 , 20, 831-841	1.9	4
27	Phase Diagrams, Densities, and Refractive Indexes of Aqueous Two-Phase Systems Comprising (F68, L64, or PEO1500) + (Ammonium, Sodium, or Potassium Thiocyanate Salts) + Water: Effect of Cation and Type of Macromolecule. <i>Journal of Chemical & Engineering Data</i> , 2019 , 64, 1991-1998	2.8	4

26	Macromolecular properties from light-scattering experimental data using linear inverse problem theory. <i>International Journal of Quantum Chemistry</i> , 2006 , 106, 2731-2736	2.1	4
25	Elucidating mechanism for the extraction of cobalt, nickel, and iron in polymer-electrolyte aqueous biphasic systems with both phases rich in electrolyte. <i>Journal of Molecular Liquids</i> , 2021 , 327, 114803	6	4
24	Aggregation behavior of self-assembled nanoparticles made from carboxymethyl-hexanoyl chitosan and sodium dodecyl sulphate surfactant in water. <i>Journal of Molecular Liquids</i> , 2019 , 278, 253-261	6	4
23	Application of pyridine-modified chitosan derivative for simultaneous adsorption of Cu(II) and oxyanions of Cr(VI) from aqueous solution. <i>Journal of Environmental Management</i> , 2021 , 282, 111939	7.9	4
22	Calorimetric studies of microemulsion systems with lecithin, isooctane and butanol. <i>Food Research International</i> , 2012 , 49, 672-676	7	3
21	Aggregation of sodium dodecylbenzene sulfonate: Weak molecular interactions modulated by imidazolium cation of short alkyl chain length. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020 , 589, 124435	5.1	3
20	Liquid-Liquid Equilibrium Data of Macromolecule + Ammonium Thiosulfate + Water Ternary Systems at 283.2, 298.2, and 313.2 K. <i>Journal of Chemical & Engineering Data</i> , 2021 , 66, 1011-1020	2.8	3
19	Solvophobic effect of 1-alkyl-3-methylimidazolium chloride on the thermodynamic of complexation between β -cyclodextrin and dodecylpyridinium cation. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019 , 582, 123850	5.1	2
18	Thermodynamic Characterization of Humic Acid-surfactant Interaction: New Insights into the Characteristics and Structure of Humic Acids. <i>Revista Brasileira De Ciencia Do Solo</i> , 2015 , 39, 1633-1642	1.5	2
17	Application of a macromolecular micellar system formed by the P123 triblock copolymer for determination of copper concentrations. <i>Open Chemistry</i> , 2010 , 8, 258-263	1.6	2
16	β -Lactoglobulin conformation influences its interaction with caffeine. <i>Food Bioscience</i> , 2021 , 44, 101418	4.9	2
15	Contribution of different chemical groups to the driving forces for the partition of phenylmethane dyes in the PEO1500 + MgSO ₄ + H ₂ O aqueous two-phase system. <i>Fluid Phase Equilibria</i> , 2020 , 508, 112451	2.5	2
14	Kinetic and thermodynamic of lactoferrin - Ethoxylated-nonionic surfactants supramolecular complex formation. <i>International Journal of Biological Macromolecules</i> , 2021 , 187, 325-331	7.9	2
13	Batch and continuous adsorption of Cu(II) and Zn(II) ions from aqueous solution on bi-functionalized sugarcane-based biosorbent. <i>Environmental Science and Pollution Research</i> , 2021 , 1	5.1	1
12	Thermodynamic evaluation of roles of hydrophobic and electrostatic interactions in separation of benzocaine and procaine using polymer (PEO, L35) + MSO ₄ (M = Na; Li) aqueous biphasic system. <i>Fluid Phase Equilibria</i> , 2020 , 506, 112356	2.5	1
11	An optical sensor for the detection and quantification of lidocaine in cocaine samples. <i>Analyst, The</i> , 2020 , 145, 6562-6571	5	1
10	Extraction and purification of gold from raw acidic electronic leachate using an aqueous biphasic system. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2020 , 115, 218-222	5.3	1
9	Thermodynamic and kinetic insights into the interactions between functionalized CdTe quantum dots and human serum albumin: A surface plasmon resonance approach. <i>International Journal of Biological Macromolecules</i> , 2021 , 184, 990-999	7.9	1

8	Energetic and molecular dynamic characterization of lysozyme/ β -carotene interaction. <i>Journal of Molecular Liquids</i> , 2021 , 337, 116404	6	1
7	Thermal and spectroscopic analyses on the molecular interaction between eucalyptus kraft pulp components and offset printing inks. <i>Brazilian Archives of Biology and Technology</i> , 2009 , 52, 689-699	1.8	0
6	Functionalized Polydiacetylene Vesicles for Lactate Sensing: An Interaction Study. <i>ACS Food Science & Technology</i> , 2021 , 1, 745-753		0
5	Formation and self-association of host-guest complexes between β -CD and nonionic surfactants Brij. <i>Journal of Molecular Liquids</i> , 2021 , 338, 116647	6	0
4	The kinetics of formation of resveratrol- β -cyclodextrin-NH and resveratrol analog- β -cyclodextrin-NH supramolecular complexes. <i>Food Chemistry</i> , 2022 , 366, 130612	8.5	0
3	Application of Congo red dye as a molecular probe to investigate the kinetics and thermodynamics of the formation processes of arachin and conarachin nanocomplexes.. <i>Food Chemistry</i> , 2022 , 384, 132485	8.5	0
2	Thermodynamics of multi-walled carbon nanotube biofunctionalization using nisin: The effect of peptide structure. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019 , 578, 123611	5.1	
1	Exploring the interaction between lactoferrin and CdTe quantum dots: Energetic and molecular dynamic study. <i>Journal of Molecular Liquids</i> , 2022 , 356, 119005	6	