

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6349485/qi-xie-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

149
papers

11,390
citations

58
h-index

105
g-index

162
ext. papers

14,263
ext. citations

9.3
avg, IF

6.16
L-index

#	Paper	IF	Citations
149	Arabidopsis NAC1 transduces auxin signal downstream of TIR1 to promote lateral root development. <i>Genes and Development</i> , 2000 , 14, 3024-36	12.6	657
148	The negative regulator of plant cold responses, HOS1, is a RING E3 ligase that mediates the ubiquitination and degradation of ICE1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 8281-6	11.5	475
147	Two Faces of One Seed: Hormonal Regulation of Dormancy and Germination. <i>Molecular Plant</i> , 2016 , 9, 34-45	14.4	382
146	SINAT5 promotes ubiquitin-related degradation of NAC1 to attenuate auxin signals. <i>Nature</i> , 2002 , 419, 167-70	50.4	359
145	OST1 kinase modulates freezing tolerance by enhancing ICE1 stability in Arabidopsis. <i>Developmental Cell</i> , 2015 , 32, 278-89	10.2	310
144	Spotted leaf11, a negative regulator of plant cell death and defense, encodes a U-box/armadillo repeat protein endowed with E3 ubiquitin ligase activity. <i>Plant Cell</i> , 2004 , 16, 2795-808	11.6	299
143	The rice HIGH-TILLERING DWARF1 encoding an ortholog of Arabidopsis MAX3 is required for negative regulation of the outgrowth of axillary buds. <i>Plant Journal</i> , 2006 , 48, 687-98	6.9	297
142	SDIR1 is a RING finger E3 ligase that positively regulates stress-responsive abscisic acid signaling in Arabidopsis. <i>Plant Cell</i> , 2007 , 19, 1912-29	11.6	293
141	Dual function of Arabidopsis ATAF1 in abiotic and biotic stress responses. <i>Cell Research</i> , 2009 , 19, 1279-90	21.7	278
140	COP1 and ELF3 control circadian function and photoperiodic flowering by regulating GI stability. <i>Molecular Cell</i> , 2008 , 32, 617-30	17.6	273
139	Role of the Arabidopsis thaliana NAC transcription factors ANAC019 and ANAC055 in regulating jasmonic acid-signaled defense responses. <i>Cell Research</i> , 2008 , 18, 756-67	24.7	252
138	Deciphering the diploid ancestral genome of the Mesohexaploid Brassica rapa. <i>Plant Cell</i> , 2013 , 25, 1541-54	15.6	247
137	Insights into salt tolerance from the genome of <i>Thellungiella salsuginea</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 12219-24	11.5	227
136	High-Efficiency Genome Editing in Arabidopsis Using YAO Promoter-Driven CRISPR/Cas9 System. <i>Molecular Plant</i> , 2015 , 8, 1820-3	14.4	217
135	ABI4 regulates primary seed dormancy by regulating the biogenesis of abscisic acid and gibberellins in arabidopsis. <i>PLoS Genetics</i> , 2013 , 9, e1003577	6	211
134	An efficient system to detect protein ubiquitination by agroinfiltration in <i>Nicotiana benthamiana</i> . <i>Plant Journal</i> , 2010 , 61, 893-903	6.9	202
133	BIK1 interacts with PEPRs to mediate ethylene-induced immunity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 6205-10	11.5	201

132	GRAB proteins, novel members of the NAC domain family, isolated by their interaction with a geminivirus protein. <i>Plant Molecular Biology</i> , 1999 , 39, 647-56	4.6	186
131	Arabidopsis ubiquitin conjugase UBC32 is an ERAD component that functions in brassinosteroid-mediated salt stress tolerance. <i>Plant Cell</i> , 2012 , 24, 233-44	11.6	181
130	A chemical-regulated inducible RNAi system in plants. <i>Plant Journal</i> , 2003 , 34, 383-92	6.9	173
129	Integration of light- and brassinosteroid-signaling pathways by a GATA transcription factor in Arabidopsis. <i>Developmental Cell</i> , 2010 , 19, 872-83	10.2	167
128	BSCTV C2 attenuates the degradation of SAMDC1 to suppress DNA methylation-mediated gene silencing in Arabidopsis. <i>Plant Cell</i> , 2011 , 23, 273-88	11.6	166
127	Pattern of auxin and cytokinin responses for shoot meristem induction results from the regulation of cytokinin biosynthesis by AUXIN RESPONSE FACTOR3. <i>Plant Physiology</i> , 2013 , 161, 240-51	6.6	160
126	Degradation of the ABA co-receptor ABI1 by PUB12/13 U-box E3 ligases. <i>Nature Communications</i> , 2015 , 6, 8630	17.4	159
125	Plant cells contain a novel member of the retinoblastoma family of growth regulatory proteins.. <i>EMBO Journal</i> , 1996 , 15, 4900-4908	13	151
124	The CCCH-type zinc finger proteins AtSZF1 and AtSZF2 regulate salt stress responses in Arabidopsis. <i>Plant and Cell Physiology</i> , 2007 , 48, 1148-58	4.9	144
123	Transcriptional regulation of Arabidopsis MIR168a and argonaute1 homeostasis in abscisic acid and abiotic stress responses. <i>Plant Physiology</i> , 2012 , 158, 1279-92	6.6	143
122	The Arabidopsis RING finger E3 ligase RHA2a is a novel positive regulator of abscisic acid signaling during seed germination and early seedling development. <i>Plant Physiology</i> , 2009 , 150, 463-81	6.6	137
121	Nitrate-NRT1.1B-SPX4 cascade integrates nitrogen and phosphorus signalling networks in plants. <i>Nature Plants</i> , 2019 , 5, 401-413	11.5	133
120	The Arabidopsis SUMO E3 ligase AtMMS21, a homologue of NSE2/MMS21, regulates cell proliferation in the root. <i>Plant Journal</i> , 2009 , 60, 666-78	6.9	130
119	Identification and analysis of a retinoblastoma binding motif in the replication protein of a plant DNA virus: requirement for efficient viral DNA replication.. <i>EMBO Journal</i> , 1995 , 14, 4073-4082	13	124
118	Targeted degradation of the cyclin-dependent kinase inhibitor ICK4/KRP6 by RING-type E3 ligases is essential for mitotic cell cycle progression during Arabidopsis gametogenesis. <i>Plant Cell</i> , 2008 , 20, 1538-54	11.6	123
117	OsSDIR1 overexpression greatly improves drought tolerance in transgenic rice. <i>Plant Molecular Biology</i> , 2011 , 76, 145-56	4.6	107
116	The endoplasmic reticulum-associated degradation is necessary for plant salt tolerance. <i>Cell Research</i> , 2011 , 21, 957-69	24.7	106
115	The SINA E3 ligase OsDIS1 negatively regulates drought response in rice. <i>Plant Physiology</i> , 2011 , 157, 242-55	6.6	105

114	The Arabidopsis RING finger E3 ligase RHA2b acts additively with RHA2a in regulating abscisic acid signaling and drought response. <i>Plant Physiology</i> , 2011 , 156, 550-63	6.6	105
113	The RING finger ubiquitin E3 ligase SDIR1 targets SDIR1-INTERACTING PROTEIN1 for degradation to modulate the salt stress response and ABA signaling in Arabidopsis. <i>Plant Cell</i> , 2015 , 27, 214-27	11.6	103
112	RKP, a RING finger E3 ligase induced by BSCTV C4 protein, affects geminivirus infection by regulation of the plant cell cycle. <i>Plant Journal</i> , 2009 , 57, 905-17	6.9	100
111	The U-Box/ARM E3 ligase PUB13 regulates cell death, defense, and flowering time in Arabidopsis. <i>Plant Physiology</i> , 2012 , 159, 239-50	6.6	100
110	Ubiquitin-Proteasome System in ABA Signaling: From Perception to Action. <i>Molecular Plant</i> , 2016 , 9, 21-33	14.4	97
109	The RING Finger Ubiquitin E3 Ligase OsHTAS Enhances Heat Tolerance by Promoting H ₂ O ₂ -Induced Stomatal Closure in Rice. <i>Plant Physiology</i> , 2016 , 170, 429-43	6.6	93
108	Tomato SlSnRK1 protein interacts with and phosphorylates τ 1, a pathogenesis protein encoded by a geminivirus β satellite. <i>Plant Physiology</i> , 2011 , 157, 1394-406	6.6	91
107	ABI4 mediates antagonistic effects of abscisic acid and gibberellins at transcript and protein levels. <i>Plant Journal</i> , 2016 , 85, 348-61	6.9	90
106	A Regulatory Module Controlling Homeostasis of a Plant Immune Kinase. <i>Molecular Cell</i> , 2018 , 69, 493-504. 6.6	11.6	88
105	The Arabidopsis F-box protein CORONATINE INSENSITIVE1 is stabilized by SCFCO11 and degraded via the 26S proteasome pathway. <i>Plant Cell</i> , 2013 , 25, 486-98	11.6	82
104	AtPUB19, a U-box E3 ubiquitin ligase, negatively regulates abscisic acid and drought responses in Arabidopsis thaliana. <i>Molecular Plant</i> , 2011 , 4, 938-46	14.4	82
103	The U-box E3 ubiquitin ligase TUD1 functions with a heterotrimeric G β subunit to regulate Brassinosteroid-mediated growth in rice. <i>PLoS Genetics</i> , 2013 , 9, e1003391	6	80
102	ABSCISIC ACID-INSENSITIVE 4 negatively regulates flowering through directly promoting Arabidopsis FLOWERING LOCUS C transcription. <i>Journal of Experimental Botany</i> , 2016 , 67, 195-205	7	74
101	Photosynthetic Regulation Under Salt Stress and Salt-Tolerance Mechanism of Sweet Sorghum. <i>Frontiers in Plant Science</i> , 2019 , 10, 1722	6.2	73
100	Precise protein post-translational modifications modulate ABI5 activity. <i>Trends in Plant Science</i> , 2015 , 20, 569-75	13.1	70
99	Characterization of small interfering RNAs derived from the geminivirus/ β satellite complex using deep sequencing. <i>PLoS ONE</i> , 2011 , 6, e16928	3.7	68
98	Identification of Drought Tolerant Mechanisms in Maize Seedlings Based on Transcriptome Analysis of Recombination Inbred Lines. <i>Frontiers in Plant Science</i> , 2016 , 7, 1080	6.2	67
97	SINAT E3 Ligases Control the Light-Mediated Stability of the Brassinosteroid-Activated Transcription Factor BES1 in Arabidopsis. <i>Developmental Cell</i> , 2017 , 41, 47-58.e4	10.2	65

96	DCL4 targets Cucumber mosaic virus satellite RNA at novel secondary structures. <i>Journal of Virology</i> , 2007 , 81, 9142-51	6.6	64
95	TRAF Family Proteins Regulate Autophagy Dynamics by Modulating AUTOPHAGY PROTEIN6 Stability in Arabidopsis. <i>Plant Cell</i> , 2017 , 29, 890-911	11.6	60
94	Identification and analysis of a retinoblastoma binding motif in the replication protein of a plant DNA virus: requirement for efficient viral DNA replication. <i>EMBO Journal</i> , 1995 , 14, 4073-82	13	59
93	An E3 Ubiquitin Ligase-BAG Protein Module Controls Plant Innate Immunity and Broad-Spectrum Disease Resistance. <i>Cell Host and Microbe</i> , 2016 , 20, 758-769	23.4	59
92	Tobacco RING E3 Ligase NtRFP1 Mediates Ubiquitination and Proteasomal Degradation of a Geminivirus-Encoded Ω 1. <i>Molecular Plant</i> , 2016 , 9, 911-25	14.4	59
91	POD1 regulates pollen tube guidance in response to micropylar female signaling and acts in early embryo patterning in Arabidopsis. <i>Plant Cell</i> , 2011 , 23, 3288-302	11.6	58
90	The E3 ligase OsPUB15 interacts with the receptor-like kinase PID2 and regulates plant cell death and innate immunity. <i>BMC Plant Biology</i> , 2015 , 15, 49	5.3	56
89	F-box protein RAE1 regulates the stability of the aluminum-resistance transcription factor STOP1 in. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 319-327	11.5	54
88	ESCRT-I Component VPS23A Affects ABA Signaling by Recognizing ABA Receptors for Endosomal Degradation. <i>Molecular Plant</i> , 2016 , 9, 1570-1582	14.4	53
87	Up-regulation of LSB1/GDU3 affects geminivirus infection by activating the salicylic acid pathway. <i>Plant Journal</i> , 2010 , 62, 12-23	6.9	52
86	Boosted expression of the SARS-CoV nucleocapsid protein in tobacco and its immunogenicity in mice. <i>Vaccine</i> , 2009 , 27, 5001-7	4.1	50
85	Knockout of the AtCESA2 gene affects microtubule orientation and causes abnormal cell expansion in Arabidopsis. <i>Plant Physiology</i> , 2007 , 143, 213-24	6.6	49
84	C2-mediated decrease in DNA methylation, accumulation of siRNAs, and increase in expression for genes involved in defense pathways in plants infected with beet severe curly top virus. <i>Plant Journal</i> , 2013 , 73, 910-7	6.9	47
83	Comparison analysis of transcripts from the halophyte <i>Thellungiella halophila</i> . <i>Journal of Integrative Plant Biology</i> , 2008 , 50, 1327-35	8.3	46
82	Arabidopsis RING peroxins are E3 ubiquitin ligases that interact with two homologous ubiquitin receptor proteins(F). <i>Journal of Integrative Plant Biology</i> , 2013 , 55, 108-20	8.3	45
81	A plant-specific in vitro ubiquitination analysis system. <i>Plant Journal</i> , 2013 , 74, 524-33	6.9	45
80	Involvement of C4 protein of beet severe curly top virus (family Geminiviridae) in virus movement. <i>PLoS ONE</i> , 2010 , 5, e11280	3.7	45
79	Arabidopsis SDIR1 enhances drought tolerance in crop plants. <i>Bioscience, Biotechnology and Biochemistry</i> , 2008 , 72, 2251-4	2.1	44

78	The RING finger E3 ligase STRF1 is involved in membrane trafficking and modulates salt-stress response in <i>Arabidopsis thaliana</i> . <i>Plant Journal</i> , 2015 , 82, 81-92	6.9	42
77	The interactions among DWARF10, auxin and cytokinin underlie lateral bud outgrowth in rice. <i>Journal of Integrative Plant Biology</i> , 2010 , 52, 626-38	8.3	41
76	E3 ubiquitin ligase SOR1 regulates ethylene response in rice root by modulating stability of Aux/IAA protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 4513-4518	11.5	39
75	Strigolactone and Karrikin Signaling Pathways Elicit Ubiquitination and Proteolysis of SMXL2 to Regulate Hypocotyl Elongation in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2020 , 32, 2251-2270	11.6	38
74	A ubiquitin ligase of symbiosis receptor kinase involved in nodule organogenesis. <i>Plant Physiology</i> , 2012 , 160, 106-17	6.6	37
73	E3 ubiquitin ligase gene CMPG1-V from <i>Haynaldia villosa</i> L. contributes to powdery mildew resistance in common wheat (<i>Triticum aestivum</i> L.). <i>Plant Journal</i> , 2015 , 84, 154-68	6.9	35
72	S-acylation of a geminivirus C4 protein is essential for regulating the CLAVATA pathway in symptom determination. <i>Journal of Experimental Botany</i> , 2018 , 69, 4459-4468	7	34
71	Systemic antiviral silencing in plants. <i>Virus Research</i> , 2006 , 118, 1-6	6.4	32
70	Regulation of Ubiquitination Is Central to the Phosphate Starvation Response. <i>Trends in Plant Science</i> , 2019 , 24, 755-769	13.1	27
69	A SUMO Ligase AtMMS21 Regulates the Stability of the Chromatin Remodeler BRAHMA in Root Development. <i>Plant Physiology</i> , 2017 , 173, 1574-1582	6.6	26
68	Loss of CDKC;2 increases both cell division and drought tolerance in <i>Arabidopsis thaliana</i> . <i>Plant Journal</i> , 2017 , 91, 816-828	6.9	26
67	The sHSP22 Heat Shock Protein Requires the ABI1 Protein Phosphatase to Modulate Polar Auxin Transport and Downstream Responses. <i>Plant Physiology</i> , 2018 , 176, 2406-2425	6.6	26
66	Non-26S Proteasome Endomembrane Trafficking Pathways in ABA Signaling. <i>Trends in Plant Science</i> , 2017 , 22, 976-985	13.1	26
65	In vitro protein ubiquitination assay. <i>Methods in Molecular Biology</i> , 2012 , 876, 163-72	1.4	25
64	HRD1-mediated ERAD tuning of ER-bound E2 is conserved between plants and mammals. <i>Nature Plants</i> , 2016 , 2, 16094	11.5	24
63	Non-26S proteasome proteolytic role of ubiquitin in plant endocytosis and endosomal trafficking(F). <i>Journal of Integrative Plant Biology</i> , 2013 , 55, 54-63	8.3	23
62	BLOS1, a putative BLOC-1 subunit, interacts with SNX1 and modulates root growth in <i>Arabidopsis</i> . <i>Journal of Cell Science</i> , 2010 , 123, 3727-33	5.3	23
61	An E3 Ligase Affects the NLR Receptor Stability and Immunity to Powdery Mildew. <i>Plant Physiology</i> , 2016 , 172, 2504-2515	6.6	21

60	OsRFP2-10, a ring-H2 finger E3 ubiquitin ligase, is involved in rice antiviral defense in the early stages of rice dwarf virus infection. <i>Molecular Plant</i> , 2014 , 7, 1057-1060	14.4	21
59	Ectopic expression of a LEA protein gene TsLEA1 from <i>Thellungiella salsuginea</i> confers salt-tolerance in yeast and <i>Arabidopsis</i> . <i>Molecular Biology Reports</i> , 2012 , 39, 4627-33	2.8	21
58	Specific and efficient cleavage of fusion proteins by recombinant plum pox virus NIa protease. <i>Protein Expression and Purification</i> , 2008 , 57, 153-62	2	20
57	The anaphase-promoting complex initiates zygote division in <i>Arabidopsis</i> through degradation of cyclin B1. <i>Plant Journal</i> , 2016 , 86, 161-74	6.9	19
56	The β subunit is essential for intact 26S proteasome assembly to specifically promote plant autotrophic growth under salt stress. <i>New Phytologist</i> , 2019 , 221, 1359-1368	9.8	19
55	TRIM-9 functions in the UNC-6/UNC-40 pathway to regulate ventral guidance. <i>Journal of Genetics and Genomics</i> , 2011 , 38, 1-11	4	18
54	Efficient generation of marker-free transgenic rice plants using an improved transposon-mediated transgene reintegration strategy. <i>Plant Physiology</i> , 2015 , 167, 11-24	6.6	17
53	The E3 ligase AtRDU1 positively regulates salt stress responses in <i>Arabidopsis thaliana</i> . <i>PLoS ONE</i> , 2013 , 8, e71078	3.7	17
52	Generation of glyco-engineered BY2 cell lines with decreased expression of plant-specific glycoepitopes. <i>Protein and Cell</i> , 2011 , 2, 41-7	7.2	17
51	PARQUAT TOLERANCE3 Is an E3 Ligase That Switches off Activated Oxidative Response by Targeting Histone-Modifying PROTEIN METHYLTRANSFERASE4b. <i>PLoS Genetics</i> , 2016 , 12, e1006332	6	17
50	Abscisic acid 2017 , 161-202		16
49	A large insert <i>Thellungiella halophila</i> BIBAC library for genomics and identification of stress tolerance genes. <i>Plant Molecular Biology</i> , 2010 , 72, 91-9	4.6	16
48	Insights into endoplasmic reticulum-associated degradation in plants. <i>New Phytologist</i> , 2020 , 226, 345-350	9.8	15
47	Balancing growth and adaptation to stress: Crosstalk between brassinosteroid and abscisic acid signaling. <i>Plant, Cell and Environment</i> , 2020 , 43, 2325-2335	8.4	15
46	The RING E3 ligase SDIR1 destabilizes EBF1/EBF2 and modulates the ethylene response to ambient temperature fluctuations in. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	15
45	Control of Bird Feeding Behavior by Tannin1 through Modulating the Biosynthesis of Polyphenols and Fatty Acid-Derived Volatiles in Sorghum. <i>Molecular Plant</i> , 2019 , 12, 1315-1324	14.4	14
44	Mouse RING finger protein Rnf133 is a testis-specific endoplasmic reticulum-associated E3 ubiquitin ligase. <i>Cell Research</i> , 2008 , 18, 800-2	24.7	14
43	ESCRT-I Component VPS23A Sustains Salt Tolerance by Strengthening the SOS Module in <i>Arabidopsis</i> . <i>Molecular Plant</i> , 2020 , 13, 1134-1148	14.4	14

42	RING finger ubiquitin E3 ligase gene TaSDIR1-4A contributes to determination of grain size in common wheat. <i>Journal of Experimental Botany</i> , 2020 , 71, 5377-5388	7	13
41	ERAD Tuning of the HRD1 Complex Component AtOS9 Is Modulated by an ER-Bound E2, UBC32. <i>Molecular Plant</i> , 2017 , 10, 891-894	14.4	12
40	Identification of a ubiquitin-binding structure in the S-locus F-box protein controlling S-RNase-based self-incompatibility. <i>Journal of Genetics and Genomics</i> , 2012 , 39, 93-102	4	12
39	Unfolded protein response activation compensates endoplasmic reticulum-associated degradation deficiency in Arabidopsis. <i>Journal of Integrative Plant Biology</i> , 2017 , 59, 506-521	8.3	11
38	Sustainable Agriculture: From Sweet Sorghum Planting and Ensiling to Ruminant Feeding. <i>Molecular Plant</i> , 2019 , 12, 603-606	14.4	11
37	A Bunyavirus-Inducible Ubiquitin Ligase Targets RNA Polymerase IV for Degradation during Viral Pathogenesis in Rice. <i>Molecular Plant</i> , 2020 , 13, 836-850	14.4	11
36	UBC32 mediated oxidative tolerance in Arabidopsis. <i>Journal of Genetics and Genomics</i> , 2012 , 39, 415-7	4	11
35	Ubiquitination in Abscisic Acid-Related Pathway. <i>Journal of Integrative Plant Biology</i> , 2007 , 49, 87-93	8.3	11
34	DNA Geminivirus Infection Induces an Imprinted E3 Ligase Gene to Epigenetically Activate Viral Gene Transcription. <i>Plant Cell</i> , 2020 , 32, 3256-3272	11.6	11
33	OsDIS1-mediated stress response pathway in rice. <i>Plant Signaling and Behavior</i> , 2011 , 6, 1684-6	2.5	10
32	Structural analysis of 83-kb genomic DNA from <i>Thellungiella halophila</i> : sequence features and microcolinearity between salt cress and <i>Arabidopsis thaliana</i> . <i>Genomics</i> , 2009 , 94, 324-32	4.3	10
31	RING finger proteins of infectious spleen and kidney necrosis virus (ISKNV) function as ubiquitin ligase enzymes. <i>Virus Research</i> , 2007 , 123, 170-7	6.4	10
30	A disulphide isomerase gene (PDI-V) from <i>Haynaldia villosa</i> contributes to powdery mildew resistance in common wheat. <i>Scientific Reports</i> , 2016 , 6, 24227	4.9	10
29	DRD1-Pol V-dependent self-silencing of an exogenous silencer restricts the non-cell autonomous silencing of an endogenous target gene. <i>Plant Journal</i> , 2011 , 68, 633-45	6.9	9
28	Degradation of SERRATE via ubiquitin-independent 20S proteasome to survey RNA metabolism. <i>Nature Plants</i> , 2020 , 6, 970-982	11.5	9
27	In vivo ubiquitination assay by agroinfiltration. <i>Methods in Molecular Biology</i> , 2012 , 876, 153-62	1.4	8
26	Comparative expression analysis of three genes from the <i>Arabidopsis</i> vacuolar Na ⁺ /H ⁺ antiporter (AtNHX) family in relation to abiotic stresses. <i>Science Bulletin</i> , 2007 , 52, 1754-1763		8
25	The UBC27-AIRP3 ubiquitination complex modulates ABA signaling by promoting the degradation of ABI1 in Arabidopsis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 27694-27702	11.5	8

24	Structure and activity of SLAC1 channels for stomatal signaling in leaves. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	8
23	The Potential of Marine Ferromanganese Nodules From Eastern Pacific as Recorders of Earth's Magnetic Field Changes During the Past 4.7 Myr: A Geochronological Study by Magnetic Scanning and Authigenic $^{10}\text{Be}/^{9}\text{Be}$ Dating. <i>Journal of Geophysical Research: Solid Earth</i> , 2020 , 125, e2019JB018639	3.6	7
22	ESCRT-I Component VPS23A Is Targeted by E3 Ubiquitin Ligase XBAT35 for Proteasome-Mediated Degradation in Modulating ABA Signaling. <i>Molecular Plant</i> , 2020 , 13, 1556-1569	14.4	7
21	ERAD-related E2 and E3 enzymes modulate the drought response by regulating the stability of PIP2 aquaporins. <i>Plant Cell</i> , 2021 , 33, 2883-2898	11.6	7
20	Danger peptide signaling enhances internalization of a geminivirus symptom determinant in plant cells during infection. <i>Journal of Experimental Botany</i> , 2020 , 71, 2817-2827	7	6
19	Cautionary notes on the usage of <i>abi1-2</i> and <i>abi1-3</i> mutants of Arabidopsis <i>ABI1</i> for functional studies. <i>Molecular Plant</i> , 2015 , 8, 335-8	14.4	6
18	Growth phase-dependent expression of proteins with decreased plant-specific N-glycans and immunogenicity in tobacco BY2 cells. <i>Science in China Series C: Life Sciences</i> , 2009 , 52, 739-46		6
17	Concurrent deficiency of gibberellins and abscisic acid causes plant male sterility. <i>Journal of Genetics and Genomics</i> , 2014 , 41, 601-4	4	5
16	The prospect of sweet sorghum as the source for high biomass crop 2018 , 02,		5
15	effector <i>Avr1d</i> functions as an E2 competitor and inhibits ubiquitination activity of <i>GmPUB13</i> to facilitate infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	5
14	Cysteine protease <i>RD21A</i> regulated by E3 ligase <i>SINAT4</i> is required for drought-induced resistance to <i>Pseudomonas syringae</i> in Arabidopsis. <i>Journal of Experimental Botany</i> , 2020 , 71, 5562-5576	7	4
13	An effective system for detecting protein-protein interaction based on in vivo cleavage by PPV <i>Nla</i> protease. <i>Protein and Cell</i> , 2012 , 3, 921-8	7.2	3
12	<i>CERBERUS</i> is critical for stabilization of <i>VAPYRIN</i> during rhizobial infection in <i>Lotus japonicus</i> . <i>New Phytologist</i> , 2021 , 229, 1684-1700	9.8	3
11	Ubiquitination modification precisely modulates the ABA signaling pathway in plants. <i>Yi Chuan = Hereditas / Zhongguo Yi Chuan Xue Hui Bian Ji</i> , 2017 , 39, 692-706	1.4	3
10	<i>ZmHLLH124</i> identified in maize recombinant inbred lines contributes to drought tolerance in crops. <i>Plant Biotechnology Journal</i> , 2021 , 19, 2069-2081	11.6	3
9	Heterotrimeric G protein signalling in plant biotic and abiotic stress response. <i>Plant Biology</i> , 2021 , 23 Suppl 1, 20-30	3.7	3
8	Endoplasmic reticulum-related E3 ubiquitin ligases: Key regulators of plant growth and stress responses. <i>Plant Communications</i> , 2021 , 2, 100186	9	2
7	Natural variation in <i>Glume Coverage 1</i> causes naked grains in sorghum.. <i>Nature Communications</i> , 2022 , 13, 1068	17.4	2

6	Approaches to Determine Protein Ubiquitination Residue Types. <i>Methods in Molecular Biology</i> , 2016 , 1450, 3-10	1.4	1
5	The deubiquitinases UBP12 and UBP13 integrate with the E3 ubiquitin ligase XBAT35.2 to modulate VPS23A stability in ABA signaling.. <i>Science Advances</i> , 2022 , 8, eabl5765	14.3	1
4	Rice SIAH E3 Ligases Interact with RMD Formin and Affect Plant Morphology.. <i>Rice</i> , 2022 , 15, 6	5.8	0
3	Approaches to Identify Protein Ubiquitination Sites in Plants. <i>Methods in Molecular Biology</i> , 2019 , 2026, 85-93	1.4	0
2	An ABHD17-like hydrolase screening system to identify de-S-acylation enzymes of protein substrates in plant cells. <i>Plant Cell</i> , 2021 , 33, 3235-3249	11.6	0
1	Protein Ubiquitination and Sumoylation in ABA Signaling 2014 , 177-190		