

J?rgen G Gailer

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6350365/jrgen-g-gailer-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76
papers

2,153
citations

26
h-index

44
g-index

78
ext. papers

2,339
ext. citations

4.8
avg, IF

5.01
L-index

#	Paper	IF	Citations
76	Quantification of human plasma metalloproteins in multiple sclerosis, ischemic stroke and healthy controls reveals an association of haptoglobin-hemoglobin complexes with age.. <i>PLoS ONE</i> , 2022 , 17, e0262160	3.7	1
75	Toxic Metal Species and Endogenous Metalloproteins at the Blood-Organ Interface: Analytical and Bioinorganic Aspects. <i>Molecules</i> , 2021 , 26,	4.8	3
74	Linking molecular targets of Cd in the bloodstream to organ-based adverse health effects. <i>Journal of Inorganic Biochemistry</i> , 2021 , 216, 111279	4.2	3
73	Application of a Novel Metallomics Tool to Probe the Fate of Metal-Based Anticancer Drugs in Blood Plasma: Potential, Challenges and Prospects. <i>Current Topics in Medicinal Chemistry</i> , 2021 , 21, 48-58 ³		2
72	Sample preparation of blood plasma enables baseline separation of iron metalloproteins by SEC-GFAAS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2020 , 1147, 122147	3.2	4
71	SEC hyphenated to a multielement-specific detector unravels the degradation pathway of a bimetallic anticancer complex in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2020 , 1145, 122093	3.2	2
70	Biological Chemistry of Toxic Metals and Metalloids, Such as Arsenic, Cadmium, and Mercury 2020 , 1-18		0
69	Detection of equimolar EDTA and DTPA in spiked wastewater effluents. <i>International Journal of Environmental Analytical Chemistry</i> , 2019 , 99, 541-556	1.8	1
68	The cisplatin/serum albumin system: A reappraisal. <i>Inorganica Chimica Acta</i> , 2019 , 495, 118983	2.7	13
67	Identification of a haptoglobin-hemoglobin complex in human blood plasma. <i>Journal of Inorganic Biochemistry</i> , 2019 , 201, 110802	4.2	11
66	Organ damage by toxic metals is critically determined by the bloodstream. <i>Coordination Chemistry Reviews</i> , 2018 , 374, 376-386	23.2	22
65	Improving the safety of metal-based drugs by tuning their metabolism with chemoprotective agents. <i>Journal of Inorganic Biochemistry</i> , 2018 , 179, 154-157	4.2	6
64	Environmentally relevant concentrations of aminopolycarboxylate chelating agents mobilize Cd from humic acid. <i>Journal of Environmental Sciences</i> , 2017 , 57, 249-257	6.4	15
63	Selenium-mediated arsenic excretion in mammals: a synchrotron-based study of whole-body distribution and tissue-specific chemistry. <i>Metallomics</i> , 2017 , 9, 1585-1595	4.5	26
62	Remarkable differences in the biochemical fate of Cd, Hg, CHHg and thimerosal in red blood cell lysate. <i>Metallomics</i> , 2017 , 9, 1060-1072	4.5	14
61	Effects of Non-essential Metal Releases on the Environment and Human Health 2016 , 221-252		4
60	Modulation of the metabolism of cis-platin in blood plasma by glutathione. <i>Canadian Journal of Chemistry</i> , 2016 , 94, 360-366	0.9	8

59	Probing the interaction of bisintercalating (2,2',6,6'-terpyridine)platinum(II) complexes with glutathione and rabbit plasma. <i>Journal of Inorganic Biochemistry</i> , 2016 , 163, 95-102	4.2	8
58	Chemical basis for the detoxification of cisplatin-derived hydrolysis products by sodium thiosulfate. <i>Journal of Inorganic Biochemistry</i> , 2016 , 162, 96-101	4.2	12
57	Physiologically relevant plasma d,l-homocysteine concentrations mobilize Cd from human serum albumin. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1027, 181-6	3.2	9
56	Observation of the seleno bis-(S-glutathionyl) arsinium anion in rat bile. <i>Journal of Inorganic Biochemistry</i> , 2016 , 158, 24-29	4.2	11
55	Tuning the metabolism of the anticancer drug cisplatin with chemoprotective agents to improve its safety and efficacy. <i>Metallomics</i> , 2016 , 8, 1170-1176	4.5	21
54	Advanced LC-analysis of human plasma for metallodrug metabolites. <i>Drug Discovery Today: Technologies</i> , 2015 , 16, 24-30	7.1	3
53	Simultaneous observation of the metabolism of cisplatin and NAMI-A in human plasma in vitro by SEC-ICP-AES. <i>Journal of Biological Inorganic Chemistry</i> , 2014 , 19, 1049-53	3.7	11
52	Chemoprotection by D-methionine against cisplatin-induced side-effects: insight from in vitro studies using human plasma. <i>Metallomics</i> , 2014 , 6, 532-41	4.5	20
51	Fortification of blood plasma from cancer patients with human serum albumin decreases the concentration of cisplatin-derived toxic hydrolysis products in vitro. <i>Metallomics</i> , 2014 , 6, 2034-41	4.5	21
50	Use of elemental and molecular-mass spectrometry to assess the toxicological effects of inorganic mercury in the mouse <i>Mus musculus</i> . <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 5853-65	4.4	17
49	Mobilization of Cd from human serum albumin by small molecular weight thiols. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014 , 958, 16-21	3.2	8
48	Structural characterization of Cd ²⁺ complexes in solution with DMSA and DMPS. <i>Journal of Inorganic Biochemistry</i> , 2014 , 136, 99-106	4.2	11
47	Hg- and Cd-induced modulation of lipid packing and monolayer fluidity in biomimetic erythrocyte model systems. <i>Chemistry and Physics of Lipids</i> , 2013 , 170-171, 46-54	3.7	19
46	Improved selectivity of ZnNa ₃ DTPA vs. Na ₅ DTPA to abstract Cd ²⁺ from plasma proteins in vitro. <i>Metallomics</i> , 2013 , 5, 615-8	4.5	2
45	N-acetyl-L-cysteine modulates the metabolism of cis-platin in human plasma in vitro. <i>Metallomics</i> , 2013 , 5, 197-207	4.5	15
44	Metal Species in Biology: Bottom-Up and Top-Down LC Approaches in Applied Toxicological Research. <i>ISRN Chromatography</i> , 2013 , 2013, 1-21		5
43	Probing the bioinorganic chemistry of toxic metals in the mammalian bloodstream to advance human health. <i>Journal of Inorganic Biochemistry</i> , 2012 , 108, 128-32	4.2	20
42	Improved RP-HPLC separation of Hg ²⁺ and CH ₃ Hg ⁺ using a mixture of thiol-based mobile phase additives. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2012 , 47, 149-54	2.3	5

41	The effect of sodium thiosulfate on the metabolism of cis-platin in human plasma in vitro. <i>Metallomics</i> , 2012 , 4, 960-7	4.5	30
40	In vitro assessment of chelating agents with regard to their abstraction efficiency of Cd(2+) bound to plasma proteins. <i>Metallomics</i> , 2012 , 4, 995-1003	4.5	7
39	A set of highly water-soluble tetraethyleneglycol-substituted Zn(II) phthalocyanines: synthesis, photochemical and photophysical properties, interaction with plasma proteins and in vitro phototoxicity. <i>Dalton Transactions</i> , 2011 , 40, 4067-79	4.3	108
38	Liquid chromatography-inductively coupled plasma-based metallomic approaches to probe health-relevant interactions between xenobiotics and mammalian organisms. <i>Metallomics</i> , 2011 , 3, 566-775	4.5	37
37	Comparative hydrolysis and plasma protein binding of cis-platin and carboplatin in human plasma in vitro. <i>Metallomics</i> , 2011 , 3, 49-55	4.5	62
36	Probing the coordination behavior of Hg ₂ ⁺ , CH ₃ Hg ⁺ , and Cd ₂ ⁺ towards mixtures of two biological thiols by HPLC-ICP-AES. <i>Journal of Inorganic Biochemistry</i> , 2011 , 105, 375-81	4.2	29
35	Remarkable effect of mobile phase buffer on the SEC-ICP-AES derived Cu, Fe and Zn-metalloproteome pattern of rabbit blood plasma. <i>Metallomics</i> , 2010 , 2, 460-8	4.5	35
34	Probing bioinorganic chemistry processes in the bloodstream to gain new insights into the origin of human diseases. <i>Dalton Transactions</i> , 2010 , 329-36	4.3	24
33	Removal of Fe ³⁺ and Zn ²⁺ from plasma metalloproteins by iron chelating therapeutics depicted with SEC-ICP-AES. <i>Dalton Transactions</i> , 2010 , 39, 7466-73	4.3	26
32	Analysis of the plasma metalloproteome by SEC-ICP-AES: bridging proteomics and metabolomics. <i>Expert Review of Proteomics</i> , 2009 , 6, 251-65	4.2	38
31	Simultaneous Cu-, Fe-, and Zn-specific detection of metalloproteins contained in rabbit plasma by size-exclusion chromatography-inductively coupled plasma atomic emission spectroscopy. <i>Journal of Biological Inorganic Chemistry</i> , 2009 , 14, 61-74	3.7	56
30	Hg ₂ ⁺ and Cd ₂ ⁺ interact differently with biomimetic erythrocyte membranes. <i>BioMetals</i> , 2009 , 22, 261-74	4.4	18
29	Chronic toxicity of As(III) in mammals: the role of (GS)(₂)AsSe(-). <i>Biochimie</i> , 2009 , 91, 1268-72	4.6	42
28	Probing the interaction of arsenobetaine with blood plasma constituents in vitro: an SEC-ICP-AES study. <i>Metallomics</i> , 2009 , 1, 403-8	4.5	16
27	Methylated trivalent arsenic-glutathione complexes are more stable than their arsenite analog. <i>Bioinorganic Chemistry and Applications</i> , 2008 , 539082	4.2	13
26	Insights into the Chemical Biology of Selenium. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2008 , 183, 924-930	1	6
25	A possible molecular link between the toxicological effects of arsenic, selenium and methylmercury: methylmercury(II) seleno bis(S-glutathionyl) arsenic(III). <i>Journal of Biological Inorganic Chemistry</i> , 2008 , 13, 461-70	3.7	24
24	Arsenic-selenium and mercury-selenium bonds in biology. <i>Coordination Chemistry Reviews</i> , 2007 , 251, 234-254	23.2	135

23	Reversed-phase high-performance liquid chromatographic separation of inorganic mercury and methylmercury driven by their different coordination chemistry towards thiols. <i>Journal of Chromatography A</i> , 2007 , 1156, 331-9	4.5	33
22	Strong poison revisited. <i>Journal of Inorganic Biochemistry</i> , 2007 , 101, 1891-3	4.2	22
21	The seleno bis(S-glutathionyl) arsinium ion is assembled in erythrocyte lysate. <i>Chemical Research in Toxicology</i> , 2006 , 19, 601-7	4	56
20	Mobilization of exogenous and endogenous selenium to bile after the intravenous administration of environmentally relevant doses of arsenite to rabbits. <i>Applied Organometallic Chemistry</i> , 2004 , 18, 670-675	3.1	15
19	Mercury binding to the chelation therapy agents DMSA and DMPS and the rational design of custom chelators for mercury. <i>Chemical Research in Toxicology</i> , 2004 , 17, 999-1006	4	94
18	Simultaneous arsenic- and selenium-specific detection of the dimethyldiselenoarsinate anion by high-performance liquid chromatography-inductively coupled plasma atomic emission spectrometry. <i>Applied Organometallic Chemistry</i> , 2003 , 17, 570-574	3.1	5
17	Tetrathiomolybdate causes formation of hepatic copper-molybdenum clusters in an animal model of Wilson's disease. <i>Journal of the American Chemical Society</i> , 2003 , 125, 1704-5	16.4	55
16	Identification of [(GS) ₂ AsSe] in rabbit bile by size-exclusion chromatography and simultaneous multielement-specific detection by inductively coupled plasma atomic emission spectroscopy. <i>Applied Organometallic Chemistry</i> , 2002 , 16, 72-75	3.1	29
15	Review: Reactive selenium metabolites as targets of toxic metals/metalloids in mammals: a molecular toxicological perspective. <i>Applied Organometallic Chemistry</i> , 2002 , 16, 701-707	3.1	49
14	Synthesis, X-ray absorption spectroscopy and purification of the seleno-bis (S-glutathionyl) arsinium anion from selenide, arsenite and glutathione. <i>Journal of Organometallic Chemistry</i> , 2002 , 650, 108-113	2.3	19
13	Biliary excretion of [(GS) ₂ AsSe](-) after intravenous injection of rabbits with arsenite and selenate. <i>Chemical Research in Toxicology</i> , 2002 , 15, 1466-71	4	69
12	Synthesis, purification, and structural characterization of the dimethyldiselenoarsinate anion. <i>Inorganic Chemistry</i> , 2002 , 41, 5426-32	5.1	22
11	Manduca sexta IRP1: molecular characterization and in vivo response to iron. <i>Insect Biochemistry and Molecular Biology</i> , 2001 , 32, 85-96	4.5	11
10	Human cytosolic iron regulatory protein 1 contains a linear iron-sulfur cluster. <i>Journal of the American Chemical Society</i> , 2001 , 123, 10121-2	16.4	21
9	Simultaneous multielement-specific detection of a novel glutathione-arsenic-selenium ion [(GS) ₂ AsSe] by ICP AES after micellar size- exclusion chromatography. <i>Applied Organometallic Chemistry</i> , 2000 , 14, 355-363	3.1	23
8	A Metabolic Link between Arsenite and Selenite: The Seleno-bis(S-glutathionyl) Arsinium Ion. <i>Journal of the American Chemical Society</i> , 2000 , 122, 4637-4639	16.4	125
7	Structural basis of the antagonism between inorganic mercury and selenium in mammals. <i>Chemical Research in Toxicology</i> , 2000 , 13, 1135-42	4	140
6	The separation of dimethylarsinic acid, methylarsonous acid, methylarsonic acid, arsenate and dimethylarsinous acid on the Hamilton PRP-X100 anion-exchange column. <i>Applied Organometallic Chemistry</i> , 1999 , 13, 837-843	3.1	26

5	Retention behavior of arsenobetaine, arsenocholine, trimethylarsine oxide and tetramethylarsonium iodide on a styrene-divinylbenzene column with benzenesulfonates as ion-pairing reagents. <i>Journal of Chromatography A</i> , 1996 , 730, 219-229	4.5	25
4	Arsenobetaine and other arsenic species in mushrooms. <i>Applied Organometallic Chemistry</i> , 1995 , 9, 305-313		97
3	Metabolism of arsenic compounds by the blue mussel <i>mytilus edulis</i> after accumulation from seawater spiked with arsenic compounds. <i>Applied Organometallic Chemistry</i> , 1995 , 9, 341-355	3.1	77
2	The ion-chromatographic behavior of arsenite, arsenate, methylarsonic acid and dimethylarsinic acid on the hamilton PRP-X100 anion-exchange column. <i>Applied Organometallic Chemistry</i> , 1994 , 8, 129-140		47
1	Optical sensor for on-line determination of solvent mixtures based on a fluorescent solvent polarity probe. <i>Sensors and Actuators B: Chemical</i> , 1991 , 3, 267-272	8.5	33