

Amir Housahng Mahmoudi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6350761/amir-housahng-mahmoudi-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

30
papers

1,189
citations

19
h-index

31
g-index

31
ext. papers

1,340
ext. citations

4.9
avg, IF

4.92
L-index

#	Paper	IF	Citations
30	Numerical study of mixed convection flows in a square lid-driven cavity utilizing nanofluid. <i>International Communications in Heat and Mass Transfer</i> , 2010 , 37, 79-90	5.8	197
29	Effect of magnetic field on natural convection in a triangular enclosure filled with nanofluid. <i>International Journal of Thermal Sciences</i> , 2012 , 59, 126-140	4.1	129
28	MHD natural convection and entropy generation in a trapezoidal enclosure using Cu γ water nanofluid. <i>Computers and Fluids</i> , 2013 , 72, 46-62	2.8	107
27	Numerical study of mixed convective cooling in a square cavity ventilated and partially heated from the below utilizing nanofluid. <i>International Communications in Heat and Mass Transfer</i> , 2010 , 37, 201-213	5.8	85
26	Entropy generation due to natural convection cooling of a nanofluid. <i>International Communications in Heat and Mass Transfer</i> , 2011 , 38, 972-983	5.8	80
25	Numerical study of natural convection cooling of horizontal heat source mounted in a square cavity filled with nanofluid. <i>International Communications in Heat and Mass Transfer</i> , 2010 , 37, 1135-1141	5.8	70
24	Effect of inlet and outlet location on the mixed convective cooling inside the ventilated cavity subjected to an external nanofluid. <i>International Communications in Heat and Mass Transfer</i> , 2010 , 37, 1158-1173	5.8	54
23	Simultaneous solar-thermal energy harvesting and storage via shape stabilized salt hydrate phase change material. <i>Chemical Engineering Journal</i> , 2021 , 405, 126624	14.7	48
22	Application of XDEM as a novel approach to predict drying of a packed bed. <i>International Journal of Thermal Sciences</i> , 2014 , 75, 65-75	4.1	46
21	Entropy Generation Due to Natural Convection in a Partially Open Cavity with a Thin Heat Source Subjected to a Nanofluid. <i>Numerical Heat Transfer; Part A: Applications</i> , 2012 , 61, 283-305	2.3	41
20	Detailed numerical modeling of pyrolysis in a heterogeneous packed bed using XDEM. <i>Journal of Analytical and Applied Pyrolysis</i> , 2014 , 106, 9-20	6	37
19	Numerical modeling of natural convection in an open cavity with two vertical thin heat sources subjected to a nanofluid. <i>International Communications in Heat and Mass Transfer</i> , 2011 , 38, 110-118	5.8	36
18	Combined Effect of Magnetic Field and Nanofluid Variable Properties on Heat Transfer Enhancement in Natural Convection. <i>Numerical Heat Transfer; Part A: Applications</i> , 2013 , 63, 452-472	2.3	32
17	An experimental and numerical study of wood combustion in a fixed bed using Euler-Lagrange approach (XDEM). <i>Fuel</i> , 2015 , 150, 573-582	7.1	27
16	Numerical simulation of steady natural convection heat transfer in a 3-dimensional single-ended tube subjected to a nanofluid. <i>International Communications in Heat and Mass Transfer</i> , 2010 , 37, 1535-1545	5.8	27
15	A numerical investigation of conjugated-natural convection heat transfer enhancement of a nanofluid in an annular tube driven by inner heat generating solid cylinder. <i>International Communications in Heat and Mass Transfer</i> , 2011 , 38, 533-542	5.8	26
14	Numerical modeling of self-heating and self-ignition in a packed-bed of biomass using XDEM. <i>Combustion and Flame</i> , 2016 , 163, 358-369	5.3	25

13	Modeling of the biomass combustion on a forward acting grate using XDEM. <i>Chemical Engineering Science</i> , 2016 , 142, 32-41	4.4	24
12	Semi-resolved modeling of heat-up, drying and pyrolysis of biomass solid particles as a new feature in XDEM. <i>Applied Thermal Engineering</i> , 2016 , 93, 1091-1104	5.8	19
11	Modeling of conjugated heat transfer in a thick walled enclosure filled with nanofluid. <i>International Communications in Heat and Mass Transfer</i> , 2011 , 38, 119-127	5.8	19
10	Effect of a discrete heat source location on entropy generation in mixed convective cooling of a nanofluid inside the ventilated cavity. <i>International Journal of Exergy</i> , 2013 , 13, 299	1.2	14
9	ENTROPY GENERATION DUE TO NATURAL CONVECTION COOLING OF A HORIZONTAL HEAT SOURCE MOUNTED INSIDE A SQUARE CAVITY FILLED WITH NANOFUID. <i>Heat Transfer Research</i> , 2012 , 43, 19-46	3.9	11
8	Numerical Modeling of Thermal Storage Performance of Encapsulated PCM Particles in an Unstructured Packed Bed. <i>Energies</i> , 2020 , 13, 6413	3.1	9
7	How a conductive baffle improves melting characteristic and heat transfer in a rectangular cavity filled with gallium. <i>Thermal Science and Engineering Progress</i> , 2020 , 16, 100453	3.6	7
6	Effect of char on the combustion process of multicomponent bio-fuel. <i>Chemical Engineering Science</i> , 2018 , 175, 286-295	4.4	5
5	Numerical study of the influence of particle size and packing on pyrolysis products using XDEM. <i>International Communications in Heat and Mass Transfer</i> , 2016 , 71, 20-34	5.8	5
4	A thorough investigation of thermochemical heat storage system from particle to bed scale. <i>Chemical Engineering Science</i> , 2021 , 246, 116877	4.4	5
3	Successive melting and solidification of paraffin/Alumina nanomaterial in a cavity as a latent heat thermal energy storage. <i>Journal of the Brazilian Society of Mechanical Sciences and Engineering</i> , 2019 , 41, 1	2	3
2	Progress of experimental studies on compact integrated solar collector-storage retrofits adopting phase change materials. <i>Solar Energy</i> , 2022 , 237, 62-95	6.8	1
1	Fractal dependence of the packed bed porosity on the particles size distribution. <i>Chaos, Solitons and Fractals</i> , 2022 , 159, 112144	9.3	0