
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6351176/publications.pdf Version: 2024-02-01



Πενιςημη Υγνς

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Structure and Signal Regulation Mechanism of Interspecies and Interkingdom Quorum Sensing System<br>Receptors. Journal of Agricultural and Food Chemistry, 2022, 70, 429-445.                                      | 5.2  | 24        |
| 2  | Contribution of quorum sensing to virulence and antibiotic resistance in zoonotic bacteria.<br>Biotechnology Advances, 2022, 59, 107965.   | 11.7 | 16        |
| 3  | Sub-Inhibitory Concentrations of Amoxicillin and Tylosin Affect the Biofilm Formation and Virulence of Streptococcus suis. International Journal of Environmental Research and Public Health, 2022, 19, 8359.      | 2.6  | 2         |
| 4  | Immunogenicity and protective ability of RpoE against <i>Streptococcus suis</i> serotype 2. Journal of Applied Microbiology, 2021, 130, 1075-1083.   | 3.1  | 6         |
| 5  | Research progress of bacterial quorum sensing receptors: Classification, structure, function and characteristics. Science of the Total Environment, 2021, 763, 143031.   | 8.0  | 41        |
| 6  | mRNA-Seq reveals the quorum sensing system luxS gene contributes to the environmental fitness of Streptococcus suis type 2. BMC Microbiology, 2021, 21, 111.   | 3.3  | 7         |
| 7  | Regulatory mechanisms of sub-inhibitory levels antibiotics agent in bacterial virulence. Applied<br>Microbiology and Biotechnology, 2021, 105, 3495-3505.  | 3.6  | 8         |
| 8  | Comparison of the Glaesserella parasuis Virulence in Mice and Piglets. Frontiers in Veterinary Science, 2021, 8, 659244.   | 2.2  | 6         |
| 9  | Evaluation of immune effect of Streptococcus suis biofilm-associated protein PDH. Veterinary<br>Microbiology, 2021, 263, 109270.   | 1.9  | 6         |
| 10 | Paeoniflorin reduce <i>luxS</i> /AI-2 system-controlled biofilm formation and virulence in <i>Streptococcus suis</i> . Virulence, 2021, 12, 3062-3073.   | 4.4  | 25        |
| 11 | Identification and characterization of a Streptococcus suis immunogenic ornithine<br>carbamoytransferase involved in bacterial adherence. Journal of Microbiology, Immunology and<br>Infection, 2020, 53, 234-239. | 3.1  | 9         |
| 12 | Autoinducer-2 influences tetracycline resistance in Streptococcus suis by regulating the tet(M) gene via transposon Tn916. Research in Veterinary Science, 2020, 128, 269-274.                                     | 1.9  | 13        |
| 13 | N-terminal Myristoylation Enhanced the Antimicrobial Activity of Antimicrobial Peptide PMAP-36PW.<br>Frontiers in Cellular and Infection Microbiology, 2020, 10, 450.  | 3.9  | 9         |
| 14 | Antibiotic resistance related to biofilm formation in Streptococcus suis. Applied Microbiology and<br>Biotechnology, 2020, 104, 8649-8660.   | 3.6  | 18        |
| 15 | The otc gene of Streptococcus suis plays an important role in biofilm formation, adhesion, and virulence in a murine model. Veterinary Microbiology, 2020, 251, 108925.  | 1.9  | 12        |
| 16 | Enhancing the antibacterial activity of antimicrobial peptide PMAP-37(F34-R) by cholesterol modification. BMC Veterinary Research, 2020, 16, 419.  | 1.9  | 18        |
| 17 | In vitro Mixed Biofilm of Streptococcus suis and Actinobacillus pleuropneumoniae Impacts Antibiotic<br>Susceptibility and Modulates Virulence Factor Gene Expression. Frontiers in Microbiology, 2020, 11,<br>507. | 3.5  | 17        |
| 18 | Norfloxacin Sub-Inhibitory Concentration Affects Streptococcus suis Biofilm Formation and<br>Virulence Gene Expression. Indian Journal of Animal Research, 2020, , .   | 0.1  | 2         |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Identification of a novel protective antigen, 3-oxoacyl-[acyl-carrier-protein] synthase II of<br>Streptococcus equi ssp. zooepidemicus which confers protective effects. Comparative Immunology,<br>Microbiology and Infectious Diseases, 2020, 71, 101493. | 1.6  | 2         |
| 20 | The Ferric Uptake Regulator Represses Type VI Secretion System Function by Binding Directly to the<br><i>clpV</i> Promoter in <i>Salmonella enterica</i> Serovar Typhimurium. Infection and Immunity, 2019,<br>87, .  | 2.2  | 22        |
| 21 | Regulatory Mechanisms of the LuxS/AI-2 System and Bacterial Resistance. Antimicrobial Agents and Chemotherapy, 2019, 63, .  | 3.2  | 72        |
| 22 | Advances in research on signal molecules regulating biofilms. World Journal of Microbiology and Biotechnology, 2019, 35, 130.   | 3.6  | 23        |
| 23 | Pdh is involved in the cell division and Normal septation of Streptococcus suis. Microbiological Research, 2019, 228, 126304.   | 5.3  | 2         |
| 24 | LuxS/AI-2 system is involved in fluoroquinolones susceptibility in Streptococcus suis through overexpression of efflux pump SatAB. Veterinary Microbiology, 2019, 233, 154-158.   | 1.9  | 29        |
| 25 | <i>pdh</i> modulate virulence through reducing stress tolerance and biofilm formation of <i>Streptococcus suis</i> serotype 2. Virulence, 2019, 10, 588-599.  | 4.4  | 23        |
| 26 | Infection with sodA mutant of S. Typhimurium leads to upâ€regulation of autophagy in Raw264Â∙7<br>macrophages. Letters in Applied Microbiology, 2019, 69, 11-15.  | 2.2  | 2         |
| 27 | Streptococcus suis biofilm: regulation, drug-resistance mechanisms, and disinfection strategies.<br>Applied Microbiology and Biotechnology, 2018, 102, 9121-9129.   | 3.6  | 39        |
| 28 | The LuxS/AI-2 system of Streptococcus suis. Applied Microbiology and Biotechnology, 2018, 102, 7231-7238.   | 3.6  | 43        |
| 29 | Anthropogenic and environmental factors associated with high incidence of mcr-1 carriage in humans<br>across China. Nature Microbiology, 2018, 3, 1054-1062.  | 13.3 | 139       |
| 30 | Functional analysis of superoxide dismutase of <i>Salmonella</i> typhimurium in serum resistance and biofilm formation. Journal of Applied Microbiology, 2018, 125, 1526-1533.  | 3.1  | 11        |
| 31 | Autotransporter MisL of Salmonella enterica serotype Typhimurium facilitates bacterial aggregation and biofilm formation. FEMS Microbiology Letters, 2018, 365, .   | 1.8  | 15        |
| 32 | Widespread of NADC30-like PRRSV in China: Another Pandora's box for Chinese pig industry as the outbreak of highly pathogenic PRRSV in 2006?. Infection, Genetics and Evolution, 2017, 49, 12-13.   | 2.3  | 27        |
| 33 | Identification of genes involved in Mycoplasma gallisepticum biofilm formation using mini-Tn4001-SGM transposon mutagenesis. Veterinary Microbiology, 2017, 198, 17-22.   | 1.9  | 11        |
| 34 | Escherichia coli Type III Secretion System 2 ATPase EivC Is Involved in the Motility and Virulence of Avian Pathogenic Escherichia coli. Frontiers in Microbiology, 2016, 7, 1387.  | 3.5  | 55        |
| 35 | Isolation, phylogenetic group, drug resistance, biofilm formation, and adherence genes of Escherichia<br>coli from poultry in central China. Poultry Science, 2016, 95, 2895-2901.  | 3.4  | 28        |
| 36 | Newcastle disease virus infection induces activation of the NLRP3 inflammasome. Virology, 2016, 496, 90-96.   | 2.4  | 22        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Identification and characterization of a Streptococcus equi ssp. zooepidemicus immunogenic GroEL protein involved in biofilm formation. Veterinary Research, 2016, 47, 50.                                   | 3.0 | 21        |
| 38 | IbeR Facilitates Stress-Resistance, Invasion and Pathogenicity of Avian Pathogenic Escherichia coli.<br>PLoS ONE, 2015, 10, e0119698.  | 2.5 | 10        |
| 39 | Deletion of Invasion Protein B in Salmonella enterica Serovar Typhimurium Influences Bacterial<br>Invasion and Virulence. Current Microbiology, 2015, 71, 687-692.   | 2.2 | 13        |
| 40 | Crystal Structure and Identification of Two Key Amino Acids Involved in AI-2 Production and Biofilm Formation in Streptococcus suis LuxS. PLoS ONE, 2015, 10, e0138826.                                      | 2.5 | 27        |
| 41 | DotU expression is highly induced during in vivo infection and responsible for virulence and Hcp1 secretion in avian pathogenic Escherichia coli. Frontiers in Microbiology, 2014, 5, 588.                   | 3.5 | 37        |
| 42 | Selective capture of transcribed sequences in the functional gene analysis of microbial pathogens.<br>Applied Microbiology and Biotechnology, 2014, 98, 9983-9992.   | 3.6 | 2         |
| 43 | Detection and distribution of torque teno sus virus 1 in porcine reproductive and respiratory syndrome virus positive/negative pigs. Veterinary Microbiology, 2014, 172, 367-370.                            | 1.9 | 5         |
| 44 | Biofilm Formation of Streptococcus equi ssp. zooepidemicus and Comparative Proteomic Analysis of<br>Biofilm and Planktonic Cells. Current Microbiology, 2014, 69, 227-233.                                   | 2.2 | 26        |
| 45 | Biofilm Formation, Host-Cell Adherence, and Virulence Genes Regulation of Streptococcus suis in Response to Autoinducer-2 Signaling. Current Microbiology, 2014, 68, 575-580.                                | 2.2 | 48        |
| 46 | Bursin-like peptide (BLP) enhances H9N2 influenza vaccine induced humoral and cell mediated immune<br>responses. Cellular Immunology, 2014, 292, 57-64.  | 3.0 | 12        |
| 47 | Analysis of synonymous codon usage patterns in torque teno sus virus 1 (TTSuV1). Archives of<br>Virology, 2013, 158, 145-154.  | 2.1 | 41        |
| 48 | Identification of genes transcribed by Streptococcus equi ssp. zooepidemicus in infected porcine lung.<br>Microbial Pathogenesis, 2013, 59-60, 7-12.   | 2.9 | 10        |
| 49 | Contribution of fibronectin-binding protein to pathogenesis of <i>Streptococcus equi</i> ssp <i>.<br/>zooepidemicus</i> . Pathogens and Disease, 2013, 67, 174-183.  | 2.0 | 13        |
| 50 | Overexpression of <i>luxS</i> Cannot Increase Autoinducer-2 Production, Only Affect the Growth and Biofilm Formation in <i>Streptococcus suis</i> . Scientific World Journal, The, 2013, 2013, 1-6.          | 2.1 | 25        |
| 51 | Identification of Antigens Common to Streptococcus suis Serotypes 2 and 9 by Immunoproteomic Analysis. Journal of Integrative Agriculture, 2012, 11, 1517-1527.  | 3.5 | 1         |
| 52 | Comparative Proteomic Analysis of Streptococcus suis Biofilms and Planktonic Cells That Identified<br>Biofilm Infection-Related Immunogenic Proteins. PLoS ONE, 2012, 7, e33371.                             | 2.5 | 50        |
| 53 | Natural infection with torque teno sus virus 1 (TTSuV1) suppresses the immune response to porcine reproductive and respiratory syndrome virus (PRRSV) vaccination. Archives of Virology, 2012, 157, 927-933. | 2.1 | 20        |
| 54 | Reduced virulence is an important characteristic of biofilm infection of Streptococcus suis. FEMS<br>Microbiology Letters, 2011, 316, 36-43.   | 1.8 | 74        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Functional analysis of luxS in Streptococcus suis reveals a key role in biofilm formation and virulence. Veterinary Microbiology, 2011, 152, 151-160.  | 1.9 | 97        |
| 56 | lmmunoproteomic assay of secreted proteins of Streptococcus suis serotype 9 with convalescent sera from pigs. Folia Microbiologica, 2011, 56, 423-430. | 2.3 | 8         |
| 57 | Immunoproteomic analysis of bacterial proteins of Actinobacillus pleuropneumoniae serotype 1.<br>Proteome Science, 2011, 9, 32.                        | 1.7 | 14        |