
Paolo Lanfranchi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6351186/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Analysis of seroprevalence data on Hepatitis E virus and Toxoplasma gondii in wild ungulates for the assessment of human exposure to zoonotic meat-borne pathogens. Food Microbiology, 2022, 101, 103890.	4.2	6

 $_{2}$ Low Serologic Prevalences Suggest Sporadic Infections of Hepatitis E Virus in Chamois (Rupicapra) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50

3	Sarcoptic Mange in Wild Caprinae of the Alps: Could Pathology Help in Filling the Gaps in Knowledge?. Frontiers in Veterinary Science, 2020, 7, 193.	2.2	14
4	Toxoplasma gondii in the Eurasian kestrel (Falco tinnunculus) in northern Italy. Parasites and Vectors, 2020, 13, 262.	2.5	10
5	Identification and Genetic Characterization of a Novel Respirovirus in Alpine Chamois (Rupicapra) Tj ETQq1 1 0.7	′84314 rg 2.3	BT <u>{</u> Overloc
6	Diversity of Eimeria Species in Wild Chamois Rupicapra spp.: A Statistical Approach in Morphological Taxonomy. Frontiers in Veterinary Science, 2020, 7, 577196.	2.2	0
7	Low Serologic Prevalences Suggest Sporadic Infections of Hepatitis E Virus in Chamois () and Red Deer () in the Italian Alps. Journal of Wildlife Diseases, 2020, 56, 443-446.	0.8	4
8	Host range of mammalian orthoreovirus type 3 widening to alpine chamois. Veterinary Microbiology, 2019, 230, 72-77.	1.9	12
9	Pathology and Distribution of Trombiculosis in Northern Chamois (Rupicapra rupicapra rupicapra) in the Italian Alps. Journal of Wildlife Diseases, 2019, 55, 183.	0.8	2
10	Risk prioritization as a tool to Guide Veterinary Public Health activities at the regional level in Italy. Veterinaria Italiana, 2019, 55, 113-121.	0.5	3
11	Molecular identification of cryptic cysticercosis: <i>Taenia ovis krabbei</i> in wild intermediate and domestic definitive hosts. Journal of Helminthology, 2018, 92, 203-209.	1.0	6
12	Increased hormonal stress response of Apennine chamois induced by interspecific interactions and anthropogenic disturbance. European Journal of Wildlife Research, 2018, 64, 1.	1.4	18
13	Ticks and bacterial tick-borne pathogens in Piemonte region, Northwest Italy. Experimental and Applied Acarology, 2017, 73, 477-491.	1.6	10
14	Histological Lesions and Cellular Response in the Skin of Alpine Chamois (Rupicapra r. rupicapra) Spontaneously Affected by Sarcoptic Mange. BioMed Research International, 2016, 2016, 1-8.	1.9	8
15	Spatial and Temporal Phylogeny of Border Disease Virus in Pyrenean Chamois (Rupicapra p. pyrenaica). PLoS ONE, 2016, 11, e0168232.	2.5	23
16	Spread and genotype of Toxoplasma gondii in naturally infected alpine chamois (Rupicapra r.) Tj ETQq0 0 0 rgBT	/Oyerlock	2 10 Tf 50 1
17	Characterization of Immune System Cell Subsets inÂFixed Tissues from Alpine Chamois (Rupicapra) Tj ETQq1 1	0.784314	rgBT /Over

18 Demodicosis in Chamois (<i>Rupicapra rupicapra </i>upicapra </i>upicapra </i>upicapra </i>i>rupicapra </i>) in the Italian Alps, 2013–14. 0.8 5 Journal of Wildlife Diseases, 2016, 52, 433-435.

Paolo Lanfranchi

#	Article	IF	CITATIONS
19	Infracommunity crowding as an individual measure of interactive-isolationist degree of parasite communities: disclosing the effects of extrinsic and host factors. Parasites and Vectors, 2016, 9, 88.	2.5	2
20	Giardia duodenalis in Alpine (Rupicapra rupicapra rupicapra) and Apennine (Rupicapra pyrenaica ornata) chamois. Parasites and Vectors, 2015, 8, 650.	2.5	12
21	Toxoplasma gondii Infection in Alpine Red Deer (Cervus elaphus): Its Spread and Effects on Fertility. PLoS ONE, 2015, 10, e0138472.	2.5	20
22	Long-Term Surveillance of Aujeszky's Disease in the Alpine Wild Boar (Sus scrofa). EcoHealth, 2015, 12, 563-570.	2.0	19
23	Effects of habitat quality on parasite abundance: do forest fragmentation and food availability affect helminth infection in the Eurasian red squirrel?. Journal of Zoology, 2015, 296, 38-44.	1.7	16
24	Increased hormonal stress reactions induced in an Alpine Black Grouse (Tetrao tetrix) population by winter sports. Journal of Ornithology, 2015, 156, 317-321.	1.1	19
25	Biodiversity threats from outside to inside: effects of alien grey squirrel (Sciurus carolinensis) on helminth community of native red squirrel (Sciurus vulgaris). Parasitology Research, 2015, 114, 2621-2628.	1.6	26
26	Isolation and identification of Salmonella spp. from red foxes (Vulpes vulpes) and badgers (Meles) Tj ETQq0 0 0 rg	;BT /Overlc 1.6	ock 10 Tf 50
27	Temporal dynamics of European brown hare syndrome infection in Northern Italian brown hares (Lepus europaeus). European Journal of Wildlife Research, 2014, 60, 891-896.	1.4	13
28	Ljungan Virus and an Adenovirus in Italian Squirrel Populations. Journal of Wildlife Diseases, 2014, 50, 409-411.	0.8	20
29	Clonal diversity, virulence-associated genes and antimicrobial resistance profile of Staphylococcus aureus isolates from nasal cavities and soft tissue infections in wild ruminants in Italian Alps. Veterinary Microbiology, 2014, 170, 157-161.	1.9	22
30	Macroparasite Fauna of Alien Grey Squirrels (Sciurus carolinensis): Composition, Variability and Implications for Native Species. PLoS ONE, 2014, 9, e88002.	2.5	36
31	Effect of suboptimal environment and host age on helminth community of black grouse (Tetrao) Tj ETQq1 1 0.78	4314 rgBT 1.4	/Overlock
32	Effect of sexual segregation on host–parasite interaction: Model simulation for abomasal parasite dynamics in alpine ibex (Capra ibex). International Journal for Parasitology, 2010, 40, 1285-1293.	3.1	19
33	Genetic variability of <i>Haemonchus contortus</i> (Nematoda: Trichostrongyloidea) in alpine ruminant host species. Journal of Helminthology, 2010, 84, 276-283.	1.0	63
34	Host factors affecting abomasal parasites in Alpine Ibex. Nature Precedings, 2009, , .	0.1	1
35	Experimental ELISA for diagnosis of ovine dicrocoeliosis and application in a field survey. Parasitology Research, 2009, 104, 949-953.	1.6	9
36	Age-dependent genetic effects on a secondary sexual trait in male Alpine ibex, Capra ibex. Molecular Ecology, 2007, 16, 1969-1980.	3.9	114

Paolo Lanfranchi

#	Article	IF	CITATIONS
37	ABOMASAL NEMATODE COMMUNITY IN AN ALPINE CHAMOIS (RUPICAPRA R. RUPICAPRA) POPULATION BEFORE AND AFTER A DIE-OFF. Journal of Parasitology, 2006, 92, 918-927.	0.7	16
38	Serosurvey of Roe Deer, Chamois and Domestic Sheep in the Central Italian Alps. Journal of Wildlife Diseases, 2006, 42, 685-690.	0.8	85
39	Seasonal 4-year investigation into the role of the alpine marmot (Marmota marmota) as a carrier of zoophilic dermatophytes1. Medical Mycology, 2005, 43, 373-379.	0.7	23
40	Seasonal changes in serum metabolites in free-ranging alpine marmots (Marmota marmota). Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology, 2004, 174, 355-361.	1.5	2
41	Variations in the length of the Y chromosome and the seminal attributes of Karan Fries bulls. Veterinary Research Communications, 2003, 27, 567-575.	1.6	6
42	Serological study of a population of alpine chamois (<i>Rupkapra rrupkapra</i>) affected by an outbreak of respiratory disease. Veterinary Record, 2003, 153, 592-596.	0.3	21
43	Host specificity of abomasal nematodes in free ranging alpine ruminants. Veterinary Parasitology, 2000, 90, 221-230.	1.8	60
44	Epidemiological patterns of canine leishmaniosis in Western Liguria (Italy). Veterinary Parasitology, 1999, 81, 11-19.	1.8	65
45	Pattern of abomasal helminths in fallow deer farming in Umbria (central Italy). Veterinary Parasitology, 1993, 47, 81-86.	1.8	8