

# X Yun Xu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6351683/publications.pdf>

Version: 2024-02-01

160  
papers

5,562  
citations

71102

41  
h-index

110387

64  
g-index

161  
all docs

161  
docs citations

161  
times ranked

4599  
citing authors

#	ARTICLE	IF	CITATIONS
1	Blood flow and vessel mechanics in a physiologically realistic model of a human carotid arterial bifurcation. <i>Journal of Biomechanics</i> , 2000, 33, 975-984.	2.1	253
2	MRI and CFD studies of pulsatile flow in healthy and stenosed carotid bifurcation models. <i>Journal of Biomechanics</i> , 2004, 37, 679-687.	2.1	214
3	Numerical investigation of physiologically realistic pulsatile flow through arterial stenosis. <i>Journal of Biomechanics</i> , 2001, 34, 1229-1242.	2.1	156
4	Reconstruction of blood flow patterns in a human carotid bifurcation: A combined CFD and MRI study. <i>Journal of Magnetic Resonance Imaging</i> , 2000, 11, 299-311.	3.4	147
5	Curvature and tortuosity of the superficial femoral artery: a possible risk factor for peripheral arterial disease. <i>Journal of Applied Physiology</i> , 2006, 101, 1412-1418.	2.5	119
6	On the choice of outlet boundary conditions for patient-specific analysis of aortic flow using computational fluid dynamics. <i>Journal of Biomechanics</i> , 2017, 60, 15-21.	2.1	116
7	Inter-individual variations in wall shear stress and mechanical stress distributions at the carotid artery bifurcation of healthy humans. <i>Journal of Biomechanics</i> , 2002, 35, 1367-1377.	2.1	114
8	Fluid-structure interaction analysis of a patient-specific right coronary artery with physiological velocity and pressure waveforms. <i>Communications in Numerical Methods in Engineering</i> , 2009, 25, 565-580.	1.3	111
9	Analysis of Flow Patterns in a Patient-Specific Aortic Dissection Model. <i>Journal of Biomechanical Engineering</i> , 2010, 132, 051007.	1.3	111
10	Kissing Balloon or Sequential Dilation of the Side Branch and Main Vessel for Provisional Stenting of Bifurcations. <i>JACC: Cardiovascular Interventions</i> , 2012, 5, 47-56.	2.9	111
11	The effect of feed spacer geometry on membrane performance and concentration polarisation based on 3D CFD simulations. <i>Journal of Membrane Science</i> , 2017, 527, 78-91.	8.2	106
12	Incidence and risk factors for retrograde type A dissection and stent graft-induced new entry after thoracic endovascular aortic repair. <i>Journal of Vascular Surgery</i> , 2018, 67, 1026-1033.e2.	1.1	101
13	Fluid-Wall Modelling of Mass Transfer in an Axisymmetric Stenosis: Effects of Shear-Dependent Transport Properties. <i>Annals of Biomedical Engineering</i> , 2006, 34, 1119-1128.	2.5	90
14	High Levels of 18F-FDG Uptake in Aortic Aneurysm Wall are Associated with High Wall Stress. <i>European Journal of Vascular and Endovascular Surgery</i> , 2010, 39, 295-301.	1.5	90
15	Mathematical modeling of thrombus formation in idealized models of aortic dissection: initial findings and potential applications. <i>Journal of Mathematical Biology</i> , 2016, 73, 1205-1226.	1.9	88
16	Modelling of flow and wall behaviour in a mildly stenosed tube. <i>Medical Engineering and Physics</i> , 2002, 24, 575-586.	1.7	86
17	Reproducibility Study of Magnetic Resonance Image-Based Computational Fluid Dynamics Prediction of Carotid Bifurcation Flow. <i>Annals of Biomedical Engineering</i> , 2003, 31, 142-151.	2.5	80
18	Predicting false lumen thrombosis in patient-specific models of aortic dissection. <i>Journal of the Royal Society Interface</i> , 2016, 13, 20160759.	3.4	80

#	ARTICLE	IF	CITATIONS
19	Analysis of Flow Disturbance in a Stenosed Carotid Artery Bifurcation Using Two-Equation Transitional and Turbulence Models. <i>Journal of Biomechanical Engineering</i> , 2008, 130, 061008.	1.3	79
20	MRI measurement of wall shear stress vectors in bifurcation models and comparison with CFD predictions. <i>Journal of Magnetic Resonance Imaging</i> , 2001, 14, 563-573.	3.4	76
21	Predicting flow in aortic dissection: Comparison of computational model with PC-MRI velocity measurements. <i>Medical Engineering and Physics</i> , 2014, 36, 1176-1184.	1.7	70
22	Image-guided thermosensitive liposomes for focused ultrasound drug delivery: Using NIRF-labelled lipids and topotecan to visualise the effects of hyperthermia in tumours. <i>Journal of Controlled Release</i> , 2018, 280, 87-98.	9.9	66
23	Fluid–solid interaction simulation of flow and stress pattern in thoracoabdominal aneurysms: A patient-specific study. <i>Journal of Fluids and Structures</i> , 2008, 24, 270-280.	3.4	64
24	Geometric and Flow Features of Type B Aortic Dissection: Initial Findings and Comparison of Medically Treated and Stented Cases. <i>Annals of Biomedical Engineering</i> , 2015, 43, 177-189.	2.5	64
25	Effects of transmural pressure and wall shear stress on LDL accumulation in the arterial wall: a numerical study using a multilayered model. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 292, H3148-H3157.	3.2	62
26	Discrete element simulation of particle flow in arbitrarily complex geometries. <i>Chemical Engineering Science</i> , 2011, 66, 6069-6088.	3.8	61
27	An activated-platelet-sensitive nanocarrier enables targeted delivery of tissue plasminogen activator for effective thrombolytic therapy. <i>Journal of Controlled Release</i> , 2019, 300, 1-12.	9.9	61
28	Computational modelling of drug delivery to solid tumour: Understanding the interplay between chemotherapeutics and biological system for optimised delivery systems. <i>Advanced Drug Delivery Reviews</i> , 2018, 132, 81-103.	13.7	59
29	Image-based carotid flow reconstruction: a comparison between MRI and ultrasound. <i>Physiological Measurement</i> , 2004, 25, 1495-1509.	2.1	57
30	Accuracy and Reproducibility of CFD Predicted Wall Shear Stress Using 3D Ultrasound Images. <i>Journal of Biomechanical Engineering</i> , 2003, 125, 218-222.	1.3	56
31	The Influence of Inflow Boundary Conditions on Intra Left Ventricle Flow Predictions. <i>Journal of Biomechanical Engineering</i> , 2003, 125, 922-927.	1.3	53
32	Solution of population balance equation using quadrature method of moments with an adjustable factor. <i>Chemical Engineering Science</i> , 2007, 62, 5897-5911.	3.8	50
33	Pore-scale direct numerical simulation of particle transport in porous media. <i>Chemical Engineering Science</i> , 2019, 199, 613-627.	3.8	50
34	4-D Flow MRI-Based Computational Analysis of Blood Flow in Patient-Specific Aortic Dissection. <i>IEEE Transactions on Biomedical Engineering</i> , 2019, 66, 3411-3419.	4.2	48
35	Comparative Study of Magnetic Resonance Imaging and Image-Based Computational Fluid Dynamics for Quantification of Pulsatile Flow in a Carotid Bifurcation Phantom. <i>Annals of Biomedical Engineering</i> , 2003, 31, 962-971.	2.5	47
36	Computational Analysis of Oxygen Transport in the Retinal Arterial Network. <i>Current Eye Research</i> , 2009, 34, 945-956.	1.5	47

#	ARTICLE	IF	CITATIONS
37	Computational Modeling of LDL and Albumin Transport in an In Vivo CT Image-Based Human Right Coronary Artery. <i>Journal of Biomechanical Engineering</i> , 2009, 131, 021003.	1.3	46
38	A computational model for false lumen thrombosis in type B aortic dissection following thoracic endovascular repair. <i>Journal of Biomechanics</i> , 2018, 66, 36-43.	2.1	46
39	Magnetic resonance image processing and structured grid generation of a human abdominal bifurcation. <i>Computer Methods and Programs in Biomedicine</i> , 1998, 56, 249-259.	4.7	45
40	Effects of elastic compression stockings on wall shear stress in deep and superficial veins of the calf. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008, 294, H2112-H2120.	3.2	44
41	FLUID-STRUCTURE INTERACTION ANALYSIS OF WALL STRESS AND FLOW PATTERNS IN A THORACIC AORTIC ANEURYSM. <i>International Journal of Applied Mechanics</i> , 2009, 01, 179-199.	2.2	44
42	A Numerical Study of Aortic Flow Stability and Comparison With In Vivo Flow Measurements. <i>Journal of Biomechanical Engineering</i> , 2013, 135, 011003.	1.3	44
43	Computational study of aortic hemodynamics for patients with an abnormal aortic valve: The importance of secondary flow at the ascending aorta inlet. <i>APL Bioengineering</i> , 2018, 2, 026101.	6.2	44
44	Coronary arterial dynamics computation with medical-image-based time-dependent anatomical models and element-based zero-stress state estimates. <i>Computational Mechanics</i> , 2014, 54, 1047-1053.	4.0	43
45	MR Image-Based Geometric and Hemodynamic Investigation of the Right Coronary Artery with Dynamic Vessel Motion. <i>Annals of Biomedical Engineering</i> , 2010, 38, 2606-2620.	2.5	42
46	A Mathematical Model for Thermosensitive Liposomal Delivery of Doxorubicin to Solid Tumour. <i>Journal of Drug Delivery</i> , 2013, 2013, 1-13.	2.5	42
47	Comparison of LES of Steady Transitional Flow in an Idealized Stenosed Axisymmetric Artery Model With a RANS Transitional Model. <i>Journal of Biomechanical Engineering</i> , 2011, 133, 051001.	1.3	40
48	The influence of inlet velocity profile on predicted flow in type B aortic dissection. <i>Biomechanics and Modeling in Mechanobiology</i> , 2021, 20, 481-490.	2.8	40
49	Integrated morphologic and functional assessment of the aortic root after different tissue valve root replacement procedures. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2012, 143, 1422-1428.e2.	0.8	38
50	A two-layer mesh method for discrete element simulation of gas-particle systems with arbitrarily polyhedral mesh. <i>International Journal for Numerical Methods in Engineering</i> , 2015, 103, 759-780.	2.8	37
51	Comparison of Blood Flow in Branched and Fenestrated Stent-Grafts for Endovascular Repair of Abdominal Aortic Aneurysms. <i>Journal of Endovascular Therapy</i> , 2015, 22, 578-590.	1.5	37
52	Ultrasound image-based computer model of a common carotid artery with a plaque. <i>Medical Engineering and Physics</i> , 2004, 26, 823-840.	1.7	36
53	Introduction to the biomechanics of carotid plaque pathogenesis and rupture: review of the clinical evidence. <i>British Journal of Radiology</i> , 2010, 83, 729-735.	2.2	36
54	A combined fluid dynamics, mass transport and cell growth model for a three-dimensional perfused bioreactor for tissue engineering of haematopoietic cells. <i>Biochemical Engineering Journal</i> , 2007, 35, 1-11.	3.6	35

#	ARTICLE	IF	CITATIONS
55	Carotid endothelial shear stress reduction with aging is associated with plaque development in twelve years. <i>Atherosclerosis</i> , 2016, 251, 63-69.	0.8	35
56	The effect of tumour size on drug transport and uptake in 3-D tumour models reconstructed from magnetic resonance images. <i>PLoS ONE</i> , 2017, 12, e0172276.	2.5	35
57	Evaluation of 4D flow MRI-based non-invasive pressure assessment in aortic coarctations. <i>Journal of Biomechanics</i> , 2019, 94, 13-21.	2.1	35
58	Fibrinogen-mimicking, multiarm nanovesicles for human thrombus-specific delivery of tissue plasminogen activator and targeted thrombolytic therapy. <i>Science Advances</i> , 2021, 7, .	10.3	33
59	Patient-specific analysis of displacement forces acting on fenestrated stent grafts for endovascular aneurysm repair. <i>Journal of Biomechanics</i> , 2014, 47, 3546-3554.	2.1	32
60	Influence of Pulsatile Flow on LDL Transport in the Arterial Wall. <i>Annals of Biomedical Engineering</i> , 2007, 35, 1782-1790.	2.5	31
61	Shear-induced platelet activation and its relationship with blood flow topology in a numerical model of stenosed carotid bifurcation. <i>European Journal of Mechanics, B/Fluids</i> , 2012, 35, 92-101.	2.5	31
62	Towards a multiphysics modelling framework for thermosensitive liposomal drug delivery to solid tumour combined with focused ultrasound hyperthermia. <i>Biophysics Reports</i> , 2019, 5, 43-59.	0.8	31
63	Low wall shear stress predicts subsequent development of wall hypertrophy in lower limb bypass grafts. <i>Artery Research</i> , 2009, 3, 32.	0.6	30
64	Computational Simulations of Thrombolytic Therapy in Acute Ischaemic Stroke. <i>Scientific Reports</i> , 2018, 8, 15810.	3.3	30
65	Effect of heterogeneous microvasculature distribution on drug delivery to solid tumour. <i>Journal Physics D: Applied Physics</i> , 2014, 47, 475401.	2.8	29
66	Analysis of Turbulence Effects in a Patient-Specific Aorta with Aortic Valve Stenosis. <i>Cardiovascular Engineering and Technology</i> , 2021, 12, 438-453.	1.6	29
67	Carotid geometry reconstruction: a comparison between MRI and ultrasound. <i>Medical Physics</i> , 2003, 30, 3251-3261.	3.0	28
68	A predictive model for spiral wound reverse osmosis membrane modules: The effect of winding geometry and accurate geometric details. <i>Computers and Chemical Engineering</i> , 2017, 96, 248-265.	3.8	28
69	High Wall Shear Stress can Predict Wall Degradation in Ascending Aortic Aneurysms: An Integrated Biomechanics Study. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021, 9, 750656.	4.1	28
70	Reconstruction of blood flow patterns in human arteries. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , 1999, 213, 411-421.	1.8	27
71	Computational analysis of oxygen transport in a patient-specific model of abdominal aortic aneurysm with intraluminal thrombus. <i>British Journal of Radiology</i> , 2009, 82, S18-S23.	2.2	26
72	Location of Reentry Tears Affects False Lumen Thrombosis in Aortic Dissection Following TEVAR. <i>Journal of Endovascular Therapy</i> , 2020, 27, 396-404.	1.5	26

#	ARTICLE	IF	CITATIONS
73	Flow in carotid bifurcations: effect of the superior thyroid artery. <i>Medical Engineering and Physics</i> , 1999, 21, 207-214.	1.7	25
74	An adaptive direct quadrature method of moment for population balance equations. <i>AICHE Journal</i> , 2008, 54, 2872-2887.	3.6	24
75	Various issues relating to computational fluid dynamics simulations of carotid bifurcation flow based on models reconstructed from three-dimensional ultrasound images. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , 2003, 217, 393-403.	1.8	23
76	Operator dependence of 3-D ultrasound-based computational fluid dynamics for the carotid bifurcation. <i>IEEE Transactions on Medical Imaging</i> , 2005, 24, 451-456.	8.9	23
77	Nitric oxide transport in an axisymmetric stenosis. <i>Journal of the Royal Society Interface</i> , 2012, 9, 2468-2478.	3.4	23
78	Effects of aortic root motion on wall stress in the Marfan aorta before and after personalised aortic root support (PEARS) surgery. <i>Journal of Biomechanics</i> , 2016, 49, 2076-2084.	2.1	23
79	High Wall Stress May Predict the Formation of Stent-Graft-Induced New Entries After Thoracic Endovascular Aortic Repair. <i>Journal of Endovascular Therapy</i> , 2018, 25, 571-577.	1.5	23
80	Role of MRI in investigating the effects of elastic compression stockings on the deformation of the superficial and deep veins in the lower leg. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 26, 80-85.	3.4	22
81	A computational study on the influence of catheter-delivered intravascular probes on blood flow in a coronary artery model. <i>Journal of Biomechanics</i> , 2007, 40, 2501-2509.	2.1	22
82	Flow pattern analysis in a highly stenotic patient-specific carotid bifurcation model using a turbulence model. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2015, 18, 1099-1107.	1.6	22
83	Quantitative comparison of CFD predicted and MRI measured velocity fields in a carotid bifurcation phantom. <i>Biorheology</i> , 2002, 39, 467-74.	0.4	22
84	Comparison of Aortic Flow Patterns Before and After Transcatheter Aortic Valve Implantation. <i>Cardiovascular Engineering and Technology</i> , 2012, 3, 123-135.	1.6	20
85	Advances in numerical methods for the solution of population balance equations for disperse phase systems. <i>Science in China Series B: Chemistry</i> , 2009, 52, 1063-1079.	0.8	19
86	Evidence-based recommendations for PISA measurements in mitral regurgitation: systematic review, clinical and in-vitro study. <i>International Journal of Cardiology</i> , 2013, 168, 1220-1228.	1.7	19
87	Measurement of hemodynamics in human carotid artery using ultrasound and computational fluid dynamics. <i>Journal of Applied Physiology</i> , 2002, 92, 957-961.	2.5	18
88	Towards a multi-physics modelling framework for thrombolysis under the influence of blood flow. <i>Journal of the Royal Society Interface</i> , 2015, 12, 20150949.	3.4	18
89	A systematic study of temperature sensitive liposomal delivery of doxorubicin using a mathematical model. <i>Computers in Biology and Medicine</i> , 2015, 60, 107-116.	7.0	18
90	MR-labelled liposomes and focused ultrasound for spatiotemporally controlled drug release in triple negative breast cancers in mice. <i>Nanotheranostics</i> , 2021, 5, 125-142.	5.2	18

#	ARTICLE	IF	CITATIONS
91	Assessment of Hemodynamic Conditions in the Aorta Following Root Replacement with Composite Valve-Conduit Graft. <i>Annals of Biomedical Engineering</i> , 2016, 44, 1392-1404.	2.5	17
92	Disturbed Flow in a Stenosed Carotid Artery Bifurcation: Comparison of RANS-Based Transitional Model and LES with Experimental Measurements. <i>International Journal of Applied Mechanics</i> , 2019, 11, 1950032.	2.2	17
93	A combined experimental and computational study of the flow characteristics in a Type B aortic dissection: Effect of primary and secondary tear size. <i>Chemical Engineering Research and Design</i> , 2020, 160, 240-253.	5.6	17
94	Patient-Specific Virtual Stent-Graft Deployment for Type B Aortic Dissection: A Pilot Study of the Impact of Stent-Graft Length. <i>Frontiers in Physiology</i> , 2021, 12, 718140.	2.8	17
95	Patient-specific simulation of stent-graft deployment in type B aortic dissection: model development and validation. <i>Biomechanics and Modeling in Mechanobiology</i> , 2021, 20, 2247-2258.	2.8	17
96	Mathematical Modelling of Drug Transport and Uptake in a Realistic Model of Solid Tumour. <i>Protein and Peptide Letters</i> , 2014, 21, 1146-1156.	0.9	17
97	Use of mathematical models to understand anticancer drug delivery and its effect on solid tumors. <i>Pharmacogenomics</i> , 2011, 12, 1337-1348.	1.3	16
98	An improved version of RIGID for discrete element simulation of particle flows with arbitrarily complex geometries. <i>Powder Technology</i> , 2014, 253, 393-405.	4.2	16
99	A viscoelastic fluid-structure interaction model for carotid arteries under pulsatile flow. <i>International Journal for Numerical Methods in Biomedical Engineering</i> , 2015, 31, e02709.	2.1	15
100	Effect of a Flared Renal Stent on the Performance of Fenestrated Stent-Grafts at Rest and Exercise Conditions. <i>Journal of Endovascular Therapy</i> , 2016, 23, 809-820.	1.5	15
101	Aortic flow patterns before and after personalised external aortic root support implantation in Marfan patients. <i>Journal of Biomechanics</i> , 2016, 49, 100-111.	2.1	15
102	Mathematical Modelling of Intravenous Thrombolysis in Acute Ischaemic stroke: Effects of Dose Regimens on Levels of Fibrinolytic Proteins and Clot Lysis Time. <i>Pharmaceutics</i> , 2019, 11, 111.	4.5	15
103	Association of hemodynamic factors and progressive aortic dilatation following type A aortic dissection surgical repair. <i>Scientific Reports</i> , 2021, 11, 11521.	3.3	15
104	Analysis of flow and wall shear stress in the peroneal veins under external compression based on real-time MR images. <i>Medical Engineering and Physics</i> , 2012, 34, 17-27.	1.7	14
105	Finite element analysis of the deformation of deep veins in the lower limb under external compression. <i>Medical Engineering and Physics</i> , 2013, 35, 515-523.	1.7	14
106	Patient-Specific Coronary Stenoses Can Be Modeled Using a Combination of OCT and Flow Velocities to Accurately Predict Hyperemic Pressure Gradients. <i>IEEE Transactions on Biomedical Engineering</i> , 2014, 61, 1902-1913.	4.2	14
107	Effect of intimal flap motion on flow in acute type B aortic dissection by using fluid-structure interaction. <i>International Journal for Numerical Methods in Biomedical Engineering</i> , 2020, 36, e3399.	2.1	14
108	Correlations for Concentration Polarization and Pressure Drop in Spacer-Filled RO Membrane Modules Based on CFD Simulations. <i>Membranes</i> , 2021, 11, 338.	3.0	14

#	ARTICLE	IF	CITATIONS
109	Evaluation and verification of patient-specific modelling of type B aortic dissection. <i>Computers in Biology and Medicine</i> , 2022, 140, 105053.	7.0	14
110	Fluid-Structure Interaction Simulations of Repaired Type A Aortic Dissection: a Comprehensive Comparison With Rigid Wall Models. <i>Frontiers in Physiology</i> , 0, 13, .	2.8	14
111	Development of lysolipid-based thermosensitive liposomes for delivery of high molecular weight proteins. <i>International Journal of Pharmaceutics</i> , 2011, 421, 291-292.	5.2	13
112	Finite element modeling to predict procedural success of thoracic endovascular aortic repair in type A aortic dissection. <i>JTCVS Techniques</i> , 2020, 4, 40-47.	0.4	13
113	The effect of turbulence on transitional flow in the FDA's benchmark nozzle model using large-eddy simulation. <i>International Journal for Numerical Methods in Biomedical Engineering</i> , 2020, 36, e3389.	2.1	13
114	Predicting Impending Rupture of the Ascending Aorta With Bicuspid Aortic Valve. <i>JACC: Cardiovascular Imaging</i> , 2013, 6, 1017-1019.	5.3	12
115	Reconstruction of blood flow patterns in a human carotid bifurcation: A combined CFD and MRI study. <i>Journal of Magnetic Resonance Imaging</i> , 2000, 11, 299.	3.4	12
116	A systems-based mathematical modelling framework for investigating the effect of drugs on solid tumours. <i>Theoretical Biology and Medical Modelling</i> , 2011, 8, 45.	2.1	11
117	Biomechanical properties of the Marfan's aortic root and ascending aorta before and after personalised external aortic root support surgery. <i>Medical Engineering and Physics</i> , 2015, 37, 759-766.	1.7	11
118	Simulation of ex vivo bone marrow culture: Application to chronic myeloid leukaemia growth model. <i>Biochemical Engineering Journal</i> , 2012, 61, 66-77.	3.6	10
119	Investigating the effects of ABC transporter-based acquired drug resistance mechanisms at the cellular and tissue scale. <i>Integrative Biology (United Kingdom)</i> , 2013, 5, 555.	1.3	10
120	Towards an understanding of the release behavior of temperature-sensitive liposomes: a possible explanation of the "pseudoequilibrium" release behavior at the phase transition temperature. <i>Journal of Liposome Research</i> , 2013, 23, 167-173.	3.3	10
121	Computational simulations of thrombolysis in acute stroke: Effect of clot size and location on recanalisation. <i>Medical Engineering and Physics</i> , 2019, 73, 9-17.	1.7	10
122	A pilot study of aortic hemodynamics before and after thoracic endovascular repair with a double-branched endograft. <i>Medicine in Novel Technology and Devices</i> , 2019, 4, 100027.	1.6	10
123	Thermosensitive Liposome-Mediated Drug Delivery in Chemotherapy: Mathematical Modelling for Spatio-temporal Drug Distribution and Model-Based Optimisation. <i>Pharmaceutics</i> , 2019, 11, 637.	4.5	10
124	Evaluation of Computational Methodologies for Accurate Prediction of Wall Shear Stress and Turbulence Parameters in a Patient-Specific Aorta. <i>Frontiers in Bioengineering and Biotechnology</i> , 2022, 10, 836611.	4.1	10
125	Simulation of micro-behaviors including nucleation, growth, and aggregation in particle system. <i>Science in China Series B: Chemistry</i> , 2009, 52, 241-248.	0.8	9
126	Assessment of Energy Requirement for the Retinal Arterial Network in Normal and Hypertensive Subjects. <i>Journal of Biomechanical Engineering</i> , 2012, 134, 014501.	1.3	9



#	ARTICLE	IF	CITATIONS
127	In-vivo assessment of the morphology and hemodynamic functions of the BioValsalva®, composite valve-conduit graft using cardiac magnetic resonance imaging and computational modelling technology. <i>Journal of Cardiothoracic Surgery</i> , 2014, 9, 193.	1.1	9
128	Dissection Level Within Aortic Wall Layers is Associated with Propagation of Type B Aortic Dissection: A Swine Model Study. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019, 58, 415-425.	1.5	9
129	A Computational Study of the Effect of Stent Design on Local Hemodynamic Factors at the Carotid Artery Bifurcation. <i>Artery Research</i> , 2020, 26, 161-169.	0.6	9
130	An integrated fluid-structure interaction and thrombosis model for type B aortic dissection. <i>Biomechanics and Modeling in Mechanobiology</i> , 2022, 21, 261-275.	2.8	9
131	Prediction of aortic dilatation in surgically repaired type A dissection: A longitudinal study using computational fluid dynamics. <i>JTCVS Open</i> , 2022, 9, 11-27.	0.5	9
132	MR phase-contrast velocity mapping methods for measuring venous blood velocity in the deep veins of the calf. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 34, 634-644.	3.4	8
133	Relationship between carotid artery intima-media thickness and wall shear stress derived parameters. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2005, 8, 279-280.	1.6	7
134	Combined imaging, computational and histological analysis of a ruptured carotid plaque: A patient-specific analysis. <i>Artery Research</i> , 2010, 4, 59.	0.6	7
135	A novel fully automated method for mitral regurgitant orifice area quantification. <i>International Journal of Cardiology</i> , 2013, 166, 688-695.	1.7	7
136	Towards an integrated systems-based modelling framework for drug transport and its effect on tumour cells. <i>Journal of Biological Engineering</i> , 2014, 8, 3.	4.7	7
137	Hemodynamic evaluation using four-dimensional flow magnetic resonance imaging for a patient with multichanneled aortic dissection. <i>Journal of Vascular Surgery Cases and Innovative Techniques</i> , 2018, 4, 67-71.	0.6	7
138	Computational Modeling of Flow and Thrombus Formation in Type B Aortic Dissection: The Influence of False Lumen Perfused Side Branches. <i>Studies in Mechanobiology, Tissue Engineering and Biomaterials</i> , 2022, , 53-72.	1.0	7
139	Computational biomechanics of the aortic root. <i>Aswan Heart Centre Science &amp; Practice Series</i> , 2011, 2011, .	0.3	6
140	Effect of Vessel Tortuosity on Stress Concentration at the Distal Stent-Vessel Interface: Possible Link With New Entry Formation Through Biomechanical Simulation. <i>Journal of Biomechanical Engineering</i> , 2021, 143, .	1.3	6
141	Geometry and flow in ascending aortic aneurysms are influenced by left ventricular outflow tract orientation: Detecting increased wall shear stress on the outer curve of proximal aortic aneurysms. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2023, 166, 11-21.e1.	0.8	6
142	Qualitative and Quantitative Assessments of Blood Flow on Tears in Type B Aortic Dissection With Different Morphologies. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021, 9, 742985.	4.1	6
143	Haemodynamic Analysis of Branched Endografts for Complex Aortic Arch Repair. <i>Bioengineering</i> , 2022, 9, 45.	3.5	6
144	Physical characterisation and yield stress of a concentrated Miscanthus suspension. <i>Rheologica Acta</i> , 2014, 53, 805-815.	2.4	5

#	ARTICLE	IF	CITATIONS
145	Phase-contrast magnetic resonance imaging and computational fluid dynamics assessment of thoracic aorta blood flow: a literature review. <i>European Journal of Cardio-thoracic Surgery</i> , 2020, 57, 438-446.	1.4	5
146	Modelling in congenital heart disease. Art or science?. <i>International Journal of Cardiology</i> , 2009, 133, 141-144.	1.7	4
147	Carotid Artery Hemodynamics: Observing Patient-specific Changes with Amlodipine and Lisinopril by Using MR Imaging Computation Fluid Dynamics. <i>Radiology</i> , 2010, 257, 662-669.	7.3	4
148	Hemodynamic changes in the femoral vein with increasing outflow resistance. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , 2014, 2, 26-33.	1.6	4
149	Intrinsic and induced drug resistance mechanisms: in silico investigations at the cellular and tissue scales. <i>Integrative Biology (United Kingdom)</i> , 2015, 7, 1044-1060.	1.3	4
150	Hemodynamic Functions of Fenestrated Stent Graft under Resting, Hypertension, and Exercise Conditions. <i>Frontiers in Surgery</i> , 2016, 3, 35.	1.4	4
151	Modelling Combined Intravenous Thrombolysis and Mechanical Thrombectomy in Acute Ischaemic Stroke: Understanding the Relationship between Stent Retriever Configuration and Clot Lysis Mechanisms. <i>Life</i> , 2021, 11, 1271.	2.4	4
152	Quantification of the non-planarity of the human carotid bifurcation. <i>Biorheology</i> , 2002, 39, 419-24.	0.4	4
153	Magnetic resonance venous velocity mapping during intermittent pneumatic compression of the calf and foot. <i>Phlebology</i> , 2012, 27, 352-359.	1.2	3
154	Multiphysics Modelling and Simulation of Thrombolysis via Activated Platelet-Targeted Nanomedicine. <i>Pharmaceutical Research</i> , 2022, 39, 41-56.	3.5	3
155	Local fixed pivot quadrature method of moment for bubble population balance equation including coalescence and breakage. , 2010, , .		1
156	Aortic Leaflet Stress in Surgery for Genetically Determined Root Aneurysms: Biomechanical Insights. <i>Annals of Thoracic Surgery</i> , 2018, 105, 984.	1.3	1
157	3D-Bioprinting and Micro-/Nano-Technology: Emerging Technologies in Biomedical Sciences. <i>Advanced Drug Delivery Reviews</i> , 2018, 132, 1-2.	13.7	1
158	Abstract 10478: Comprehensive Mechanical Modelling of Thoracic Endovascular Aortic Repair in Type A Aortic Dissection. <i>Circulation</i> , 2021, 144, .	1.6	1
159	The Haemodynamic and Pathophysiological Mechanisms of Calcific Aortic Valve Disease. <i>Biomedicines</i> , 2022, 10, 1317.	3.2	1
160	APPLICATION OF ULTRASOUND-BASED COMPUTATIONAL FLUID DYNAMICS TO MODELING BLOOD FLOW IN THE CAROTID BIFURCATION. , 2005, , 109-156.		0