
## Shani Shenhar-Tsarfaty

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6351971/publications.pdf Version: 2024-02-01



| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Stratifying individuals into non-alcoholic fatty liver disease risk levels using time series machine<br>learning models. Journal of Biomedical Informatics, 2022, 126, 103986.   | 2.5 | 7         |
| 2  | A machine learning model for predicting deterioration of COVID-19 inpatients. Scientific Reports, 2022, 12, 2630.  | 1.6 | 21        |
| 3  | Posttraumatic Stress Symptoms After Stroke: The Effects of Anatomy and Coping Style. Stroke, 2022, 53, 1924-1933.  | 1.0 | 7         |
| 4  | Early Detection of Inflammation-Prone STEMI Patients Using the CRP Troponin Test (CTT). Journal of Clinical Medicine, 2022, 11, 2453.  | 1.0 | 5         |
| 5  | Age-Dependent Biomarkers for Prediction of In-Hospital Mortality in COVID-19 Patients. Journal of Clinical Medicine, 2022, 11, 2682.   | 1.0 | 8         |
| 6  | Sepsis Related Mortality Associated with an Inflammatory Burst in Patients Admitting to the<br>Department of Internal Medicine with Apparently Normal C-Reactive Protein Concentration. Journal<br>of Clinical Medicine, 2022, 11, 3151. | 1.0 | 3         |
| 7  | Comorbidities in patients with palmoplantar plaque psoriasis. Journal of the American Academy of Dermatology, 2021, 84, 639-643.   | 0.6 | 8         |
| 8  | The superiority of 72Âh leukocyte descent over CRP for mortality prediction in patients with sepsis.<br>Clinica Chimica Acta, 2021, 514, 34-39.  | 0.5 | 4         |
| 9  | Association between elevated serum bilirubin levels with preserved lung function under conditions of exposure to air pollution. BMC Pulmonary Medicine, 2021, 21, 119.   | 0.8 | 1         |
| 10 | <i>CCR5</i> -Δ32 polymorphism: a possible protective factor for post-stroke depressive symptoms.<br>Journal of Psychiatry and Neuroscience, 2021, 46, E431-E440.   | 1.4 | 6         |
| 11 | Cholinesterase activity in serum during general anesthesia in patients with or without vascular disease. Scientific Reports, 2021, 11, 16687.  | 1.6 | 1         |
| 12 | Mutations in GBA and LRRK2 Are Not Associated with Increased Inflammatory Markers. Journal of Parkinson's Disease, 2021, 11, 1285-1296.  | 1.5 | 16        |
| 13 | Automated processing of thermal imaging to detect COVID-19. Scientific Reports, 2021, 11, 17489.   | 1.6 | 25        |
| 14 | Biochemical markers for severity and risk in GBA and LRRK2 Parkinson's disease. Journal of Neurology, 2021, 268, 1517-1525.  | 1.8 | 4         |
| 15 | Non-alcoholic Fatty Liver and Liver Fibrosis Predictive Analytics: Risk Prediction and Machine Learning<br>Techniques for Improved Preventive Medicine. Journal of Medical Systems, 2021, 45, 22.  | 2.2 | 10        |
| 16 | Patients who are admitted to the Department of Internal Medicine with a very low C-reactive protein concentration. European Journal of Inflammation, 2021, 19, 205873922110473.  | 0.2 | 9         |
| 17 | Contribution of clinical breast exam to cancer detection in women participating in a modern screening program. BMC Women's Health, 2021, 21, 368.  | 0.8 | 4         |
| 18 | C-reactive protein velocity discriminates between acute viral and bacterial infections in patients who present with relatively low CRP concentrations. BMC Infectious Diseases, 2021, 21, 1210.  | 1.3 | 10        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Prevalence of high-sensitivity cardiac troponin T in real-life cohorts of psoriatic arthritis and general population: a cross-sectional study. Rheumatology International, 2020, 40, 437-444.                    | 1.5 | 3         |
| 20 | Using the kinetics of C-reactive protein response to improve the differential diagnosis between acute bacterial and viral infections. Infection, 2020, 48, 241-248.  | 2.3 | 35        |
| 21 | The association between C-reactive protein and common blood tests in apparently healthy individuals undergoing a routine health examination. Clinica Chimica Acta, 2020, 501, 33-41.                             | 0.5 | 11        |
| 22 | Blood acetylcholinesterase activity is associated with increased 10 year all-cause mortality following coronary angiography. Atherosclerosis, 2020, 313, 144-149.  | 0.4 | 5         |
| 23 | Metabolic syndrome does not influence the phenotype of LRRK2 and GBA related Parkinson's disease.<br>Scientific Reports, 2020, 10, 9329.   | 1.6 | 19        |
| 24 | A second C-reactive protein (CRP) test to detect inflammatory burst in patients with acute bacterial infections presenting with a first relatively low CRP. Medicine (United States), 2020, 99, e22551.          | 0.4 | 11        |
| 25 | The potential benefit of a second C-reactive protein measurement in patients with gram-negative bacteraemia presenting to the emergency medicine department. Biomarkers, 2020, 25, 533-538.                      | 0.9 | 10        |
| 26 | Transfer RNA fragments replace microRNA regulators of the cholinergic poststroke immune blockade.<br>Proceedings of the National Academy of Sciences of the United States of America, 2020, 117,<br>32606-32616. | 3.3 | 37        |
| 27 | The depressive price of being a sandwich-generation caregiver: can organizations and managers help?.<br>European Journal of Work and Organizational Psychology, 2020, 29, 862-879.                               | 2.2 | 12        |
| 28 | Exercise-induced albuminuria increases over time in individuals with impaired glucose metabolism.<br>Cardiovascular Diabetology, 2020, 19, 90.   | 2.7 | 1         |
| 29 | The yield of immediate post lung biopsy CT in predicting iatrogenic pneumothorax. BMC Pulmonary<br>Medicine, 2020, 20, 91.   | 0.8 | 3         |
| 30 | Septic patients presenting with apparently normal C-reactive protein. Medicine (United States), 2019, 98, e13989.  | 0.4 | 17        |
| 31 | Hypertension is associated with increased postâ€exercise albuminuria, which may be attenuated by an active lifestyle. Journal of Clinical Hypertension, 2019, 21, 1171-1179.                                     | 1.0 | 7         |
| 32 | Hospitalization as an opportunity to correct errors in anticoagulant treatment in patients with atrial fibrillation. British Journal of Clinical Pharmacology, 2019, 85, 2838-2847.                              | 1.1 | 12        |
| 33 | Anemia measurements to distinguish between viral and bacterial infections in the emergency<br>department. European Journal of Clinical Microbiology and Infectious Diseases, 2019, 38, 2331-2339.                | 1.3 | 4         |
| 34 | Lung function deterioration predicts elevated troponin levels in apparently healthy individuals<br>throughout a 5-year follow-up. Respiratory Medicine, 2019, 154, 63-68.  | 1.3 | 1         |
| 35 | Familial history of heart disease and increased risk for elevated troponin in apparently healthy<br>individuals. Clinical Cardiology, 2019, 42, 760-767.   | 0.7 | 6         |
| 36 | NLRP3 inflammasome activity is upregulated in an in-vitro model of COPD exacerbation. PLoS ONE, 2019, 14, e0214622.  | 1.1 | 37        |

SHANI SHENHAR-TSARFATY

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Characteristics of apparently healthy individuals with a very low C-reactive protein. Clinica Chimica Acta, 2019, 495, 221-226.   | 0.5 | 5         |
| 38 | Eosinophil levels predict lung function deterioration in apparently healthy individuals.<br>International Journal of COPD, 2019, Volume 14, 597-603.  | 0.9 | 9         |
| 39 | Exercise-induced cardiac troponin in the era of high sensitivity assays: What makes our heart sweat?.<br>International Journal of Cardiology, 2019, 288, 19-21.   | 0.8 | 5         |
| 40 | Long term metabolic and renal outcomes of kidney donors compared to controls with excellent kidney function. BMC Nephrology, 2019, 20, 30.  | 0.8 | 24        |
| 41 | Exercise capacity and body mass index - important predictors of change in resting heart rate. BMC<br>Cardiovascular Disorders, 2019, 19, 307.   | 0.7 | 12        |
| 42 | Increase of body mass index and waist circumference predicts development of metabolic syndrome<br>criteria in apparently healthy individuals with 2 and 5 years follow-up. International Journal of<br>Obesity, 2019, 43, 800-807.                    | 1.6 | 19        |
| 43 | Metabolic syndrome is associated to high-sensitivity cardiac troponin T elevation. Biomarkers, 2019, 24, 153-158.   | 0.9 | 8         |
| 44 | Obesity-related acetylcholinesterase elevation is reversed following laparoscopic sleeve gastrectomy. International Journal of Obesity, 2019, 43, 297-305.  | 1.6 | 12        |
| 45 | Elevated highâ€sensitive troponin T in negative stress test individuals. European Journal of Clinical<br>Investigation, 2018, 48, e12930.   | 1.7 | 9         |
| 46 | C-reactive protein and emergency department seven days revisit. Clinica Chimica Acta, 2018, 481, 207-211.   | 0.5 | 12        |
| 47 | Total serum cholinesterase activity predicts hemodynamic changes during exercise and associates with cardiac troponin detection in a sex-dependent manner. Molecular Medicine, 2018, 24, 63.  | 1.9 | 6         |
| 48 | A novel combined score of biomarkers in sputum may be an indicator for lung cancer: A pilot study.<br>Clinica Chimica Acta, 2018, 487, 139-144.   | 0.5 | 2         |
| 49 | The Price of Stress: High Bedtime Salivary Cortisol Levels Are Associated with Brain Atrophy and<br>Cognitive Decline in Stroke Survivors. Results from the TABASCO Prospective Cohort Study. Journal<br>of Alzheimer's Disease, 2018, 65, 1365-1375. | 1.2 | 17        |
| 50 | Serum cholinesterase activity is elevated in female diarrheaâ€predominant irritable bowel syndrome patients compared to matched controls. Neurogastroenterology and Motility, 2018, 30, e13464.   | 1.6 | 9         |
| 51 | Normal-range albuminuria in healthy subjects increases over time in association with hypertension and metabolic outcomes. Journal of the American Society of Hypertension, 2018, 12, 759-767.   | 2.3 | 8         |
| 52 | Only White Matter Hyperintensities Predicts Post-Stroke Cognitive Performances Among Cerebral<br>Small Vessel Disease Markers: Results from the TABASCO Study. Journal of Alzheimer's Disease, 2017,<br>56, 1293-1299.                                | 1.2 | 46        |
| 53 | The ability of the wide range CRP assay to classify individuals with low grade inflammation into cardiovascular risk groups. Clinica Chimica Acta, 2017, 471, 185-190.  | 0.5 | 19        |
| 54 | Letter by Brzezinski et al Regarding Article, "Prediabetes and Type 2 Diabetes Are Associated With<br>Generalized Microvascular Dysfunction: The Maastricht Study― Circulation, 2017, 135, e860-e861.   | 1.6 | 0         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Type 2 Diabetes Mellitus and Impaired Renal Function Are Associated With Brain Alterations and Poststroke Cognitive Decline. Stroke, 2017, 48, 2368-2374.                                 | 1.0 | 43        |
| 56 | Sex difference in the risk for exercise-induced albuminuria correlates with hemoglobin A1C and abnormal exercise ECG test findings. Cardiovascular Diabetology, 2017, 16, 79.             | 2.7 | 14        |
| 57 | Increased serum C-reactive protein levels are associated with shorter survival and development of second cancers in chronic lymphocytic leukemia. Annals of Medicine, 2017, 49, 75-82.    | 1.5 | 17        |
| 58 | The Implication of Combat Stress and PTSD Trajectories in Metabolic Syndrome and Elevated C-Reactive<br>Protein Levels. Journal of Clinical Psychiatry, 2017, 78, e1180-e1186.            | 1.1 | 19        |
| 59 | Weakened Cholinergic Blockade of Inflammation Associates with Diabetes-Related Depression.<br>Molecular Medicine, 2016, 22, 156-161.  | 1.9 | 31        |
| 60 | Impaired renal function is associated with brain atrophy and poststroke cognitive decline. Neurology, 2016, 86, 1996-2005.  | 1.5 | 22        |
| 61 | MicroRNA Regulators of Anxiety and Metabolic Disorders. Trends in Molecular Medicine, 2016, 22, 798-812.  | 3.5 | 56        |
| 62 | The collateral circulation determines cortical infarct volume in anterior circulation ischemic stroke. BMC Neurology, 2016, 16, 206.  | 0.8 | 41        |
| 63 | Exercise-induced albuminuria is related to metabolic syndrome. American Journal of Physiology - Renal<br>Physiology, 2016, 310, F1192-F1196.  | 1.3 | 17        |
| 64 | Cognitive state following mild stroke: A matter of hippocampal mean diffusivity. Hippocampus, 2016, 26, 161-169.  | 0.9 | 17        |
| 65 | Serum Cholinesterase Activities as Biomarkers of Cardiac Malfunctioning. , 2016, , 197-218.   |     | 1         |
| 66 | Depressive Symptoms Following Stroke and Transient Ischemic Attack. Journal of Clinical Psychiatry, 2016, 77, 673-680.  | 1.1 | 15        |
| 67 | Serum Cholinesterase Activities as Biomarkers of Cardiac Malfunctioning. , 2015, , 1-22.  |     | 0         |
| 68 | Fear and C-reactive protein cosynergize annual pulse increases in healthy adults. Proceedings of the<br>National Academy of Sciences of the United States of America, 2015, 112, E467-71. | 3.3 | 35        |
| 69 | Gait Measures as Predictors of Poststroke Cognitive Function. Stroke, 2015, 46, 1077-1083.  | 1.0 | 21        |
| 70 | Self-rated health is associated with elevated C-reactive protein even among apparently healthy individuals. Israel Medical Association Journal, 2015, 17, 213-8.                          | 0.1 | 29        |
| 71 | Decline in Serum Cholinesterase Activities Predicts 2-Year Major Adverse Cardiac Events. Molecular<br>Medicine, 2014, 20, 38-45.  | 1.9 | 39        |
| 72 | Competing targets of microRNA-608 affect anxiety and hypertension. Human Molecular Genetics, 2014, 23, 4569-4580.   | 1.4 | 95        |

SHANI SHENHAR-TSARFATY

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Cholinesterases as Biomarkers for Parasympathetic Dysfunction and Inflammation-Related Disease.<br>Journal of Molecular Neuroscience, 2014, 53, 298-305.                         | 1.1 | 50        |
| 74 | Cognitive State following Stroke: The Predominant Role of Preexisting White Matter Lesions. PLoS<br>ONE, 2014, 9, e105461.   | 1.1 | 38        |
| 75 | Cognitive Decline After Stroke. Stroke, 2013, 44, 1433-1435.   | 1.0 | 77        |
| 76 | MicroRNA-132 Modulates Cholinergic Signaling and Inflammation in Human Inflammatory Bowel Disease. Inflammatory Bowel Diseases, 2013, 19, 1346-1353.                             | 0.9 | 71        |
| 77 | Predictors for Poststroke Outcomes: The Tel Aviv Brain Acute Stroke Cohort (TABASCO) Study<br>Protocol. International Journal of Stroke, 2012, 7, 341-347.                       | 2.9 | 47        |
| 78 | Letter by Shenhar-Tsarfaty et al Regarding Article, "Autonomic Shift and Increased Susceptibility to<br>Infections After Acute Intracerebral Hemorrhage― Stroke, 2011, 42, e559. | 1.0 | 1         |
| 79 | Butyrylcholinesterase interactions with amylin may protect pancreatic cells in metabolic syndrome.<br>Journal of Cellular and Molecular Medicine, 2011, 15, 1747-1756.           | 1.6 | 14        |
| 80 | Serum Cholinesterase Activities Distinguish between Stroke Patients and Controls and Predict 12-Month Mortality. Molecular Medicine, 2010, 16, 278-286.                          | 1.9 | 93        |
| 81 | The Butyrylcholinesterase K Variant Confers Structurally Derived Risks for Alzheimer Pathology♦.<br>Journal of Biological Chemistry, 2009, 284, 17170-17179.                     | 1.6 | 81        |
| 82 | Association of the -757T>C polymorphism in the CRP gene with circulating C-reactive protein levels and carotid atherosclerosis. Thrombosis Research, 2009, 124, 458-462.         | 0.8 | 19        |
| 83 | Early signaling of inflammation in acute ischemic stroke: Clinical and rheological implications.<br>Thrombosis Research, 2008, 122, 167-173.                                     | 0.8 | 22        |
| 84 | Persistent hyperfibrinogenemia in acute ischemic stroke / transient ischemic attack (TIA). Thrombosis and Haemostasis, 2008, 99, 169-173.  | 1.8 | 17        |