

Mohammad Hadi Afshar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6352963/publications.pdf>

Version: 2024-02-01

74
papers

1,602
citations

279487

23
h-index

344852

36
g-index

75
all docs

75
docs citations

75
times ranked

935
citing authors

#	ARTICLE	IF	CITATIONS
1	A fully Lagrangian mixed discrete least squares meshfree method for simulating the free surface flow problems. <i>Engineering With Computers</i> , 2022, 38, 331-351.	3.5	3
2	Experimental study on the discharge coefficient of triangular piano key weir*. <i>Irrigation and Drainage</i> , 2022, 71, 333-348.	0.8	3
3	Prediction of current-induced scour depth around pile groups using MARS, CART, and ANN approaches. <i>Marine Georesources and Geotechnology</i> , 2021, 39, 577-588.	1.2	23
4	Experimental Study of the Hydraulic Performance of D-Type Triangular Piano Key Weirs. <i>International Journal of Civil Engineering</i> , 2021, 19, 1209-1220.	0.9	3
5	Application of Cellular Automata in Bi-Objective Operation of Multi Reservoir Systems. <i>Water (Switzerland)</i> , 2021, 13, 2740.	1.2	2
6	A two-phase simulation "optimization cellular automata method for sewer network design optimization. <i>Engineering Optimization</i> , 2020, 52, 620-636.	1.5	12
7	Application of Multivariate Adaptive Regression Splines and Classification and Regression Trees to Estimate Wave-Induced Scour Depth Around Pile Groups. <i>Iranian Journal of Science and Technology - Transactions of Civil Engineering</i> , 2020, 44, 447-459.	1.0	18
8	Optimal hydropower operation of multi-reservoir systems: hybrid cellular automata-simulated annealing approach. <i>Journal of Hydroinformatics</i> , 2020, 22, 1236-1257.	1.1	16
9	Multi-objective optimisation using cellular automata: application to multi-purpose reservoir operation. <i>Civil Engineering and Environmental Systems</i> , 2019, 36, 115-132.	0.4	4
10	Hybridizing ant colony optimization algorithm with nonlinear programming method for effective optimal design of sewer networks. <i>Water Environment Research</i> , 2019, 91, 300-321.	1.3	11
11	Multi-period response management to contaminated water distribution networks: dynamic programming versus genetic algorithms. <i>Engineering Optimization</i> , 2018, 50, 415-429.	1.5	9
12	Reliability-based operation of reservoirs: a hybrid genetic algorithm and cellular automata method. <i>Soft Computing</i> , 2018, 22, 6461-6471.	2.1	7
13	A Novel Parallel Cellular Automata Algorithm for Multi-Objective Reservoir Operation Optimization. <i>Water Resources Management</i> , 2018, 32, 785-803.	1.9	18
14	Multi-objective optimization response modeling to contaminated water distribution networks: Pressure driven versus demand driven analysis. <i>KSCE Journal of Civil Engineering</i> , 2017, 21, 2085-2096.	0.9	13
15	Exploring the Efficiency of Harmony Search Algorithm for Hydropower Operation of Multi-reservoir Systems: A Hybrid Cellular Automata-Harmony Search Approach. <i>Advances in Intelligent Systems and Computing</i> , 2017, , 252-260.	0.5	5
16	Adaptive Hybrid Genetic Algorithm and Cellular Automata Method for Reliability-Based Reservoir Operation. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2017, 143, .	1.3	14
17	Chance-Constrained Water Supply Operation of Reservoirs Using Cellular Automata. <i>Lecture Notes in Computer Science</i> , 2016, , 201-209.	1.0	5
18	Optimal Operation of Hydropower Reservoir Systems Using Weed Optimization Algorithm. <i>Water Resources Management</i> , 2016, 30, 3995-4009.	1.9	58

#	ARTICLE	IF	CITATIONS
19	A hybrid MILP-LP-LP approach for the optimal design and operation of unconfined groundwater utilization systems. <i>Journal of Water Supply: Research and Technology - AQUA</i> , 2016, 65, 208-219.	0.6	7
20	A Hybridized <sc>GA</sc> with <sc>LP</sc> Model for the Management of Confined Groundwater. <i>Ground Water</i> , 2015, 53, 485-492.	0.7	8
21	GA-GHCA model for the optimal design of pumped sewer networks. <i>Canadian Journal of Civil Engineering</i> , 2015, 42, 1-12.	0.7	18
22	An adaptive node regeneration technique for the efficient solution of elasticity problems using MDLSM method. <i>Engineering Analysis With Boundary Elements</i> , 2015, 50, 198-211.	2.0	5
23	Extension of the hybrid linear programming method to optimize simultaneously the design and operation of groundwater utilization systems. <i>Engineering Optimization</i> , 2015, 47, 550-560.	1.5	4
24	Layout optimization of looped networks by constrained ant colony optimisation algorithm. <i>Advances in Engineering Software</i> , 2014, 70, 123-133.	1.8	16
25	Extension of the constrained particle swarm optimization algorithm to optimal operation of multi-reservoirs system. <i>International Journal of Electrical Power and Energy Systems</i> , 2013, 51, 71-81.	3.3	71
26	Extension of the constrained ant colony optimization algorithms for the optimal operation of multi-reservoir systems. <i>Journal of Hydroinformatics</i> , 2013, 15, 155-173.	1.1	39
27	A cellular automata approach for the hydro-power operation of multi-reservoir systems. <i>Water Management</i> , 2013, 166, 465-478.	0.4	15
28	Constrained Ant Colony Optimisation Algorithm for the layout and size optimisation of sanitary sewer networks. <i>Urban Water Journal</i> , 2013, 10, 154-173.	1.0	21
29	AN EFFICIENT HYBRID LP-LP METHOD FOR THE OPTIMAL UTILIZATION OF CONFINED AQUIFERS. <i>Irrigation and Drainage</i> , 2013, 62, 120-128.	0.8	4
30	Optimal design of sewer networks using cellular automata-based hybrid methods: Discrete and continuous approaches. <i>Engineering Optimization</i> , 2012, 44, 1-22.	1.5	39
31	Application of cellular automata to size and topology optimization of truss structures. <i>Scientia Iranica</i> , 2012, 19, 373-380.	0.3	31
32	Large scale reservoir operation by Constrained Particle Swarm Optimization algorithms. <i>Journal of Hydro-Environment Research</i> , 2012, 6, 75-87.	1.0	87
33	Corrected discrete least-squares meshless method for simulating free surface flows. <i>Engineering Analysis With Boundary Elements</i> , 2012, 36, 1581-1594.	2.0	10
34	Error estimate and adaptive refinement for incompressible Navier-Stokes equations using the discrete least squares meshless method. <i>International Journal for Numerical Methods in Fluids</i> , 2012, 70, 56-70.	0.9	4
35	A node enrichment adaptive refinement in Discrete Least Squares Meshless method for solution of elasticity problems. <i>Engineering Analysis With Boundary Elements</i> , 2012, 36, 385-393.	2.0	18
36	Mixed discrete least squares meshless method for planar elasticity problems using regular and irregular nodal distributions. <i>Engineering Analysis With Boundary Elements</i> , 2012, 36, 894-902.	2.0	16

#	ARTICLE	IF	CITATIONS
37	Rebirthing genetic algorithm for storm sewer network design. Scientia Iranica, 2012, 19, 11-19.	0.3	15
38	Application of cellular automata to sewer network optimization problems. Scientia Iranica, 2011, 18, 304-312.	0.3	35
39	Discrete Least Squares Meshless (DLSM) method for simulation of steady state shallow water flows. Scientia Iranica, 2011, 18, 835-845.	0.3	8
40	Node moving adaptive refinement strategy for planar elasticity problems using discrete least squares meshless method. Finite Elements in Analysis and Design, 2011, 47, 1315-1325.	1.7	23
41	Fuzzy pattern recognition method for assessing soil erosion. Environmental Monitoring and Assessment, 2011, 180, 385-397.	1.3	10
42	Steady-state solution of incompressible Navier-Stokes equations using discrete least-squares meshless method. International Journal for Numerical Methods in Fluids, 2011, 67, 369-382.	0.9	19
43	Fuzzy rule-based model for hydropower reservoirs operation. International Journal of Electrical Power and Energy Systems, 2011, 33, 171-178.	3.3	57
44	Simulation of transient flow in pipeline systems due to load rejection and load acceptance by hydroelectric power plants. International Journal of Mechanical Sciences, 2010, 52, 103-115.	3.6	44
45	Risk-Cost Optimization of Hydraulic Structures: Methodology and Case Study. Water Resources Management, 2010, 24, 2833-2851.	1.9	42
46	Simulation of transient flow caused by pump failure: Point-Implicit Method of Characteristics. Annals of Nuclear Energy, 2010, 37, 1742-1750.	0.9	43
47	Simulating free surface problems using Discrete Least Squares Meshless method. Computers and Fluids, 2010, 39, 461-470.	1.3	30
48	Adaptive simulation of two dimensional hyperbolic problems by Collocated Discrete Least Squares Meshless method. Computers and Fluids, 2010, 39, 2030-2039.	1.3	13
49	Efficient simulation of free surface flows with discrete least-squares meshless method using a priori error estimator. International Journal of Computational Fluid Dynamics, 2010, 24, 349-367.	0.5	16
50	Analysis of Seepage through Dam Foundation Using Smoothed Particle Hydrodynamics (SPH) Meshless Method. , 2010, , .		1
51	Elitist mutated particle swarm optimisation algorithms: application to reservoir operation problems. Water Management, 2009, 162, 409-417.	0.4	6
52	Closure to Simultaneous Layout and Size Optimization of Water Distribution Networks: Engineering Approach by M. H. Afshar, M. Akbari, and M. A. Marino. Journal of Infrastructure Systems, 2009, 15, 137-137.	1.0	0
53	Application of local and global particle swarm optimization algorithms to optimal design and operation of irrigation pumping systems. Irrigation and Drainage, 2009, 58, 321-331.	0.8	13
54	Collocated discrete least squares meshless (CDLSM) method for the solution of transient and steady-state hyperbolic problems. International Journal for Numerical Methods in Fluids, 2009, 60, 1055-1078.	0.9	17

#	ARTICLE	IF	CITATIONS
55	Discrete least squares meshless method with sampling points for the solution of elliptic partial differential equations. <i>Engineering Analysis With Boundary Elements</i> , 2009, 33, 83-92.	2.0	31
56	Optimal solution of large-scale reservoir-operation problems: Cellular-automata versus heuristic-search methods. <i>Engineering Optimization</i> , 2009, 41, 275-293.	1.5	32
57	Industrial Distribution System Simulation for Optimal Water Resource Assignment Using Probabilistic Tabu Search. , 2009, , .		1
58	Embedded modified Euler method: an efficient and accurate model. <i>Water Management</i> , 2009, 162, 199-209.	0.4	4
59	Water hammer simulation by implicit method of characteristic. <i>International Journal of Pressure Vessels and Piping</i> , 2008, 85, 851-859.	1.2	94
60	Partially and Fully Constrained Ant Algorithms for the Optimal Solution of Large Scale Reservoir Operation Problems. <i>Water Resources Management</i> , 2008, 22, 1835-1857.	1.9	46
61	Collocated discrete least-squares (CDLS) meshless method: Error estimate and adaptive refinement. <i>International Journal for Numerical Methods in Fluids</i> , 2008, 56, 1909-1928.	0.9	26
62	Penalty adapting ant algorithm: application to pipe network optimization. <i>Engineering Optimization</i> , 2008, 40, 969-987.	1.5	11
63	Layout and size optimization of tree-like pipe networks by incremental solution building ants. <i>Canadian Journal of Civil Engineering</i> , 2008, 35, 129-139.	0.7	6
64	Rebirthing particle swarm optimization algorithm: application to storm water network design. <i>Canadian Journal of Civil Engineering</i> , 2008, 35, 1120-1127.	0.7	20
65	Cascade stilling basin design using continuous ant algorithm. <i>Water Management</i> , 2008, 161, 151-159.	0.4	1
66	A parameter-free self-adapting boundary genetic search for pipe network optimization. <i>Computational Optimization and Applications</i> , 2007, 37, 83-102.	0.9	15
67	Partially constrained ant colony optimization algorithm for the solution of constrained optimization problems: Application to storm water network design. <i>Advances in Water Resources</i> , 2007, 30, 954-965.	1.7	63
68	Hydrograph-based storm sewer design optimization by genetic algorithm. <i>Canadian Journal of Civil Engineering</i> , 2006, 33, 319-325.	0.7	51
69	Improving the efficiency of ant algorithms using adaptive refinement: Application to storm water network design. <i>Advances in Water Resources</i> , 2006, 29, 1371-1382.	1.7	35
70	Application of a max-min ant system to joint layout and size optimization of pipe networks. <i>Engineering Optimization</i> , 2006, 38, 299-317.	1.5	23
71	Application of an ant algorithm for layout optimization of tree networks. <i>Engineering Optimization</i> , 2006, 38, 353-369.	1.5	46
72	Solving Poisson's equations by the Discrete Least Square meshless method. <i>WIT Transactions on Modelling and Simulation</i> , 2006, , .	0.0	27

#	ARTICLE	IF	CITATIONS
73	Simultaneous Layout and Size Optimization of Water Distribution Networks: Engineering Approach. Journal of Infrastructure Systems, 2005, 11, 221-230.	1.0	24
74	A new transition rule for ant colony optimization algorithms: application to pipe network optimization problems. Engineering Optimization, 2005, 37, 525-540.	1.5	17