Patrick Calders

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/635333/publications.pdf

Version: 2024-02-01

79 papers 1,884 citations

257450 24 h-index 289244 40 g-index

81 all docs

81 docs citations

81 times ranked 2648 citing authors

#	Article	IF	CITATIONS
1	The perspectives of older adults with mild cognitive impairment and their caregivers on the use of socially assistive robots in healthcare: exploring factors that influence attitude in a pre-implementation stage. Disability and Rehabilitation: Assistive Technology, 2024, 19, 222-232.	2.2	O
2	Autonomic symptoms and associated factors in patients with chronic heart failure. Acta Cardiologica, 2023, 78, 203-211.	0.9	5
3	The role of a socially assistive robot in enabling older adults with mild cognitive impairment to cope with the measures of the COVID-19 lockdown: A qualitative study. Scandinavian Journal of Occupational Therapy, 2023, 30, 42-52.	1.7	7
4	Home-based exercise therapy for treating shoulder instability in patients with hypermobile Ehlers-Danlos syndrome/hypermobility spectrum disorders. A randomized trial. Disability and Rehabilitation, 2023, 45, 1811-1821.	1.8	7
5	Generalized Joint Hypermobility and Anxiety Are Serious Risk Factors for Dysfunctioning in Dance Students: A One-Year Follow-Up Study. International Journal of Environmental Research and Public Health, 2022, 19, 2662.	2.6	O
6	Reliability of Isokinetic Strength Assessments of Knee and Hip Using the Biodex System 4 Dynamometer and Associations With Functional Strength in Healthy Children. Frontiers in Sports and Active Living, 2022, 4, 817216.	1.8	11
7	Association between knee inflammation and knee pain in patients with knee osteoarthritis: a systematic review. Osteoarthritis and Cartilage, 2022, 30, 516-534.	1.3	39
8	Exploring pain mechanisms in hypermobile <scp>Ehlersâ€Danlos</scp> syndrome: A case–control study. European Journal of Pain, 2022, 26, 1355-1367.	2.8	3
9	Muscle Strength, Muscle Mass and Physical Impairment in Women with hypermobile Ehlers-Danlos syndrome and Hypermobility Spectrum Disorder Journal of Musculoskeletal Neuronal Interactions, 2022, 22, 5-14.	0.1	1
10	The Role of Brain-Derived Neurotrophic Factor (BDNF) in the Relation between Physical Activity and Executive Functioning in Children. Children, 2022, 9, 596.	1.5	2
11	MO590: A Home-Based Exercise and Physical Activity Intervention After Kidney Transplantation: Impact of Exercise Intensity. The Phoenix-Kidney Study Protocol. Nephrology Dialysis Transplantation, 2022, 37, .	0.7	1
12	The importance of physical performance in the assessment of patients on haemodialysis: A survival analysis. PLoS ONE, 2022, 17, e0268115.	2.5	7
13	Acute Effects of Cocoa Flavanols on Blood Pressure and Peripheral Vascular Reactivity in Type 2 Diabetes Mellitus and Essential Hypertension. Nutrients, 2022, 14, 2692.	4.1	1
14	Comparison of five conditioned pain modulation paradigms and influencing personal factors in healthy adults. European Journal of Pain, 2021, 25, 243-256.	2.8	30
15	Muscle activity and scapular kinematics in individuals with multidirectional shoulder instability: A systematic review. Annals of Physical and Rehabilitation Medicine, 2021, 64, 101457.	2.3	9
16	The Added and Interpretative Value of CGM-Derived Parameters in Type 1 Diabetes Depends on the Level of Glycemic Control. Endocrine Practice, 2021, 27, 44-50.	2.1	4
17	Patient perspectives on employment participation in the "hypermobile Ehlers–Danlos syndrome― Disability and Rehabilitation, 2021, 43, 668-677.	1.8	6
18	Acute Effects of Cocoa Flavanols on Blood Pressure and Peripheral Vascular Reactivity in Type 2 Diabetes Mellitus and Essential Hypertension: A Protocol for an Acute, Randomized, Double-Blinded, Placebo-Controlled Cross-Over Trial. Frontiers in Cardiovascular Medicine, 2021, 8, 602086.	2.4	4

#	Article	IF	Citations
19	Meaningful activities during COVID-19 lockdown and association with mental health in Belgian adults. BMC Public Health, 2021, 21, 622.	2.9	37
20	Generalized Joint Hypermobility and Anxiety in Adolescents and Young Adults, the Impact on Physical and Psychosocial Functioning. Healthcare (Switzerland), 2021, 9, 525.	2.0	3
21	The Effects of Aerobic Exercise in Patients with Early-Onset Dementia: A Scoping Review. Dementia and Geriatric Cognitive Disorders, 2021, 50, 9-16.	1.5	2
22	The Contribution of Decreased Muscle Size to Muscle Weakness in Children With Spastic Cerebral Palsy. Frontiers in Neurology, 2021, 12, 692582.	2.4	16
23	Reliability of functional tests of the lower limbs and core stability in children and adolescents with cerebral palsy. European Journal of Physical and Rehabilitation Medicine, 2021, 57, 738-746.	2.2	2
24	The impact of diabetic neuropathy on the distal versus proximal comparison of weakness in lower and upper limb muscles of patients with type 2 diabetes mellitus: a cross-sectional study. Journal of Musculoskeletal Neuronal Interactions, 2021, 21, 464-474.	0.1	0
25	Associations between the measures of physical function, risk of falls and the quality of life in haemodialysis patients: a cross-sectional study. BMC Nephrology, 2020, 21, 7.	1.8	20
26	The relation between children's aerobic fitness and executive functions: A systematic review. Infant and Child Development, 2020, 29, e2163.	1.5	13
27	Impact of Exercise–Nutritional State Interactions in Patients with Type 2 Diabetes. Medicine and Science in Sports and Exercise, 2020, 52, 720-728.	0.4	17
28	Markers of protein-energy wasting and physical performance in haemodialysis patients: A cross-sectional study. PLoS ONE, 2020, 15, e0236816.	2.5	6
29	Composite Uremic Load and Physical Performance in Hemodialysis Patients: A Cross-Sectional Study. Toxins, 2020, 12, 135.	3.4	4
30	The relationship between glycaemic variability and cardiovascular autonomic dysfunction in patients with type 1 diabetes: A systematic review. Diabetes/Metabolism Research and Reviews, 2020, 36, e3301.	4.0	14
31	The impact of sensory and/or sensorimotor neuropathy on lower limb muscle endurance, explosive and maximal muscle strength in patients with type 2 diabetes mellitus. Journal of Diabetes and Its Complications, 2020, 34, 107562.	2.3	14
32	Foci of Segmentally Contracted Sarcomeres in Trapezius Muscle Biopsy Specimens in Myalgic and Nonmyalgic Human Subjects: Preliminary Results. Pain Medicine, 2020, 21, 2348-2356.	1.9	16
33	Physical activity and sleep in patients with hypermobile Ehlers–Danlos syndrome and patients with generalized hypermobility spectrum disorder. Edorium Journal of Disability and Rehabilitation, 2020, 6, 1.	0.3	1
34	Title is missing!. , 2020, 15, e0236816.		0
35	Title is missing!. , 2020, 15, e0236816.		0
36	Title is missing!. , 2020, 15, e0236816.		O

#	Article	IF	CITATIONS
37	Title is missing!. , 2020, 15, e0236816.		O
38	Title is missing!. , 2020, 15, e0236816.		0
39	Title is missing!. , 2020, 15, e0236816.		0
40	Diet-induced weight loss alone or combined with exercise in overweight or obese people with knee osteoarthritis: A systematic review and meta-analysis. Seminars in Arthritis and Rheumatism, 2019, 48, 765-777.	3.4	71
41	Differences in the Mitochondrial and Lipid Droplet Morphology in Female Office Workers With Trapezius Myalgia, Compared With Healthy Controls. American Journal of Physical Medicine and Rehabilitation, 2019, 98, 989-997.	1.4	3
42	Morphological Differences in the Upper Trapezius Muscle Between Female Office Workers With and Without Trapezius Myalgia: Facts or Fiction?. American Journal of Physical Medicine and Rehabilitation, 2019, 98, 117-124.	1.4	4
43	Effects of long-term exercise therapy on knee joint structure in people with knee osteoarthritis: A systematic review and meta-analysis. Seminars in Arthritis and Rheumatism, 2019, 48, 941-949.	3.4	29
44	Short and long-term impairments of cardiopulmonary fitness level in previous childhood cancer cases: a systematic review. Supportive Care in Cancer, 2019, 27, 69-86.	2.2	28
45	Cardiac Autonomic Function and Reactivity Tests in Physically Active Subjects with Moderately Severe COPD. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2018, 15, 51-59.	1.6	6
46	Evidence for aerobic exercise training on the autonomic function in patients with chronic obstructive pulmonary disease (COPD): a systematic review. Physiotherapy, 2018, 104, 36-45.	0.4	20
47	Influence of Morphine and Naloxone on Pain Modulation in Rheumatoid Arthritis, Chronic Fatigue Syndrome/Fibromyalgia, and Controls: A Doubleâ€Blind, Randomized, Placeboâ€Controlled, Crossâ€Over Study. Pain Practice, 2018, 18, 418-430.	1.9	30
48	Updating the Evidence on Functional Capacity Evaluation Methods: A Systematic Review. Journal of Occupational Rehabilitation, 2018, 28, 418-428.	2.2	23
49	Autonomic symptoms in patients with moderate and severe chronic obstructive pulmonary disease. Acta Clinica Belgica, 2018, 73, 182-190.	1.2	9
50	Presence of comorbidities and prognosis of clinical symptoms in knee and/or hip osteoarthritis: A systematic review and meta-analysis. Seminars in Arthritis and Rheumatism, 2018, 47, 805-813.	3.4	124
51	SP403FUNCTIONAL IMPAIRMENT AND RISK OF FALLING IN THE HEMODIALYSIS UNIT. Nephrology Dialysis Transplantation, 2018, 33, i483-i483.	0.7	0
52	The Influence of Clinically Diagnosed Neuropathy on Respiratory Muscle Strength in Type 2 Diabetes Mellitus. Journal of Diabetes Research, 2018, 2018, 1-9.	2.3	7
53	The effects of aerobic exercise on eGFR, blood pressure and VO2peak in patients with chronic kidney disease stages 3-4: A systematic review and meta-analysis. PLoS ONE, 2018, 13, e0203662.	2.5	59
54	The association between muscle strength and activity limitations in patients with the hypermobility type of Ehlers–Danlos syndrome: the impact of proprioception. Disability and Rehabilitation, 2017, 39, 1391-1397.	1.8	43

#	Article	IF	CITATIONS
55	Morphological and physiological differences in the upper trapezius muscle in patients with work-related trapezius myalgia compared to healthy controls: A systematic review. Musculoskeletal Science and Practice, 2017, 29, 43-51.	1.3	15
56	The influence of Ehlers-Danlos syndrome – hypermobility type, on motherhood: A phenomenological, hermeneutical study. Research in Developmental Disabilities, 2017, 60, 135-144.	2.2	13
57	Foot kinematics in the hypermobility type of Ehlers–Danlos syndrome using the Ghent Foot Model. Footwear Science, 2017, 9, S118-S120.	2.1	1
58	Effect of respiratory rehabilitation techniques on the autonomic function in patients with chronic obstructive pulmonary disease: A systematic review. Chronic Respiratory Disease, 2017, 14, 217-230.	2.4	10
59	Impact of Endurance Exercise Training in the Fasted State on Muscle Biochemistry and Metabolism in Healthy Subjects: Can These Effects be of Particular Clinical Benefit to TypeÂ2 Diabetes Mellitus and Insulin-Resistant Patients?. Sports Medicine, 2017, 47, 415-428.	6.5	44
60	Orthostatic intolerance and fatigue in the hypermobility type of Ehlers-Danlos Syndrome. Rheumatology, 2016, 55, 1412-1420.	1.9	35
61	Inventory of Personal Factors Influencing Conditioned Pain Modulation in Healthy People: A Systematic Literature Review. Pain Practice, 2016, 16, 758-769.	1.9	93
62	Reduced expression of chemerin in visceral adipose tissue associates with hepatic steatosis in patients with obesity. Obesity, 2016, 24, 2544-2552.	3.0	23
63	An Overview of Offset Analgesia and the Comparison with Conditioned Pain Modulation: A Systematic Literature Review. Pain Physician, 2016, 19, 307-26.	0.4	26
64	Evidence for Autonomic Function and Its Influencing Factors in Subjects With COPD: A Systematic Review. Respiratory Care, 2015, 60, 1841-1851.	1.6	51
65	The influence of sprint interval training on body composition, physical and metabolic fitness in adolescents and young adults with intellectual disability: a randomized controlled trial. Clinical Rehabilitation, 2014, 28, 221-231.	2.2	62
66	Activation of the Ergoreceptors in Cardiac Patients With and Without Heart Failure. Journal of Cardiac Failure, 2014, 20, 747-754.	1.7	7
67	Dysautonomia and its underlying mechanisms in the hypermobility type of Ehlers–Danlos syndrome. Seminars in Arthritis and Rheumatism, 2014, 44, 93-100.	3.4	116
68	Impact of the Preoperative Risk and the Type of Surgery on Exercise Capacity and Training After Valvular Surgery. American Journal of Cardiology, 2014, 113, 1383-1389.	1.6	19
69	Autonomic symptom burden in the hypermobility type of Ehlers–Danlos syndrome: A comparative study with two other EDS types, fibromyalgia, and healthy controls. Seminars in Arthritis and Rheumatism, 2014, 44, 353-361.	3.4	81
70	Vibration perception threshold in relation to postural control and fall risk assessment in elderly. Disability and Rehabilitation, 2013, 35, 1712-1717.	1.8	15
71	Reproducibility, validity and predictors of six-minute walk test in overweight and obese adolescents with intellectual disability. Disability and Rehabilitation, 2012, 34, 846-851.	1.8	29
72	Muscle mass, muscle strength, functional performance, and physical impairment in women with the hypermobility type of Ehlersâ€Danlos syndrome. Arthritis Care and Research, 2012, 64, 1584-1592.	3.4	84

#	Article	IF	CITATION
73	18 De invloed van combinatietraining op fysieke en metabole fitheid bij adolescenten met overgewicht of obesitas met een mentale retardatie. , 2012, , 252-263.		0
74	Effect of combined exercise training on physical and metabolic fitness in adults with intellectual disability: a controlled trial. Clinical Rehabilitation, 2011, 25, 1097-1108.	2.2	71
75	Influence of combined aerobic and resistance training on metabolic control, cardiovascular fitness and quality of life in adolescents with type 1 diabetes: a randomized controlled trial. Clinical Rehabilitation, $2011, 25, 349-359$.	2.2	89
76	The Effect of Combined Exercise Training in Adolescents Who Are Overweight Or Obese With Intellectual Disability: The Role of Training Frequency. Journal of Strength and Conditioning Research, 2011, 25, 2274-2282.	2.1	38
77	The influence of combined exercise training on indices of obesity, physical fitness and lipid profile in overweight and obese adolescents with mental retardation. European Journal of Pediatrics, 2009, 168, 1327-1333.	2.7	50
78	Predictors of 6-minute walk test and 12-minute walk/run test in obese children and adolescents. European Journal of Pediatrics, 2008, 167, 563-568.	2.7	48
79	Influence of combined exercise training on indices of obesity, diabetes and cardiovascular risk in type 2 diabetes patients. Clinical Rehabilitation, 2008, 22, 483-492.	2.2	104