

# Roland Malli

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/635355/publications.pdf>

Version: 2024-02-01

127  
papers

10,747  
citations

57719

44  
h-index

32815

100  
g-index

139  
all docs

139  
docs citations

139  
times ranked

20885  
citing authors

#	ARTICLE	IF	CITATIONS
1	Fasting improves therapeutic response in hepatocellular carcinoma through p53-dependent metabolic synergism. <i>Science Advances</i> , 2022, 8, eabh2635.	4.7	35
2	Citrin mediated metabolic rewiring in response to altered basal subcellular Ca <sup>2+</sup> homeostasis. <i>Communications Biology</i> , 2022, 5, 76.	2.0	6
3	Light Stimulation of Neurons on Organic Photocapacitors Induces Action Potentials with Millisecond Precision. <i>Advanced Materials Technologies</i> , 2022, 7, .	3.0	7
4	Nitric oxide biosensor uncovers diminished ferrous iron-dependency of cultured cells adapted to physiological oxygen levels. <i>Redox Biology</i> , 2022, 53, 102319.	3.9	7
5	Sigma-1 Receptor Modulation by Ligands Coordinates Cancer Cell Energy Metabolism. <i>Biomolecules</i> , 2022, 12, 762.	1.8	4
6	MICU1 controls spatial membrane potential gradients and guides Ca <sup>2+</sup> fluxes within mitochondrial substructures. <i>Communications Biology</i> , 2022, 5, .	2.0	11
7	Assessment of Mitochondrial Ca <sup>2+</sup> Uptake. <i>Methods in Molecular Biology</i> , 2021, 2276, 173-191.	0.4	0
8	Dynamic Control of Mitochondrial Ca <sup>2+</sup> Levels as a Survival Strategy of Cancer Cells. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 614668.	1.8	18
9	Slack K <sup>+</sup> channels attenuate NMDA-induced excitotoxic brain damage and neuronal cell death. <i>FASEB Journal</i> , 2021, 35, e21568.	0.2	16
10	Potassium ions promote hexokinase-II dependent glycolysis. <i>IScience</i> , 2021, 24, 102346.	1.9	12
11	Sigma-1 Receptor Promotes Mitochondrial Bioenergetics by Orchestrating ER Ca <sup>2+</sup> Leak during Early ER Stress. <i>Metabolites</i> , 2021, 11, 422.	1.3	16
12	Near-UV Light Induced ROS Production Initiates Spatial Ca <sup>2+</sup> Spiking to Fire NFATc3 Translocation. <i>International Journal of Molecular Sciences</i> , 2021, 22, 8189.	1.8	6
13	A Co-Culture-Based Multiparametric Imaging Technique to Dissect Local H <sub>2</sub> O <sub>2</sub> Signals with Targeted HyPer7. <i>Biosensors</i> , 2021, 11, 338.	2.3	7
14	Unveiling the K <sup>+</sup> -sensitivity of cell metabolism using genetically encoded, FRET-based K <sup>+</sup> , glucose, and ATP biosensors. <i>STAR Protocols</i> , 2021, 2, 100843.	0.5	2
15	ALG-2 and peflin regulate COPII targeting and secretion in response to calcium signaling. <i>Journal of Biological Chemistry</i> , 2021, 297, 101393.	1.6	11
16	Investigating the K <sup>+</sup> sensitivity of cellular metabolism by extracellular flux analysis. <i>STAR Protocols</i> , 2021, 2, 100876.	0.5	4
17	Immobilization of Recombinant Fluorescent Biosensors Permits Imaging of Extracellular Ion Signals. <i>ACS Sensors</i> , 2021, 6, 3994-4000.	4.0	10
18	Endothelial lipase increases eNOS activating capacity of high-density lipoprotein. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2020, 1865, 158612.	1.2	8

#	ARTICLE	IF	CITATIONS
19	Metabolic Profiling of Single Cancer Cells Using Mitochondrial ATP Probes. STAR Protocols, 2020, 1, 100048.	0.5	1
20	Fatty acids as biomimetic replication agents for luminescent metal-organic framework patterns. Chemical Communications, 2020, 56, 12733-12736.	2.2	4
21	Pharmaco-Optogenetic Targeting of TRPC Activity Allows for Precise Control Over Mast Cell NFAT Signaling. Frontiers in Immunology, 2020, 11, 613194.	2.2	0
22	The contribution of uncoupling protein 2 to mitochondrial Ca <sup>2+</sup> homeostasis in health and disease – A short revisit. Mitochondrion, 2020, 55, 164-173.	1.6	15
23	ER-to-Golgi Transport in HeLa Cells Displays High Resilience to Ca <sup>2+</sup> and Energy Stresses. Cells, 2020, 9, 2311.	1.8	9
24	The ER chaperone calnexin controls mitochondrial positioning and respiration. Science Signaling, 2020, 13, .	1.6	32
25	TRIC-A shapes oscillatory Ca <sup>2+</sup> signals by interaction with STIM1/Orai1 complexes. PLoS Biology, 2020, 18, e3000700.	2.6	12
26	Agonist-mediated switching of ion selectivity in TPC2 differentially promotes lysosomal function. ELife, 2020, 9, .	2.8	108
27	Yes (again) to local NO. Nature Chemical Biology, 2020, 16, 606-607.	3.9	0
28	Tracking intra- and inter-organelle signaling of mitochondria. FEBS Journal, 2019, 286, 4378-4401.	2.2	23
29	Glycogen Synthase Kinase 3 Beta Controls Presenilin-1-Mediated Endoplasmic Reticulum Ca <sup>2+</sup> Leak Directed to Mitochondria in Pancreatic Islets and beta-Cells. Cellular Physiology and Biochemistry, 2019, 52, 57-75.	1.1	25
30	MICU1 controls cristae junction and spatially anchors mitochondrial Ca <sup>2+</sup> uniporter complex. Nature Communications, 2019, 10, 3732.	5.8	90
31	Development and Application of Sub-Mitochondrial Targeted Ca <sup>2+</sup> Biosensors. Frontiers in Cellular Neuroscience, 2019, 13, 449.	1.8	11
32	Live cell imaging of signaling and metabolic activities. , 2019, 202, 98-119.		41
33	Live-Cell Imaging of Physiologically Relevant Metal Ions Using Genetically Encoded FRET-Based Probes. Cells, 2019, 8, 492.	1.8	71
34	IRE1 $\pm$ modulates ER and mitochondria crosstalk. Nature Cell Biology, 2019, 21, 667-668.	4.6	17
35	pH-Lemon, a Fluorescent Protein-Based pH Reporter for Acidic Compartments. ACS Sensors, 2019, 4, 883-891.	4.0	99
36	Calcium Signaling in $\gamma$ -cell Physiology and Pathology: A Revisit. International Journal of Molecular Sciences, 2019, 20, 6110.	1.8	56

#	ARTICLE	IF	CITATIONS
37	Visualization of Sirtuin 4 Distribution between Mitochondria and the Nucleus, Based on Bimolecular Fluorescence Self-Complementation. <i>Cells</i> , 2019, 8, 1583.	1.8	20
38	Enhanced inter-compartmental Ca <sup>2+</sup> flux modulates mitochondrial metabolism and apoptotic threshold during aging. <i>Redox Biology</i> , 2019, 20, 458-466.	3.9	50
39	The enigmatic ATP supply of the endoplasmic reticulum. <i>Biological Reviews</i> , 2019, 94, 610-628.	4.7	38
40	Presenilin-1 Established ER-Ca <sup>2+</sup> Leak: a Follow Up on Its Importance for the Initial Insulin Secretion in Pancreatic Islets and $\beta^2$ -Cells Upon Elevated Glucose. <i>Cellular Physiology and Biochemistry</i> , 2019, 53, 573-586.	1.1	15
41	Mitochondria supply ATP to the ER through a mechanism antagonized by cytosolic Ca <sup>2+</sup> . <i>ELife</i> , 2019, 8, .	2.8	51
42	2-Chlorohexadecanoic acid induces ER stress and mitochondrial dysfunction in brain microvascular endothelial cells. <i>Redox Biology</i> , 2018, 15, 441-451.	3.9	28
43	Real-Time Imaging of Nitric Oxide Signals in Individual Cells Using geNOps. <i>Methods in Molecular Biology</i> , 2018, 1747, 23-34.	0.4	8
44	Genetic biosensors for imaging nitric oxide in single cells. <i>Free Radical Biology and Medicine</i> , 2018, 128, 50-58.	1.3	36
45	Sustained Formation of Nitroglycerin-Derived Nitric Oxide by Aldehyde Dehydrogenase-2 in Vascular Smooth Muscle without Added Reductants: Implications for the Development of Nitrate Tolerance. <i>Molecular Pharmacology</i> , 2018, 93, 335-343.	1.0	7
46	Intracellular Ca <sup>2+</sup> release decelerates mitochondrial cristae dynamics within the junctions to the endoplasmic reticulum. <i>Pflügers Archiv European Journal of Physiology</i> , 2018, 470, 1193-1203.	1.3	24
47	FP017IMPAIRED MITOCHONDRIALCALCIUM UPTAKE AND DAMAGED MITOCHONDRIAL STRUCTURE IN PODOCYTES EXPOSED TO HIGH-GLUCOSE. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i54-i54.	0.4	0
48	Real-Time Imaging of Mitochondrial ATP Dynamics Reveals the Metabolic Setting of Single Cells. <i>Cell Reports</i> , 2018, 25, 501-512.e3.	2.9	91
49	High-Resolution Imaging of STIM/Orai Subcellular Localization Using Array Confocal Laser Scanning Microscopy. <i>Methods in Molecular Biology</i> , 2018, 1843, 175-187.	0.4	1
50	Targeting Mitochondria to Counteract Age-Related Cellular Dysfunction. <i>Genes</i> , 2018, 9, 165.	1.0	40
51	Na <sup>+</sup> /Ca <sup>2+</sup> exchangers and Orai channels jointly refill endoplasmic reticulum (ER) Ca <sup>2+</sup> via ER nanojunctions in vascular endothelial cells. <i>Pflügers Archiv European Journal of Physiology</i> , 2017, 469, 1287-1299.	1.3	17
52	Intact mitochondrial Ca <sup>2+</sup> uniport is essential for agonist-induced activation of endothelial nitric oxide synthase (eNOS). <i>Free Radical Biology and Medicine</i> , 2017, 102, 248-259.	1.3	28
53	Application of Genetically Encoded Fluorescent Nitric Oxide (NO&#8226;) Probes, the geNOps, for Real-time Imaging of NO&#8226; Signals in Single Cells. <i>Journal of Visualized Experiments</i> , 2017, , .	0.2	16
54	Real-time visualization of distinct nitric oxide generation of nitric oxide synthase isoforms in single cells. <i>Nitric Oxide - Biology and Chemistry</i> , 2017, 70, 59-67.	1.2	22

#	ARTICLE	IF	CITATIONS
55	The Role of Mitochondria in the Activation/Maintenance of SOCE: The Contribution of Mitochondrial Ca <sup>2+</sup> Uptake, Mitochondrial Motility, and Location to Store-Operated Ca <sup>2+</sup> Entry. <i>Advances in Experimental Medicine and Biology</i> , 2017, 993, 297-319.	0.8	16
56	Novel genetically encoded fluorescent probes enable real-time detection of potassium in vitro and in vivo. <i>Nature Communications</i> , 2017, 8, 1422.	5.8	130
57	UCP2 and PRMT1 are key prognostic markers for lung carcinoma patients. <i>Oncotarget</i> , 2017, 8, 80278-80285.	0.8	20
58	Development of novel FP-based probes for live-cell imaging of nitric oxide dynamics. <i>Nature Communications</i> , 2016, 7, 10623.	5.8	84
59	Resveratrol Specifically Kills Cancer Cells by a Devastating Increase in the Ca <sup>2+</sup> Coupling Between the Greatly Tethered Endoplasmic Reticulum and Mitochondria. <i>Cellular Physiology and Biochemistry</i> , 2016, 39, 1404-1420.	1.1	84
60	Formation of Nitric Oxide by Aldehyde Dehydrogenase-2 Is Necessary and Sufficient for Vascular Bioactivation of Nitroglycerin. <i>Journal of Biological Chemistry</i> , 2016, 291, 24076-24084.	1.6	31
61	PRMT1-mediated methylation of MICU1 determines the UCP2/3 dependency of mitochondrial Ca <sup>2+</sup> uptake in immortalized cells. <i>Nature Communications</i> , 2016, 7, 12897.	5.8	59
62	Filling a GAP—An Optimized Probe for ER Ca <sup>2+</sup> Imaging In Vivo. <i>Cell Chemical Biology</i> , 2016, 23, 641-643.	2.5	2
63	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.	4.3	4,701
64	Rearrangement of MICU1 multimers for activation of MCU is solely controlled by cytosolic Ca <sup>2+</sup> . <i>Scientific Reports</i> , 2015, 5, 15602.	1.6	45
65	Generation of Red-Shifted Cameleons for Imaging Ca <sup>2+</sup> Dynamics of the Endoplasmic Reticulum. <i>Sensors</i> , 2015, 15, 13052-13068.	2.1	26
66	UCP2 modulates single-channel properties of a MCU-dependent Ca <sup>2+</sup> inward current in mitochondria. <i>Pflügers Archiv European Journal of Physiology</i> , 2015, 467, 2509-2518.	1.3	28
67	Assessment of Mitochondrial Ca <sup>2+</sup> Uptake. <i>Methods in Molecular Biology</i> , 2015, 1264, 421-439.	0.4	4
68	Oleoyl-Lysophosphatidylcholine Limits Endothelial Nitric Oxide Bioavailability by Induction of Reactive Oxygen Species. <i>PLoS ONE</i> , 2014, 9, e113443.	1.1	16
69	Adaptations of Energy Metabolism Associated with Increased Levels of Mitochondrial Cholesterol in Niemann-Pick Type C1-deficient Cells. <i>Journal of Biological Chemistry</i> , 2014, 289, 16278-16289.	1.6	65
70	TRPV1 mediates cellular uptake of anandamide and thus promotes endothelial cell proliferation and network-formation. <i>Biology Open</i> , 2014, 3, 1164-1172.	0.6	43
71	Characterization of rat serum amyloid A4 (SAA4): A novel member of the SAA superfamily. <i>Biochemical and Biophysical Research Communications</i> , 2014, 450, 1643-1649.	1.0	11
72	ATP increases within the lumen of the endoplasmic reticulum upon intracellular Ca <sup>2+</sup> release. <i>Molecular Biology of the Cell</i> , 2014, 25, 368-379.	0.9	65

#	ARTICLE	IF	CITATIONS
73	Mitochondrial Ca <sup>2+</sup> uniporter (MCU)-dependent and MCU-independent Ca <sup>2+</sup> channels coexist in the inner mitochondrial membrane. <i>Pflügers Archiv European Journal of Physiology</i> , 2014, 466, 1411-1420.	1.3	29
74	Inositol-1,4,5-trisphosphate (IP <sub>3</sub> )-mediated STIM1 oligomerization requires intact mitochondrial Ca <sup>2+</sup> uptake. <i>Journal of Cell Science</i> , 2014, 127, 2944-55.	1.2	50
75	The endocannabinoid N-arachidonoyl glycine (NAGly) inhibits store-operated Ca <sup>2+</sup> entry by abrogating STIM1/Orai1 interaction. <i>Journal of Cell Science</i> , 2013, 126, 879-88.	1.2	23
76	Characterization of distinct single-channel properties of Ca <sup>2+</sup> inward currents in mitochondria. <i>Pflügers Archiv European Journal of Physiology</i> , 2013, 465, 997-1010.	1.3	37
77	N- $\alpha$ -arachidonoyl glycine suppresses Na <sup>+</sup> / Ca <sup>2+</sup> exchanger-mediated Ca <sup>2+</sup> entry into endothelial cells and activates BK Ca channels ind. <i>British Journal of Pharmacology</i> , 2013, 169, 933-948.	2.7	25
78	Molecularly Distinct Routes of Mitochondrial Ca <sup>2+</sup> Uptake Are Activated Depending on the Activity of the Sarco/Endoplasmic Reticulum Ca <sup>2+</sup> ATPase (SERCA). <i>Journal of Biological Chemistry</i> , 2013, 288, 15367-15379.	1.6	34
79	Mitochondrial Ca <sup>2+</sup> uptake 1 (MICU1) and mitochondrial Ca <sup>2+</sup> uniporter (MCU) contribute to metabolism-secretion coupling in clonal pancreatic $\beta^2$ -cells. <i>Journal of Biological Chemistry</i> , 2012, 287, 42453.	1.6	2
80	Inhibition of Autophagy Rescues Palmitic Acid-induced Necroptosis of Endothelial Cells. <i>Journal of Biological Chemistry</i> , 2012, 287, 21110-21120.	1.6	118
81	Mitochondrial Ca <sup>2+</sup> Uptake 1 (MICU1) and Mitochondrial Ca <sup>2+</sup> Uniporter (MCU) Contribute to Metabolism-Secretion Coupling in Clonal Pancreatic $\beta^2$ -Cells. <i>Journal of Biological Chemistry</i> , 2012, 287, 34445-34454.	1.6	120
82	Acyl chain-dependent effect of lysophosphatidylcholine on cyclooxygenase (COX)-2 expression in endothelial cells. <i>Atherosclerosis</i> , 2012, 224, 348-354.	0.4	35
83	The vascular barrier-protecting hawthorn extract WS <sup>®</sup> 1442 raises endothelial calcium levels by inhibition of SERCA and activation of the IP <sub>3</sub> pathway. <i>Journal of Molecular and Cellular Cardiology</i> , 2012, 53, 567-577.	0.9	18
84	Spatiotemporal Correlations between Cytosolic and Mitochondrial Ca <sup>2+</sup> Signals Using a Novel Red-Shifted Mitochondrial Targeted Cameleon. <i>PLoS ONE</i> , 2012, 7, e45917.	1.1	41
85	Endothelial mitochondria are less respiring, more integrated. <i>Pflügers Archiv European Journal of Physiology</i> , 2012, 464, 63-76.	1.3	96
86	The Role of Mitochondria in the Activation/Maintenance of SOCE. , 2012, , 211-229.		0
87	Mutation in NSLUN2, which Encodes an RNA Methyltransferase, Causes Autosomal-Recessive Intellectual Disability. <i>American Journal of Human Genetics</i> , 2012, 90, 856-863.	2.6	189
88	Docosahexaenoic acid-induced unfolded protein response, cell cycle arrest, and apoptosis in vascular smooth muscle cells are triggered by Ca <sup>2+</sup> -dependent induction of oxidative stress. <i>Free Radical Biology and Medicine</i> , 2012, 52, 1786-1795.	1.3	35
89	Studying mitochondrial Ca <sup>2+</sup> uptake – A revisit. <i>Molecular and Cellular Endocrinology</i> , 2012, 353, 114-127.	1.6	48
90	The GPR55 agonist lysophosphatidylinositol directly activates intermediate-conductance Ca <sup>2+</sup> -activated K <sup>+</sup> channels. <i>Pflügers Archiv European Journal of Physiology</i> , 2011, 462, 245-255.	1.3	33

#	ARTICLE	IF	CITATIONS
91	Triacylglycerol Accumulation Activates the Mitochondrial Apoptosis Pathway in Macrophages. <i>Journal of Biological Chemistry</i> , 2011, 286, 7418-7428.	1.6	66
92	Sequential Synthesis and Methylation of Phosphatidylethanolamine Promote Lipid Droplet Biosynthesis and Stability in Tissue Culture and in Vivo. <i>Journal of Biological Chemistry</i> , 2011, 286, 17338-17350.	1.6	91
93	Leucine Zipper EF Hand-containing Transmembrane Protein 1 (Letm1) and Uncoupling Proteins 2 and 3 (UCP2/3) Contribute to Two Distinct Mitochondrial Ca <sup>2+</sup> Uptake Pathways. <i>Journal of Biological Chemistry</i> , 2011, 286, 28444-28455.	1.6	86
94	The contribution of UCP2 and UCP3 to mitochondrial Ca <sup>2+</sup> uptake is differentially determined by the source of supplied Ca <sup>2+</sup> . <i>Cell Calcium</i> , 2010, 47, 433-440.	1.1	59
95	Uncoupling protein 3 adjusts mitochondrial Ca <sup>2+</sup> uptake to high and low Ca <sup>2+</sup> signals. <i>Cell Calcium</i> , 2010, 48, 288-301.	1.1	30
96	Mitochondrial Ca <sup>2+</sup> channels: Great unknowns with important functions. <i>FEBS Letters</i> , 2010, 584, 1942-1947.	1.3	38
97	Lysophosphatidic acid receptor activation affects the C13NJ microglia cell line proteome leading to alterations in glycolysis, motility, and cytoskeletal architecture. <i>Proteomics</i> , 2010, 10, 141-158.	1.3	65
98	GPR55-dependent and -independent ion signalling in response to lysophosphatidylinositol in endothelial cells. <i>British Journal of Pharmacology</i> , 2010, 161, 308-320.	2.7	59
99	Mitochondrial Ca <sup>2+</sup> uptake and not mitochondrial motility is required for STIM1-Orai1-dependent store-operated Ca <sup>2+</sup> entry. <i>Journal of Cell Science</i> , 2010, 123, 2553-2564.	1.2	76
100	Vesicular Calcium Regulates Coat Retention, Fusogenicity, and Size of Pre-Golgi Intermediates. <i>Molecular Biology of the Cell</i> , 2010, 21, 1033-1046.	0.9	52
101	Acyl chain-dependent effect of lysophosphatidylcholine on endothelial prostacyclin production. <i>Journal of Lipid Research</i> , 2010, 51, 2957-2966.	2.0	47
102	Mitochondrial protein phosphorylation: instigator or target of lipotoxicity?. <i>Trends in Endocrinology and Metabolism</i> , 2009, 20, 186-193.	3.1	23
103	UCP2/3 likely to be fundamental for mitochondrial Ca <sup>2+</sup> uniport. <i>Nature Cell Biology</i> , 2008, 10, 1237-1240.	4.6	53
104	Mitochondrial Ca <sup>2+</sup> , the secret behind the function of uncoupling proteins 2 and 3?. <i>Cell Calcium</i> , 2008, 44, 36-50.	1.1	58
105	The C-terminal Region of Human Adipose Triglyceride Lipase Affects Enzyme Activity and Lipid Droplet Binding. <i>Journal of Biological Chemistry</i> , 2008, 283, 17211-17220.	1.6	133
106	Integrin clustering enables anandamide-induced Ca <sup>2+</sup> signaling in endothelial cells via GPR55 by protection against CB1-receptor-triggered repression. <i>Journal of Cell Science</i> , 2008, 121, 1704-1717.	1.2	160
107	Cytosolic Ca <sup>2+</sup> prevents the subplasmalemmal clustering of STIM1: an intrinsic mechanism to avoid Ca <sup>2+</sup> overload. <i>Journal of Cell Science</i> , 2008, 121, 3133-3139.	1.2	62
108	Mg <sup>2+</sup> Deprivation Elicits Rapid Ca <sup>2+</sup> Uptake and Activates Ca <sup>2+</sup> /Calcineurin Signaling in <i>Saccharomyces cerevisiae</i> . <i>Eukaryotic Cell</i> , 2007, 6, 592-599.	3.4	51

#	ARTICLE	IF	CITATIONS
109	Uncoupling proteins 2 and 3 are fundamental for mitochondrial Ca <sup>2+</sup> uniport. <i>Nature Cell Biology</i> , 2007, 9, 445-452.	4.6	307
110	Mitochondria and Ca <sup>2+</sup> signaling: old guests, new functions. <i>Pflügers Archiv European Journal of Physiology</i> , 2007, 455, 375-396.	1.3	127
111	Mitochondria maintain maturation and secretion of lipoprotein lipase in the endoplasmic reticulum. <i>Biochemical Journal</i> , 2006, 396, 173-182.	1.7	19
112	A New Type of Non-Ca <sup>2+</sup> -buffering Apo(a)-based Fluorescent Indicator for Intraluminal Ca <sup>2+</sup> in the Endoplasmic Reticulum. <i>Journal of Biological Chemistry</i> , 2006, 281, 5017-5025.	1.6	27
113	Twenty Years of Calcium Imaging: Cell Physiology to Dye For. <i>Molecular Interventions: Pharmacological Perspectives From Biology, Chemistry and Genomics</i> , 2005, 5, 112-127.	3.4	42
114	Kisspeptin-10, a KiSS-1/metastatin-derived decapeptide, is a physiological invasion inhibitor of primary human trophoblasts. <i>Journal of Cell Science</i> , 2004, 117, 1319-1328.	1.2	314
115	Heterozygous missense mutations in BSCL2 are associated with distal hereditary motor neuropathy and Silver syndrome. <i>Nature Genetics</i> , 2004, 36, 271-276.	9.4	349
116	Hyperglycemic Conditions Affect Shape and Ca <sup>2+</sup> Homeostasis of Mitochondria in Endothelial Cells. <i>Journal of Cardiovascular Pharmacology</i> , 2004, 44, 423-436.	0.8	51
117	Novel High Energy Intermediate Analogues with Triazasterol-Related Structures as Inhibitors of Ergosterol Biosynthesis. Part 1. Synthesis and Antifungal Activity of N-Alkyl-N-(phenethyl- and Tj ETQq1 1 0.784814 rgBT Overlock		
118	Anandamide initiates Ca <sup>2+</sup> signaling via CB2 receptor linked to phospholipase C in calf pulmonary endothelial cells. <i>British Journal of Pharmacology</i> , 2003, 140, 1351-1362.	2.7	104
119	Sustained Ca <sup>2+</sup> Transfer across Mitochondria Is Essential for Mitochondrial Ca <sup>2+</sup> Buffering, Store-operated Ca <sup>2+</sup> Entry, and Ca <sup>2+</sup> Store Refilling. <i>Journal of Biological Chemistry</i> , 2003, 278, 44769-44779.	1.6	170
120	Mitochondria Efficiently Buffer Subplasmalemmal Ca <sup>2+</sup> Elevation during Agonist Stimulation. <i>Journal of Biological Chemistry</i> , 2003, 278, 10807-10815.	1.6	84
121	Oxidized phospholipids stimulate tissue factor expression in human endothelial cells via activation of ERK/EGR-1 and Ca <sup>++</sup> /NFAT. <i>Blood</i> , 2002, 99, 199-206.	0.6	185
122	Novel High Energy Intermediate Analogues with Triazasterol-Related Structures as Inhibitors of Ergosterol Biosynthesis Part I: Synthesis and Antifungal Activity of N-alkyl-N-(phenethyl- and Tj ETQq0 0 0 rgBT /Overlock 10 Jf 50 222 T 535-546.		
123	Functional Analysis Of Histamine Receptor Subtypes Involved In Endothelium-Mediated Relaxation Of The Human Uterine Artery. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2002, 29, 711-716.	0.9	20
124	Subplasmalemmal endoplasmic reticulum controls KCachannel activity upon stimulation with a moderate histamine concentration in a human umbilical vein endothelial cell line. <i>Journal of Physiology</i> , 2002, 540, 73-84.	1.3	37
125	Nitric oxide inhibits capacitative Ca <sup>2+</sup> entry by suppression of mitochondrial Ca <sup>2+</sup> handling. <i>British Journal of Pharmacology</i> , 2002, 137, 821-830.	2.7	35
126	Hexokinase-II Enzymatic Activity Requires High Levels of Intracellular K <sup>+</sup> . <i>SSRN Electronic Journal</i> , 0, , .	0.4	0

#	ARTICLE	IF	CITATIONS
127	Salivary potassium measured by genetically encoded potassium ion indicators as a surrogate for plasma potassium levels in hemodialysis patients – a proof-of-concept study. Nephrology Dialysis Transplantation, 0, , .	0.4	0