

Tetsuo Nishikawa

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6353712/tetsuo-nishikawa-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

31
papers

1,674
citations

13
h-index

34
g-index

34
ext. papers

2,057
ext. citations

4.6
avg, IF

4.04
L-index

| # | Paper | IF | Citations |
|----|--|------|-----------|
| 31 | A method for determination of aldosterone concentrations of six adrenal venous serum samples during a single LC/ESI-MS/MS run using a sextet of Girard reagents. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2022 , 207, 114423 | 3.5 | 2 |
| 30 | Characteristics of aldosterone-producing adenomas in patients without plasma renin activity suppression.. <i>PLoS ONE</i> , 2022 , 17, e0267732 | 3.7 | 0 |
| 29 | Steroidogenic Activity in Unresected Adrenals Associated With Surgical Outcomes in Primary Aldosteronism. <i>Hypertension</i> , 2021 , 77, 1638-1646 | 8.5 | 3 |
| 28 | Impact of primary aldosteronism on renal function in patients with type2 diabetes. <i>Journal of Diabetes Investigation</i> , 2021 , 12, 217-225 | 3.9 | 2 |
| 27 | Cortisol Co-Secretion and Clinical Usefulness of ACTH Stimulation Test in Primary Aldosteronism: A Systematic Review and Biases in Epidemiological Studies. <i>Frontiers in Endocrinology</i> , 2021 , 12, 645488 | 5.7 | 1 |
| 26 | Precise Mapping of Intra-Adrenal Aldosterone Activities Provides a Novel Surgical Strategy for Primary Aldosteronism. <i>Hypertension</i> , 2020 , 76, 976-984 | 8.5 | 10 |
| 25 | The Primary Aldosteronism Surgical Outcome Score for the Prediction of Clinical Outcomes After Adrenalectomy for Unilateral Primary Aldosteronism. <i>Annals of Surgery</i> , 2020 , 272, 1125-1132 | 7.8 | 40 |
| 24 | Survey of the current status of subclinical coronavirus disease 2019 (COVID-19). <i>Journal of Infection and Chemotherapy</i> , 2020 , 26, 1294-1300 | 2.2 | 10 |
| 23 | Quantitative MALDI-MS/MS assay for serum cortisol through charged derivatization. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 178, 112912 | 3.5 | 3 |
| 22 | Changes in glucose metabolism based on 75-g oral glucose tolerance tests before and after surgery for adrenal Cushing's syndrome. <i>Endocrine Journal</i> , 2019 , 66, 207-214 | 2.9 | 1 |
| 21 | KCNJ5 mutation as a predictor for resolution of hypertension after surgical treatment of aldosterone-producing adenoma. <i>Journal of Hypertension</i> , 2018 , 36, 619-627 | 1.9 | 24 |
| 20 | Immunohistopathology and Steroid Profiles Associated With Biochemical Outcomes After Adrenalectomy for Unilateral Primary Aldosteronism. <i>Hypertension</i> , 2018 , 72, 650-657 | 8.5 | 36 |
| 19 | Computed Tomography and Adrenal Venous Sampling in the Diagnosis of Unilateral Primary Aldosteronism. <i>Hypertension</i> , 2018 , 72, 641-649 | 8.5 | 54 |
| 18 | A method for determination of aldosterone in adrenal tributary venous serum by derivatization using Girard P reagent isotopologues followed by LC/ESI-MS/MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1092, 106-113 | 3.2 | 13 |
| 17 | Aldosterone Suppression by Dexamethasone in Patients With KCNJ5-Mutated Aldosterone-Producing Adenoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 3477-3485 | 5.6 | 13 |
| 16 | Circulating pentraxin 3 is positively associated with chronic hyperglycemia but negatively associated with plasma aldosterone concentration. <i>PLoS ONE</i> , 2018 , 13, e0196526 | 3.7 | 6 |
| 15 | Outcomes after adrenalectomy for unilateral primary aldosteronism: an international consensus on outcome measures and analysis of remission rates in an international cohort. <i>Lancet Diabetes and Endocrinology</i> , 2017 , 5, 689-699 | 18.1 | 355 |

| | | | |
|----|---|------|-----|
| 14 | Efficacy and Safety of the Dipeptidyl Peptidase-4 Inhibitor Sitagliptin on Atherosclerosis, β Cell Function, and Glycemic Control in Japanese Patients with Type 2 Diabetes Mellitus Who are Treatment Naïve or Poorly Responsive to Antidiabetes Agents: A Multicenter, Prospective Observational, Uncontrolled Study. <i>Current Therapeutic Research</i> , 2017 , 84, 26-31 | 2.4 | 8 |
| 13 | Evaluation of Cortisol Production in Aldosterone-Producing Adenoma. <i>Hormone and Metabolic Research</i> , 2017 , 49, 847-853 | 3.1 | 9 |
| 12 | A Novel Method: Super-selective Adrenal Venous Sampling. <i>Journal of Visualized Experiments</i> , 2017 , | 1.6 | 15 |
| 11 | Undercarboxylated osteocalcin can predict insulin secretion ability in type 2 diabetes. <i>Journal of Diabetes Investigation</i> , 2017 , 8, 471-474 | 3.9 | 15 |
| 10 | Clinical Utility of the Adrenocorticotropin Stimulation Test with/without Dexamethasone Suppression for Definitive and Subtype Diagnosis of Primary Aldosteronism. <i>International Journal of Molecular Sciences</i> , 2017 , 18, | 6.3 | 8 |
| 9 | Extraordinarily high aldosterone, 901.0 ng/dL, in a patient with primary aldosteronism: an insight into the underlying mechanism. <i>Endocrine Journal</i> , 2016 , 63, 127-33 | 2.9 | 2 |
| 8 | Clinical and Steroidogenic Characteristics of Aldosterone-Producing Adenomas With ATPase or CACNA1D Gene Mutations. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 494-503 | 5.6 | 49 |
| 7 | Calibration and evaluation of routine methods by serum certified reference material for aldosterone measurement in blood. <i>Endocrine Journal</i> , 2016 , 63, 1065-1080 | 2.9 | 13 |
| 6 | Guidelines for the diagnosis and treatment of primary aldosteronism--the Japan Endocrine Society 2009. <i>Endocrine Journal</i> , 2011 , 58, 711-21 | 2.9 | 350 |
| 5 | Super-selective ACTH-stimulated adrenal vein sampling is necessary for detecting precisely functional state of various lesions in unilateral and bilateral adrenal disorders, including primary aldosteronism with subclinical Cushing's syndrome. <i>Endocrine Journal</i> , 2011 , 58, 919-20 | 2.9 | 17 |
| 4 | Is it Possible to Extirpate Cardiovascular Events in Primary Aldosteronism After Surgical Treatment. <i>Japanese Clinical Medicine</i> , 2010 , 1, 21-3 | 1 | 12 |
| 3 | Clinical characteristics of aldosterone-producing microadenoma, macroadenoma, and idiopathic hyperaldosteronism in 93 patients with primary aldosteronism. <i>Hypertension Research</i> , 2006 , 29, 883-9 | 4.7 | 97 |
| 2 | Prospective study on the prevalence of secondary hypertension among hypertensive patients visiting a general outpatient clinic in Japan. <i>Hypertension Research</i> , 2004 , 27, 193-202 | 4.7 | 393 |
| 1 | Unique cases of unilateral hyperaldosteronemia due to multiple adrenocortical micronodules, which can only be detected by selective adrenal venous sampling. <i>Metabolism: Clinical and Experimental</i> , 2002 , 51, 350-5 | 12.7 | 113 |