Fidel Vila-Rodriguez

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6354777/publications.pdf

Version: 2024-02-01

141 papers 4,596 citations

172207 29 h-index 61 g-index

152 all docs

152 docs citations

152 times ranked

5858 citing authors

#	Article	IF	CITATIONS
1	Effectiveness of theta burst versus high-frequency repetitive transcranial magnetic stimulation in patients with depression (THREE-D): a randomised non-inferiority trial. Lancet, The, 2018, 391, 1683-1692.	6.3	706
2	Canadian Network for Mood and Anxiety Treatments (CANMAT) 2016 Clinical Guidelines for the Management of Adults with Major Depressive Disorder. Canadian Journal of Psychiatry, 2016, 61, 561-575.	0.9	415
3	Failure to deactivate in the prefrontal cortex in schizophrenia: dysfunction of the default mode network?. Psychological Medicine, 2008, 38, 1185-1193.	2.7	287
4	A simple view of the brain through a frequency-specific functional connectivity measure. NeuroImage, 2008, 39, 279-289.	2.1	208
5	Medial prefrontal cortex pathology in schizophrenia as revealed by convergent findings from multimodal imaging. Molecular Psychiatry, 2010, 15, 823-830.	4.1	160
6	Overall brain connectivity maps show corticoâ€subcortical abnormalities in schizophrenia. Human Brain Mapping, 2010, 31, 2003-2014.	1.9	122
7	Large-scale mapping of cortical alterations in 22q11.2 deletion syndrome: Convergence with idiopathic psychosis and effects of deletion size. Molecular Psychiatry, 2020, 25, 1822-1834.	4.1	122
8	Neuroleptic Malignant Syndrome: A Review from a Clinically Oriented Perspective. Current Neuropharmacology, 2015, 13, 395-406.	1.4	117
9	Discovering biomarkers for antidepressant response: protocol from the Canadian biomarker integration network in depression (CAN-BIND) and clinical characteristics of the first patient cohort. BMC Psychiatry, 2016, 16, 105.	1.1	114
10	Trajectories of Response to Dorsolateral Prefrontal rTMS in Major Depression: A THREE-D Study. American Journal of Psychiatry, 2019, 176, 367-375.	4.0	93
11	Neurobiological mechanisms of repetitive transcranial magnetic stimulation of the dorsolateral prefrontal cortex in depression: a systematic review. Psychological Medicine, 2015, 45, 3411-3432.	2.7	87
12	The Hotel Study: Multimorbidity in a Community Sample Living in Marginal Housing. American Journal of Psychiatry, 2013, 170, 1413-1422.	4.0	82
13	Functional connectivity of the anterior cingulate cortex predicts treatment outcome for rTMS in treatment-resistant depression at 3-month follow-up. Brain Stimulation, 2020, 13, 206-214.	0.7	81
14	Unilateral and bilateral MRI-targeted repetitive transcranial magnetic stimulation for treatment-resistant depression: a randomized controlled study. Journal of Psychiatry and Neuroscience, 2016, 41, E58-E66.	1.4	76
15	Abnormal functional connectivity within resting-state networks is related to rTMS-based therapy effects of treatment resistant depression: A pilot study. Journal of Affective Disorders, 2017, 218, 75-81.	2.0	66
16	NEUROBIOLOGICAL PREDICTORS OF RESPONSE TO DORSOLATERAL PREFRONTAL CORTEX REPETITIVE TRANSCRANIAL MAGNETIC STIMULATION IN DEPRESSION: A SYSTEMATIC REVIEW. Depression and Anxiety, 2015, 32, 871-891.	2.0	63
17	Symptomatic and Functional Outcomes and Early Prediction of Response to Escitalopram Monotherapy and Sequential Adjunctive Aripiprazole Therapy in Patients With Major Depressive Disorder. Journal of Clinical Psychiatry, 2019, 80, .	1.1	61
18	Mapping Subcortical Brain Alterations in 22q11.2 Deletion Syndrome: Effects of Deletion Size and Convergence With Idiopathic Neuropsychiatric Illness. American Journal of Psychiatry, 2020, 177, 589-600.	4.0	55

#	Article	IF	CITATIONS
19	Use of Machine Learning for Predicting Escitalopram Treatment Outcome From Electroencephalography Recordings in Adult Patients With Depression. JAMA Network Open, 2020, 3, e1918377.	2.8	49
20	Impaired neuroplasticity in the prefrontal cortex in depression indexed through paired associative stimulation. Depression and Anxiety, 2018, 35, 448-456.	2.0	43
21	Predictors of remission after repetitive transcranial magnetic stimulation for the treatment of major depressive disorder: An analysis from the randomised non-inferiority THREE-D trial. EClinicalMedicine, 2020, 22, 100349.	3.2	41
22	Early symptom improvement at 10 sessions as a predictor of rTMS treatment outcome in major depression. Brain Stimulation, 2018, 11 , $181-189$.	0.7	39
23	48 echo T2 myelin imaging of white matter in first-episode schizophrenia: Evidence for aberrant myelination. Neurolmage: Clinical, 2014, 6, 408-414.	1.4	38
24	The Hotel Studyâ€"Clinical and Health Service Effectiveness in a Cohort of Homeless or Marginally Housed Persons. Canadian Journal of Psychiatry, 2017, 62, 482-492.	0.9	38
25	Treatmentâ€resistant major depressive disorder: Canadian expert consensus on definition and assessment. Depression and Anxiety, 2021, 38, 456-467.	2.0	38
26	Complex Interaction Between Symptoms, Social Factors, and Gender in Social Functioning in a Community-Dwelling Sample of Schizophrenia. Psychiatric Quarterly, 2011, 82, 261-274.	1.1	37
27	The Canadian Biomarker Integration Network in Depression (CAN-BIND): magnetic resonance imaging protocols. Journal of Psychiatry and Neuroscience, 2019, 44, 223-236.	1.4	37
28	Structural brain changes associated with tardive dyskinesia in schizophrenia. British Journal of Psychiatry, 2013, 203, 51-57.	1.7	36
29	Mortality from treatable illnesses in marginally housed adults: a prospective cohort study. BMJ Open, 2015, 5, e008876.	0.8	34
30	Risk of seizures in transcranial magnetic stimulation: a clinical review to inform consent process focused on bupropion. Neuropsychiatric Disease and Treatment, 2015, 11, 2975.	1.0	33
31	Functional disconnectivity of the hippocampal network and neural correlates of memory impairment in treatment-resistant depression. Journal of Affective Disorders, 2019, 253, 248-256.	2.0	33
32	Associations of substance use, psychosis, and mortality among people living in precarious housing or homelessness: A longitudinal, community-based study in Vancouver, Canada. PLoS Medicine, 2020, 17, e1003172.	3.9	32
33	Individual alpha frequency proximity associated with repetitive transcranial magnetic stimulation outcome: An independent replication study from the ICON-DB consortium. Clinical Neurophysiology, 2021, 132, 643-649.	0.7	32
34	Efficacy of Active vs Sham Intermittent Theta Burst Transcranial Magnetic Stimulation for Patients With Bipolar Depression. JAMA Network Open, 2021, 4, e210963.	2.8	32
35	Implementation of intermittent theta burst stimulation compared to conventional repetitive transcranial magnetic stimulation in patients with treatment resistant depression: AAcost analysis. PLoS ONE, 2019, 14, e0222546.	1.1	30
36	Cardiovascular differences between sham and active iTBS related to treatment response in MDD. Brain Stimulation, 2020, 13, 167-174.	0.7	30

#	Article	IF	CITATIONS
37	Effects of copy number variations on brain structure and risk for psychiatric illness: Largeâ€scale studies from the <scp>ENIGMA < /scp> working groups on <scp>CNVs < /scp>. Human Brain Mapping, 2022, 43, 300-328.</scp></scp>	1.9	30
38	Standardization of electroencephalography for multi-site, multi-platform and multi-investigator studies: insights from the canadian biomarker integration network in depression. Scientific Reports, 2017, 7, 7473.	1.6	28
39	Structural network integrity of the central executive network is associated with the therapeutic effect of rTMS in treatment resistant depression. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 92, 217-225.	2.5	28
40	A randomized sham controlled comparison of once vs twice-daily intermittent theta burst stimulation in depression: A Canadian rTMS treatment and biomarker network in depression (CARTBIND) study. Brain Stimulation, 2021, 14, 1447-1455.	0.7	27
41	Delusional Parasitosis Facilitated by Web-Based Dissemination. American Journal of Psychiatry, 2008, 165, 1612-1612.	4.0	26
42	White matter deficits assessed by diffusion tensor imaging and cognitive dysfunction in psychostimulant users with comorbid human immunodeficiency virus infection. BMC Research Notes, 2015, 8, 515.	0.6	26
43	A rapid review of home-based activities that can promote mental wellness during the COVID-19 pandemic. PLoS ONE, 2020, 15, e0243125.	1.1	25
44	A comparison of psychotic symptoms in subjects with methamphetamine versus cocaine dependence. Psychopharmacology, 2017, 234, 1535-1547.	1.5	23
45	Resting EEG theta connectivity and alpha power to predict repetitive transcranial magnetic stimulation response in depression: A non-replication from the ICON-DB consortium. Clinical Neurophysiology, 2021, 132, 650-659.	0.7	23
46	White matter tract abnormalities in first-episode psychosis. Schizophrenia Research, 2012, 141, 29-34.	1.1	22
47	Clinical and functional characteristics of young adults living in single room occupancy housing: preliminary findings from a 10-year longitudinal study. Canadian Journal of Public Health, 2018, 109, 204-214.	1.1	22
48	International Consortium on the Genetics of Electroconvulsive Therapy and Severe Depressive Disorders (Gen-ECT-ic). European Archives of Psychiatry and Clinical Neuroscience, 2020, 270, 921-932.	1.8	22
49	Cognitive decline and mortality in a community-based sample of homeless and precariously housed adults: 9-year prospective study. BJPsych Open, 2020, 6, e21.	0.3	22
50	Efficacy of exercise combined with standard treatment for depression compared to standard treatment alone: A systematic review and meta-analysis of randomized controlled trials. Journal of Affective Disorders, 2021, 295, 1494-1511.	2.0	22
51	Predictive Value of Acute Neuroplastic Response to rTMS in Treatment Outcome in Depression: A Concurrent TMS-fMRI Trial. American Journal of Psychiatry, 2022, 179, 500-508.	4.0	20
52	Electroconvulsive Therapy in Patients With Deep Brain Stimulators. Journal of ECT, 2014, 30, e16-e18.	0.3	19
53	Traumatic Brain Injury in a Community-Based Cohort of Homeless and Vulnerably Housed Individuals. Journal of Neurotrauma, 2017, 34, 3301-3310.	1.7	19
54	Neurocognitive profiles of marginally housed persons with comorbid substance dependence, viral infection, and psychiatric illness. Journal of Clinical and Experimental Neuropsychology, 2014, 36, 1009-1022.	0.8	18

#	Article	IF	CITATIONS
55	Clozapine administered once versus twice daily: Does it make a difference?. Medical Hypotheses, 2014, 82, 225-228.	0.8	17
56	Non-linear Entropy Analysis in EEG to Predict Treatment Response to Repetitive Transcranial Magnetic Stimulation in Depression. Frontiers in Pharmacology, 2018, 9, 1188.	1.6	17
57	Impact of prior treatment on remission with intermittent theta burst versus high-frequency repetitive transcranial magnetic stimulation in treatment resistant depression. Brain Stimulation, 2019, 12, 1553-1555.	0.7	17
58	Electroencephalographic Connectivity: A Fundamental Guide and Checklist for Optimal Study Design and Evaluation. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2022, 7, 546-554.	1.1	17
59	ApoE and cholesterol in schizophrenia and bipolar disorder: comparison of grey and white matter and relation with APOE genotype. Journal of Psychiatry and Neuroscience, 2011, 36, 47-55.	1.4	16
60	Intermittent theta burst stimulation for major depression during pregnancy. Brain Stimulation, 2019, 12, 772-774.	0.7	16
61	Factors affecting severity of positive and negative symptoms of psychosis in a polysubstance using population with psychostimulant dependence. Psychiatry Research, 2016, 240, 336-342.	1.7	15
62	Abnormal Functional Connectivity of Frontopolar Subregions in Treatment-Nonresponsive Major Depressive Disorder. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2018, 3, 337-347.	1.1	15
63	Predictors of cognitive impairment in treatment-resistant depression. Journal of Affective Disorders, 2020, 274, 593-601.	2.0	15
64	Electroconvulsive therapy treatment in patients with somatic symptom and related disorders. Neuropsychiatric Disease and Treatment, 2015, 11, 2565.	1.0	14
65	Parcellation of the human hippocampus based on gray matter volume covariance: Replicable results on healthy young adults. Human Brain Mapping, 2019, 40, 3738-3752.	1.9	14
66	Prefrontal fatty acid composition in schizophrenia and bipolar disorder: Association with reelin expression. Schizophrenia Research, 2020, 215, 493-498.	1.1	14
67	A cross-sectional survey of activities to support mental wellness during the COVID-19 pandemic. Journal of Affective Disorders Reports, 2021, 5, 100167.	0.9	14
68	Structural brain markers are differentially associated with neurocognitive profiles in socially marginalized people with multimorbid illness Neuropsychology, 2017, 31, 28-43.	1.0	13
69	Effects of Ketamine Anesthesia on Efficacy, Tolerability, Seizure Response, and Neurocognitive Outcomes in Electroconvulsive Therapy. Journal of ECT, 2020, 36, 94-105.	0.3	13
70	Optimized repetitive transcranial magnetic stimulation techniques for the treatment of major depression: A proof of concept study. Psychiatry Research, 2021, 298, 113790.	1.7	13
71	The Positive and Negative Syndrome Scale (PANSS): A Three-Factor Model of Psychopathology in Marginally Housed Persons with Substance Dependence and Psychiatric Illness. PLoS ONE, 2016, 11, e0151648.	1.1	12
72	Characterization of white matter integrity deficits in cocaineâ€dependent individuals with substanceâ€induced psychosis compared with nonâ€psychotic cocaine users. Addiction Biology, 2017, 22, 873-881.	1.4	12

#	Article	IF	CITATIONS
73	The role of low-frequency repetitive transcranial magnetic stimulation in major depression: A call to increase the evidence base. Brain Stimulation, 2020, 13, 1296-1297.	0.7	12
74	Repetitive transcranial magnetic stimulation in patients with borderline personality disorder: A systematic review. Psychiatry Research, 2021, 304, 114145.	1.7	12
75	Idiopathic burning mouth syndrome: A common treatment-refractory somatoform condition responsive to ECT. Psychiatry Research, 2014, 216, 158-159.	1.7	11
76	Structural covariance pattern abnormalities of insula in major depressive disorder: A CAN-BIND study report. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 111, 110194.	2.5	11
77	Response trajectories to clozapine in a secondary analysis of pivotal trials support using treatment response to subtype schizophrenia. Canadian Journal of Psychiatry, 2015, 60, S19-25.	0.9	11
78	Updated scalp heuristics for localizing the dorsolateral prefrontal cortex based on convergent evidence of lesion and brain stimulation studies in depression. Brain Stimulation, 2022, 15, 291-295.	0.7	11
79	Personalized Risk Assessment of Drug-Related Harm Is Associated with Health Outcomes. PLoS ONE, 2013, 8, e79754.	1.1	10
80	Subcortical grey matter alterations in cocaine dependent individuals with substance-induced psychosis compared to non-psychotic cocaine users. Schizophrenia Research, 2016, 176, 158-163.	1.1	10
81	A comparison of regional brain volumes and white matter connectivity in subjects with stimulant induced psychosis versus schizophrenia. Psychopharmacology, 2019, 236, 3385-3399.	1.5	10
82	Considerable evidence supports rTMS for treatment-resistant depression. Journal of Affective Disorders, 2020, 263, 549-551.	2.0	10
83	Sex effects on cortical morphological networks in healthy young adults. Neurolmage, 2021, 233, 117945.	2.1	10
84	Longer Repetition Time Proton MR Spectroscopy Shows Increasing Hippocampal and Parahippocampal Metabolite Concentrations with Aging. Journal of Neuroimaging, 2019, 29, 592-597.	1.0	9
85	Cognitive profiles and associated structural brain networks in a multimorbid sample of marginalized adults. PLoS ONE, 2019, 14, e0218201.	1.1	9
86	Volumes of the Hippocampal Formation Differentiate Component Processes of Memory in a Community Sample of Homeless and Marginally Housed Persons. Archives of Clinical Neuropsychology, 2019, 34, 548-562.	0.3	9
87	Lifesaving Electroconvulsive Therapy for a Child With Autism Spectrum Disorder, Severe Self-Injurious Behavior, and Neuroleptic Malignant Syndrome. Journal of ECT, 2019, 35, e55-e56.	0.3	8
88	Effect of repetitive transcranial magnetic stimulation on anxiety symptoms in patients with major depression: An analysis from the THREEâ€D trial. Depression and Anxiety, 2021, 38, 262-271.	2.0	8
89	Large-scale structural network change correlates with clinical response to rTMS in depression. Neuropsychopharmacology, 2022, , .	2.8	8
90	Chronic Benign Neutropenia/Agranulocytosis Associated With Non-Clozapine Antipsychotics. American Journal of Psychiatry, 2013, 170, 1213-1214.	4.0	7

#	Article	IF	Citations
91	Development of a cost-efficient novel method for rapid, concurrent genotyping of five common single nucleotide polymorphisms of the brain derived neurotrophic factor (BDNF) gene by tetra-primer amplification refractory mutation system. International Journal of Methods in Psychiatric Research, 2015, 24, 235-244.	1.1	7
92	Sinus Tachycardia Induced by Methocarbamol and Repetitive Transcranial Magnetic Stimulation (rTMS). Brain Stimulation, 2016, 9, 156-158.	0.7	7
93	Dynamic Cross-Entropy. Journal of Neuroscience Methods, 2017, 275, 10-18.	1.3	7
94	Diffusion tensor imaging of neurocognitive profiles in a community cohort living in marginal housing. Brain and Behavior, 2019, 9, e01233.	1.0	7
95	Accelerated magnetic seizure therapy (aMST) for treatment of major depressive disorder: A pilot study. Journal of Affective Disorders, 2020, 264, 215-220.	2.0	7
96	Evaluation of the effects of rTMS on self-reported quality of life and disability in treatment-resistant depression: A THREE-D study. Journal of Affective Disorders, 2020, 268, 127-133.	2.0	7
97	Individualized functional targeting for <scp>rTMS</scp> : A powerful idea whose time has come?. Human Brain Mapping, 2021, 42, 4079-4080.	1.9	7
98	A sparse representation-based method for parcellation of the resting brain and its application to treatment-resistant major depressive disorder. Journal of Neuroscience Methods, 2017, 290, 57-68.	1.3	6
99	Verbal memory improvement in first-episode psychosis APOE- ε4 carriers: a pleiotropic effect?. Neuropsychiatric Disease and Treatment, 2017, Volume 13, 2945-2953.	1.0	6
100	Towards Competency-Based Medical Education in Neurostimulation. Academic Psychiatry, 2020, 44, 775-778.	0.4	6
101	Repetitive Transcranial Magnetic Stimulation Shows Longitudinal Improvements in Memory in Patients With Treatment-Resistant Depression. Neuromodulation, 2022, 25, 596-605.	0.4	6
102	Effect of high frequency versus thetaâ€burst repetitive transcranial magnetic stimulation on suicidality in patients with treatmentâ€resistant depression. Acta Psychiatrica Scandinavica, 2022, 145, 529-538.	2.2	6
103	A case of pseudo-Stauffer's syndrome related to asenapine use. Schizophrenia Research, 2015, 169, 500-501.	1.1	5
104	Intermittent theta-burst versus 10 Hz left dorsolateral prefrontal rTMS for treatment resistant depression: preliminary results from a two-site, randomized, single blind non-inferiority trial. Brain Stimulation, 2015, 8, 329.	0.7	5
105	Interventional Psychiatry: An Idea Whose Time Has Come?. Canadian Journal of Psychiatry, 2021, 66, 316-318.	0.9	5
106	A Tetra-Primer Amplification Refractory System Technique for the Cost-Effective and Novel Genotyping of Eight Single-Nucleotide Polymorphisms of the Catechol-O-Methyltransferase Gene. Genetic Testing and Molecular Biomarkers, 2016, 20, 465-470.	0.3	4
107	Interleaved Transcranial Magnetic Stimulation and Functional Magnetic Resonance Imaging: A Translational Tool. Clinical Pharmacology and Therapeutics, 2019, 106, 714-716.	2.3	4
108	SSâ€Detect: Development and Validation of a New Strategy for Sourceâ€Based Morphometry in Multiscanner Studies. Journal of Neuroimaging, 2021, 31, 261-271.	1.0	4

#	Article	IF	Citations
109	Overdose mortality is reducing the gains in life expectancy of antiretroviral-treated people living with HIV in British Columbia, Canada. International Journal of Drug Policy, 2021, 96, 103195.	1.6	4
110	Magnetic seizure therapy is associated with functional and structural brain changes in MDD: Therapeutic versus side effect correlates. Journal of Affective Disorders, 2021, 286, 40-48.	2.0	4
111	Electroconvulsive Shock, but Not Transcranial Magnetic Stimulation, Transiently Elevates Cell Proliferation in the Adult Mouse Hippocampus. Cells, 2021, 10, 2090.	1.8	4
112	A patient-oriented analysis of pain side effect: A step to improve the patient's experience during rTMS?. Brain Stimulation, 2021, 14, 1147-1153.	0.7	4
113	Pain, opioid use, depressive symptoms, and mortality in adults living in precarious housing or homelessness: a longitudinal prospective study. Pain, 2022, 163, 2213-2223.	2.0	4
114	Methamphetamine, Perceptual Disturbances, and the Peripheral Drift Illusion. American Journal on Addictions, 2011, 20, 490-490.	1.3	3
115	Dimenhydrinate Use Disorder With Chronic Psychosis. Journal of Clinical Psychopharmacology, 2015, 35, 105-107.	0.7	3
116	Moving away from depression: Physical activity changes in patients undergoing r-TMS for major depressive disorder. Mental Health and Physical Activity, 2019, 16, 50-53.	0.9	3
117	Accelerated Magnetic Seizure Therapy for Treatment of Major Depressive Disorder. Journal of ECT, 2019, 35, 135-138.	0.3	3
118	Caution When Continuing Benzodiazepines During rTMS: Response to Hunter and Leuchter. American Journal of Psychiatry, 2020, 177, 172-173.	4.0	3
119	Dynamic networks of psychotic symptoms in adults living in precarious housing or homelessness. Psychological Medicine, 2021, , 1-11.	2.7	3
120	Effect of combined yoga and transcranial direct current stimulation intervention on working memory and mindfulness. Journal of Integrative Neuroscience, 2021, 20, 367.	0.8	3
121	Thalamic Shape: A Possible Endophenotype. Journal of Neuroscience, 2008, 28, 3533-3534.	1.7	2
122	Index Electroconvulsive Therapy Course to Treat Severe Suicidality and Depression in Fahr Disease. Journal of ECT, 2016, 32, 72-73.	0.3	2
123	Psychiatric, Motor, and Autonomic Effects of Bifrontal ECT in Depressed Parkinson's Disease Patients. Journal of Neuropsychiatry and Clinical Neurosciences, 2021, 33, 161-166.	0.9	2
124	Psychometric properties and correlates of the Beck Depression Inventory in a community-based and homeless or precariously housed sample. Journal of Affective Disorders Reports, 2021, 6, 100229.	0.9	2
125	Investigating EEG biomarkers of clinical response to low frequency rTMS in depression. Journal of Affective Disorders Reports, 2021, 6, 100250.	0.9	2
126	Combined Yoga and Transcranial Direct Current Stimulation Increase Functional Connectivity and Synchronization in the Frontal Areas. Brain Topography, 2022, 35, 207-218.	0.8	2

#	Article	IF	CITATIONS
127	Single Occurrence of Intraictal Cessation During Index Course of Electroconvulsive Therapy. Journal of ECT, 2015, 31, 4-5.	0.3	1
128	223. Anterior Cingulate Cortex Connectivity and Treatment Response Prediction to rTMS in Depression. Biological Psychiatry, 2018, 83, S89-S90.	0.7	1
129	Mixing Apples and Oranges in Assessing Outcomes of Repetitive Transcranial Stimulation Meta-Analyses. Psychotherapy and Psychosomatics, 2020, 89, 106-107.	4.0	1
130	The Relevance of EEG Artifact Identification. Journal of ECT, 2013, 29, 13-14.	0.3	0
131	Occurrence of Postictal $\hat{l}\pm/\hat{l}^2$ Activity During Maintenance Course of Electroconvulsive Therapy. Journal of ECT, 2015, 31, 211-212.	0.3	0
132	608. Baseline Resting-State fMRI Biomarkers of Depression Response to DLPFC-rTMS: Different Patterns of Functional Connectivity Predict Response to 10 Hz rTMS and Intermittant TBS. Biological Psychiatry, 2017, 81, S246.	0.7	0
133	222. Clinical Results From the Theta Burst Versus High Frequency Repetitive Transcranial Magnetic Stimulation Effectiveness Evaluation in Depression (THREE-D) Randomized Non-Inferiority Trial. Biological Psychiatry, 2018, 83, S89.	0.7	0
134	225. Follow-On Studies From the THREE-D Trial: Preliminary Clinical and Neuroimaging Findings. Biological Psychiatry, 2018, 83, S90-S91.	0.7	0
135	116. Distinctive Mechanisms of Action for DLPFC-, DMPFC-, and OFC-rTMS in Major Depression. Biological Psychiatry, 2018, 83, S47-S48.	0.7	0
136	224. Resting-State fMRI Predictors and Mechanisms of rTMS Treatment Response: Neuroimaging Results of the Three-D Study. Biological Psychiatry, 2018, 83, S90.	0.7	0
137	Repetitive transcranial magnetic stimulation for depression – Authors' reply. Lancet, The, 2019, 393, 403-404.	6. 3	0
138	Acceptability of exercise as an adjunct to repetitive transcranial magnetic stimulation for treatment-resistant depression: A patient-oriented collaboration study. Journal of Affective Disorders Reports, 2020, 2, 100027.	0.9	0
139	Left-handed individuals with treatment-resistant depression show similar response to intermittent theta-burst stimulation and 10 Hz repetitive transcranial magnetic stimulation. World Journal of Biological Psychiatry, 2021, 22, 559-560.	1.3	0
140	Evaluation of a 5 day accelerated 1ÂHz repetitive transcranial magnetic stimulation protocol in major depression: A feasibility study. Journal of Affective Disorders Reports, 2021, 4, 100077.	0.9	0
141	Component Processes of Decision Making in a Community Sample of Precariously Housed Persons: Associations With Learning and Memory, and Health-Risk Behaviors. Frontiers in Psychology, 2021, 12, 571423.	1.1	0