

Fidel Vila-Rodriguez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6354777/publications.pdf>

Version: 2024-02-01

141
papers

4,596
citations

172207

29
h-index

123241

61
g-index

152
all docs

152
docs citations

152
times ranked

5858
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of copy number variations on brain structure and risk for psychiatric illness: Large-scale studies from the ENIGMA working groups on CNVs. <i>Human Brain Mapping</i> , 2022, 43, 300-328.	1.9	30
2	Electroencephalographic Connectivity: A Fundamental Guide and Checklist for Optimal Study Design and Evaluation. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2022, 7, 546-554.	1.1	17
3	Repetitive Transcranial Magnetic Stimulation Shows Longitudinal Improvements in Memory in Patients With Treatment-Resistant Depression. <i>Neuromodulation</i> , 2022, 25, 596-605.	0.4	6
4	Combined Yoga and Transcranial Direct Current Stimulation Increase Functional Connectivity and Synchronization in the Frontal Areas. <i>Brain Topography</i> , 2022, 35, 207-218.	0.8	2
5	Updated scalp heuristics for localizing the dorsolateral prefrontal cortex based on convergent evidence of lesion and brain stimulation studies in depression. <i>Brain Stimulation</i> , 2022, 15, 291-295.	0.7	11
6	Large-scale structural network change correlates with clinical response to rTMS in depression. <i>Neuropsychopharmacology</i> , 2022, , .	2.8	8
7	Pain, opioid use, depressive symptoms, and mortality in adults living in precarious housing or homelessness: a longitudinal prospective study. <i>Pain</i> , 2022, 163, 2213-2223.	2.0	4
8	Effect of high frequency versus theta-burst repetitive transcranial magnetic stimulation on suicidality in patients with treatment-resistant depression. <i>Acta Psychiatrica Scandinavica</i> , 2022, 145, 529-538.	2.2	6
9	Predictive Value of Acute Neuroplastic Response to rTMS in Treatment Outcome in Depression: A Concurrent TMS-fMRI Trial. <i>American Journal of Psychiatry</i> , 2022, 179, 500-508.	4.0	20
10	Structural covariance pattern abnormalities of insula in major depressive disorder: A CAN-BIND study report. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 111, 110194.	2.5	11
11	Interventional Psychiatry: An Idea Whose Time Has Come?. <i>Canadian Journal of Psychiatry</i> , 2021, 66, 316-318.	0.9	5
12	Resting EEG theta connectivity and alpha power to predict repetitive transcranial magnetic stimulation response in depression: A non-replication from the ICON-DB consortium. <i>Clinical Neurophysiology</i> , 2021, 132, 650-659.	0.7	23
13	SS-Detect: Development and Validation of a New Strategy for Source-Based Morphometry in Multiscanner Studies. <i>Journal of Neuroimaging</i> , 2021, 31, 261-271.	1.0	4
14	Individual alpha frequency proximity associated with repetitive transcranial magnetic stimulation outcome: An independent replication study from the ICON-DB consortium. <i>Clinical Neurophysiology</i> , 2021, 132, 643-649.	0.7	32
15	Effect of repetitive transcranial magnetic stimulation on anxiety symptoms in patients with major depression: An analysis from the THREE-D trial. <i>Depression and Anxiety</i> , 2021, 38, 262-271.	2.0	8
16	Dynamic networks of psychotic symptoms in adults living in precarious housing or homelessness. <i>Psychological Medicine</i> , 2021, , 1-11.	2.7	3
17	Effect of combined yoga and transcranial direct current stimulation intervention on working memory and mindfulness. <i>Journal of Integrative Neuroscience</i> , 2021, 20, 367.	0.8	3
18	Treatment-resistant major depressive disorder: Canadian expert consensus on definition and assessment. <i>Depression and Anxiety</i> , 2021, 38, 456-467.	2.0	38

#	ARTICLE	IF	CITATIONS
19	Overdose mortality is reducing the gains in life expectancy of antiretroviral-treated people living with HIV in British Columbia, Canada. <i>International Journal of Drug Policy</i> , 2021, 96, 103195.	1.6	4
20	Efficacy of Active vs Sham Intermittent Theta Burst Transcranial Magnetic Stimulation for Patients With Bipolar Depression. <i>JAMA Network Open</i> , 2021, 4, e210963.	2.8	32
21	Left-handed individuals with treatment-resistant depression show similar response to intermittent theta-burst stimulation and 10 Hz repetitive transcranial magnetic stimulation. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 559-560.	1.3	0
22	Optimized repetitive transcranial magnetic stimulation techniques for the treatment of major depression: A proof of concept study. <i>Psychiatry Research</i> , 2021, 298, 113790.	1.7	13
23	Evaluation of a 5 day accelerated 1ÂHz repetitive transcranial magnetic stimulation protocol in major depression: A feasibility study. <i>Journal of Affective Disorders Reports</i> , 2021, 4, 100077.	0.9	0
24	Psychiatric, Motor, and Autonomic Effects of Bifrontal ECT in Depressed Parkinsonâ€™s Disease Patients. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2021, 33, 161-166.	0.9	2
25	Individualized functional targeting for <scp>rTMS</scp>: A powerful idea whose time has come?. <i>Human Brain Mapping</i> , 2021, 42, 4079-4080.	1.9	7
26	Magnetic seizure therapy is associated with functional and structural brain changes in MDD: Therapeutic versus side effect correlates. <i>Journal of Affective Disorders</i> , 2021, 286, 40-48.	2.0	4
27	Sex effects on cortical morphological networks in healthy young adults. <i>NeuroImage</i> , 2021, 233, 117945.	2.1	10
28	Component Processes of Decision Making in a Community Sample of Precariously Housed Persons: Associations With Learning and Memory, and Health-Risk Behaviors. <i>Frontiers in Psychology</i> , 2021, 12, 571423.	1.1	0
29	A cross-sectional survey of activities to support mental wellness during the COVID-19 pandemic. <i>Journal of Affective Disorders Reports</i> , 2021, 5, 100167.	0.9	14
30	Electroconvulsive Shock, but Not Transcranial Magnetic Stimulation, Transiently Elevates Cell Proliferation in the Adult Mouse Hippocampus. <i>Cells</i> , 2021, 10, 2090.	1.8	4
31	A patient-oriented analysis of pain side effect: A step to improve the patient's experience during rTMS?. <i>Brain Stimulation</i> , 2021, 14, 1147-1153.	0.7	4
32	Efficacy of exercise combined with standard treatment for depression compared to standard treatment alone: A systematic review and meta-analysis of randomized controlled trials. <i>Journal of Affective Disorders</i> , 2021, 295, 1494-1511.	2.0	22
33	Repetitive transcranial magnetic stimulation in patients with borderline personality disorder: A systematic review. <i>Psychiatry Research</i> , 2021, 304, 114145.	1.7	12
34	A randomized sham controlled comparison of once vs twice-daily intermittent theta burst stimulation in depression: A Canadian rTMS treatment and biomarker network in depression (CARTBIND) study. <i>Brain Stimulation</i> , 2021, 14, 1447-1455.	0.7	27
35	Psychometric properties and correlates of the Beck Depression Inventory in a community-based and homeless or precariously housed sample. <i>Journal of Affective Disorders Reports</i> , 2021, 6, 100229.	0.9	2
36	Investigating EEG biomarkers of clinical response to low frequency rTMS in depression. <i>Journal of Affective Disorders Reports</i> , 2021, 6, 100250.	0.9	2

#	ARTICLE	IF	CITATIONS
37	Prefrontal fatty acid composition in schizophrenia and bipolar disorder: Association with reelin expression. <i>Schizophrenia Research</i> , 2020, 215, 493-498.	1.1	14
38	Large-scale mapping of cortical alterations in 22q11.2 deletion syndrome: Convergence with idiopathic psychosis and effects of deletion size. <i>Molecular Psychiatry</i> , 2020, 25, 1822-1834.	4.1	122
39	Functional connectivity of the anterior cingulate cortex predicts treatment outcome for rTMS in treatment-resistant depression at 3-month follow-up. <i>Brain Stimulation</i> , 2020, 13, 206-214.	0.7	81
40	Considerable evidence supports rTMS for treatment-resistant depression. <i>Journal of Affective Disorders</i> , 2020, 263, 549-551.	2.0	10
41	Accelerated magnetic seizure therapy (aMST) for treatment of major depressive disorder: A pilot study. <i>Journal of Affective Disorders</i> , 2020, 264, 215-220.	2.0	7
42	Cardiovascular differences between sham and active iTBS related to treatment response in MDD. <i>Brain Stimulation</i> , 2020, 13, 167-174.	0.7	30
43	Use of Machine Learning for Predicting Escitalopram Treatment Outcome From Electroencephalography Recordings in Adult Patients With Depression. <i>JAMA Network Open</i> , 2020, 3, e1918377.	2.8	49
44	International Consortium on the Genetics of Electroconvulsive Therapy and Severe Depressive Disorders (Gen-ECT-ic). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 921-932.	1.8	22
45	Mixing Apples and Oranges in Assessing Outcomes of Repetitive Transcranial Stimulation Meta-Analyses. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 106-107.	4.0	1
46	Effects of Ketamine Anesthesia on Efficacy, Tolerability, Seizure Response, and Neurocognitive Outcomes in Electroconvulsive Therapy. <i>Journal of ECT</i> , 2020, 36, 94-105.	0.3	13
47	Predictors of remission after repetitive transcranial magnetic stimulation for the treatment of major depressive disorder: An analysis from the randomised non-inferiority THREE-D trial. <i>EClinicalMedicine</i> , 2020, 22, 100349.	3.2	41
48	Cognitive decline and mortality in a community-based sample of homeless and precariously housed adults: 9-year prospective study. <i>BJPsych Open</i> , 2020, 6, e21.	0.3	22
49	Acceptability of exercise as an adjunct to repetitive transcranial magnetic stimulation for treatment-resistant depression: A patient-oriented collaboration study. <i>Journal of Affective Disorders Reports</i> , 2020, 2, 100027.	0.9	0
50	Predictors of cognitive impairment in treatment-resistant depression. <i>Journal of Affective Disorders</i> , 2020, 274, 593-601.	2.0	15
51	Evaluation of the effects of rTMS on self-reported quality of life and disability in treatment-resistant depression: A THREE-D study. <i>Journal of Affective Disorders</i> , 2020, 268, 127-133.	2.0	7
52	The role of low-frequency repetitive transcranial magnetic stimulation in major depression: A call to increase the evidence base. <i>Brain Stimulation</i> , 2020, 13, 1296-1297.	0.7	12
53	Associations of substance use, psychosis, and mortality among people living in precarious housing or homelessness: A longitudinal, community-based study in Vancouver, Canada. <i>PLoS Medicine</i> , 2020, 17, e1003172.	3.9	32
54	Towards Competency-Based Medical Education in Neurostimulation. <i>Academic Psychiatry</i> , 2020, 44, 775-778.	0.4	6

#	ARTICLE	IF	CITATIONS
55	Mapping Subcortical Brain Alterations in 22q11.2 Deletion Syndrome: Effects of Deletion Size and Convergence With Idiopathic Neuropsychiatric Illness. <i>American Journal of Psychiatry</i> , 2020, 177, 589-600.	4.0	55
56	Caution When Continuing Benzodiazepines During rTMS: Response to Hunter and Leuchter. <i>American Journal of Psychiatry</i> , 2020, 177, 172-173.	4.0	3
57	A rapid review of home-based activities that can promote mental wellness during the COVID-19 pandemic. <i>PLoS ONE</i> , 2020, 15, e0243125.	1.1	25
58	Interleaved Transcranial Magnetic Stimulation and Functional Magnetic Resonance Imaging: A Translational Tool. <i>Clinical Pharmacology and Therapeutics</i> , 2019, 106, 714-716.	2.3	4
59	Impact of prior treatment on remission with intermittent theta burst versus high-frequency repetitive transcranial magnetic stimulation in treatment resistant depression. <i>Brain Stimulation</i> , 2019, 12, 1553-1555.	0.7	17
60	Longer Repetition Time Proton MR Spectroscopy Shows Increasing Hippocampal and Parahippocampal Metabolite Concentrations with Aging. <i>Journal of Neuroimaging</i> , 2019, 29, 592-597.	1.0	9
61	Implementation of intermittent theta burst stimulation compared to conventional repetitive transcranial magnetic stimulation in patients with treatment resistant depression: AAcost analysis. <i>PLoS ONE</i> , 2019, 14, e0222546.	1.1	30
62	Structural network integrity of the central executive network is associated with the therapeutic effect of rTMS in treatment resistant depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 92, 217-225.	2.5	28
63	Intermittent theta burst stimulation for major depression during pregnancy. <i>Brain Stimulation</i> , 2019, 12, 772-774.	0.7	16
64	Repetitive transcranial magnetic stimulation for depression – Authors' reply. <i>Lancet, The</i> , 2019, 393, 403-404.	6.3	0
65	Cognitive profiles and associated structural brain networks in a multimorbid sample of marginalized adults. <i>PLoS ONE</i> , 2019, 14, e0218201.	1.1	9
66	A comparison of regional brain volumes and white matter connectivity in subjects with stimulant induced psychosis versus schizophrenia. <i>Psychopharmacology</i> , 2019, 236, 3385-3399.	1.5	10
67	Parcellation of the human hippocampus based on gray matter volume covariance: Replicable results on healthy young adults. <i>Human Brain Mapping</i> , 2019, 40, 3738-3752.	1.9	14
68	Moving away from depression: Physical activity changes in patients undergoing r-TMS for major depressive disorder. <i>Mental Health and Physical Activity</i> , 2019, 16, 50-53.	0.9	3
69	Functional disconnectivity of the hippocampal network and neural correlates of memory impairment in treatment-resistant depression. <i>Journal of Affective Disorders</i> , 2019, 253, 248-256.	2.0	33
70	Accelerated Magnetic Seizure Therapy for Treatment of Major Depressive Disorder. <i>Journal of ECT</i> , 2019, 35, 135-138.	0.3	3
71	Diffusion tensor imaging of neurocognitive profiles in a community cohort living in marginal housing. <i>Brain and Behavior</i> , 2019, 9, e01233.	1.0	7
72	Trajectories of Response to Dorsolateral Prefrontal rTMS in Major Depression: A THREE-D Study. <i>American Journal of Psychiatry</i> , 2019, 176, 367-375.	4.0	93

#	ARTICLE	IF	CITATIONS
73	Lifesaving Electroconvulsive Therapy for a Child With Autism Spectrum Disorder, Severe Self-Injurious Behavior, and Neuroleptic Malignant Syndrome. <i>Journal of ECT</i> , 2019, 35, e55-e56.	0.3	8
74	Volumes of the Hippocampal Formation Differentiate Component Processes of Memory in a Community Sample of Homeless and Marginally Housed Persons. <i>Archives of Clinical Neuropsychology</i> , 2019, 34, 548-562.	0.3	9
75	The Canadian Biomarker Integration Network in Depression (CAN-BIND): magnetic resonance imaging protocols. <i>Journal of Psychiatry and Neuroscience</i> , 2019, 44, 223-236.	1.4	37
76	Symptomatic and Functional Outcomes and Early Prediction of Response to Escitalopram Monotherapy and Sequential Adjunctive Aripiprazole Therapy in Patients With Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2019, 80, .	1.1	61
77	Effectiveness of theta burst versus high-frequency repetitive transcranial magnetic stimulation in patients with depression (THREE-D): a randomised non-inferiority trial. <i>Lancet, The</i> , 2018, 391, 1683-1692.	6.3	706
78	Impaired neuroplasticity in the prefrontal cortex in depression indexed through paired associative stimulation. <i>Depression and Anxiety</i> , 2018, 35, 448-456.	2.0	43
79	223. Anterior Cingulate Cortex Connectivity and Treatment Response Prediction to rTMS in Depression. <i>Biological Psychiatry</i> , 2018, 83, S89-S90.	0.7	1
80	Abnormal Functional Connectivity of Frontopolar Subregions in Treatment-Nonresponsive Major Depressive Disorder. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018, 3, 337-347.	1.1	15
81	222. Clinical Results From the Theta Burst Versus High Frequency Repetitive Transcranial Magnetic Stimulation Effectiveness Evaluation in Depression (THREE-D) Randomized Non-Inferiority Trial. <i>Biological Psychiatry</i> , 2018, 83, S89.	0.7	0
82	Early symptom improvement at 10 sessions as a predictor of rTMS treatment outcome in major depression. <i>Brain Stimulation</i> , 2018, 11, 181-189.	0.7	39
83	225. Follow-On Studies From the THREE-D Trial: Preliminary Clinical and Neuroimaging Findings. <i>Biological Psychiatry</i> , 2018, 83, S90-S91.	0.7	0
84	Non-linear Entropy Analysis in EEG to Predict Treatment Response to Repetitive Transcranial Magnetic Stimulation in Depression. <i>Frontiers in Pharmacology</i> , 2018, 9, 1188.	1.6	17
85	Clinical and functional characteristics of young adults living in single room occupancy housing: preliminary findings from a 10-year longitudinal study. <i>Canadian Journal of Public Health</i> , 2018, 109, 204-214.	1.1	22
86	116. Distinctive Mechanisms of Action for DLPFC-, DMPFC-, and OFC-rTMS in Major Depression. <i>Biological Psychiatry</i> , 2018, 83, S47-S48.	0.7	0
87	224. Resting-State fMRI Predictors and Mechanisms of rTMS Treatment Response: Neuroimaging Results of the Three-D Study. <i>Biological Psychiatry</i> , 2018, 83, S90.	0.7	0
88	Characterization of white matter integrity deficits in cocaine-induced individuals with substance-induced psychosis compared with non-psychotic cocaine users. <i>Addiction Biology</i> , 2017, 22, 873-881.	1.4	12
89	A comparison of psychotic symptoms in subjects with methamphetamine versus cocaine dependence. <i>Psychopharmacology</i> , 2017, 234, 1535-1547.	1.5	23
90	The Hotel Study—Clinical and Health Service Effectiveness in a Cohort of Homeless or Marginally Housed Persons. <i>Canadian Journal of Psychiatry</i> , 2017, 62, 482-492.	0.9	38

#	ARTICLE	IF	CITATIONS
91	Abnormal functional connectivity within resting-state networks is related to rTMS-based therapy effects of treatment resistant depression: A pilot study. <i>Journal of Affective Disorders</i> , 2017, 218, 75-81.	2.0	66
92	608. Baseline Resting-State fMRI Biomarkers of Depression Response to DLPFC-rTMS: Different Patterns of Functional Connectivity Predict Response to 10 Hz rTMS and Intermittant TBS. <i>Biological Psychiatry</i> , 2017, 81, S246.	0.7	0
93	Structural brain markers are differentially associated with neurocognitive profiles in socially marginalized people with multimorbid illness.. <i>Neuropsychology</i> , 2017, 31, 28-43.	1.0	13
94	A sparse representation-based method for parcellation of the resting brain and its application to treatment-resistant major depressive disorder. <i>Journal of Neuroscience Methods</i> , 2017, 290, 57-68.	1.3	6
95	Standardization of electroencephalography for multi-site, multi-platform and multi-investigator studies: insights from the canadian biomarker integration network in depression. <i>Scientific Reports</i> , 2017, 7, 7473.	1.6	28
96	Dynamic Cross-Entropy. <i>Journal of Neuroscience Methods</i> , 2017, 275, 10-18.	1.3	7
97	Verbal memory improvement in first-episode psychosis & APOE-ε4 carriers: a pleiotropic effect?. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 2945-2953.	1.0	6
98	Traumatic Brain Injury in a Community-Based Cohort of Homeless and Vulnerably Housed Individuals. <i>Journal of Neurotrauma</i> , 2017, 34, 3301-3310.	1.7	19
99	The Positive and Negative Syndrome Scale (PANSS): A Three-Factor Model of Psychopathology in Marginally Housed Persons with Substance Dependence and Psychiatric Illness. <i>PLoS ONE</i> , 2016, 11, e0151648.	1.1	12
100	Unilateral and bilateral MRI-targeted repetitive transcranial magnetic stimulation for treatment-resistant depression: a randomized controlled study. <i>Journal of Psychiatry and Neuroscience</i> , 2016, 41, E58-E66.	1.4	76
101	Index Electroconvulsive Therapy Course to Treat Severe Suicidality and Depression in Fahr Disease. <i>Journal of ECT</i> , 2016, 32, 72-73.	0.3	2
102	A Tetra-Primer Amplification Refractory System Technique for the Cost-Effective and Novel Genotyping of Eight Single-Nucleotide Polymorphisms of the Catechol-O-Methyltransferase Gene. <i>Genetic Testing and Molecular Biomarkers</i> , 2016, 20, 465-470.	0.3	4
103	Factors affecting severity of positive and negative symptoms of psychosis in a polysubstance using population with psychostimulant dependence. <i>Psychiatry Research</i> , 2016, 240, 336-342.	1.7	15
104	Subcortical grey matter alterations in cocaine dependent individuals with substance-induced psychosis compared to non-psychotic cocaine users. <i>Schizophrenia Research</i> , 2016, 176, 158-163.	1.1	10
105	Canadian Network for Mood and Anxiety Treatments (CANMAT) 2016 Clinical Guidelines for the Management of Adults with Major Depressive Disorder. <i>Canadian Journal of Psychiatry</i> , 2016, 61, 561-575.	0.9	415
106	Discovering biomarkers for antidepressant response: protocol from the Canadian biomarker integration network in depression (CAN-BIND) and clinical characteristics of the first patient cohort. <i>BMC Psychiatry</i> , 2016, 16, 105.	1.1	114
107	Sinus Tachycardia Induced by Methocarbamol and Repetitive Transcranial Magnetic Stimulation (rTMS). <i>Brain Stimulation</i> , 2016, 9, 156-158.	0.7	7
108	Neurobiological mechanisms of repetitive transcranial magnetic stimulation of the dorsolateral prefrontal cortex in depression: a systematic review. <i>Psychological Medicine</i> , 2015, 45, 3411-3432.	2.7	87

#	ARTICLE	IF	CITATIONS
109	A case of pseudo-Stauffer's syndrome related to asenapine use. <i>Schizophrenia Research</i> , 2015, 169, 500-501.	1.1	5
110	NEUROBIOLOGICAL PREDICTORS OF RESPONSE TO DORSOLATERAL PREFRONTAL CORTEX REPETITIVE TRANSCRANIAL MAGNETIC STIMULATION IN DEPRESSION: A SYSTEMATIC REVIEW. <i>Depression and Anxiety</i> , 2015, 32, 871-891.	2.0	63
111	Development of a cost-efficient novel method for rapid, concurrent genotyping of five common single nucleotide polymorphisms of the brain derived neurotrophic factor (BDNF) gene by tetra-primer amplification refractory mutation system. <i>International Journal of Methods in Psychiatric Research</i> , 2015, 24, 235-244.	1.1	7
112	Occurrence of Postictal $\hat{I}\pm/\hat{I}^2$ Activity During Maintenance Course of Electroconvulsive Therapy. <i>Journal of ECT</i> , 2015, 31, 211-212.	0.3	0
113	Dimenhydrinate Use Disorder With Chronic Psychosis. <i>Journal of Clinical Psychopharmacology</i> , 2015, 35, 105-107.	0.7	3
114	Risk of seizures in transcranial magnetic stimulation: a clinical review to inform consent process focused on bupropion. <i>Neuropsychiatric Disease and Treatment</i> , 2015, 11, 2975.	1.0	33
115	White matter deficits assessed by diffusion tensor imaging and cognitive dysfunction in psychostimulant users with comorbid human immunodeficiency virus infection. <i>BMC Research Notes</i> , 2015, 8, 515.	0.6	26
116	Neuroleptic Malignant Syndrome: A Review from a Clinically Oriented Perspective. <i>Current Neuropharmacology</i> , 2015, 13, 395-406.	1.4	117
117	Electroconvulsive therapy treatment in patients with somatic symptom and related disorders. <i>Neuropsychiatric Disease and Treatment</i> , 2015, 11, 2565.	1.0	14
118	Mortality from treatable illnesses in marginally housed adults: a prospective cohort study. <i>BMJ Open</i> , 2015, 5, e008876.	0.8	34
119	Intermittent theta-burst versus 10 Hz left dorsolateral prefrontal rTMS for treatment resistant depression: preliminary results from a two-site, randomized, single blind non-inferiority trial. <i>Brain Stimulation</i> , 2015, 8, 329.	0.7	5
120	Single Occurrence of Intraictal Cessation During Index Course of Electroconvulsive Therapy. <i>Journal of ECT</i> , 2015, 31, 4-5.	0.3	1
121	Response trajectories to clozapine in a secondary analysis of pivotal trials support using treatment response to subtype schizophrenia. <i>Canadian Journal of Psychiatry</i> , 2015, 60, S19-25.	0.9	11
122	Neurocognitive profiles of marginally housed persons with comorbid substance dependence, viral infection, and psychiatric illness. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2014, 36, 1009-1022.	0.8	18
123	48 echo T2 myelin imaging of white matter in first-episode schizophrenia: Evidence for aberrant myelination. <i>NeuroImage: Clinical</i> , 2014, 6, 408-414.	1.4	38
124	Electroconvulsive Therapy in Patients With Deep Brain Stimulators. <i>Journal of ECT</i> , 2014, 30, e16-e18.	0.3	19
125	Idiopathic burning mouth syndrome: A common treatment-refractory somatoform condition responsive to ECT. <i>Psychiatry Research</i> , 2014, 216, 158-159.	1.7	11
126	Clozapine administered once versus twice daily: Does it make a difference?. <i>Medical Hypotheses</i> , 2014, 82, 225-228.	0.8	17

#	ARTICLE	IF	CITATIONS
127	The Hotel Study: Multimorbidity in a Community Sample Living in Marginal Housing. <i>American Journal of Psychiatry</i> , 2013, 170, 1413-1422.	4.0	82
128	Chronic Benign Neutropenia/Agranulocytosis Associated With Non-Clozapine Antipsychotics. <i>American Journal of Psychiatry</i> , 2013, 170, 1213-1214.	4.0	7
129	The Relevance of EEG Artifact Identification. <i>Journal of ECT</i> , 2013, 29, 13-14.	0.3	0
130	Structural brain changes associated with tardive dyskinesia in schizophrenia. <i>British Journal of Psychiatry</i> , 2013, 203, 51-57.	1.7	36
131	Personalized Risk Assessment of Drug-Related Harm Is Associated with Health Outcomes. <i>PLoS ONE</i> , 2013, 8, e79754.	1.1	10
132	White matter tract abnormalities in first-episode psychosis. <i>Schizophrenia Research</i> , 2012, 141, 29-34.	1.1	22
133	Methamphetamine, Perceptual Disturbances, and the Peripheral Drift Illusion. <i>American Journal on Addictions</i> , 2011, 20, 490-490.	1.3	3
134	Complex Interaction Between Symptoms, Social Factors, and Gender in Social Functioning in a Community-Dwelling Sample of Schizophrenia. <i>Psychiatric Quarterly</i> , 2011, 82, 261-274.	1.1	37
135	ApoE and cholesterol in schizophrenia and bipolar disorder: comparison of grey and white matter and relation with APOE genotype. <i>Journal of Psychiatry and Neuroscience</i> , 2011, 36, 47-55.	1.4	16
136	Overall brain connectivity maps show cortico-subcortical abnormalities in schizophrenia. <i>Human Brain Mapping</i> , 2010, 31, 2003-2014.	1.9	122
137	Medial prefrontal cortex pathology in schizophrenia as revealed by convergent findings from multimodal imaging. <i>Molecular Psychiatry</i> , 2010, 15, 823-830.	4.1	160
138	A simple view of the brain through a frequency-specific functional connectivity measure. <i>NeuroImage</i> , 2008, 39, 279-289.	2.1	208
139	Thalamic Shape: A Possible Endophenotype. <i>Journal of Neuroscience</i> , 2008, 28, 3533-3534.	1.7	2
140	Delusional Parasitosis Facilitated by Web-Based Dissemination. <i>American Journal of Psychiatry</i> , 2008, 165, 1612-1612.	4.0	26
141	Failure to deactivate in the prefrontal cortex in schizophrenia: dysfunction of the default mode network?. <i>Psychological Medicine</i> , 2008, 38, 1185-1193.	2.7	287