

Tung-Chai Ling

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6356040/tung-chai-ling-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

142
papers

5,137
citations

42
h-index

68
g-index

145
ext. papers

6,767
ext. citations

6.7
avg, IF

6.8
L-index

#	Paper	IF	Citations
142	Durability of recycled aggregate concrete [A review]. <i>Cement and Concrete Composites</i> , 2018 , 89, 251-259	8.6	283
141	Characteristics of steel slags and their use in cement and concrete [A review]. <i>Resources, Conservation and Recycling</i> , 2018 , 136, 187-197	11.9	265
140	Use of phase change materials for thermal energy storage in concrete: An overview. <i>Construction and Building Materials</i> , 2013 , 46, 55-62	6.7	233
139	A review on concrete surface treatment Part I: Types and mechanisms. <i>Construction and Building Materials</i> , 2017 , 132, 578-590	6.7	178
138	Properties of concrete prepared with waste tyre rubber particles of uniform and varying sizes. <i>Journal of Cleaner Production</i> , 2015 , 91, 288-296	10.3	175
137	Utilization of recycled glass derived from cathode ray tube glass as fine aggregate in cement mortar. <i>Journal of Hazardous Materials</i> , 2011 , 192, 451-6	12.8	125
136	Effects of crushed glass cullet sizes, casting methods and pozzolanic materials on ASR of concrete blocks. <i>Construction and Building Materials</i> , 2011 , 25, 2611-2618	6.7	125
135	A comparative study on the feasible use of recycled beverage and CRT funnel glass as fine aggregate in cement mortar. <i>Journal of Cleaner Production</i> , 2012 , 29-30, 46-52	10.3	113
134	Properties of architectural mortar prepared with recycled glass with different particle sizes. <i>Materials & Design</i> , 2011 , 32, 2675-2684		112
133	Use of recycled CRT funnel glass as fine aggregate in dry-mixed concrete paving blocks. <i>Journal of Cleaner Production</i> , 2014 , 68, 209-215	10.3	109
132	A review on surface treatment for concrete [Part 2: Performance]. <i>Construction and Building Materials</i> , 2017 , 133, 81-90	6.7	105
131	Feasibility of using recycled glass in architectural cement mortars. <i>Cement and Concrete Composites</i> , 2011 , 33, 848-854	8.6	99
130	Management and recycling of waste glass in concrete products: Current situations in Hong Kong. <i>Resources, Conservation and Recycling</i> , 2013 , 70, 25-31	11.9	97
129	Performance of mortar prepared with recycled concrete aggregate enhanced by CO ₂ and pozzolan slurry. <i>Cement and Concrete Composites</i> , 2018 , 86, 130-138	8.6	95
128	Potential of CO ₂ sequestration through construction and demolition (C&D) waste [An overview]. <i>Journal of CO₂ Utilization</i> , 2017 , 20, 234-242	7.6	91
127	Recycling of wastes for value-added applications in concrete blocks: An overview. <i>Resources, Conservation and Recycling</i> , 2018 , 138, 298-312	11.9	89
126	Influence of recycled glass content and curing conditions on the properties of self-compacting concrete after exposure to elevated temperatures. <i>Cement and Concrete Composites</i> , 2012 , 34, 265-272	8.6	81

125	A review of microencapsulated and composite phase change materials: Alteration of strength and thermal properties of cement-based materials. <i>Renewable and Sustainable Energy Reviews</i> , 2019 , 110, 467-484	16.2	79
124	Utilizing recycled cathode ray tube funnel glass sand as river sand replacement in the high-density concrete. <i>Journal of Cleaner Production</i> , 2013 , 51, 184-190	10.3	78
123	Addendum: Zhao, X.; et al. Properties of Foamed Mortar Prepared with Granulated Blast-furnace Slag. <i>Materials</i> 2015, 8(2), 462-473. <i>Materials</i> , 2015 , 8, 3958-3959	3.5	78
122	Feasible use of recycled CRT funnel glass as heavyweight fine aggregate in barite concrete. <i>Journal of Cleaner Production</i> , 2012 , 33, 42-49	10.3	78
121	Potential use of brick waste as alternate concrete-making materials: A review. <i>Journal of Cleaner Production</i> , 2018 , 195, 226-239	10.3	73
120	Effects of recycled fine glass aggregates on the properties of drymixed concrete blocks. <i>Construction and Building Materials</i> , 2013 , 38, 638-643	6.7	72
119	A critical review of waste glass powder - Multiple roles of utilization in cement-based materials and construction products. <i>Journal of Environmental Management</i> , 2019 , 242, 440-449	7.9	71
118	Nano-TiO ₂ -based architectural mortar for NO removal and bacteria inactivation: Influence of coating and weathering conditions. <i>Cement and Concrete Composites</i> , 2013 , 36, 101-108	8.6	71
117	Prediction of density and compressive strength for rubberized concrete blocks. <i>Construction and Building Materials</i> , 2011 , 25, 4303-4306	6.7	69
116	CO ₂ mineralization and utilization by alkaline solid wastes for potential carbon reduction. <i>Nature Sustainability</i> , 2020 , 3, 399-405	22.1	66
115	Recycling difficult-to-treat e-waste cathode-ray-tube glass as construction and building materials: A critical review. <i>Renewable and Sustainable Energy Reviews</i> , 2018 , 81, 595-604	16.2	66
114	Effects of compaction method and rubber content on the properties of concrete paving blocks. <i>Construction and Building Materials</i> , 2012 , 28, 164-175	6.7	66
113	Utilization of recycled cathode ray tubes glass in cement mortar for X-ray radiation-shielding applications. <i>Journal of Hazardous Materials</i> , 2012 , 199-200, 321-7	12.8	62
112	Effects of particle size of treated CRT funnel glass on properties of cement mortar. <i>Materials and Structures/Materiaux Et Constructions</i> , 2013 , 46, 25-34	3.4	60
111	Functions and impacts of plastic/rubber wastes as eco-friendly aggregate in concrete [A review]. <i>Construction and Building Materials</i> , 2020 , 240, 117869	6.7	60
110	Current development of geopolymers as alternative adsorbent for heavy metal removal. <i>Environmental Technology and Innovation</i> , 2020 , 18, 100684	7	57
109	Effects of recycled glass on properties of architectural mortar before and after exposure to elevated temperatures. <i>Journal of Cleaner Production</i> , 2015 , 101, 158-164	10.3	55
108	Utilizing high volumes quarry wastes in the production of lightweight foamed concrete. <i>Construction and Building Materials</i> , 2017 , 151, 441-448	6.7	55

107	TiO ₂ -based self-compacting glass mortar: Comparison of photocatalytic nitrogen oxide removal and bacteria inactivation. <i>Building and Environment</i> , 2012 , 53, 1-6	6.5	54
106	Photocatalytic NO _x degradation of concrete surface layers intermixed and spray-coated with nano-TiO ₂ : Influence of experimental factors. <i>Cement and Concrete Composites</i> , 2017 , 83, 279-289	8.6	53
105	Reactivity activation of waste coal gangue and its impact on the properties of cement-based materials [A review]. <i>Construction and Building Materials</i> , 2020 , 234, 117424	6.7	51
104	Overview of supplementary cementitious materials usage in lightweight aggregate concrete. <i>Construction and Building Materials</i> , 2017 , 139, 403-418	6.7	49
103	Thermal efficiency and durability performances of paraffinic phase change materials with enhanced thermal conductivity [A review]. <i>Thermochimica Acta</i> , 2019 , 673, 198-210	2.9	46
102	Use of wastes derived from earthquakes for the production of concrete masonry partition wall blocks. <i>Waste Management</i> , 2011 , 31, 1859-66	8.6	46
101	Feasible use of large volumes of GGBS in 100% recycled glass architectural mortar. <i>Cement and Concrete Composites</i> , 2014 , 53, 350-356	8.6	43
100	Properties of mortar prepared with recycled cathode ray tube funnel glass sand at different mineral admixture. <i>Construction and Building Materials</i> , 2013 , 40, 951-960	6.7	42
99	Valorization of waste powders from cement-concrete life cycle: A pathway to circular future. <i>Journal of Cleaner Production</i> , 2020 , 268, 122358	10.3	40
98	Lightweight foamed concrete as a promising avenue for incorporating waste materials: A review. <i>Resources, Conservation and Recycling</i> , 2021 , 164, 105103	11.9	40
97	Global perspective on application of controlled low-strength material (CLSM) for trench backfilling [An overview]. <i>Construction and Building Materials</i> , 2018 , 158, 535-548	6.7	37
96	Incorporation of expanded vermiculite lightweight aggregate in cement mortar. <i>Construction and Building Materials</i> , 2018 , 179, 302-306	6.7	33
95	Laboratory performance of crumb rubber concrete block pavement. <i>International Journal of Pavement Engineering</i> , 2009 , 10, 361-374	2.6	33
94	Turning concrete waste powder into carbonated artificial aggregates. <i>Construction and Building Materials</i> , 2019 , 199, 178-184	6.7	32
93	Use of steel slag as sustainable construction materials: A review of accelerated carbonation treatment. <i>Resources, Conservation and Recycling</i> , 2021 , 173, 105740	11.9	32
92	Strength and toughness of lightweight foamed concrete with different sand grading. <i>KSCE Journal of Civil Engineering</i> , 2015 , 19, 2191-2197	1.9	30
91	Development of a method for recycling of CRT funnel glass. <i>Environmental Technology (United Kingdom)</i> , 2012 , 33, 2531-7	2.6	30
90	Investigation on electrically conductive aggregates produced by incorporating carbon fiber and carbon black. <i>Construction and Building Materials</i> , 2017 , 144, 106-114	6.7	29

89	X-ray radiation shielding properties of cement mortars prepared with different types of aggregates. <i>Materials and Structures/Materiaux Et Constructions</i> , 2013 , 46, 1133-1141	3.4	29
88	Properties of partition wall blocks prepared with high percentages of recycled clay brick after exposure to elevated temperatures. <i>Construction and Building Materials</i> , 2013 , 49, 56-61	6.7	29
87	Waste resources recycling in controlled low-strength material (CLSM): A critical review on plastic properties. <i>Journal of Environmental Management</i> , 2019 , 241, 383-396	7.9	28
86	An Overview: Reaction Mechanisms and Modelling of CO ₂ Utilization via Mineralization. <i>Aerosol and Air Quality Research</i> , 2018 , 18, 829-848	4.6	28
85	Utilization of recycled concrete fines and powders to produce alkali-activated slag concrete blocks. <i>Journal of Cleaner Production</i> , 2020 , 267, 122115	10.3	28
84	Towards carbon-neutral construction materials: Carbonation of cement-based materials and the future perspective. <i>Journal of Building Engineering</i> , 2020 , 28, 101062	5.2	26
83	CO ₂ sequestration of fresh concrete slurry waste: Optimization of CO ₂ uptake and feasible use as a potential cement binder. <i>Journal of CO₂ Utilization</i> , 2020 , 42, 101330	7.6	26
82	Properties of Foamed Mortar Prepared with Granulated Blast-Furnace Slag. <i>Materials</i> , 2015 , 8, 462-473	3.5	25
81	Properties of Crumb Rubber Concrete Paving Blocks with SBR Latex. <i>Road Materials and Pavement Design</i> , 2009 , 10, 213-222	2.6	25
80	Production of artificial aggregates from steel-making slag: Influences of accelerated carbonation during granulation and/or post-curing. <i>Journal of CO₂ Utilization</i> , 2020 , 36, 135-144	7.6	25
79	Influence of particle size of glass aggregates on the high temperature properties of dry-mix concrete blocks. <i>Construction and Building Materials</i> , 2019 , 209, 522-531	6.7	24
78	Strength enhancement of artificial aggregate prepared with waste concrete powder and its impact on concrete properties. <i>Journal of Cleaner Production</i> , 2020 , 257, 120515	10.3	23
77	Spent fluorescent lamp glass as a substitute for fine aggregate in cement mortar. <i>Journal of Cleaner Production</i> , 2017 , 161, 646-654	10.3	22
76	Enhancement of high temperature performance of cement blocks via CO curing. <i>Science of the Total Environment</i> , 2019 , 671, 827-837	10.2	22
75	Use of CRT funnel glass in concrete blocks prepared with different aggregate-to-cement ratios. <i>Green Materials</i> , 2014 , 2, 43-51	3.2	22
74	Using recycled waste tyres in concrete paving blocks. <i>Proceedings of Institution of Civil Engineers: Waste and Resource Management</i> , 2010 , 163, 37-45	0.5	21
73	Thermal performance of a solar energy storage concrete panel incorporating phase change material aggregates developed for thermal regulation in buildings. <i>Renewable Energy</i> , 2020 , 160, 817-829	8.1	21
72	Sound absorption performance of modified concrete: A review. <i>Journal of Building Engineering</i> , 2020 , 30, 101219	5.2	20

71	Instant CO ₂ curing for dry-mix pressed cement pastes: Consideration of CO ₂ concentrations coupled with further water curing. <i>Journal of CO₂ Utilization</i> , 2020 , 38, 348-354	7.6	20
70	High temperatures properties of barite concrete with cathode ray tube funnel glass. <i>Fire and Materials</i> , 2014 , 38, 279-289	1.8	19
69	Effects of a two-step heating process on the properties of lightweight aggregate prepared with sewage sludge and saline clay. <i>Construction and Building Materials</i> , 2016 , 114, 119-126	6.7	18
68	Mechanical strength and durability performance of autoclaved lime-saline soil brick. <i>Construction and Building Materials</i> , 2017 , 146, 403-409	6.7	17
67	Stress-strain behaviour of fire exposed self-compacting glass concrete. <i>Fire and Materials</i> , 2013 , 37, 297-310	6.7	15
66	Long-term strength of rubberised concrete paving blocks. <i>Proceedings of Institution of Civil Engineers: Construction Materials</i> , 2010 , 163, 19-26	0.8	15
65	CO ₂ Treatment of Hydrated Cement Powder: Characterization and Application Consideration. <i>Journal of Materials in Civil Engineering</i> , 2021 , 33, 04021041	3	15
64	Cement pastes modified with recycled glass and supplementary cementitious materials: Properties at the ambient and high temperatures. <i>Journal of Cleaner Production</i> , 2019 , 241, 118155	10.3	14
63	Development of leak-free phase change material aggregates. <i>Construction and Building Materials</i> , 2020 , 230, 117029	6.7	12
62	Recent advances in artificial aggregate production. <i>Journal of Cleaner Production</i> , 2021 , 291, 125215	10.3	12
61	Comparative life cycle assessment to maximize CO ₂ sequestration of steel slag products. <i>Construction and Building Materials</i> , 2021 , 298, 123876	6.7	11
60	Strength properties of self-compacting mortar mixed with GGBFS. <i>Proceedings of Institution of Civil Engineers: Construction Materials</i> , 2012 , 165, 87-98	0.8	10
59	Effect of water-to-cement ratio induced hydration on the accelerated carbonation of cement pastes. <i>Environmental Pollution</i> , 2021 , 280, 116914	9.3	10
58	Environmental benefit assessment of steel slag utilization and carbonation: A systematic review. <i>Science of the Total Environment</i> , 2022 , 806, 150280	10.2	10
57	Combining hydration and carbonation of cement using super-saturated aqueous CO ₂ solution. <i>Construction and Building Materials</i> , 2019 , 229, 116825	6.7	9
56	Valorization of Wastes from Power Plant, Steel-Making and Palm Oil Industries as Partial Sand Substitute in Concrete. <i>Waste and Biomass Valorization</i> , 2018 , 9, 1645-1654	3.2	9
55	GGBFS as potential filler in polyester grout: Flexural strength and toughness. <i>Construction and Building Materials</i> , 2009 , 23, 2007-2015	6.7	9
54	Effect of particle size and CO ₂ treatment of waste cement powder on properties of cement paste. <i>Canadian Journal of Civil Engineering</i> , 2021 , 48, 522-531	1.3	9

53	Raman spectroscopy as a tool to understand the mechanism of concrete durability: A review. <i>Construction and Building Materials</i> , 2021 , 268, 121079	6.7	9
52	Impact of CO ₂ curing on the microhardness and strength of 0.35 w/c cement paste: Comparative study of internal/surface layers. <i>Journal of Materials Research and Technology</i> , 2020 , 9, 11849-11860	5.5	8
51	Elucidating the dominant and interaction effects of temperature, CO ₂ pressure and carbonation time in carbonating steel slag blocks. <i>Construction and Building Materials</i> , 2021 , 302, 124158	6.7	8
50	Synthesis of porous geopolymer sphere for Ni(II) removal. <i>Ceramics International</i> , 2021 , 47, 29055-29063	5.1	8
49	Distribution of ASR gel in conventional wet-mix glass mortars and mechanically produced dry-mix glass blocks. <i>Construction and Building Materials</i> , 2019 , 229, 116916	6.7	7
48	Chemical evolution of alkali-silicate reaction (ASR) products: a Raman spectroscopic investigation. <i>Materials and Structures/Materiaux Et Constructions</i> , 2018 , 51, 1	3.4	7
47	CO pretreatment of municipal solid waste incineration fly ash and its feasible use as supplementary cementitious material. <i>Journal of Hazardous Materials</i> , 2022 , 424, 127457	12.8	6
46	Study on the use of lightweight expanded perlite and vermiculite aggregates in blended cement mortars. <i>European Journal of Environmental and Civil Engineering</i> , 2020 , 1-20	1.5	6
45	Stress-strain behaviour of cement mortars containing recycled glass during and after exposure to elevated temperatures. <i>Cement and Concrete Composites</i> , 2021 , 118, 103970	8.6	6
44	Roles of chlorine and sulphate in MSWIFA in GGBFS binder: Hydration, mechanical properties and stabilization considerations. <i>Environmental Pollution</i> , 2021 , 284, 117175	9.3	6
43	Examining the Influence of Recycled Concrete Aggregate on the Hardened Properties of Self-compacting Concrete. <i>Waste and Biomass Valorization</i> , 2021 , 12, 1133-1141	3.2	5
42	High temperature performance of wet-mix and dry-mix mortars prepared with different contents and size gradings of glass aggregates: Hot test and cold test. <i>Cement and Concrete Composites</i> , 2020 , 108, 103548	8.6	4
41	Roles of CO ₂ curing induced calcium carbonates on high temperature properties of dry-mixed cement paste. <i>Construction and Building Materials</i> , 2021 , 289, 123193	6.7	4
40	Development of lightweight aggregate mortar skin layer for an innovative sandwich concrete composite. <i>Journal of Building Engineering</i> , 2020 , 27, 100941	5.2	4
39	Carbon footprint of block prepared with recycled aggregate: a case study in China. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018 , 431, 032009	0.4	4
38	Synergic performance of low-kaolinite calcined coal gangue blended with limestone in cement mortars. <i>Construction and Building Materials</i> , 2021 , 300, 124012	6.7	4
37	Effect of direct carbonation routes of basic oxygen furnace slag (BOFS) on strength and hydration of blended cement paste. <i>Construction and Building Materials</i> , 2021 , 304, 124628	6.7	4
36	Investigation on the copper ion removal potential of a facile-fabricated foamed geopolymer sphere for wastewater remediation. <i>Cleaner Materials</i> , 2022 , 4, 100088		4

35	Precast architectural tiles produced by double-layer casting method. <i>Cement and Concrete Composites</i> , 2016 , 66, 73-81	8.6	3
34	Carbon dioxide sequestration on recycled aggregates 2018 , 247-277		3
33	Properties of Crumb Rubber Concrete Paving Blocks with SBR Latex		3
32	Progress in developing self-consolidating concrete (SCC) constituting recycled concrete aggregates: A review. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2021 , 28, 522-537	3.1	3
31	Highly-efficient green photocatalytic cementitious materials with robust weathering resistance: From laboratory to application. <i>Environmental Pollution</i> , 2021 , 273, 116510	9.3	3
30	Alkali-silica reactivity of lightweight aggregate: A brief overview. <i>Construction and Building Materials</i> , 2021 , 270, 121444	6.7	3
29	Synergistic Effect of Pre-carbonated Slurry and Mixing Sequence on the Performance of Self-compacting Recycled Aggregate Modified Mortar. <i>Waste and Biomass Valorization</i> , 2021 , 12, 5201-5210	3.2	3
28	Thermal and durability performances of mortar and concrete containing phase change materials. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018 , 431, 062001	0.4	3
27	Comparative study on the properties and high temperature resistance of self-compacting concrete with various types of recycled aggregates. <i>Case Studies in Construction Materials</i> , 2021 , 15, e00678	2.7	3
26	High-temperature CO ₂ for accelerating the carbonation of recycled concrete fines. <i>Journal of Building Engineering</i> , 2022 , 52, 104526	5.2	3
25	Waste press mud in enhancing the performance of glass powder blended cement. <i>Construction and Building Materials</i> , 2021 , 313, 125469	6.7	2
24	Interdependent factors contributing towards carbonation of steel slag compact: consideration of casting pressure, water dosage and carbonation duration. <i>Materials and Structures/Materiaux Et Constructions</i> , 2021 , 54, 1	3.4	2
23	Ultra-fine sediment of Changjiang estuary as binder replacement in self-compacting mortar: Rheological, hydration and hardened properties. <i>Journal of Building Engineering</i> , 2021 , 44, 103251	5.2	2
22	Response surface methodology for the optimization of CO ₂ uptake using waste concrete powder. <i>Construction and Building Materials</i> , 2022 , 340, 127758	6.7	2
21	Offsetting strength loss in concrete via ITZ enhancement: From the perspective of utilizing new alternative aggregate. <i>Cement and Concrete Composites</i> , 2022 , 127, 104385	8.6	1
20	Effects of accelerated carbonation and high temperatures exposure on the properties of EAFS and BOFS pressed blocks. <i>Journal of Building Engineering</i> , 2022 , 45, 103504	5.2	1
19	Potential Use of Calcined Kaolinite-Based Wastes as Cement Replacements in Concrete [An Overview]. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018 , 431, 032006	0.4	1
18	Alternative Cementitious Materials and Their Composites. <i>Advances in Materials Science and Engineering</i> , 2018 , 2018, 1-2	1.5	1

17	Upcycling coal- and soft-series metakaolin in blended cement with limestone. <i>Construction and Building Materials</i> , 2022 , 327, 126965	6.7	1
16	Use of CO ₂ -active BOFS binder in the production of artificial aggregates with waste concrete powder. <i>Resources, Conservation and Recycling</i> , 2022 , 182, 106332	11.9	1
15	Effects of CO ₂ curing treatment on alkali-silica reaction of mortars containing glass aggregate. <i>Construction and Building Materials</i> , 2022 , 323, 126637	6.7	0
14	Upcycling of wastes for sustainable controlled low-strength material: A review on strength and excavatability.. <i>Environmental Science and Pollution Research</i> , 2022 , 1	5.1	0
13	Experimental Study on Clay Brick Masonry Assemblies Strengthened with Basalt Textile Reinforced Mortar. <i>Journal of Testing and Evaluation</i> , 2020 , 48, 20170792	1	0
12	Rapid hydration mechanism of carbonic acid and cement. <i>Journal of Building Engineering</i> , 2020 , 31, 101357	5.2	0
11	Understanding the compressive strength degradation mechanism of cement-paste incorporating phase change material. <i>Cement and Concrete Composites</i> , 2021 , 124, 104249	8.6	0
10	Report of RILEM TC 281-CCC: outcomes of a round robin on the resistance to accelerated carbonation of Portland, Portland-fly ash and blast-furnace blended cements.. <i>Materials and Structures/Materiaux Et Constructions</i> , 2022 , 55, 99	3.4	0
9	Use of luminescent-glass aggregates for the production of decorative architectural mortar. <i>Journal of Building Engineering</i> , 2022 , 50, 104233	5.2	0
8	Upcycling of waste hydrated cement paste containing high-volume supplementary cementitious materials via CO ₂ pre-treatment. <i>Journal of Building Engineering</i> , 2022 , 52, 104396	5.2	0
7	Influence of kaolinite content in coal-series metakaolin and soft metakaolin on the performance of cement blends with and without limestone. <i>Materials and Structures/Materiaux Et Constructions</i> , 2022 , 55, 1	3.4	0
6	Effects of moulding pressure and w/c induced pore water saturation on the CO ₂ curing efficiency of dry-mix cement blocks. <i>Construction and Building Materials</i> , 2022 , 335, 127509	6.7	0
5	A review of elevated-temperature properties of alternative binders: Supplementary cementitious materials and alkali-activated materials. <i>Construction and Building Materials</i> , 2022 , 341, 127894	6.7	0
4	Recycling Bayer and sintering red muds in brick production: a review. <i>Journal of Zhejiang University: Science A</i> , 2022 , 23, 335-357	2.1	0
3	Synthesis of high belite sulfoaluminate cement with high volume of mixed solid wastes. <i>Cement and Concrete Research</i> , 2022 , 158, 106845	10.3	0
2	Autoclaved Lime-Saline Soil Products: Reactivity Assessments and Effects of Quartz Sand. <i>Journal of Materials in Civil Engineering</i> , 2018 , 30, 04018055	3	
1	Utilization of coal fly ash and bottom ash in brick and block products 2022 , 355-371		