

# Sam Salman

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6356115/sam-salman-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58  
papers

940  
citations

16  
h-index

28  
g-index

67  
ext. papers

1,111  
ext. citations

6.2  
avg, IF

3.63  
L-index

#	Paper	IF	Citations
58	Validation of a liquid chromatography tandem mass spectrometry (LC-MS/MS) method for erythrocyte phosphatidylethanol revealing critical considerations for its use as a clinical biomarker.. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2022</b> , 1184, 122971	3.2	0
57	Haematological consequences of acute uncomplicated falciparum malaria: a WorldWide Antimalarial Resistance Network pooled analysis of individual patient data.. <i>BMC Medicine</i> , <b>2022</b> , 20, 85	11.4	0
56	The pharmacokinetic properties of the antimalarial combination therapy artemether-lumefantrine in normal weight, overweight and obese healthy male adults. <i>International Journal of Antimicrobial Agents</i> , <b>2021</b> , 106482	14.3	0
55	HPLC-UV assay of tramadol and O-desmethyltramadol in human plasma containing other drugs potentially co-administered to participants in a paediatric population pharmacokinetic study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2021</b> , 1184, 122971	3.2	0
54	Early and sustained Lactobacillus plantarum probiotic therapy in critical illness: the randomised, placebo-controlled, restoration of gut microflora in critical illness trial (ROCIT). <i>Intensive Care Medicine</i> , <b>2021</b> , 47, 307-315	14.5	5
53	High risk of early sub-therapeutic penicillin concentrations after intramuscular benzathine penicillin G injections in Ethiopian children and adults with rheumatic heart disease. <i>PLoS Neglected Tropical Diseases</i> , <b>2021</b> , 15, e0009399	4.8	0
52	Study protocol for the safety and efficacy of probiotic therapy on days alive and out of hospital in adult ICU patients: the multicentre, randomised, placebo-controlled Restoration Of gut microflora in Critical Illness Trial (ROCIT). <i>BMJ Open</i> , <b>2020</b> , 10, e035930	3	2
51	Multicenter Australian Study to Determine Criteria for Low- and High-Risk Penicillin Testing in Outpatients. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , <b>2020</b> , 8, 681-689.e3	5.4	18
50	Defining the combined benefit of intermittent preventive malaria treatment in pregnancy. <i>The Lancet Global Health</i> , <b>2020</b> , 8, e871-e872	13.6	1
49	Subcutaneous administration of benzathine benzylpenicillin G has favourable pharmacokinetic characteristics for the prevention of rheumatic heart disease compared with intramuscular injection: a randomized, crossover, population pharmacokinetic study in healthy adult volunteers. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2020</b> , 75, 2951-2959	5.1	2
48	Population Pharmacokinetic Study of Ceftriaxone in Elderly Patients, Using Cystatin C-Based Estimates of Renal Function To Account for Frailty. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2020</b> , 64,	5.9	4
47	A population pharmacokinetic study of benzathine benzylpenicillin G administration in children and adolescents with rheumatic heart disease: new insights for improved secondary prophylaxis strategies. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2019</b> , 74, 1984-1991	5.1	8
46	IgE blockade in autoimmunity: Omalizumab induced remission of bullous pemphigoid. <i>Clinical Immunology</i> , <b>2019</b> , 198, 54-56	9	14
45	Ertapenem for osteoarticular infections in obese patients: a pharmacokinetic study of plasma and bone concentrations. <i>European Journal of Clinical Pharmacology</i> , <b>2019</b> , 75, 511-517	2.8	5
44	Effects of maturation and size on population pharmacokinetics of pentoxifylline and its metabolites in very preterm infants with suspected late-onset sepsis or necrotizing enterocolitis: a pilot study incorporating clinical outcomes. <i>British Journal of Clinical Pharmacology</i> , <b>2019</b> , 85, 147-159	3.8	10
43	Validation of a Dried Blood Spot Ceftriaxone Assay in Papua New Guinean Children with Severe Bacterial Infections. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2018</b> , 62,	5.9	5
42	A novel, palatable paediatric oral formulation of midazolam: pharmacokinetics, tolerability, efficacy and safety. <i>Anaesthesia</i> , <b>2018</b> , 73, 1469-1477	6.6	8

41	Artemether-lumefantrine dosing for malaria treatment in young children and pregnant women: A pharmacokinetic-pharmacodynamic meta-analysis. <i>PLoS Medicine</i> , <b>2018</b> , 15, e1002579	11.6	28
40	Taste evaluation of a novel midazolam tablet for pediatric patients: In vitro drug dissolution, in vivo animal taste aversion and clinical taste perception profiles. <i>International Journal of Pharmaceutics</i> , <b>2018</b> , 535, 194-200	6.5	14
39	Primary lateral sclerosis-like picture in a patient with a remote history of anti-N-methyl-D-aspartate receptor (anti-NMDAR) antibody encephalitis. <i>BMJ Case Reports</i> , <b>2018</b> , 2018,	0.9	1
38	Optimal Antimalarial Dose Regimens for Sulfadoxine-Pyrimethamine with or without Azithromycin in Pregnancy Based on Population Pharmacokinetic Modeling. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2017</b> , 61,	5.9	4
37	Penicillin Dried Blood Spot Assay for Use in Patients Receiving Intramuscular Benzathine Penicillin G and Other Penicillin Preparations To Prevent Rheumatic Fever. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2017</b> , 61,	5.9	8
36	Pharmacokinetic considerations for use of artemisinin-based combination therapies against falciparum malaria in different ethnic populations. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , <b>2017</b> , 13, 1115-1133	5.5	8
35	Simultaneous determination of pentoxifylline, metabolites M1 (lisofylline), M4 and M5, and caffeine in plasma and dried blood spots for pharmacokinetic studies in preterm infants and neonates. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2017</b> , 146, 302-313	3.5	9
34	Optimal antimalarial dose regimens for chloroquine in pregnancy based on population pharmacokinetic modelling. <i>International Journal of Antimicrobial Agents</i> , <b>2017</b> , 50, 542-551	14.3	12
33	Regarding "Lactation Status and Studies of Pyrimethamine Pharmacokinetics in Pregnancy". <i>CPT: Pharmacometrics and Systems Pharmacology</i> , <b>2017</b> , 6, 730	4.5	3
32	Bradycardia and Hypothermia Complicating Azithromycin Treatment. <i>American Journal of Case Reports</i> , <b>2017</b> , 18, 883-886	1.3	2
31	Pharmacokinetics and analgesic effectiveness of intravenous parecoxib for tonsillectomy □ adenoidectomy. <i>Paediatric Anaesthesia</i> , <b>2016</b> , 26, 1126-1135	1.8	7
30	Treatment regimens for pregnant women with falciparum malaria. <i>Expert Review of Anti-Infective Therapy</i> , <b>2016</b> , 14, 691-704	5.5	7
29	Validation and Application of a Dried Blood Spot Assay for Biofilm-Active Antibiotics Commonly Used for Treatment of Prosthetic Implant Infections. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2016</b> , 60, 4940-55	5.9	7
28	Validation and Application of a Dried Blood Spot Ceftriaxone Assay. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2016</b> , 60, 14-23	5.9	23
27	Use of quantitative pharmacology tools to improve malaria treatments. <i>Expert Review of Clinical Pharmacology</i> , <b>2016</b> , 9, 303-16	3.8	3
26	Safety, tolerability and pharmacokinetic properties of coadministered azithromycin and piperazine in pregnant Papua New Guinean women. <i>British Journal of Clinical Pharmacology</i> , <b>2016</b> , 82, 199-212	3.8	15
25	Naphthoquine: An Emerging Candidate for Artemisinin Combination Therapy. <i>Drugs</i> , <b>2016</b> , 76, 789-804	12.1	11
24	Pharmacokinetics of a novel sublingual spray formulation of the antimalarial drug artemether in African children with malaria. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2015</b> , 59, 3208-15	5.9	9

23	Modeling C-reactive protein kinetic profiles for use as a clinical prediction tool in patients with <i>Staphylococcus aureus</i> bacteremia. <i>Biomarkers in Medicine</i> , <b>2015</b> , 9, 947-55	2.3	3
22	Pharmacokinetics of a novel sublingual spray formulation of the antimalarial drug artemether in healthy adults. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2015</b> , 59, 3197-207	5.9	6
21	Pharmacokinetics of Transfer of Azithromycin into the Breast Milk of African Mothers. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2015</b> , 60, 1592-9	5.9	18
20	Population pharmacokinetics, tolerability, and safety of dihydroartemisinin-piperaquine and sulfadoxine-pyrimethamine-piperaquine in pregnant and nonpregnant Papua New Guinean women. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2015</b> , 59, 4260-71	5.9	25
19	Pharmacokinetics of piperaquine transfer into the breast milk of Melanesian mothers. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2015</b> , 59, 4272-8	5.9	8
18	Generation bias in meta-analysis of duration of dual antiplatelet therapy following drug-eluting stent. <i>American Journal of Cardiology</i> , <b>2014</b> , 114, 1786	3	
17	Continuous infusions of meropenem in ambulatory care: clinical efficacy, safety and stability. <i>PLoS ONE</i> , <b>2014</b> , 9, e102023	3.7	30
16	Effect of coadministered fat on the tolerability, safety, and pharmacokinetic properties of dihydroartemisinin-piperaquine in Papua New Guinean children with uncomplicated malaria. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2014</b> , 58, 5784-94	5.9	15
15	Pharmacokinetic properties of single-dose primaquine in Papua New Guinean children: feasibility of abbreviated high-dose regimens for radical cure of vivax malaria. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2014</b> , 58, 432-9	5.9	15
14	Artemisinin-naphthoquine combination therapy for uncomplicated pediatric malaria: a tolerability, safety, and preliminary efficacy study. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2012</b> , 56, 2465-71	5.9	32
13	Artemisinin-naphthoquine combination therapy for uncomplicated pediatric malaria: a pharmacokinetic study. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2012</b> , 56, 2472-84	5.9	32
12	Pharmacokinetic comparison of two piperaquine-containing artemisinin combination therapies in Papua New Guinean children with uncomplicated malaria. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2012</b> , 56, 3288-97	5.9	24
11	Development of a population pharmacokinetic model for parecoxib and its active metabolite valdecoxib after parenteral parecoxib administration in children. <i>Anesthesiology</i> , <b>2012</b> , 116, 1124-33	4.3	14
10	Transfer of parecoxib and its primary active metabolite valdecoxib via transitional breastmilk following intravenous parecoxib use after cesarean delivery: a comparison of naive pooled data analysis and nonlinear mixed-effects modeling. <i>Anesthesia and Analgesia</i> , <b>2012</b> , 114, 837-44	3.9	14
9	Population pharmacokinetic modeling of tramadol and its O-desmethyl metabolite in plasma and breast milk. <i>European Journal of Clinical Pharmacology</i> , <b>2011</b> , 67, 899-908	2.8	27
8	Pharmacokinetic properties of conventional and double-dose sulfadoxine-pyrimethamine given as intermittent preventive treatment in infancy. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2011</b> , 55, 1693-700	5.9	13
7	Meningeal inflammation increases artemether concentrations in cerebrospinal fluid in Papua New Guinean children treated with intramuscular artemether. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2011</b> , 55, 5027-33	5.9	13
6	Population pharmacokinetics of artemether, lumefantrine, and their respective metabolites in Papua New Guinean children with uncomplicated malaria. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2011</b> , 55, 5306-13	5.9	46

5	Desbutyl-lumefantrine is a metabolite of lumefantrine with potent in vitro antimalarial activity that may influence artemether-lumefantrine treatment outcome. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2011</b> , 55, 1194-8	5.9	47
4	Pharmacokinetics of chloroquine and monodesethylchloroquine in pregnancy. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2010</b> , 54, 1186-92	5.9	59
3	Pharmacokinetic properties of azithromycin in pregnancy. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2010</b> , 54, 360-6	5.9	37
2	Pharmacokinetic properties of sulfadoxine-pyrimethamine in pregnant women. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2009</b> , 53, 4368-76	5.9	49
1	A trial of combination antimalarial therapies in children from Papua New Guinea. <i>New England Journal of Medicine</i> , <b>2008</b> , 359, 2545-57	59.2	160