
Ricardo Asero

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6356339/publications.pdf Version: 2024-02-01



#	Article	lF	CITATIONS
1	Sensitization to Gibberellin-Regulated Protein (Peamaclein) Among Italian Cypress Pollen–Sensitized Patients. Journal of Investigational Allergology and Clinical Immunology, 2022, 32, 40-47.	0.6	14
2	Evaluation and predictive value of IgE responses toward a comprehensive panel of house dust mite allergens using a new multiplex assay: a real-life experience on an Italian population. European Annals of Allergy and Clinical Immunology, 2022, 54, 117.	0.4	7
3	Why lipid transfer protein allergy is not a pollen-food syndrome: novel data and literature review. European Annals of Allergy and Clinical Immunology, 2022, 54, 198.	0.4	8
4	The international EAACI/GA²LEN/EuroGuiDerm/APAAACI guideline for the definition, classification, diagnosis, and management of urticaria. Allergy: European Journal of Allergy and Clinical Immunology, 2022, 77, 734-766.	2.7	392
5	Development and validation of the food allergy severity score. Allergy: European Journal of Allergy and Clinical Immunology, 2022, 77, 1545-1558.	2.7	19
6	Lipid transfer protein allergy: A review of current controversies. Clinical and Experimental Allergy, 2022, 52, 222-230.	1.4	13
7	Chronic spontaneous urticaria in clinical practice: a pilot survey about attitudes and perceptions on assessment, diagnostic work-up and dietary management. Italian Journal of Dermatology and Venereology, 2022, 156, .	0.1	0
8	Therapeutic management of chronic spontaneous urticaria in clinical practice: results from a pilot survey. Italian Journal of Dermatology and Venereology, 2022, 157, .	0.1	0
9	Peanut allergy in Italy: AÂunique Italian perspective. , 2022, , .		1
10	Urticarial vasculitis: Clinical and laboratory findings with a particular emphasis on differential diagnosis. Journal of Allergy and Clinical Immunology, 2022, 149, 1137-1149.	1.5	24
11	Realâ€life evaluation of molecular multiplex IgE test methods in the diagnosis of pollen associated food allergy. Allergy: European Journal of Allergy and Clinical Immunology, 2022, 77, 3028-3040.	2.7	11
12	Autoimmune chronic spontaneous urticaria. Journal of Allergy and Clinical Immunology, 2022, 149, 1819-1831.	1.5	73
13	Walnut Allergy Across Europe: Distribution of Allergen Sensitization Patterns and Prediction of Severity. Journal of Allergy and Clinical Immunology: in Practice, 2021, 9, 225-235.e10.	2.0	21
14	Allergenicity at component level of subâ€pollen particles from different sources obtained by osmolar shock: A molecular approach to thunderstormâ€related asthma outbreaks. Clinical and Experimental Allergy, 2021, 51, 253-261.	1.4	12
15	Systemic allergic reactions induced by labile plantâ€food allergens: Seeking potential cofactors. A multicenter study. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 1473-1479.	2.7	28
16	Peanutâ€induced anaphylaxis in children and adolescents: Data from the European Anaphylaxis Registry. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 1517-1527.	2.7	39
17	The global impact of the COVIDâ€19 pandemic on the management and course of chronic urticaria. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 816-830.	2.7	58
18	The Chronic Urticaria Registry: rationale, methods and initial implementation. Journal of the European Academy of Dermatology and Venereology, 2021, 35, 721-729.	1.3	16

#	Article	lF	CITATIONS
19	Atopic status protects from severe complications of COVIDâ€19. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 899-902.	2.7	21
20	Autoimmune Diseases Are Linked to Type IIb Autoimmune Chronic Spontaneous Urticaria. Allergy, Asthma and Immunology Research, 2021, 13, 545.	1.1	46
21	Biomarkers of chronic spontaneous urticaria and their clinical implications. Expert Review of Clinical Immunology, 2021, 17, 247-254.	1.3	13
22	Urticaria and coronavirus infection a lesson from SARS-CoV-2 pandemic. European Annals of Allergy and Clinical Immunology, 2021, 53, 51.	0.4	7
23	The diagnosis and management of allergic reactions in patients sensitized to nonâ€specific lipid transfer proteins. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 2433-2446.	2.7	42
24	NSAID hypersensitivity—the unwitting accomplice in the growing opiate epidemic. Journal of Allergy and Clinical Immunology, 2021, 147, 1215-1216.	1.5	0
25	Remission of a case of multiple Hymenoptera stingsâ€associated chronic urticaria during venom immunotherapy. Clinical Case Reports (discontinued), 2021, 9, e04188.	0.2	Ο
26	Nonâ€specific lipidâ€transfer proteins: Allergen structure and function, crossâ€reactivity, sensitization, and epidemiology. Clinical and Translational Allergy, 2021, 11, e12010.	1.4	67
27	Estimating the Risk of Severe Peanut Allergy Using Clinical Background and IgE Sensitization Profiles. Frontiers in Allergy, 2021, 2, 670789.	1.2	8
28	The Pathogenesis of Chronic Spontaneous Urticaria: The Role of Infiltrating Cells. Journal of Allergy and Clinical Immunology: in Practice, 2021, 9, 2195-2208.	2.0	61
29	A qualitative and quantitative comparison of IgE antibody profiles with two multiplex platforms for componentâ€resolved diagnostics in allergic patients. Clinical and Experimental Allergy, 2021, 51, 1603-1612.	1.4	16
30	EAACI Biologicals Guidelines—dupilumab for children and adults with moderateâ€ŧoâ€severe atopic dermatitis. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 988-1009.	2.7	24
31	ARIA-ITALY multidisciplinary consensus on nasal polyposis and biological treatments. World Allergy Organization Journal, 2021, 14, 100592.	1.6	17
32	The EAACI/GA²LEN/EDF/WAO guideline for the definition, classification, diagnosis and management of urticaria. Alergologia, 2021, 4, 155.	0.1	5
33	Rapid disappearance of both severe atopic dermatitis and cold urticaria following dupilumab treatment. Clinical and Experimental Dermatology, 2020, 45, 345-346.	0.6	12
34	βâ€1,3â€glucanase rOle e 9 and MnSOD rAsp f 6 IgE reactivity are the signature of atopic dermatitis in the Mediterranean area. Clinical and Experimental Allergy, 2020, 50, 487-498.	1.4	11
35	Disease-Specific Molecular Profiles Highlighted by Radar Graphic Display. International Archives of Allergy and Immunology, 2020, 181, 536-539.	0.9	2
36	A WAO — ARIA — GA2LEN consensus document on molecular-based allergy diagnosis (PAMD@): Update 2020. World Allergy Organization Journal, 2020, 13, 100091.	1.6	76

#	Article	IF	CITATIONS
37	House Dust Mite-Shrimp Allergen Interrelationships. Current Allergy and Asthma Reports, 2020, 20, 9.	2.4	19
38	Unresponsiveness to Omalizumab in Chronic Spontaneous Urticaria. Current Treatment Options in Allergy, 2020, 7, 135-141.	0.9	3
39	Co-occurrence of IgE and IgG autoantibodies in patients with chronic spontaneous urticaria. Clinical and Experimental Immunology, 2020, 200, 242-249.	1.1	54
40	Wytyczne EAACI/GA2LEN/EDF/WAO dotyczÄce definicji, klasyfikacji, diagnostyki i leczenia pokrzywki. Alergologia Polska - Polish Journal of Allergology, 2020, 7, 1-28.	0.0	2
41	Shrimp-Induced Anaphylaxis. Current Treatment Options in Allergy, 2020, 7, 381-389.	0.9	1
42	Labile plant food allergens: Really so harmless? Case series and literature review. Allergy: European Journal of Allergy and Clinical Immunology, 2020, 75, 1517-1518.	2.7	11
43	Definition, aims, and implementation of GA ² LEN/HAEi Angioedema Centers of Reference and Excellence. Allergy: European Journal of Allergy and Clinical Immunology, 2020, 75, 2115-2123.	2.7	29
44	Chronic spontaneous urticaria treated with Omalizumab: what differentiates early from late responders. European Annals of Allergy and Clinical Immunology, 2020, 53, 47.	0.4	13
45	House dust mite allergy and shrimp allergy: a complex interaction. European Annals of Allergy and Clinical Immunology, 2020, 52, 205.	0.4	16
46	Severe CSU and activation of the coagulation/fibrinolysis system: clinical aspects. European Annals of Allergy and Clinical Immunology, 2020, 52, 15.	0.4	7
47	Recommendations for the Use of Tryptase in the Diagnosis of Anaphylaxis and Clonal Mastcell Disorders. European Annals of Allergy and Clinical Immunology, 2020, 52, 51.	0.4	15
48	Evaluation of two commercial peach extracts for skin prick testing in the diagnosis of hypersensitivity to lipid transfer protein. A multicenter study. European Annals of Allergy and Clinical Immunology, 2020, 53, 168-170.	0.4	6
49	Omalizumab retreatment in patients with chronic spontaneous urticaria:a systematic review of published evidence. European Annals of Allergy and Clinical Immunology, 2020, 52, 74.	0.4	4
50	Allergy diagnostics: where are we going?. European Annals of Allergy and Clinical Immunology, 2020, 52, 243.	0.4	2
51	Biomarkers and clinical characteristics of autoimmune chronic spontaneous urticaria: Results of the PURIST Study. Allergy: European Journal of Allergy and Clinical Immunology, 2019, 74, 2427-2436.	2.7	136
52	Baseline Dâ€dimer plasma levels correlate with disease activity but not with the response to omalizumab in chronic spontaneous urticaria. Allergy: European Journal of Allergy and Clinical Immunology, 2019, 74, 2538-2538.	2.7	10
53	Ambrosia artemisiifolia L. temperature-responsive traits influencing the prevalence and severity of pollinosis: a study in controlled conditions. BMC Plant Biology, 2019, 19, 155.	1.6	15
54	House dust mite allergy in Italy—Diagnostic and clinical relevance of Der p 23 (and of minor) Tj ETQq0 0 0 rg	BT /Overloc	k 10 Tf 50 67

Immunology, 2019, 74, 1787-1789.

0

13 Total [JC and display table status in packbone plantal of Allergy and Clinical Immunology, 2019, 74, 193, 27 15 136 Exclore of Cross Reactive between Plantal of Allergy and Clinical Immunology, 2019, 74, 527 631, 153, 153, 154, 155, 155, 155, 155, 155, 155, 155	#	Article	IF	CITATIONS
66 (kltb>t<i>tCorylus avelana<ji>t<jb>t) and Wahnut (kltb>t<i>tJulgans) Tj ETQq0 0 0 rgBT / Qygfrock 1QJF 50 702 77 Distinct Lipid Transfer Proteins dipply different IgES kinding activities that are affected by fatty acid 2.7 17 78 Predictors of response hournal of Alkergy and Chincal Immunology. 2019, 74, 827 831. 2.7 17 79 Distinct Lipid Transfer Proteins dipply different IgES kinding activities that are affected by fatty acid 2.7 17 70 Distinct Lipid Transfer Proteins dipply different IgES kinding activities that are affected by fatty acid 2.7 17 71 Distinct Lipid Transfer Proteins dipply different IgES kinding activities that are affected by fatty acid 2.7 1.4 20 72 Informer baseline levels are higher in responders than nonresponders to omalizumab in the chronic spontaneous urticana. Mergy European Journal of Alkergy and Clinical Immunology. 2018, 73, 1393-1414. 2.7 1,004 73 Diagnostic relevance of IgE sensitization profiles to eight recombinant ci PHuum proteinse (I) 2.7 60 74 Prediction relevance of IgE sensitization profiles to eight recombinant ci PHuum proteinse (I) 2.7 60 75 hazelnut allergy. Allergy: European Journal of Allergy and Clinical Immunology. 2018, 73, 549-559. 2.7 60 76	55	omalizumab treatment. Allergy: European Journal of Allergy and Clinical Immunology, 2019, 74,	2.7	15
97 Distinct Ling Transfer Proteins display different light activities that are affected by farty acid 2.7 17 98 Predictors of response to omalizumab and relayse in chronic spontaneous urticaria: a study of 470 1.3 85 90 Igf and D-dimer baseline levels are higher in responders than noncesponders to analizumab in 1.4 20 90 Igf and D-dimer baseline levels are higher in responders than noncesponders to analizumab in 1.4 20 90 Information of the EUREDFIWAO guideline for the definition, classification, diagnosis and management of 2.7 1,008 91 Diagnostic relevance of IgE sonsitization profiles to eight recombinant of Phicum proteinse(h) 2.7 46 92 Component&Fresolved diagnosis and beyond: Multivariable regression models to predict severity of hazelnu: allergy, Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 597-595. 2.7 60 93 The chrical relevance of lipid transfer protein. Clinical and Experimental Allergy, 2018, 48, 612. 1.4 77 94 Component&Fresolved diagnosis and beyond: Multivariable regression models to predict severity of hazelnu: allergy, Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 549-559. 2.7 60 94 Omalizumab treatment in patients with severe chronic spontaneous urticaria: consideration from reactions with severe chr	56	Evidence of Cross-Reactivity between Different Seed Storage Proteins from Hazelnut (<i>Corylus avellana</i>) and Walnut (<i>Juglans) Tj ETQq0 0 0 rgBT</i>	Overlock (197f 50 702
57 binding. Allergy: European Journal of Allergy and Clinical Immunology, 2019, 74, 8224831. 27 13 58 Predictors of response to omalizumab and relapse in chronic spontaneous urticaria: a study of 470 patients. Journal of the European Academy of Dermatology and Venereology, 2019, 33, 918-924. 13 85 69 IgE and D-dimer baseline levels are higher in responders than nonresponders to omalizumab in chronic spontaneous urticaria. British Journal of Dermatology, 2018, 173, 776-777. 14 20 60 The EAACI[CAA2EENEDF/WAO guideline for the definition, classification, diagnosis and management of urticaria. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 1393-1414. 2.7 1,008 61 Diagnostic relevance of IgE sensitization profiles to eight recombinant topical immunology, 2018, 73, 673-662. 2.7 60 62 ComponentAFeresolved diagnosis and beyond: Multivariable regression models to predict severity of hazeniut allergy. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 549-559. 2.7 60 63 The clinical relevance of lipid transfer protein. Clinical and Experimental Allergy, 2018, 48, 6-12. 1.4 77 64 Omalizumab treatment in patients with severe chronic spontaneous urticaria: consideration from real-life experience in italy. Journal of Study. International Archives of Allergy and Immunology, 2018, 73, 2408-2411. 2.7 43 65 <t< td=""><td></td><td>Immunology, 2019, 178, 89-92.</td><td></td><td></td></t<>		Immunology, 2019, 178, 89-92.		
33 patients, Journal of the European Academy of Dermatology and Venereology, 2019, 33, 918-924. 1.3 85 59 IgE and D-dimer baseline levels are higher in responders than nonresponders to omalizumab in dronic spontaneous urticaria. British Journal of Dermatology, 2018, 179, 776-777. 1.4 20 60 The EAACI/GAÂ2LEN[EDF]WAO guideline for the definition, classification, diagnosis and management of urticaria. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 1393-1414. 2.7 1,008 61 Diagnostic relevance of IgE sensitization profiles to eight recombinant (i) Phleum pratense (i): nolecules. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 673-662. 2.7 46 62 Componentificersolved diagnosis and beyond: Multivariable regression models to predict severity of hazelnut allergy. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 549-559. 2.7 60 63 The clinical relevance of lipid transfer protein. Clinical and Experimental Allergy, 2018, 48, 6-12. 1.4 77 64 Omalizumab treatment in patients with severe chronic spontaneous urticaria: consideration from Hypersensibility. An in vitro and in vivo Study. Intermational Archives of Allergy and Immunology, 2018, 73, 2408-2411. 2.7 43 65 Elevated IgE to tissue factor and thyroglobulin are abated by omalizumab in chronic spontaneous storage proteins reactors and thyroglobulin are siscere respiratony allergy. European Journal of Juregy and Cl	57		2.7	17
59 chronic spontaneous urticaria. British journal of Dermatology, 2018, 179, 776-777. 14 20 60 The EAACI/CAA ² LENEDF/WAO guideline for the definition, classification, diagnosis and management of urticaria. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 1393-1414. 2.7 1,008 61 Diagnostic relevance of IgE sensitization profiles to eight recombinant (i) Phileum pratensec/i> molecules. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 549-559. 2.7 46 62 Componentä&resolved diagnosis and beyond: Multivariable regression models to predict severity of hazelnut allergy. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 549-559. 2.7 60 63 The clinical relevance of lipid transfer protein. Clinical and Experimental Allergy, 2018, 48, 6-12. 1.4 77 64 Omalizumab treatment in patients with severe chronic spontaneous urticaria: consideration from tryber ensitivity: An in vitro and in vivo Study. International Archives of Allergy and Immunology, 2018, 73, 2408-2411. 0.9 10 65 Elevated IgE to tissue factor and thyroglobulin are abated by omalizumab in chronic spontaneous urticaria. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 2408-2411. 2.7 43 66 Elevated IgE to tissue factor and thyroglobulin are abated by omalizumab in chronic spontaneous urticaria. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73,	58		1.3	85
60 urticaria. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 1393-1414. 2.7 1.008 61 Diagnostic relevance of IgE sensitization profiles to eight recombinant. (J) Phleum pratensec/I) molecules. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 673-682. 2.7 46 62 Component&Freesolved diagnosis and beyond: Multivariable regression models to predict severity of hazelnut allergy. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 549-559. 2.7 60 63 The clinical relevance of lipid transfer protein. Clinical and Experimental Allergy, 2018, 43, 549-559. 1.4 77 64 Omalizumab treatment in patients with severe chronic spontaneous urticaria: consideration from real-life experience in Italy. Journal of Dermatological Treatment, 2018, 29, 12. 1.1 0 65 Hypercensitivity: An in vitro and in vivo Study. International Archives of Allergy and Immunology, 2018, 73, 2408-2411. 2.7 43 66 Elevated lgE to tissue factor and thyroglobulin are abated by omalizumab in chronic spontaneous urticaria. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 2408-2411. 2.7 43 67 spontaneous urticaria showing a prompt and complete response to the drug. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 2408-2411. 2.7 43 68 storage proteins reactions a winth less severe represe	59		1.4	20
61 molecules. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 673-682. 2.7 40 62 ComponentäGresolved diagnosis and beyond: Multivariable regression models to predict severity of hazelnut allergy. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 549-559. 2.7 60 63 The clinical relevance of lipid transfer protein. Clinical and Experimental Allergy, 2018, 48, 6-12. 1.4 77 64 Omalizumab treatment in patients with severe chronic spontaneous urticaria: consideration from real-life experience in Italy. Journal of Dermatological Treatment, 2018, 29, 1-2. 1.1 0 65 Hyperenstitivity: An in vitro and in vivo Study. International Archives of Allergy and Immunology, 2018, 0.9 10 66 Elevated lgE to tissue factor and thyroglobulin are abated by omalizumab in chronic spontaneous urticaria: Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 2408-2411. 2.7 43 67 Efficacy of omalizumab 150 mg/month as a maintenance dose in patients with severe chronic spontaneous urticaria showing a prompt and complete response to the drug. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 2408-2411. 2.7 43 68 Efficacy of omalizumab 150 mg/month as a maintenance dose in patients with severe chronic spontaneous urticaria is showing a prompt and complete response to the drug. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 1921-1923. 2.7 <	60		2.7	1,008
Nazelnut allergy. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 549-559. 2.7 60 Omalizumab treatment in patients with severe chronic spontaneous urticaria: consideration from 1.4 77 Omalizumab treatment in patients with severe chronic spontaneous urticaria: consideration from 1.1 0 Kltb>s&li%gtAedes communis</%gts Reactivity is Associated with Bee Venom 0.9 10 Hypersensitivity: An in vitro and in vivo Study. International Archives of Allergy and Immunology, 2018, 73, 2408-2411. 2.7 43 Elevated lgE to tissue factor and thyroglobulin are abated by omalizumab in chronic spontaneous urticaria. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 2408-2411. 2.7 43 Efficacy of omalizumab 150 mg/month as a maintenance dose in patients with severe chronic spontaneous urticaria showing a prompt and complete response to the drug. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 2408-2411. 2.7 4 Cosensitization to profilm is associated with less severe reactions to foods in ns <scp>LTP 2.7 17 Storage molecules from tree nuts, seeds and legumes: relationships and amino acid identity among homologue molecules. European Annals of Allergy and Clinical Immunology, 2018, 50, 148. 0.4 13 Pointal proves urbean Annals of Allergy and Clinical Immunology, 2018, 50, 148. 0.4 25 Allergy to LTP: to</scp>	61		2.7	46
64Omalizumab treatment in patients with severe chronic spontaneous urticaria: consideration from real-life experience in Italy. Journal of Dermatological Treatment, 2018, 29, 1-2.1.1065Klt;b><i>Aedes communis<I> Reactivity Is Associated with Bee Venom Hypersensitivity: An in vitro and in vivo Study. International Archives of Allergy and Immunology, 2018, 176, 101-105.0.91066Elevated IgE to tissue factor and thyroglobulin are abated by omalizumab in chronic spontaneous urticaria. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 2408-2411.2.74367spontaneous urticaria showing a prompt and complete response to the drug. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 2408-2411.2.7468Cosensitization to profilin is associated with less severe reactions to foods in ns <scp>LTP2.71769Storage proteins reactors and with less severe respiratory allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 1921-1923.0.41370Allergy to LTP: to eat or not to eat sensitizing foods? A follow-up study. European Annals of Allergy and Clinical Immunology, 2018, 50, 156.0.41371Allergy to LTP: to eat or not to eat sensitizing foods? A follow-up study. European Annals of Allergy and Clinical Immunology, 2018, 50, 156.0.425</scp>	62	Componentâ€resolved diagnosis and beyond: Multivariable regression models to predict severity of hazelnut allergy. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 549-559.	2.7	60
64 real-life experience in Italy, Journal of Dermatological Treatment, 2018, 29, 1-2. 1.1 0 65 klt;b> <k>Aedes communis Reactivity Is Associated with Bee Venom 0.9 10 65 Hypersensitivity: An in vitro and in vivo Study. International Archives of Allergy and Immunology, 2018, 0.9 0.9 10 66 Elevated IgE to tissue factor and thyroglobulin are abated by omalizumab in chronic spontaneous urticaria. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 2408-2411. 2.7 43 67 §pontaneous urticaria showing a prompt and complete response to the drug. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 2242-2244. 2.7 4 68 Cosensitization to profilin is associated with less severe respiratory allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 1921-1923. 2.7 17 69 Storage molecules from tree nuts, seeds and legumes: relationships and amino acid identity among homologue molecules. European Annals of Allergy and Clinical Immunology, 2018, 70, 1921-1923. 0.4 13 70 Allergy to LTP: to eat or not to eat sensitizing foods? A follow-up study. European Annals of Allergy and Clinical Immunology, 2018, 50, 156. 0.4 25 71 An atlas of IgE sensitization patterns in different Italian areas. A multicenter, cross-sectional study. 0.4 13</k>	63	The clinical relevance of lipid transfer protein. Clinical and Experimental Allergy, 2018, 48, 6-12.	1.4	77
65 Hypersensitivity: An in vitro and in vivo Study. International Archives of Allergy and Immunology, 2018, 0.9 10 66 Elevated IgE to tissue factor and thyroglobulin are abated by omalizumab in chronic spontaneous urticaria. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 2408-2411. 2.7 43 67 Efficacy of omalizumab 150 mg/month as a maintenance dose in patients with severe chronic spontaneous urticaria showing a prompt and complete response to the drug. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 2242-2244. 2.7 4 68 Cosensitization to profilin is associated with less severe respiratory allergy: Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 1921-1923. 2.7 17 69 Storage molecules from tree nuts, seeds and legumes: relationships and amino acid identity among homologue molecules. European Annals of Allergy and Clinical Immunology, 2018, 50, 148. 0.4 13 70 Allergy to LTP: to eat or not to eat sensitizing foods? A follow-up study. European Annals of Allergy and Clinical Immunology, 2018, 50, 156. 0.4 25 71 An atlas of IgE sensitization patterns in different Italian areas. A multicenter, cross-sectional study. 0.4 14	64		1.1	0
66 urticaria. Ällergy: European Journal of Ällergy and Clinical Immunology, 2018, 73, 2408-2411. 2.7 43 67 Efficacy of omalizumab 150 mg/month as a maintenance dose in patients with severe chronic spontaneous urticaria showing a prompt and complete response to the drug. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 2242-2244. 2.7 4 68 Cosensitization to profilin is associated with less severe reactions to foods in ns <scp>LTP</scp> s and storage proteins reactors and with less severe respiratory allergy. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 1921-1923. 2.7 17 69 Storage molecules from tree nuts, seeds and legumes: relationships and amino acid identity among homologue molecules. European Annals of Allergy and Clinical Immunology, 2018, 50, 148. 0.4 13 70 Allergy to LTP: to eat or not to eat sensitizing foods? A follow-up study. European Annals of Allergy and Clinical Immunology, 2018, 50, 156. 0.4 25 71 An atlas of IgE sensitization patterns in different Italian areas. A multicenter, cross-sectional study. 0.4 14	65	Hypersensitivity: An in vitro and in vivo Study. International Archives of Allergy and Immunology, 2018,	0.9	10
 ⁶⁷ spontaneous urticaria showing a prompt and complete response to the drug. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 2242-2244. ⁶⁸ Cosensitization to profilin is associated with less severe reactions to foods in ns<scp>LTP</scp>s and storage proteins reactors and with less severe respiratory allergy. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 1921-1923. ⁶⁹ Storage molecules from tree nuts, seeds and legumes: relationships and amino acid identity among homologue molecules. European Annals of Allergy and Clinical Immunology, 2018, 50, 148. ⁷⁰ Allergy to LTP: to eat or not to eat sensitizing foods? A follow-up study. European Annals of Allergy and Clinical Immunology, 2018, 50, 156. ⁷¹ An atlas of IgE sensitization patterns in different Italian areas. A multicenter, cross-sectional study. 	66	Elevated IgE to tissue factor and thyroglobulin are abated by omalizumab in chronic spontaneous urticaria. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 2408-2411.	2.7	43
68storage proteins reactors and with less severe respiratory allergy. Allergy: European Journal of2.71769Storage molecules from tree nuts, seeds and legumes: relationships and amino acid identity among homologue molecules. European Annals of Allergy and Clinical Immunology, 2018, 50, 148.0.41370Allergy to LTP: to eat or not to eat sensitizing foods? A follow-up study. European Annals of Allergy and Clinical Immunology, 2018, 50, 156.0.42571An atlas of IgE sensitization patterns in different Italian areas. A multicenter, cross-sectional study.0.411	67	spontaneous urticaria showing a prompt and complete response to the drug. Allergy: European	2.7	4
69 homologue molecules. European Annals of Allergy and Clinical Immunology, 2018, 50, 148. 0.4 13 70 Allergy to LTP: to eat or not to eat sensitizing foods? A follow-up study. European Annals of Allergy and Clinical Immunology, 2018, 50, 156. 0.4 25 71 An atlas of IgE sensitization patterns in different Italian areas. A multicenter, cross-sectional study. 0.4 11	68	storage proteins reactors and with less severe respiratory allergy. Allergy: European Journal of	2.7	17
An atlas of IgE sensitization patterns in different Italian areas. A multicenter, cross-sectional study.	69	Storage molecules from tree nuts, seeds and legumes: relationships and amino acid identity among homologue molecules. European Annals of Allergy and Clinical Immunology, 2018, 50, 148.	0.4	13
	70	Allergy to LTP: to eat or not to eat sensitizing foods? A follow-up study. European Annals of Allergy and Clinical Immunology, 2018, 50, 156.	0.4	25
	71		0.4	11

72Spontaneous disappearance of severe latex allergy in an adult. European Annals of Allergy and
Clinical Immunology, 2018, 50, 281.0.4

Ricardo Asero

#	Article	IF	CITATIONS
73	<scp>ACE</scp> inhibitors may interfere with omalizumab in chronic spontaneous urticaria. Journal of the European Academy of Dermatology and Venereology, 2017, 31, e358-e359.	1.3	5
74	D-Dimer Plasma Levels Parallel the Clinical Response to Omalizumab in Patients with Severe Chronic Spontaneous Urticaria. International Archives of Allergy and Immunology, 2017, 172, 40-44.	0.9	60
75	Pla a 2 and Pla a 3 reactivities identify plane tree-allergic patients with respiratory symptoms or food allergy. Allergy: European Journal of Allergy and Clinical Immunology, 2017, 72, 671-674.	2.7	15
76	Critical appraisal of the unmet needs in the treatment of chronic spontaneous urticaria with omalizumab: an Italian perspective. Current Opinion in Allergy and Clinical Immunology, 2017, 17, 453-459.	1.1	15
77	Autoimmune comorbidity in chronic spontaneous urticaria: A systematic review. Autoimmunity Reviews, 2017, 16, 1196-1208.	2.5	125
78	Towards a better categorization of patients with chronic urticaria. British Journal of Dermatology, 2017, 177, 903-904.	1.4	1
79	Defoliation of common ragweed by <i>Ophraella communa</i> beetle does not affect pollen allergenicity in controlled conditions. Plant Biosystems, 2017, 151, 1094-1100.	0.8	10
80	Elevated baseline D-dimer plasma levels are associated with a prompt response to omalizumab in patients with severe CSU. Journal of Allergy and Clinical Immunology: in Practice, 2017, 5, 1740-1742.	2.0	11
81	Serial D-dimer plasma levels in a patient with chronic spontaneous urticaria developing resistance to omalizumab. Clinical and Experimental Dermatology, 2017, 42, 667-669.	0.6	8
82	Molecular Recognition Profiles and Clinical Patterns of PR-10 Sensitization in a Birch-Free Mediterranean Area. International Archives of Allergy and Immunology, 2017, 173, 138-146.	0.9	18
83	Chronic urticaria: a focus on pathogenesis. F1000Research, 2017, 6, 1095.	0.8	38
84	Shrimp Allergy: Analysis of Commercially Available Extracts for In Vivo Diagnosis. Journal of Investigational Allergology and Clinical Immunology, 2017, 27, 175-182.	0.6	24
85	Anisakis Sensitivity in Italian Children: A Prospective Study. Journal of Investigational Allergology and Clinical Immunology, 2017, 27, 142-143.	0.6	3
86	Galactose-α-1,3-galactose syndrome: an Italian survey. European Annals of Allergy and Clinical Immunology, 2017, 49, 263.	0.4	11
87	lgE, lgG and lgG response to specific allergens in sensitized subjects showing different clinical reactivity to. European Annals of Allergy and Clinical Immunology, 2017, 49, 52-58.	0.4	4
88	Disappearance of severe oral allergy syndrome following omalizumab treatment. European Annals of Allergy and Clinical Immunology, 2017, 49, 143-144.	0.4	7
89	Detection of Low-Molecular-Weight Mast Cell–Activating Factors in Serum From Patients With Chronic Spontaneous Urticaria. Journal of Investigational Allergology and Clinical Immunology, 2016, 26, 310-313.	0.6	22
90	IgE Reactivity to Polcalcins Varies According to Pollen Source. Journal of Investigational Allergology and Clinical Immunology, 2016, 26, 362-365.	0.6	6

#	Article	IF	CITATIONS
91	Endotypes of pollenâ€food syndrome in children with seasonal allergic rhinoconjunctivitis: a molecular classification. Allergy: European Journal of Allergy and Clinical Immunology, 2016, 71, 1181-1191.	2.7	66
92	Detection of pan-allergens in commercial pollen extracts for allergen immunotherapy. Annals of Allergy, Asthma and Immunology, 2016, 117, 180-185.	0.5	8
93	The Role of Platelets in Chronic Urticaria. International Archives of Allergy and Immunology, 2016, 169, 71-79.	0.9	15
94	Nitration of pollen aeroallergens by nitrate ion in conditions simulating the liquid water phase of atmospheric particles. Science of the Total Environment, 2016, 573, 1589-1597.	3.9	16
95	EAACI Molecular Allergology User's Guide. Pediatric Allergy and Immunology, 2016, 27, 1-250.	1.1	642
96	Is ragweed pollen allergenicity governed by environmental conditions during plant growth and flowering?. Scientific Reports, 2016, 6, 30438.	1.6	19
97	Use of Component-Resolved Diagnosis (CRD) for Allergen Immunotherapy (AIT). Current Treatment Options in Allergy, 2016, 3, 85-92.	0.9	0
98	Chronic spontaneous urticaria: immune system, blood coagulation, and more. Expert Review of Clinical Immunology, 2016, 12, 229-231.	1.3	20
99	Ole e 1, Ole e 7, and Ole e 9: Identifying distinct clinical subsets of olive tree–allergic patients. Journal of Allergy and Clinical Immunology, 2016, 137, 629-631.e3.	1.5	16
100	Impact of Wild Loci on the Allergenic Potential of Cultivated Tomato Fruits. PLoS ONE, 2016, 11, e0155803.	1.1	4
101	Unusual allergy to soy appeared in adult age. European Annals of Allergy and Clinical Immunology, 2016, 48, 94-6.	0.4	0
102	Predictors of health-related quality of life of European food-allergic patients. Allergy: European Journal of Allergy and Clinical Immunology, 2015, 70, 616-624.	2.7	60
103	The EAACI/GA2LEN/EDF/WAO Guideline for the definition, classification, diagnosis, and management of urticaria: the 2013 revision and update. Przeglad Dermatologiczny, 2015, 2, 155-179.	0.0	11
104	Activation of Blood Coagulation in Two Prototypic Autoimmune Skin Diseases: A Possible Link with Thrombotic Risk. PLoS ONE, 2015, 10, e0129456.	1.1	28
105	Position paper of the <scp>EAACI</scp> : food allergy due to immunological crossâ€reactions with common inhalant allergens. Allergy: European Journal of Allergy and Clinical Immunology, 2015, 70, 1079-1090.	2.7	164
106	Coagulation in Chronic Urticaria. Current Treatment Options in Allergy, 2015, 2, 287-293.	0.9	4
107	Prevalence and Clinical Relevance of IgE Sensitization to Profilin in Childhood: A Multicenter Study. International Archives of Allergy and Immunology, 2015, 168, 25-31.	0.9	57
108	Reply. Journal of Allergy and Clinical Immunology, 2015, 135, 292-293.	1.5	5

#	Article	IF	CITATIONS
109	IgE recognition patterns in peanut allergy are age dependent: perspectives of the EuroPrevall study. Allergy: European Journal of Allergy and Clinical Immunology, 2015, 70, 391-407.	2.7	100
110	How much is too much? Threshold dose distributions for 5 food allergens. Journal of Allergy and Clinical Immunology, 2015, 135, 964-971.	1.5	156
111	The <scp>E</scp> uro <scp>P</scp> revall outpatient clinic study on food allergy: background and methodology. Allergy: European Journal of Allergy and Clinical Immunology, 2015, 70, 576-584.	2.7	41
112	Is There a Role for Birch Pollen Immunotherapy on Concomitant Food Allergy?. Current Treatment Options in Allergy, 2015, 2, 83-89.	0.9	7
113	Current challenges and controversies in the management of chronic spontaneous urticaria. Expert Review of Clinical Immunology, 2015, 11, 1073-1082.	1.3	18
114	Plasma D-dimer levels and clinical response to ciclosporin in severe chronic spontaneous urticaria. Journal of Allergy and Clinical Immunology, 2015, 135, 1401-1403.	1.5	40
115	Hazelnut allergy across Europe dissected molecularly: AÂEuroPrevall outpatient clinic survey. Journal of Allergy and Clinical Immunology, 2015, 136, 382-391.	1.5	92
116	Wytyczne EAACI/GA2LEN/EDF/WAO dotyczÄce definicji, klasyfikacji, rozpoznawania i leczenia pokrzywki: weryfikacja z 2013 roku z poprawkami. Alergologia Polska - Polish Journal of Allergology, 2015, 2, T1-T23.	0.0	0
117	Lipid transfer protein sensitization: reactivity profiles and clinical risk assessment in an Italian cohort. Allergy: European Journal of Allergy and Clinical Immunology, 2015, 70, 933-943.	2.7	87
118	Single NSAID hypersensitivity is associated with atopic status. European Annals of Allergy and Clinical Immunology, 2015, 47, 48-53.	0.4	12
119	Detection of risk factors for systemic adverse reactions to SCIT with natural depot allergen extracts: a retrospective study. European Annals of Allergy and Clinical Immunology, 2015, 47, 211-7.	0.4	9
120	Effect of Processing on the Allergenicity of Foods. , 2014, , 227-251.		1
121	Which Foods Cause Food Allergy and How Is Food Allergy Treated?. , 2014, , 25-43.		3
122	Multiple Nonsteroidal Anti-Inflammatory Drug-Induced Cutaneous Disease: What Differentiates Patients with and without Underlying Chronic Spontaneous Urticaria?. International Archives of Allergy and Immunology, 2014, 163, 114-118.	0.9	19
123	Looking for Sensitization Profiles In Different Populations by Recombinant Allergens. International Archives of Allergy and Immunology, 2014, 164, 106-108.	0.9	4
124	Reply to the Letter â€~Multiple Nonsteroidal Anti-Inflammatory Drug-Induced Cutaneous Disease: Relevance, Natural Evolution and Relationship with Atopy' by Blanca-López et al International Archives of Allergy and Immunology, 2014, 164, 149-150.	0.9	1
125	Cloning, expression in E. coli and immunological characterization of Par j 3.0201, a Parietaria pollen profilin variant. Molecular Immunology, 2014, 57, 220-225.	1.0	7
126	The effect of component-resolved diagnosis on specific immunotherapy prescription in children with hay fever. Journal of Allergy and Clinical Immunology, 2014, 134, 75-81.e2.	1.5	143

#	Article	IF	CITATIONS
127	The <scp>EAACI</scp> / <scp>GA</scp> ² <scp>LEN</scp> / <scp>EDF</scp> / <scp>WAO</scp> Guideline for the definition, classification, diagnosis, and management of urticaria: the 2013 revision and update. Allergy: European Journal of Allergy and Clinical Immunology, 2014, 69, 868-887.	2.7	912
128	Treatment of Chronic Urticaria. Immunology and Allergy Clinics of North America, 2014, 34, 105-116.	0.7	15
129	Methods report on the development of the 2013 revision and update of the <scp>EAACl</scp> / <scp>GA²LEN</scp> /EDF/ <scp>WAO</scp> guideline for the definition, classification, diagnosis, and management of urticaria. Allergy: European Journal of Allergy and Clinical Immunology, 2014, 69, e1-29.	2.7	75
130	Concomitant sensitization to ragweed and mugwort pollen: who is who in clinical allergy?. Annals of Allergy, Asthma and Immunology, 2014, 113, 307-313.	0.5	36
131	Pathomechanisms of Chronic Spontaneous Urticaria: What Is Known and Up to Date. Current Dermatology Reports, 2014, 3, 191-196.	1.1	1
132	Chronic urticaria and coagulation: pathophysiological and clinical aspects. Allergy: European Journal of Allergy and Clinical Immunology, 2014, 69, 683-691.	2.7	62
133	Detection of 20 kDa and 32 kDa IgE-binding proteins as the major allergens in Italian sesame seed allergic patients. European Annals of Allergy and Clinical Immunology, 2014, 46, 22-5.	0.4	7
134	Extraordinary response to omalizumab in a child with severe chronic urticaria. European Annals of Allergy and Clinical Immunology, 2014, 46, 41-2.	0.4	22
135	Reply: To PMID 23678553. European Annals of Allergy and Clinical Immunology, 2014, 46, 64.	0.4	Ο
136	In patients with LTP syndrome food-specific IgE show a predictable hierarchical order. European Annals of Allergy and Clinical Immunology, 2014, 46, 142-6.	0.4	24
137	Shrimp allergy beyond Tropomyosin in Italy: clinical relevance of Arginine Kinase, Sarcoplasmic calcium binding protein and Hemocyanin. European Annals of Allergy and Clinical Immunology, 2014, 46, 172-7.	0.4	50
138	Anti-rPru p 3 IgE Levels Are Inversely Related to the Age at Onset of Peach-Induced Severe Symptoms Reported by Peach-Allergic Adults. International Archives of Allergy and Immunology, 2013, 162, 45-49.	0.9	20
139	Classification and practical approach to the diagnosis and management of hypersensitivity to nonsteroidal antiâ€inflammatory drugs. Allergy: European Journal of Allergy and Clinical Immunology, 2013, 68, 1219-1232.	2.7	356
140	Treatment of Refractory Chronic Urticaria: Current and Future Therapeutic Options. American Journal of Clinical Dermatology, 2013, 14, 481-488.	3.3	38
141	Chronic Spontaneous Urticaria: the Emerging Role of Coagulation. Current Dermatology Reports, 2013, 2, 18-23.	1.1	2
142	D-dimer: AÂbiomarker for antihistamine-resistant chronic urticaria. Journal of Allergy and Clinical Immunology, 2013, 132, 983-986.	1.5	60
143	<scp>EAACI</scp> taskforce position paper: evidence for autoimmune urticaria and proposal for defining diagnostic criteria. Allergy: European Journal of Allergy and Clinical Immunology, 2013, 68, 27-36.	2.7	158
144	Clinical Management of Patients with a History of Urticaria/Angioedema Induced by Multiple NSAIDs: An Expert Panel Review. International Archives of Allergy and Immunology, 2013, 160, 126-133.	0.9	38

#	Article	IF	CITATIONS
145	Kiwifruit allergy across Europe: Clinical manifestation and IgE recognition patterns to kiwifruit allergens. Journal of Allergy and Clinical Immunology, 2013, 131, 164-171.	1.5	82
146	Anaphylaxis to plant-foods and pollen allergens in patients with lipid transfer protein syndrome. Current Opinion in Allergy and Clinical Immunology, 2013, 13, 379-385.	1.1	57
147	<i>Anisakis simplex</i> Hypersensitivity Is Associated with Chronic Urticaria in Endemic Areas. International Archives of Allergy and Immunology, 2013, 160, 297-300.	0.9	51
148	<i>Anisakis</i> Allergy Component-Resolved Diagnosis: Clinical and Immunologic Differences between Patients from Italy and Spain. International Archives of Allergy and Immunology, 2013, 162, 39-44.	0.9	23
149	Pollenâ€induced allergic rhinitis in 1360 <scp>I</scp> talian children: Comorbidities and determinants of severity. Pediatric Allergy and Immunology, 2013, 24, 742-751.	1.1	71
150	Tomato allergy: clinical features and usefulness of current routinely available diagnostic methods. Journal of Investigational Allergology and Clinical Immunology, 2013, 23, 37-42.	0.6	12
151	Profilin may be a primary airborne sensitizer: a case report. Journal of Investigational Allergology and Clinical Immunology, 2013, 23, 134-5.	0.6	7
152	Cutaneous hypersensitivity to multiple NSAIDs: never take tolerance to selective COX-2 inhibitors (COXIBs) for granted!. European Annals of Allergy and Clinical Immunology, 2013, 45, 3-6.	0.4	23
153	Asthma phenotypes today. European Annals of Allergy and Clinical Immunology, 2013, 45, 17-24.	0.4	12
154	Chronic urticaria caused by allergy to peach lipid transfer protein. Journal of Investigational Allergology and Clinical Immunology, 2013, 23, 208-9.	0.6	2
155	Mugwort-fennel-allergy-syndrome associated with sensitization to an allergen homologous to Api g 5. European Annals of Allergy and Clinical Immunology, 2013, 45, 130-7.	0.4	11
156	Heterogenity of IgE response to walnut and hazelnut in Italian allergic patients. European Annals of Allergy and Clinical Immunology, 2013, 45, 160-6.	0.4	6
157	Humoral and Cellular Cross-Reactivity between Amb a 1, the Major Ragweed Pollen Allergen, and Its Mugwort Homolog Art v 6. Journal of Immunology, 2012, 188, 1559-1567.	0.4	45
158	Baseline Serum Tryptase Levels and Adverse Reactions to Injection Specific Immunotherapy with Airborne Allergens: Is There a Relationship. International Archives of Allergy and Immunology, 2012, 158, 276-280.	0.9	5
159	Shrimp Allergy in Italian Adults: A Multicenter Study Showing a High Prevalence of Sensitivity to Novel High Molecular Weight Allergens. International Archives of Allergy and Immunology, 2012, 157, 3-10.	0.9	30
160	Inflammation and Coagulation in Urticaria and Angioedema. Current Vascular Pharmacology, 2012, 10, 653-658.	0.8	23
161	Allergy to beer in <scp>LTP</scp> â€sensitized patients: beers are not all the same. Allergy: European Journal of Allergy and Clinical Immunology, 2012, 67, 1186-1189.	2.7	22
162	Ragweed pollen collected along highâ€ŧraffic roads shows a higher allergenicity than pollen sampled in vegetated areas. Allergy: European Journal of Allergy and Clinical Immunology, 2012, 67, 887-894.	2.7	105

#	Article	IF	CITATIONS
163	Molecular profiles of IgE to Phleum pratense in children with grass pollen allergy: Implications for specific immunotherapy. Journal of Allergy and Clinical Immunology, 2012, 129, 834-839.e8.	1.5	149
164	Diagnosis and Treatment of Urticaria and Angioedema: A Worldwide Perspective. World Allergy Organization Journal, 2012, 5, 125-147.	1.6	150
165	Lentil <i>(Lens culinaris)</i> Lipid Transfer Protein Len c 3: A Novel Legume Allergen. International Archives of Allergy and Immunology, 2012, 157, 51-57.	0.9	39
166	Basophil activation test and autologous serum skin test: Not overlapping tests in chronic urticaria. Journal of Allergy and Clinical Immunology, 2012, 130, 280-281.	1.5	2
167	Development of a standardized lowâ€dose doubleâ€blind placeboâ€controlled challenge vehicle for the EuroPrevall project. Allergy: European Journal of Allergy and Clinical Immunology, 2012, 67, 107-113.	2.7	55
168	Autologous plasma and serum skin test in chronic urticaria. British Journal of Dermatology, 2012, 166, 1362-1363.	1.4	4
169	The policy of reducing the number of issues and to point to a better quality of published papers is seemingly paying dividends. European Annals of Allergy and Clinical Immunology, 2012, 44, 3-4.	0.4	6
170	Allergy to kiwi: is component-resolved diagnosis in routine clinical practice really impossible?. European Annals of Allergy and Clinical Immunology, 2012, 44, 42-7.	0.4	4
171	Features of sensitization to airborne allergens among extra-European immigrants living in 2 distinct areas of Northern Italy. European Annals of Allergy and Clinical Immunology, 2012, 44, 107-12.	0.4	4
172	Ragweed allergy in northern Italy: are patterns of sensitization changing?. European Annals of Allergy and Clinical Immunology, 2012, 44, 157-9.	0.4	12
173	Monosensitization to a novel plane pollen allergen. European Annals of Allergy and Clinical Immunology, 2012, 44, 167-9.	0.4	7
174	Component-resolved diagnosis-assisted prescription of allergen-specific immunotherapy: a practical guide. European Annals of Allergy and Clinical Immunology, 2012, 44, 183-7.	0.4	17
175	Serum eotaxin levels in patients with chronic spontaneous urticaria. European Annals of Allergy and Clinical Immunology, 2012, 44, 188-92.	0.4	16
176	A case of allergy to zucchini. European Annals of Allergy and Clinical Immunology, 2012, 44, 205-6.	0.4	0
177	A case of rice allergy in a patient with baker's asthma. European Annals of Allergy and Clinical Immunology, 2012, 44, 207-9.	0.4	6
178	Are IgE Levels to Foods other than Rosaceae Predictive of Allergy in Lipid Transfer Protein-Hypersensitive Patients?. International Archives of Allergy and Immunology, 2011, 155, 149-154.	0.9	26
179	The nature of melon allergy in ragweed-allergic subjects: A study of 1000 patients. Allergy and Asthma Proceedings, 2011, 32, 64-67.	1.0	22
180	Clinical manifestations, co-sensitizations, and immunoblotting profiles of buckwheat-allergic patients. Allergy: European Journal of Allergy and Clinical Immunology, 2011, 66, 264-270.	2.7	38

#	Article	IF	CITATIONS
181	Markers of autoreactivity, coagulation and angiogenesis in patients with nonallergic asthma. Allergy: European Journal of Allergy and Clinical Immunology, 2011, 66, 1339-1344.	2.7	10
182	Mast cells are critically involved in serum-mediated vascular leakage in chronic urticaria beyond high-affinity IgE receptor stimulation. Allergy: European Journal of Allergy and Clinical Immunology, 2011, 66, 1538-1545.	2.7	80
183	Activation of blood coagulation in plasma from chronic urticaria patients with negative autologous plasma skin test. Journal of the European Academy of Dermatology and Venereology, 2011, 25, 201-205.	1.3	37
184	Role of Sensitization to Mammalian Serum Albumin in Allergic Disease. Current Allergy and Asthma Reports, 2011, 11, 421-426.	2.4	48
185	Does Sensitization to Foods in Adults Occur Always in the Gut?. International Archives of Allergy and Immunology, 2011, 154, 6-14.	0.9	26
186	Peach-Induced Contact Urticaria Is Associated with Lipid Transfer Protein Sensitization. International Archives of Allergy and Immunology, 2011, 154, 345-348.	0.9	31
187	Hypersensitivity to lipid transfer protein is frequently associated with chronic urticaria. European Annals of Allergy and Clinical Immunology, 2011, 43, 19-21.	0.4	9
188	Lipid transfer protein cross-reactivity assessed in vivo and in vitro in the office: pros and cons. Journal of Investigational Allergology and Clinical Immunology, 2011, 21, 129-36.	0.6	21
189	Analysis of the allergenic profile of patients hypersensitive to pollen pan-allergens living in two distinct areas of northern Italy. European Annals of Allergy and Clinical Immunology, 2011, 43, 54-7.	0.4	10
190	Hypersensitivity to pollen panallergens (profilin and polcalcin) detected in vitro and in vivo: a comparative analysis. Journal of Investigational Allergology and Clinical Immunology, 2011, 21, 323-4.	0.6	4
191	Is the strange case of mugwort sensitivity in ragweed-allergic subjects coming eventually to a solution?. European Annals of Allergy and Clinical Immunology, 2011, 43, 67-8.	0.4	1
192	Analysis of hypersensitivity to oleaceae pollen in an olive-free and ash-free area by commercial pollen extracts and recombinant allergens. European Annals of Allergy and Clinical Immunology, 2011, 43, 77-80.	0.4	17
193	Peach allergy. Beyond the classic 3 allergens?. European Annals of Allergy and Clinical Immunology, 2011, 43, 101-2.	0.4	2
194	Anaphylaxis caused by tomato lipid transfer protein. European Annals of Allergy and Clinical Immunology, 2011, 43, 125-6.	0.4	7
195	Are anti-Phl p 12 IgE levels predictive of oral allergy syndrome in profilin hypersensitive patients?. European Annals of Allergy and Clinical Immunology, 2011, 43, 184-7.	0.4	4
196	Selective ovine serum albumin allergy in an adult. Allergy: European Journal of Allergy and Clinical Immunology, 2010, 65, 1067-1068.	2.7	5
197	Activation of blood coagulation in chronic urticaria: pathophysiological and clinical implications. Internal and Emergency Medicine, 2010, 5, 97-101.	1.0	58
198	Plasma levels of matrix metalloproteinaseâ€9 in chronic urticaria patients correlate with disease severity and Câ€reactive protein but not with circulating histamineâ€releasing factors. Clinical and Experimental Allergy, 2010, 40, 875-881.	1.4	75

#	Article	IF	CITATIONS
199	Exposure to cadmiumâ€contaminated soils increases allergenicity of <i>Poa annua</i> L. pollen. Allergy: European Journal of Allergy and Clinical Immunology, 2010, 65, 1313-1321.	2.7	40
200	Airborne allergy to tomato proteins. Allergy: European Journal of Allergy and Clinical Immunology, 2010, 65, 1626-1627.	2.7	4
201	IgG4-Bestimmungen gegen Nahrungsmittel werden nicht zur Diagnostik empfohlen: Positionspapier der European Academy of Allergology and Clinical Immunology (EAACI) 1 / Testing for IgG4 against foods is not recommended as a diagnostic tool: EAACI Task Force report. Laboratoriums Medizin, 2010, 34, 171-175.	0.1	0
202	Is the detection of IgE to multiple Bet v 1–homologous food allergens by means of allergen microarray clinically useful?. Journal of Allergy and Clinical Immunology, 2010, 125, 1158-1161.	1.5	21
203	The T-cell response to Amb a 1 is characterized by 3 dominant epitopes and multiple MHC restriction elements. Journal of Allergy and Clinical Immunology, 2010, 126, 1068-1071.e2.	1.5	19
204	Heparin and Tranexamic Acid Therapy May Be Effective in Treatment-Resistant Chronic Urticaria with Elevated D-Dimer: A Pilot Study. International Archives of Allergy and Immunology, 2010, 152, 384-389.	0.9	64
205	Skin autoimmunity and blood coagulation. Autoimmunity, 2010, 43, 189-194.	1.2	21
206	Preliminary results of a skin prick test-based study of the prevalence and clinical impact of hypersensitivity to pollen panallergens (polcalcin and profilin). Journal of Investigational Allergology and Clinical Immunology, 2010, 20, 35-8.	0.6	31
207	Epinephrine autoinjector prescription in food-allergic adults: symptom-based only or allergen-based also? An Italian multi-centre study. European Annals of Allergy and Clinical Immunology, 2010, 42, 25-31.	0.4	5
208	Usefulness of a short course of oral prednisone in antihistamine-resistant chronic urticaria: a retrospective analysis. Journal of Investigational Allergology and Clinical Immunology, 2010, 20, 386-90.	0.6	60
209	Co-sensitisation (but co-recognition also) to novel banana and tomato allergens. European Annals of Allergy and Clinical Immunology, 2010, 42, 159-62.	0.4	0
210	Cetirizine premedication prevents acute urticaria induced by weak COX-1 inhibitors in multiple NSAID reactors. European Annals of Allergy and Clinical Immunology, 2010, 42, 174-7.	0.4	12
211	Co-recognition of lipid trasfer protein in pollen and foods in northern Italy: clinician's view. European Annals of Allergy and Clinical Immunology, 2010, 42, 205-8.	0.4	10
212	Sensitization to the pollen pan-allergen profilin. Is the detection of immunoglobulin E to multiple homologous proteins from different sources clinically useful?. Journal of Investigational Allergology and Clinical Immunology, 2010, 20, 591-5.	0.6	20
213	Causes of Food-Induced Anaphylaxis in Italian Adults: A Multi-Centre Study. International Archives of Allergy and Immunology, 2009, 150, 271-277.	0.9	118
214	EpidemAAITO: Features of food allergy in Italian adults attending allergy clinics: a multiâ€centre study. Clinical and Experimental Allergy, 2009, 39, 547-555.	1.4	108
215	A prospective Italian survey on the safety of subcutaneous immunotherapy for respiratory allergy. Clinical and Experimental Allergy, 2009, 39, 1569-1574.	1.4	47
216	Plasma levels and skinâ€eosinophilâ€expression of vascular endothelial growth factor in patients with chronic urticaria. Allergy: European Journal of Allergy and Clinical Immunology, 2009, 64, 1616-1622.	2.7	68

#	Article	IF	CITATIONS
217	EAACI/GA ² LEN task force consensus report: the autologous serum skin test in urticaria. Allergy: European Journal of Allergy and Clinical Immunology, 2009, 64, 1256-1268.	2.7	272
218	EAACI/GA²LEN/EDF/WAO guideline: management of urticaria. Allergy: European Journal of Allergy and Clinical Immunology, 2009, 64, 1427-1443.	2.7	502
219	EAACI/GA ² LEN/EDF/WAO guideline: definition, classification and diagnosis of urticaria. Allergy: European Journal of Allergy and Clinical Immunology, 2009, 64, 1417-1426.	2.7	582
220	The alpha and beta subchain of Amb a 1, the major ragweed-pollen allergen show divergent reactivity at the IgE and T-cell level. Molecular Immunology, 2009, 46, 2090-2097.	1.0	28
221	Potential Role for Eosinophil-derived Tissue Factor in the Activation of Coagulation in Patients with Chronic Urticaria. Journal of Allergy and Clinical Immunology, 2009, 123, S102-S102.	1.5	Ο
222	Clinical Relevance Of Profilin Sensitization Evaluated With Skin Prick Test In Patients With Grass Allergy: A Multicenter Study Journal of Allergy and Clinical Immunology, 2009, 123, 729-730.	1.5	2
223	Is the autologous plasma skin test in patients with chronic urticaria really useless?. Journal of Allergy and Clinical Immunology, 2009, 123, 1417.	1.5	5
224	Expression of Tissue Factor by Eosinophils in Patients with Chronic Urticaria. International Archives of Allergy and Immunology, 2009, 148, 170-174.	0.9	101
225	Double-blind, placebo-controlled food challenge in adults in everyday clinical practice: a reappraisal of their limitations and real indications. Current Opinion in Allergy and Clinical Immunology, 2009, 9, 379-385.	1.1	41
226	Eosinophils in Chronic Urticaria: Supporting or Leading Actors?. World Allergy Organization Journal, 2009, 2, 213-217.	1.6	23
227	Simultaneous occurrence of chronic autoimmune urticaria and non-allergic asthma: a common mechanism?. European Annals of Allergy and Clinical Immunology, 2009, 41, 56-9.	0.4	9
228	Allergy to peanut lipid transfer protein (LTP): frequency and cross-reactivity between peanut and peach LTP. European Annals of Allergy and Clinical Immunology, 2009, 41, 106-11.	0.4	16
229	Patients monosensitised to Hev b 8 (Hevea brasiliensis latex profilin) may safely undergo major surgery in a normal (non-latex safe) environment. European Annals of Allergy and Clinical Immunology, 2009, 41, 112-6.	0.4	20
230	Antihistamines do not inhibit the flare induced by the intradermal injection of autologous plasma in chronic urticaria patients. European Annals of Allergy and Clinical Immunology, 2009, 41, 181-6.	0.4	4
231	Severe chronic urticaria is associated with elevated plasma levels of Dâ€dimer. Allergy: European Journal of Allergy and Clinical Immunology, 2008, 63, 176-180.	2.7	123
232	Testing for IgG4 against foods is not recommended as a diagnostic tool: EAACI Task Force Report*. Allergy: European Journal of Allergy and Clinical Immunology, 2008, 63, 793-796.	2.7	226
233	Profilin sensitization detected in the office by skin prick test: a study of prevalence and clinical relevance of profilin as a plant food allergen. Clinical and Experimental Allergy, 2008, 38, 1033-1037.	1.4	134
234	Is puncture skin test adequate to detect autoreactivity in patients with chronic urticaria?. Clinical and Experimental Dermatology, 2008, 33, 789-790.	0.6	1

#	Article	IF	CITATIONS
235	Airborne allergy to wheat lipid transfer protein without food allergy?. Journal of Allergy and Clinical Immunology, 2008, 121, 1292.	1.5	1
236	Coagulation cascade and fibrinolysis in patients with multiple-drug allergy syndrome. Annals of Allergy, Asthma and Immunology, 2008, 100, 44-48.	0.5	15
237	Respiratory and Skin Allergy to <i>Galleria mellonella</i> (Bee Moth). International Archives of Allergy and Immunology, 2008, 145, 340-342.	0.9	5
238	Respiratory Allergy to Lipid Transfer Protein. International Archives of Allergy and Immunology, 2008, 147, 161-165.	0.9	39
239	Asthma and autoimmunity: a complex but intriguing relation. Expert Review of Clinical Immunology, 2008, 4, 767-776.	1.3	32
240	Use of adrenaline in allergy. European Annals of Allergy and Clinical Immunology, 2008, 40, 35-52.	0.4	2
241	Detection of a novel allergen in raw tomato. Journal of Investigational Allergology and Clinical Immunology, 2008, 18, 397-400.	0.6	6
242	Component-resolved diagnosis of plant food allergy by SPT. European Annals of Allergy and Clinical Immunology, 2008, 40, 115-21.	0.4	29
243	Predictive Value of Autologous Plasma Skin Test for Multiple Nonsteroidal Anti-Inflammatory Drug Intolerance. International Archives of Allergy and Immunology, 2007, 144, 226-230.	0.9	10
244	Chronic Rhinitis with Nasal Polyposis Associated with Sodium Glutamate Intolerance. International Archives of Allergy and Immunology, 2007, 144, 159-161.	0.9	10
245	Chronic urticaria: One step forward and two steps back. Journal of the American Academy of Dermatology, 2007, 57, 368-369.	0.6	3
246	Rice: Another Potential Cause of Food Allergy in Patients Sensitized to Lipid Transfer Protein. International Archives of Allergy and Immunology, 2007, 143, 69-74.	0.9	44
247	Detection of Some Safe Plant-Derived Foods for LTP-Allergic Patients. International Archives of Allergy and Immunology, 2007, 144, 57-63.	0.9	53
248	Activation of the tissue factor pathway of blood coagulation in patients with chronic urticaria. Journal of Allergy and Clinical Immunology, 2007, 119, 705-710.	1.5	161
249	Clinical Management of Adult Patients with a History of Nonsteroidal Anti-Inflammatory Drug-Induced Urticaria/Angioedema: Update. Allergy, Asthma and Clinical Immunology, 2007, 3, 24.	0.9	13
250	The changing pattern of ragweed allergy in the area of Milan, Italy. Allergy: European Journal of Allergy and Clinical Immunology, 2007, 62, 1097-1099.	2.7	13
251	Serum interleukin-18 in patients with chronic ordinary urticaria: association with disease activity. Clinical and Experimental Dermatology, 2007, 32, 568-570.	0.6	43
252	Etoricoxib challenge in patients with chronic urticaria with NSAID intolerance. Clinical and Experimental Dermatology, 2007, 32, 661-663.	0.6	38

#	Article	IF	CITATIONS
253	Chronic idiopathic urticaria: what is the meaning of skin reactivity to autologous serum?. Journal of the European Academy of Dermatology and Venereology, 2007, 22, 071121113659008-???.	1.3	4
254	Chronic urticaria: A disease at a crossroad between autoimmunity and coagulation. Autoimmunity Reviews, 2007, 7, 71-76.	2.5	52
255	Identification of latex UDP glucose pyrophosphorylase (Hev b UDPGP) as a novel cause of latex fruit allergy syndrome. European Annals of Allergy and Clinical Immunology, 2007, 39, 116-8.	0.4	9
256	AAITO Position Paper. Pruritus: causes, diagnostic workup and treatment. European Annals of Allergy and Clinical Immunology, 2007, 39, 221-4.	0.4	2
257	AAITO Position paper. Chronic urticaria: diagnostic workup and treatment. European Annals of Allergy and Clinical Immunology, 2007, 39, 225-31.	0.4	9
258	Use of ketoprofen oral challenges to detect cross-reactors among patients with a history of aspirin-induced urticaria. Annals of Allergy, Asthma and Immunology, 2006, 97, 187-189.	0.5	19
259	Plasma of patients with chronic urticaria shows signs of thrombin generation, and its intradermal injection causes wheal-and-flare reactions much more frequently than autologous serum. Journal of Allergy and Clinical Immunology, 2006, 117, 1113-1117.	1.5	190
260	Apple allergy across Europe: How allergen sensitization profiles determine the clinical expression of allergies to plant foods. Journal of Allergy and Clinical Immunology, 2006, 118, 481-488.	1.5	308
261	Teicoplanin-induced anaphylaxis. Allergy: European Journal of Allergy and Clinical Immunology, 2006, 61, 1370-1370.	2.7	20
262	No evidence of tumor necrosis factor-alpha release in blood of patients with chronic urticaria. Allergy: European Journal of Allergy and Clinical Immunology, 2006, 61, 510-511.	2.7	8
263	Sodium benzoate-induced pruritus. Allergy: European Journal of Allergy and Clinical Immunology, 2006, 61, 1240-1241.	2.7	21
264	The role of profilin and lipid transfer protein in strawberry allergy in the Mediterranean area. Clinical and Experimental Allergy, 2006, 36, 666-675.	1.4	59
265	Artemisia and Ambrosia hypersensitivity: co-sensitization or co-recognition?. Clinical and Experimental Allergy, 2006, 36, 658-665.	1.4	83
266	Characterization of recombinant Mal d 4 and its application for component-resolved diagnosis of apple allergy. Clinical and Experimental Allergy, 2006, 36, 1087-1096.	1.4	42
267	Oral anticoagulants may prevent NSAID-induced urticaria. Clinical and Experimental Dermatology, 2006, 31, 589-590.	0.6	8
268	Chronic unremitting urticaria: is the use of antihistamines above the licensed dose effective? A preliminary study of cetirizine at licensed and above-licensed doses. Clinical and Experimental Dermatology, 2006, 32, 061016074928001-???.	0.6	59
269	Emerging drugs for chronic urticaria. Expert Opinion on Emerging Drugs, 2006, 11, 265-274.	1.0	5
270	Bronchial hyperresponsiveness is a common feature in patients with chronic urticaria. Journal of Investigational Allergology and Clinical Immunology, 2006, 16, 19-23.	0.6	14

#	Article	IF	CITATIONS
271	Search for low-allergenic apple cultivars for birch-pollen-allergic patients: is there a correlation between in vitro assays and patient response?. European Annals of Allergy and Clinical Immunology, 2006, 38, 94-8.	0.4	22
272	Peach fuzz contains large amounts of lipid transfer protein: is this the cause of the high prevalence of sensitization to LTP in Mediterranean countries?. European Annals of Allergy and Clinical Immunology, 2006, 38, 118-21.	0.4	25
273	Pollen specific immunotherapy is not a risk factor for de novo sensitization to cross-reacting allergens in monosensitized subjects. Journal of Investigational Allergology and Clinical Immunology, 2006, 16, 253-7.	0.6	6
274	Practical use of allergenic molecules. European Annals of Allergy and Clinical Immunology, 2006, 38, 218-9.	0.4	0
275	Plant-derived food allergens: an overview. European Annals of Allergy and Clinical Immunology, 2006, 38, 220-3.	0.4	0
276	PT with heat-processed apple peel extract to detect LTP hypersensitivity. European Annals of Allergy and Clinical Immunology, 2006, 38, 351-4.	0.4	6
277	The effect of thermal processing on the IgE reactivity of the non-specific lipid transfer protein from apple, Mal d 3. Allergy: European Journal of Allergy and Clinical Immunology, 2005, 60, 1262-1268.	2.7	119
278	Oral aspirin challenges in patients with a history of intolerance to single non-steroidal anti-inflammatory drugs. Clinical and Experimental Allergy, 2005, 35, 713-716.	1.4	51
279	No evidence of increased serum substance P levels in chronic urticaria patients with and without demonstrable circulating vasoactive factors. Clinical and Experimental Dermatology, 2005, 30, 171-175.	0.6	29
280	Oral cyclophosphamide in a case of cyclosporin and steroid-resistant chronic urticaria showing autoreactivity on autologous serum skin testing. Clinical and Experimental Dermatology, 2005, 30, 582-583.	0.6	33
281	Food additive-induced chronic pruritus: further evidence. Clinical and Experimental Dermatology, 2005, 30, 719-720.	0.6	8
282	IgE Binding to Pepsin-Digested Food Extracts. International Archives of Allergy and Immunology, 2005, 138, 203-208.	0.9	28
283	Lack of de novo Sensitization to Tropomyosin in a Group of Mite-Allergic Patients Treated by House Dust Mite-Specific Immunotherapy. International Archives of Allergy and Immunology, 2005, 137, 62-65.	0.9	28
284	Plant Food Allergies: A Suggested Approach to Allergen-Resolved Diagnosis in the Clinical Practice by Identifying Easily Available Sensitization Markers. International Archives of Allergy and Immunology, 2005, 138, 1-11.	0.9	40
285	The Spectrum of Allergens in Ragweed and Mugwort Pollen. International Archives of Allergy and Immunology, 2005, 138, 337-346.	0.9	146
286	Why Do Lipid Transfer Protein-Hypersensitive Patients Tolerate Bean (and Other Legumes)?. International Archives of Allergy and Immunology, 2005, 137, 236-240.	0.9	8
287	Lipid Transfer Proteins from Fruit: Cloning, Expression and Quantification. International Archives of Allergy and Immunology, 2005, 137, 273-281.	0.9	44
288	Autoimmune chronic urticaria associated with type 1 diabetes and Graves' disease. Journal of Allergy and Clinical Immunology, 2005, 115, 1088-1089.	1.5	32

#	Article	IF	CITATIONS
289	Detection of novel latex allergens associated with clinically relevant allergy to plant-derived foods. Journal of Allergy and Clinical Immunology, 2005, 115, 1312-1314.	1.5	7
290	Giant ragweed specific immunotherapy is not effective in a proportion of patients sensitized to short ragweed: Analysis of the allergenic differences between short and giant ragweed. Journal of Allergy and Clinical Immunology, 2005, 116, 1036-1041.	1.5	32
291	Efficacy of Injection Immunotherapy with Ragweed and Birch Pollen in Elderly Patients. International Archives of Allergy and Immunology, 2004, 135, 332-335.	0.9	47
292	Injection Immunotherapy with Different Airborne Allergens Did Not Prevent de novo Sensitization to Ragweed and Birch Pollen North of Milan. International Archives of Allergy and Immunology, 2004, 133, 49-54.	0.9	18
293	Effects of birch pollen SIT on apple allergy: a matter of dosage?. Allergy: European Journal of Allergy and Clinical Immunology, 2004, 59, 1269-1271.	2.7	35
294	Assessment of histamine-releasing activity of sera from patients with chronic urticaria showing positive autologous skin test on human basophils and mast cells. Clinical and Experimental Allergy, 2004, 34, 1111-1114.	1.4	50
295	Response by authors: Assessment of histamine-releasing activity of sera from patients with chronic urticaria showing positive autologous skin test on human basophils and mast cells. R. Asero and A. Tedeschi. Clinical and Experimental Allergy, 2004, 34, 1804-1805.	1.4	1
296	<i>Parietaria</i> Profilin Shows Only Limited Cross-Reactivity with Birch and Grass Profilins. International Archives of Allergy and Immunology, 2004, 133, 121-124.	0.9	26
297	Relationship between peach lipid transfer protein specific IgE levels and hypersensitivity to non-Rosaceae vegetable foods in patients allergic to lipid transfer protein. Annals of Allergy, Asthma and Immunology, 2004, 92, 268-272.	0.5	52
298	Walnut-induced anaphylaxis with cross-reactivity to hazelnut and Brazil nut. Journal of Allergy and Clinical Immunology, 2004, 113, 358-360.	1.5	34
299	Food additives intolerance: does it present as perennial rhinitis?. Current Opinion in Allergy and Clinical Immunology, 2004, 4, 25-29.	1.1	7
300	Analysis of new respiratory allergies in patients monosensitized to airborne allergens in the area north of Milan. Journal of Investigational Allergology and Clinical Immunology, 2004, 14, 208-13.	0.6	6
301	Airborne allergy to sunflower seed. Journal of Investigational Allergology and Clinical Immunology, 2004, 14, 244-6.	0.6	5
302	Prevalence of allergic reactions to Hymenoptera stings in northern Italy. European Annals of Allergy and Clinical Immunology, 2004, 36, 372-4.	0.4	7
303	Clinical features of patients showing Candida hypersensitivity: an observational study. Journal of Investigational Allergology and Clinical Immunology, 2004, 14, 309-11.	0.6	2
304	Chronic autoreactive urticaria at six years of age. Journal of Investigational Allergology and Clinical Immunology, 2004, 14, 343-5.	0.6	2
305	How long does the effect of birch pollen injection SIT on apple allergy last?. Allergy: European Journal of Allergy and Clinical Immunology, 2003, 58, 435-438.	2.7	91
306	Circulating stem cell factor in patients with chronic idiopathic urticaria. Annals of Allergy, Asthma and Immunology, 2003, 91, 79-81.	0.5	8

#	Article	IF	CITATIONS
307	Detection of clinical markers of sensitization to profilin in patients allergic to plant-derived foods. Journal of Allergy and Clinical Immunology, 2003, 112, 427-432.	1.5	131
308	Intolerance to nonsteroidal anti-inflammatory drugs might precede by years the onset of chronic urticaria. Journal of Allergy and Clinical Immunology, 2003, 111, 1095-1098.	1.5	95
309	Sex differences in the pathogenesis of chronic urticaria. Journal of Allergy and Clinical Immunology, 2003, 111, 425-426.	1.5	42
310	Analysis of the heat stability of lipid transfer protein from apple. Journal of Allergy and Clinical Immunology, 2003, 112, 1009-1011.	1.5	50
311	Association of chronic urticaria with thyroid autoimmunity and Raynaud phenomenon with anticentromere antibodies. Journal of Allergy and Clinical Immunology, 2003, 111, 1129-1130.	1.5	32
312	Fixed drug eruptions caused by tonic water. Journal of Allergy and Clinical Immunology, 2003, 111, 198-199.	1.5	26
313	Chronic Urticaria. American Journal of Clinical Dermatology, 2003, 4, 297-305.	3.3	33
314	Sera from Patients with Multiple Drug Allergy Syndrome Contain Circulating Histamine-Releasing Factors. International Archives of Allergy and Immunology, 2003, 131, 195-200.	0.9	48
315	Association of chronic urticaria with thyroid autoimmunity and Raynaud phenomenon with anticentromere antibodies. Journal of Allergy and Clinical Immunology, 2003, 111, 1129-30.	1.5	6
316	Chronic urticaria with multiple NSAID intolerance: is tramadol always a safe alternative analgesic?. Journal of Investigational Allergology and Clinical Immunology, 2003, 13, 56-9.	0.6	9
317	A case of allergy to airborne, heat-labile shrimp allergens. Journal of Allergy and Clinical Immunology, 2002, 109, 371-372.	1.5	11
318	Multiple intolerance to food additives. Journal of Allergy and Clinical Immunology, 2002, 110, 531-532.	1.5	28
319	Food additives intolerance: A possible cause of perennial rhinitis. Journal of Allergy and Clinical Immunology, 2002, 110, 937-938.	1.5	13
320	Autoreactivity is highly prevalent in patients with multiple intolerances to NSAIDs. Annals of Allergy, Asthma and Immunology, 2002, 88, 468-472.	0.5	63
321	Chronic idiopathic urticaria: a family study. Annals of Allergy, Asthma and Immunology, 2002, 89, 195-196.	0.5	32
322	Allergenic similarities of 2S albumins. Allergy: European Journal of Allergy and Clinical Immunology, 2002, 57, 61-62.	2.7	14
323	Birch and ragweed pollinosis north of Milan: a model to investigate the effects of exposure to "new" airborne allergens. Allergy: European Journal of Allergy and Clinical Immunology, 2002, 57, 1063-1066.	2.7	54
324	Allergy to minor allergens of Brazil nut. Allergy: European Journal of Allergy and Clinical Immunology, 2002, 57, 1080-1081.	2.7	10

#	Article	IF	CITATIONS
325	Hypersensitivity to diazepam. Allergy: European Journal of Allergy and Clinical Immunology, 2002, 57, 1209-1209.	2.7	14
326	Histamine release in idiopathic cold urticaria. Allergy: European Journal of Allergy and Clinical Immunology, 2002, 57, 1211-1212.	2.7	11
327	Immunological cross-reactivity between lipid transfer proteins from botanically unrelated plant-derived foods: a clinical study. Allergy: European Journal of Allergy and Clinical Immunology, 2002, 57, 900-906.	2.7	161
328	Perennial rhinitis induced by benzoate intolerance. Journal of Allergy and Clinical Immunology, 2001, 107, 197.	1.5	12
329	Anti–thyroid peroxidase IgE in patients with chronic urticaria. Journal of Allergy and Clinical Immunology, 2001, 108, 467-468.	1.5	31
330	NSAID intolerance in chronic idiopathic urticaria: A study of its relationship with histamine-releasing activity of patients' sera. Allergologia Et Immunopathologia, 2001, 29, 119-122.	1.0	4
331	Allergy to nonspecific lipid transfer proteins in Rosaceae: a comparative study of different in vivo diagnostic methods. Annals of Allergy, Asthma and Immunology, 2001, 87, 68-71.	0.5	32
332	Nasal polyposis: a study of its association with airborne allergen hypersensitivity. Annals of Allergy, Asthma and Immunology, 2001, 86, 283-285.	0.5	42
333	A case of allergy to beer showing cross-reactivity between lipid transfer proteins. Annals of Allergy, Asthma and Immunology, 2001, 87, 65-67.	0.5	70
334	Multiple drug allergy syndrome: A distinct clinical entity. Current Allergy and Asthma Reports, 2001, 1, 18-22.	2.4	30
335	Chronic urticaria: novel clinical and serological aspects. Clinical and Experimental Allergy, 2001, 31, 1105-1110.	1.4	105
336	Tolerability of rofecoxib. Allergy: European Journal of Allergy and Clinical Immunology, 2001, 56, 916-917.	2.7	39
337	String bean-induced anaphylaxis. Allergy: European Journal of Allergy and Clinical Immunology, 2001, 56, 259-260.	2.7	11
338	Leukotriene receptor antagonists in chronic urticaria. Allergy: European Journal of Allergy and Clinical Immunology, 2001, 56, 456-457.	2.7	30
339	Lipid Transfer Protein: A Pan-Allergen in Plant-Derived Foods That Is Highly Resistant to Pepsin Digestion. International Archives of Allergy and Immunology, 2001, 124, 67-69.	0.9	73
340	Detection of allergens in plantain (Plantago lanceolata) pollen. Allergy: European Journal of Allergy and Clinical Immunology, 2000, 55, 1059-1062.	2.7	18
341	Nitrate intolerance. Allergy: European Journal of Allergy and Clinical Immunology, 2000, 55, 678-678.	2.7	12
342	Multiple sensitivity to NSAID. Allergy: European Journal of Allergy and Clinical Immunology, 2000, 55, 893.	2.7	29

#	Article	IF	CITATIONS
343	Are IVIG for chronic unremitting urticaria effective?. Allergy: European Journal of Allergy and Clinical Immunology, 2000, 55, 1099-1101.	2.7	42
344	Fennel, cucumber, and melon allergy successfully treated with pollen-specific injection immunotherapy. Annals of Allergy, Asthma and Immunology, 2000, 84, 460-462.	0.5	51
345	Leukotriene receptor antagonists may prevent NSAID-induced exacerbations in patients with chronic urticaria. Annals of Allergy, Asthma and Immunology, 2000, 85, 156-157.	0.5	60
346	Lipid Transfer Protein: A Pan-Allergen in Plant-Derived Foods That Is Highly Resistant to Pepsin Digestion. International Archives of Allergy and Immunology, 2000, 122, 20-32.	0.9	307
347	Hypersensitivity to molds in patients with nasal polyposis: A clinical study. Journal of Allergy and Clinical Immunology, 2000, 105, 186-188.	1.5	28
348	A new apple extract. Allergy: European Journal of Allergy and Clinical Immunology, 1999, 54, 87-88.	2.7	7
349	Risk factors for acetaminophen and nimesulide intolerance in patients with NSAID-induced skin disorders. Annals of Allergy, Asthma and Immunology, 1999, 82, 554-558.	0.5	57
350	Detection and clinical characterization of patients with oral allergy syndrome caused by stable allergens in Rosaceae and nuts. Annals of Allergy, Asthma and Immunology, 1999, 83, 377-383.	0.5	69
351	Chronic generalized pruritus caused by nitrate intolerancea~†a~†a~†a~ta~ Journal of Allergy and Clinical Immunology, 1999, 104, 1110-1111.	1.5	17
352	Detection of aspirin reactivity in patients with pyrazolones-induced skin disorders. Allergy: European Journal of Allergy and Clinical Immunology, 1998, 53, 214-215.	2.7	13
353	Is walnut really a birch-pollen-related fruit?. Allergy: European Journal of Allergy and Clinical Immunology, 1998, 53, 908-909.	2.7	3
354	Effects of birch pollen-specific immunotherapy on apple allergy in birch pollen-hypersensitive patients. Clinical and Experimental Allergy, 1998, 28, 1368-1373.	1.4	179
355	Detection of Patients with Multiple Drug Allergy Syndrome by Elective Tolerance Tests. Annals of Allergy, Asthma and Immunology, 1998, 80, 185-188.	0.5	49
356	A case of garlic allergyâ țâ țâ țâ Journal of Allergy and Clinical Immunology, 1998, 101, 427-428.	1.5	99
357	Aspirin and Paracetamol Tolerance in Patients with Nimesulide-Induced Urticaria. Annals of Allergy, Asthma and Immunology, 1998, 81, 237-238.	0.5	31
358	A strange case of "tuna allergy". Allergy: European Journal of Allergy and Clinical Immunology, 1998, 53, 816-7.	2.7	2
359	Oral allergy syndrome from pork. Allergy: European Journal of Allergy and Clinical Immunology, 1997, 52, 684-686.	2.7	28
360	Exercise-induced egg anaphylaxis. Allergy: European Journal of Allergy and Clinical Immunology, 1997, 52, 687-689.	2.7	30

#	Article	IF	CITATIONS
361	Relevance of pollen-specific IgE levels to the development of Apiaceae hypersensitivity in patients with birch pollen allergy. Allergy: European Journal of Allergy and Clinical Immunology, 1997, 52, 560-564.	2.7	35
362	Detection of prognostic factors for oral allergy syndrome in patients with birch pollen hypersensitivity. Journal of Allergy and Clinical Immunology, 1996, 97, 611-616.	1.5	64
363	The clinical significance of autoantibodies to soluble cellular antigens in systemic lupus erythematosus. Journal of Clinical & Laboratory Immunology, 1990, 31, 115-9.	0.1	1
364	Clinical findings in patients with SLE whose sera contain antibodies to ribosomal ribonucleoprotein. Immunology Letters, 1988, 18, 1-3.	1.1	6
365	Anti-Epstein-Barr virus antibodies in systemic lupus erythematosus. Bollettino Dell'Istituto Sieroterapico Milanese, 1988, 67, 116-22.	0.0	5
366	Antibodies to Epstein-Barr virus and cytomegalovirus in primary Sjogren's syndrome. Bollettino Dell'Istituto Sieroterapico Milanese, 1988, 67, 265-74.	0.0	8
367	Comparison between counterimmunoelectrophoresis and double radial immunodiffusion in the detection of antibodies to topoisomerase I in sera from scleroderma patients. Bollettino Dell'Istituto Sieroterapico Milanese, 1988, 67, 159-61.	0.0	0
368	Detection of two associated precipitating autoantibodies (DA1 and DA2) in sera from patients with systemic lupus erythematosus. Journal of Clinical & Laboratory Immunology, 1988, 26, 63-6.	0.1	3
369	Autoantibody to proliferating cell nuclear antigen (PCNA) in SLE: a clinical and serological study. Clinical and Experimental Rheumatology, 1987, 5, 241-6.	0.4	13
370	Anti-cardiolipin antibodies in progressive systemic sclerosis (PSS). Clinical and Experimental Rheumatology, 1987, 5, 387-8.	0.4	9
371	The SL/Ki system in connective tissue diseases: incidence and clinical associations. Clinical and Experimental Rheumatology, 1987, 5, 29-33.	0.4	6
372	Ethidium bromide in the detection of antibodies to DNA and of circulating DNA by two-stage counterimmunoelectrophoresis. Journal of Immunological Methods, 1985, 85, 217-220.	0.6	1
373	Antinuclear antibodies in progressive systemic sclerosis. Clinical and Experimental Rheumatology, 1985, 3, 205-11.	0.4	17
374	Extraction and characterization of circulating plasma DNA from patients with pulmonary embolism. Bollettino Dell'Istituto Sieroterapico Milanese, 1985, 64, 468-70.	0.0	1
375	Detection of Circulating DNA in Plasma of Patients with Pulmonary Embolism by Counterimmunoelectrophoresis. Respiration, 1984, 45, 45-49.	1.2	9