

Jingli Yuan

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6356901/jingli-yuan-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

118
papers

5,078
citations

42
h-index

67
g-index

119
ext. papers

5,721
ext. citations

7
avg. IF

5.92
L-index

#	Paper	IF	Citations
118	A europium(III) complex as an efficient singlet oxygen luminescence probe. <i>Journal of the American Chemical Society</i> , 2006 , 128, 13442-50	16.4	314
117	Synthesis of a terbium fluorescent chelate and its application to time-resolved fluoroimmunoassay. <i>Analytical Chemistry</i> , 2001 , 73, 1869-76	7.8	202
116	Lanthanide-based luminescence probes and time-resolved luminescence bioassays. <i>TrAC - Trends in Analytical Chemistry</i> , 2006 , 25, 490-500	14.6	167
115	A new tetradentate beta-diketonate--europium chelate that can be covalently bound to proteins for time-resolved fluoroimmunoassay. <i>Analytical Chemistry</i> , 1998 , 70, 596-601	7.8	151
114	Lanthanide complex-based fluorescence label for time-resolved fluorescence bioassay. <i>Journal of Fluorescence</i> , 2005 , 15, 559-68	2.4	135
113	Bioanalytical methods for hypochlorous acid detection: Recent advances and challenges. <i>TrAC - Trends in Analytical Chemistry</i> , 2018 , 99, 1-33	14.6	121
112	On-the-fly decoding luminescence lifetimes in the microsecond region for lanthanide-encoded suspension arrays. <i>Nature Communications</i> , 2014 , 5, 3741	17.4	111
111	Development of a heterobimetallic Ru(II)-Cu(II) complex for highly selective and sensitive luminescence sensing of sulfide anions. <i>Analytica Chimica Acta</i> , 2011 , 691, 83-8	6.6	106
110	Turn-on luminescent probe for cysteine/homocysteine based on a ruthenium(II) complex. <i>Inorganic Chemistry</i> , 2010 , 49, 7898-903	5.1	103
109	Lanthanide complex-based luminescent probes for highly sensitive time-gated luminescence detection of hypochlorous acid. <i>Analytical Chemistry</i> , 2012 , 84, 10785-92	7.8	101
108	A unique iridium(III) complex-based chemosensor for multi-signal detection and multi-channel imaging of hypochlorous acid in liver injury. <i>Biosensors and Bioelectronics</i> , 2017 , 87, 1005-1011	11.8	98
107	A ruthenium(II) complex-based lysosome-targetable multisignal chemosensor for in vivo detection of hypochlorous acid. <i>Biomaterials</i> , 2015 , 68, 21-31	15.6	96
106	Development of a Novel Lysosome-Targeted Ruthenium(II) Complex for Phosphorescence/Time-Gated Luminescence Assay of Biothiols. <i>Analytical Chemistry</i> , 2017 , 89, 4517-4524 ^{7,8}	7.8	92
105	Preparation and Time-Resolved Fluorometric Application of Luminescent Europium Nanoparticles. <i>Chemistry of Materials</i> , 2004 , 16, 2494-2498	9.6	90
104	Development of functionalized fluorescent europium nanoparticles for biolabeling and time-resolved fluorometric applications. <i>Journal of Materials Chemistry</i> , 2004 , 14, 2896		90
103	Dual-emissive nanoarchitecture of lanthanide-complex-modified silica particles for ratiometric time-gated luminescence imaging of hypochlorous acid. <i>Chemical Science</i> , 2017 , 8, 150-159	9.4	89
102	A lanthanide-complex-based ratiometric luminescent probe specific for peroxyxynitrite. <i>Chemistry - A European Journal</i> , 2010 , 16, 6464-72	4.8	89

101	Novel fluorescent europium chelate-doped silica nanoparticles: preparation, characterization and time-resolved fluorometric application. <i>Journal of Materials Chemistry</i> , 2004 , 14, 851		86
100	Development of a ruthenium(II) complex based luminescent probe for imaging nitric oxide production in living cells. <i>Chemistry - A European Journal</i> , 2010 , 16, 6884-91	4.8	85
99	"Dual-Key-and-Lock" Ruthenium Complex Probe for Lysosomal Formaldehyde in Cancer Cells and Tumors. <i>Journal of the American Chemical Society</i> , 2019 , 141, 8462-8472	16.4	83
98	A europium(III) chelate as an efficient time-gated luminescent probe for nitric oxide. <i>Chemical Communications</i> , 2011 , 47, 6266-8	5.8	83
97	Visible-light-sensitized highly luminescent europium nanoparticles: preparation and application for time-gated luminescence bioimaging. <i>Journal of Materials Chemistry</i> , 2009 , 19, 1258		83
96	A new europium chelate-based phosphorescence probe specific for singlet oxygen. <i>Chemical Communications</i> , 2005 , 3553-5	5.8	81
95	Quantitative Monitoring and Visualization of Hydrogen Sulfide In Vivo Using a Luminescent Probe Based on a Ruthenium(II) Complex. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 3999-4004	16.4	76
94	Recent advances in the development of responsive probes for selective detection of cysteine. <i>Coordination Chemistry Reviews</i> , 2020 , 408, 213182	23.2	70
93	Mitochondria Targetable Time-Gated Luminescence Probe for Singlet Oxygen Based on a β -Diketonate-Europium Complex. <i>Inorganic Chemistry</i> , 2015 , 54, 11660-8	5.1	68
92	Development of a ruthenium(II) complex-based luminescent probe for hypochlorous acid in living cells. <i>Inorganic Chemistry</i> , 2013 , 52, 10325-31	5.1	66
91	A lanthanide complex-based ratiometric luminescence probe for time-gated luminescence detection of intracellular thiols. <i>Analytical Chemistry</i> , 2013 , 85, 11658-64	7.8	63
90	Development of a novel lysosome-targetable time-gated luminescence probe for ratiometric and luminescence lifetime detection of nitric oxide. <i>Chemical Science</i> , 2017 , 8, 1969-1976	9.4	59
89	A ratiometric luminescence probe for highly reactive oxygen species based on lanthanide complexes. <i>Inorganic Chemistry</i> , 2012 , 51, 2940-6	5.1	59
88	Ratiometric time-gated luminescence probe for hydrogen sulfide based on lanthanide complexes. <i>Analytical Chemistry</i> , 2014 , 86, 11883-9	7.8	58
87	A cell-membrane-permeable europium complex as an efficient luminescent probe for singlet oxygen. <i>Journal of Materials Chemistry B</i> , 2013 , 1, 924-927	7.3	56
86	Luminescent europium nanoparticles with a wide excitation range from UV to visible light for biolabeling and time-gated luminescence bioimaging. <i>Chemical Communications</i> , 2008 , 365-7	5.8	56
85	Developing red-emissive ruthenium(II) complex-based luminescent probes for cellular imaging. <i>Bioconjugate Chemistry</i> , 2012 , 23, 725-33	6.3	55
84	Responsive Metal Complex Probes for Time-Gated Luminescence Biosensing and Imaging. <i>Accounts of Chemical Research</i> , 2020 , 53, 1316-1329	24.3	54

83	Development of a terbium complex-based luminescent probe for imaging endogenous hydrogen peroxide generation in plant tissues. <i>Analytical Chemistry</i> , 2011 , 83, 4163-9	7.8	54
82	Development of a ratiometric time-resolved luminescence sensor for pH based on lanthanide complexes. <i>Analytica Chimica Acta</i> , 2013 , 761, 149-56	6.6	52
81	Practical implementation, characterization and applications of a multi-colour time-gated luminescence microscope. <i>Scientific Reports</i> , 2014 , 4, 6597	4.9	47
80	Preparation and time-resolved luminescence bioassay application of multicolor luminescent lanthanide nanoparticles. <i>Journal of Fluorescence</i> , 2010 , 20, 321-8	2.4	47
79	Homogeneous DNA hybridization assay by using europium luminescence energy transfer. <i>Bioconjugate Chemistry</i> , 2000 , 11, 827-31	6.3	47
78	Preparation of europium complex-conjugated carbon dots for ratiometric fluorescence detection of copper(II) ions. <i>New Journal of Chemistry</i> , 2014 , 38, 5721-5726	3.6	46
77	Highly sensitive and selective phosphorescent chemosensors for hypochlorous acid based on ruthenium(II) complexes. <i>Biosensors and Bioelectronics</i> , 2013 , 50, 1-7	11.8	45
76	Fluorescence Enhancement by Electron-Withdrawing Groups on .BETA.-Diketones in Eu(III)-.BETA.-diketonato-topo Ternary Complexes.. <i>Analytical Sciences</i> , 1996 , 12, 31-36	1.7	42
75	Homogeneous time-resolved fluorescence DNA hybridization assay by DNA-mediated formation of an EDTA-Eu(III)-beta-diketonate ternary complex. <i>Analytical Biochemistry</i> , 2001 , 299, 169-72	3.1	41
74	Using silver nanocluster/graphene nanocomposite to enhance photoelectrochemical activity of CdS:Mn/TiO ₂ for highly sensitive signal-on immunoassay. <i>Biosensors and Bioelectronics</i> , 2016 , 80, 614-620	11.8	40
73	Development of a functional ruthenium(II) complex for probing hypochlorous acid in living cells. <i>Dalton Transactions</i> , 2014 , 43, 8414-20	4.3	39
72	Development of a novel terbium chelate-based luminescent chemosensor for time-resolved luminescence detection of intracellular Zn ²⁺ ions. <i>Biosensors and Bioelectronics</i> , 2010 , 26, 1043-8	11.8	39
71	A novel dinuclear ruthenium(II)-copper(II) complex-based luminescent probe for hydrogen sulfide. <i>Dalton Transactions</i> , 2014 , 43, 13055-60	4.3	37
70	Photoluminescent and electrochemiluminescent dual-signaling probe for bio-thiols based on a ruthenium(II) complex. <i>Analytica Chimica Acta</i> , 2012 , 740, 80-7	6.6	37
69	A mitochondria-targeting time-gated luminescence probe for hypochlorous acid based on a europium complex. <i>Journal of Materials Chemistry B</i> , 2017 , 5, 2849-2855	7.3	35
68	Background-free in-vivo Imaging of Vitamin C using Time-gateable Responsive Probe. <i>Scientific Reports</i> , 2015 , 5, 14194	4.9	34
67	Synthesis and time-resolved fluorimetric application of a europium chelate-based phosphorescence probe specific for singlet oxygen. <i>New Journal of Chemistry</i> , 2005 , 29, 1431	3.6	34
66	A ßdiketonateßeuropium(III) complex-based fluorescent probe for highly sensitive time-gated luminescence detection of copper and sulfide ions in living cells. <i>New Journal of Chemistry</i> , 2017 , 41, 5981-5987	3.6	33

65	New class of tetradentate β -diketonate-europium complexes that can be covalently bound to proteins for time-gated fluorometric application. <i>Bioconjugate Chemistry</i> , 2012 , 23, 1244-51	6.3	33
64	Development of a novel terbium(III) chelate-based luminescent probe for highly sensitive time-resolved luminescence detection of hydroxyl radical. <i>Talanta</i> , 2011 , 84, 971-6	6.2	33
63	Red-Emitting Ruthenium(II) and Iridium(III) Complexes as Phosphorescent Probes for Methylglyoxal in Vitro and in Vivo. <i>Inorganic Chemistry</i> , 2017 , 56, 1309-1318	5.1	32
62	Elevated plasma stromal cell-derived factor 1 protein level in the progression of HIV type 1 infection/AIDS. <i>AIDS Research and Human Retroviruses</i> , 2001 , 17, 587-95	1.6	32
61	Mitochondria-Targetable Ratiometric Time-Gated Luminescence Probe for Carbon Monoxide Based on Lanthanide Complexes. <i>Analytical Chemistry</i> , 2019 , 91, 2939-2946	7.8	29
60	Ratiometric Time-Gated Luminescence Probe for Nitric Oxide Based on an Apoferritin-Assembled Lanthanide Complex-Rhodamine Luminescence Resonance Energy Transfer System. <i>Analytical Chemistry</i> , 2015 , 87, 10878-85	7.8	29
59	Iridium(III) Complex-Based Activatable Probe for Phosphorescent/Time-Gated Luminescent Sensing and Imaging of Cysteine in Mitochondria of Live Cells and Animals. <i>Chemistry - A European Journal</i> , 2019 , 25, 1498-1506	4.8	28
58	Development of organelle-targetable europium complex probes for time-gated luminescence imaging of hypochlorous acid in live cells and animals. <i>Dyes and Pigments</i> , 2017 , 140, 407-416	4.6	27
57	Placental Barrier-on-a-Chip: Modeling Placental Inflammatory Responses to Bacterial Infection. <i>ACS Biomaterials Science and Engineering</i> , 2018 , 4, 3356-3363	5.5	27
56	Core-shell nanoarchitectures: a strategy to improve the efficiency of luminescence resonance energy transfer. <i>ACS Nano</i> , 2010 , 4, 5389-97	16.7	26
55	Learning from lanthanide complexes: The development of dye-lanthanide nanoparticles and their biomedical applications. <i>Coordination Chemistry Reviews</i> , 2021 , 429, 213642	23.2	26
54	Bimodal Phosphorescence-Magnetic Resonance Imaging Nanoprobes for Glutathione Based on MnO Nanosheet-Ru(II) Complex Nanoarchitecture. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 27681-27691	8.5	25
53	Advances in the development of fluorescence probes for cell plasma membrane imaging. <i>TrAC - Trends in Analytical Chemistry</i> , 2020 , 133, 116092	14.6	25
52	Synthesis of a New Tetradentate β -Diketonate-Europium Chelate That Can Be Covalently Bound to Proteins in Time-Resolved Fluorometry.. <i>Analytical Sciences</i> , 1996 , 12, 695-699	1.7	22
51	A ruthenium(ii) complex-cyanine energy transfer scaffold based luminescence probe for ratiometric detection and imaging of mitochondrial peroxynitrite. <i>Chemical Communications</i> , 2018 , 54, 13698-13701	5.8	22
50	Two-photon dual imaging platform for in vivo monitoring cellular oxidative stress in liver injury. <i>Scientific Reports</i> , 2017 , 7, 45374	4.9	21
49	Di-branched triphenylamine dye sensitized TiO nanocomposites with good photo-stability for sensitive photoelectrochemical detection of organophosphate pesticides. <i>Analytica Chimica Acta</i> , 2018 , 1001, 24-31	6.6	21
48	Development and application of a ruthenium(II) complex-based photoluminescent and electrochemiluminescent dual-signaling probe for nitric oxide. <i>Talanta</i> , 2013 , 116, 354-60	6.2	20

47	Development of singlet oxygen-responsive phosphorescent ruthenium(II) complexes. <i>Dalton Transactions</i> , 2013 , 42, 14380-3	4.3	19
46	Synthesis and time-gated fluorometric application of a europium(III) complex with a borono-substituted terpyridine polyacid ligand. <i>Talanta</i> , 2012 , 91, 116-21	6.2	19
45	Highly sensitive quantitation of methamphetamine by time-resolved fluoroimmunoassay using a new europium chelate as a label. <i>Journal of Analytical Toxicology</i> , 1999 , 23, 11-6	2.9	19
44	Sensitive Time-Gated Immunoluminescence Detection of Prostate Cancer Cells Using a TEGylated Europium Ligand. <i>Analytical Chemistry</i> , 2016 , 88, 9564-9571	7.8	19
43	"Two Birds with One Stone" Ruthenium(II) Complex Probe for Biothiols Discrimination and Detection In Vitro and In Vivo. <i>Advanced Science</i> , 2020 , 7, 2000458	13.6	18
42	Extending the excitation wavelength from UV to visible light for a europium complex-based mitochondria targetable luminescent probe for singlet oxygen. <i>Dalton Transactions</i> , 2018 , 47, 12852-12857	4.3	18
41	Sensitive Time-Resolved Fluoroimmunoassay of Human Thyroid-Stimulating Hormone by Using a New Europium Fluorescent Chelate as a Label.. <i>Analytical Sciences</i> , 1998 , 14, 421-423	1.7	18
40	Highly Sensitive Detection of Bensulfuron-methyl by Time-Resolved Fluoroimmunoassay Using a Tetradentate .BETA.-Diketonate Europium Chelate as a Label.. <i>Analytical Sciences</i> , 1999 , 15, 125-128	1.7	18
39	Precise Monitoring of Drug-Induced Kidney Injury Using an Endoplasmic Reticulum-Targetable Ratiometric Time-Gated Luminescence Probe for Superoxide Anions. <i>Analytical Chemistry</i> , 2019 , 91, 14019-14028	7.8	17
38	A ruthenium(II) complex based turn-on electrochemiluminescence probe for the detection of nitric oxide. <i>Analyst, The</i> , 2011 , 136, 1867-72	5	17
37	Responsive nanosensor for ratiometric luminescence detection of hydrogen sulfide in inflammatory cancer cells. <i>Analytica Chimica Acta</i> , 2020 , 1103, 156-163	6.6	16
36	A visible-light-excited Eu complex-based luminescent probe for highly sensitive time-gated luminescence imaging detection of intracellular peroxynitrite. <i>Journal of Materials Chemistry B</i> , 2017 , 5, 2322-2329	7.3	15
35	Design of a DiketonateEu ³⁺ complex-based time-gated luminescence probe for visualizing mitochondrial singlet oxygen. <i>New Journal of Chemistry</i> , 2017 , 41, 15187-15194	3.6	15
34	A lysosome-targeting nanosensor for simultaneous fluorometric imaging of intracellular pH values and temperature. <i>Mikrochimica Acta</i> , 2018 , 185, 533	5.8	14
33	Development of a mitochondria targetable ratiometric time-gated luminescence probe for biothiols based on lanthanide complexes. <i>Journal of Materials Chemistry B</i> , 2018 , 6, 1844-1851	7.3	13
32	Preparation and functionalization of a visible-light-excited europium complex-modified luminescent protein for cell imaging applications. <i>Analyst, The</i> , 2014 , 139, 1162-7	5	13
31	A comparison study on the interactions of two oligosaccharides with tobacco cells by time-resolved fluorometric method. <i>Carbohydrate Polymers</i> , 2012 , 90, 491-5	10.3	13
30	Development of a novel europium complex-based luminescent probe for time-gated luminescence imaging of hypochlorous acid in living samples. <i>Methods and Applications in Fluorescence</i> , 2017 , 5, 014009	3.1	12

29	Construction of a multifunctional nanoprobe for tumor-targeted time-gated luminescence and magnetic resonance imaging in vitro and in vivo. <i>Nanoscale</i> , 2018 , 10, 11597-11603	7.7	12
28	A dual-modal nanoprobe based on Eu(iii) complex-MnO nanosheet nanocomposites for time-gated luminescence-magnetic resonance imaging of glutathione in vitro and in vivo. <i>Nanoscale</i> , 2019 , 11, 6784-6793	7.7	11
27	A functional ruthenium(ii) complex for imaging biothiols in living bodies. <i>Dalton Transactions</i> , 2015 , 44, 8278-83	4.3	11
26	A ratiometric time-gated luminescence probe for hydrogen sulfide based on copper(II)-coupled lanthanide complexes. <i>Analytica Chimica Acta</i> , 2019 , 1049, 152-160	6.6	11
25	Development of a ruthenium(II) complex-based luminescence probe for detection of hydrogen sulfite in food samples. <i>Microchemical Journal</i> , 2018 , 141, 181-187	4.8	11
24	Time-Resolved Fluorometric Detection of DNA Using a Tetradentate .BETA.-Diketonate Europium Chelate as a Label.. <i>Analytical Sciences</i> , 1999 , 15, 121-124	1.7	10
23	Time-gated luminescence probe for ratiometric and luminescence lifetime detection of Hypochorous acid in lysosomes of live cells. <i>Talanta</i> , 2020 , 212, 120760	6.2	9
22	Design and synthesis of a new terbium complex-based luminescent probe for time-resolved luminescence sensing of zinc ions. <i>Journal of Fluorescence</i> , 2014 , 24, 1537-44	2.4	9
21	Quantitative Monitoring and Visualization of Hydrogen Sulfide In Vivo Using a Luminescent Probe Based on a Ruthenium(II) Complex. <i>Angewandte Chemie</i> , 2018 , 130, 4063-4068	3.6	8
20	A carboxylated graphene nanodisks/glucose oxidase nanotags and Mn:CdS/TiO matrix based dual signal amplification strategy for ultrasensitive photoelectrochemical detection of tumor markers. <i>Analyst, The</i> , 2017 , 142, 4647-4654	5	7
19	A visible-light-excitable mitochondria-targeted europium complex probe for hypochlorous acid and its application to time-gated luminescence bioimaging. <i>Biosensors and Bioelectronics</i> , 2020 , 168, 112560	11.8	7
18	Smart Bimodal Imaging of Hypochlorous Acid In Vivo Using a Heterobimetallic Ruthenium(II)-Gadolinium(III) Complex Probe. <i>Analytical Chemistry</i> , 2020 , 92, 11145-11154	7.8	7
17	Tumor-targetable magnetoluminescent silica nanoparticles for bimodal time-gated luminescence/magnetic resonance imaging of cancer cells in vitro and in vivo. <i>Talanta</i> , 2020 , 220, 121378	6.2	6
16	Purification of natural neutral N-glycans by using two-dimensional hydrophilic interaction liquid chromatography Porous graphitized carbon chromatography for glycan-microarray assay. <i>Talanta</i> , 2021 , 221, 121382	6.2	6
15	Luminescent Nanoparticles of Silica-Encapsulated CadmiumTellurium (CdTe) Quantum Dots with a CoreShell Structure: Preparation and Characterization. <i>Helvetica Chimica Acta</i> , 2009 , 92, 2249-2256	2	5
14	Absolute quantitation of high abundant Fc-glycopeptides from human serum IgG-1. <i>Analytica Chimica Acta</i> , 2020 , 1102, 130-139	6.6	5
13	A Ruthenium(II) complex-based probe for colorimetric and luminescent detection and imaging of hydrogen sulfide in living cells and organisms. <i>Analytica Chimica Acta</i> , 2021 , 1145, 114-123	6.6	5
12	Development of a Functional Ruthenium(II) Complex that Can Act as a Photoluminescent and Electrochemiluminescent Dual-signaling Probe for Hypochlorous Acid. <i>Journal of Fluorescence</i> , 2015 , 25, 997-1004	2.4	4

11	Responsive ruthenium complex probe for phosphorescence and time-gated luminescence detection of bisulfite. <i>Dalton Transactions</i> , 2020 , 49, 5531-5538	4.3	4
10	Design and synthesis of a ruthenium(II) complex-based luminescent probe for highly selective and sensitive luminescence detection of nitric oxide. <i>Journal of Fluorescence</i> , 2013 , 23, 1113-20	2.4	4
9	A novel heterobimetallic Ru(II)/Cd(II) complex-based magnetoluminescent agent for MR and luminescence imaging. <i>RSC Advances</i> , 2015 , 5, 96525-96531	3.7	3
8	A folic acid-functionalized dual-emissive nanoprobe for "double-check" luminescence imaging of cancer cells. <i>Methods</i> , 2019 , 168, 102-108	4.6	2
7	Multifunctional nanoprobe based on europium (III) complex-Fe ₃ O ₄ nanoparticles for bimodal time-gated luminescence/magnetic resonance imaging of cancer cells in vitro and in vivo. <i>New Journal of Chemistry</i> ,	3.6	2
6	Time-Gated Luminescent In Situ Hybridization (LISH): Highly Sensitive Detection of Pathogenic. <i>Molecules</i> , 2019 , 24,	4.8	1
5	Ruthenium(II) complex-based long-lived two-photon luminescence probe for dynamic monitoring of glutathione S-transferases in mouse models of drug-induced liver injury. <i>Sensors and Actuators B: Chemical</i> , 2022 , 357, 131440	8.5	1
4	Bioconjugates of versatile β-diketonate-lanthanide complexes as probes for time-gated luminescence and magnetic resonance imaging of cancer cells in vitro and in vivo. <i>Journal of Materials Chemistry B</i> , 2021 , 9, 3161-3167	7.3	1
3	Calibration for quantitative Fc-glycosylation analysis of therapeutic IgG1-type monoclonal antibodies by using glycopeptide standards. <i>Analytica Chimica Acta</i> , 2021 , 1154, 338306	6.6	0
2	Development of a tumor-targetable heteropolymetallic lanthanide-complex-based magnetoluminescent probe for dual-modal time-gated luminescence/magnetic resonance imaging of cancer cells in vitro and in vivo. <i>New Journal of Chemistry</i> , 2021 , 45, 9181-9188	3.6	0
1	Development of a fluorescein modified ruthenium(II) complex probe for lysosome-targeted ratiometric luminescence detection and imaging of peroxynitrite in living cells.. <i>Analytica Chimica Acta</i> , 2022 , 1205, 339784	6.6	0