

O S Abouzeid

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6357669/publications.pdf>

Version: 2024-02-01

483
papers

33,307
citations

6254
80
h-index

6471
157
g-index

507
all docs

507
docs citations

507
times ranked

11819
citing authors

#	ARTICLE	IF	CITATIONS
1	Emulating the impact of additional protonâ€“proton interactions in the ATLAS simulation by presampling sets of inelastic Monte Carlo events. <i>Computing and Software for Big Science</i> , 2022, 6, 1.	2.9	5
2	Performance of the ATLAS Level-1 topological trigger in RunÂ2. <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	6
3	The ATLAS inner detector trigger performance in pp collisions at 13ÂTeV during LHC Run 2. <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	5
4	Two-particle Boseâ€“Einstein correlations in \$\$\{ pp \}\$\$ collisions at \$\$\mathbf{sqrts} = 13\text{TeV}\$\$ measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2022, 82, .	3.9	3
5	Measurement of hadronic event shapes in high-pT multijet final states at \$\$\sqrt{s} = 13\text{ TeV}\$\$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
6	A search for the dimuon decay of the Standard Model Higgs boson with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021, 812, 135980.	4.1	61
7	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fbâ˜1 of \$\$\sqrt{s} = 13\text{ TeV}\$\$ pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	37
8	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in protonâ€“proton collisions at ATLAS. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	12
9	Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	38
10	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	18
11	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	17
12	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nbâ˜1 of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	19
13	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	6
14	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
15	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	22
16	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in protonâ€“proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	18
17	Measurement of the CP-violating phase ϕ_s in $B_s^0 \rightarrow J/\psi \phi$ decays in ATLAS at 13ÂTeV. <i>European Physical Journal C</i> , 2021, 81, .	3.9	13
18	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13ÂTeV protonâ€“proton collisions. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	15

#	ARTICLE	IF	CITATIONS
19	Search for heavy resonances decaying into a pair of Z bosons in the $\ell^+ \ell^- \ell^+ \ell^-$ and $\ell^+ \ell^- u \bar{u}$ final states using 139 fb^{-1} of proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	40
20	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
21	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $\ell^+ \ell^- \ell^+ \ell^-$ and $\ell^+ \ell^- WW$ final states in pp collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	26
22	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. Journal of High Energy Physics, 2021, 2021, 1.	4.7	23
23	Measurements of $W + W \rightarrow 1$ jet production cross-sections in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
24	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	46
25	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s}=13\text{TeV}$. European Physical Journal C, 2021, 81, 1.	3.9	14
26	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\tilde{\tau}_1$ -lepton in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
27	Test of the universality of $\tilde{\tau}_1$ and $\tilde{\tau}_1/4$ lepton couplings in W-boson decays with the ATLAS detector. Nature Physics, 2021, 17, 813-818.	16.7	15
28	Two-particle azimuthal correlations in photonuclear ultraperipheral $\gamma + p \rightarrow \gamma + p$ collisions at 5.02 TeV with ATLAS. Physical Review C, 2021, 104, 1.		
29	Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
30	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W \pm$ and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
31	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
32	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	5
33	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s}=13\text{TeV}$. European Physical Journal C, 2021, 81, 1.	3.9	82
34	Performance of the ATLAS RPC detector and Level-1 muon barrel trigger at $\sqrt{s}=13\text{TeV}$. Journal of Instrumentation, 2021, 16, P07029.	1.2	6
35	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	13
36	The ATLAS Fast Tracker system. Journal of Instrumentation, 2021, 16, P07006.	1.2	5

#	ARTICLE	IF	CITATIONS
37	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	3
38	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	64
39	Measurements of sensor radiation damage in the ATLAS inner detector using leakage currents. Journal of Instrumentation, 2021, 16, P08025.	1.2	3
40	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	12
41	Exclusive dimuon production in ultraperipheral $\text{Pb} + \text{Pb}$ collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Physical Review C, 2021, 104, 1.	2.9	11
42	Search for dark matter produced in association with a single top quark in $\sqrt{s}=13\text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	9
43	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13\text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
44	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	3.9	5
45	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
46	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
47	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13\text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	28
48	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	3.9	7
49	Measurement of b-quark fragmentation properties in jets using the decay $B^\pm \rightarrow J/\psi K^\pm$ in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3
50	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	24
51	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $\ell^+\ell^-$ decay channel at $\sqrt{s} = 13\text{ TeV}$. European Physical Journal C, 2020, 80, 1.	3.9	32
52	Performance of the ATLAS muon triggers in Run 2. Journal of Instrumentation, 2020, 15, P09015-P09015.	1.2	62
53	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	34
54	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11

#	ARTICLE	IF	CITATIONS
55	Search for the $HH \rightarrow b\bar{b} b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	17
56	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	12
57	Measurements of top-quark pair spin correlations in the $t\bar{t} \mu\mu$ channel at $\sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	22
58	Performance of the upgraded PreProcessor of the ATLAS Level-1 Calorimeter Trigger. <i>Journal of Instrumentation</i> , 2020, 15, P11016-P11016.	1.2	4
59	Higgs boson production cross-section measurements and their EFT interpretation in the $4ell$ decay channel at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	41
60	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	36
61	ATLAS data quality operations and performance for 2015–2018 data-taking. <i>Journal of Instrumentation</i> , 2020, 15, P04003-P04003.	1.2	68
62	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb^{-1} of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	19
63	Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	14
64	Reconstruction and identification of boosted di-lepton systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	8
65	Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	93
66	Search for top squarks in events with a Higgs or Z boson using 139 fb^{-1} of pp collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	4
67	Evidence for $t\bar{t} t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	30
68	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	29
69	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t} \rightarrow t\bar{t} \chi \chi$ plus missing transverse momentum final state at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	36
70	Alignment of the ATLAS Inner Detector in Run 2. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	12
71	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	15
72	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13$ TeV pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	49

#	ARTICLE	IF	CITATIONS
73	tion of Electroweak Production of a Same-Sign $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline">\rangle \langle \text{mml:mi} \text{ W} \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Boson Pair in Association with Two Jets in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline">\rangle \langle \text{mml:mi} \text{ p} \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \text{ p} \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline">\rangle \langle \text{mml:mi} \text{ p} \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$	7.8	53
74	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton- π proton collision data at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2019, 79, 1.	3.9	77
75	Search for invisible electroweak W/Z boson pair production in association with two jets in pp collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ altimg="si1.svg" }\rangle \langle \text{mml:msqrt} \langle \text{mml:mrow} \langle \text{mml:mi} \text{ s} \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \text{ linebreak="goodbreak" linebreakstyle="after" }\rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \text{ 13} \langle / \text{mml:mn} \rangle \langle / \text{mml:math} \rangle$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 793, 13.	4.1	38
76	Search for invisible Higgs boson decays in vector boson fusion at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ altimg="si1.gif" }\rangle \langle \text{mml:msqrt} \langle \text{mml:mrow} \langle \text{mml:mi} \text{ s} \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \text{ overflow="scroll" }\rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \text{ 13} \langle / \text{mml:mn} \rangle \langle / \text{mml:math} \rangle$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 793, 499-519.	4.1	38
77	Combinations of single-top-quark production cross-section measurements and $ f_{VVtb} $ determinations at $\sqrt{s} = 7$ and 8 TeV with the ATLAS and CMS experiments. Journal of High Energy Physics, 2019, 2019, 1.	4.7	9
78	Measurement of VH, $t\bar{t}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
79	Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}$ production with additional heavy-flavour jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	18
80	Measurement of the four-lepton invariant mass spectrum in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	12
81	Electron and photon energy calibration with the ATLAS detector using 2015-2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	1.2	37
82	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	3.9	46
83	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	55
84	Measurements of gluon-gluon fusion and vector-boson fusion Higgs boson production cross-sections in the WWZ decay channel in pp collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ altimg="si1.gif" }\rangle \langle \text{mml:msqrt} \langle \text{mml:mrow} \langle \text{mml:mi} \text{ s} \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \text{ overflow="scroll" }\rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \text{ 13} \langle / \text{mml:mn} \rangle \langle / \text{mml:math} \rangle$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 508-529.	4.1	46
85	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	3.9	25
86	Measurement of fiducial and differential W^+W^- production cross-sections at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
87	Electron and photon performance measurements with the ATLAS detector using the 2015-2017 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P12006-P12006.	1.2	124
88	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2019, 79, 1.	3.9	130
89	Measurements of top-quark pair differential and double-differential cross-sections in the $t\bar{t} + \text{jets}$ channel with pp collisions at $\sqrt{s} = 13\text{TeV}$ using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	34
90	Search for High-Mass Resonances Decaying to $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline">\rangle \langle \text{mml:mi} \text{ l} \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \text{ l} \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline">\rangle \langle \text{mml:mi} \text{ p} \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \text{ p} \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline">\rangle \langle \text{mml:msqrt} \langle \text{mml:mi} \text{ s} \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$	7.8	50

#	ARTICLE	IF	CITATIONS
91	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb^{-1} of pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	116
92	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s = 13 \text{ TeV}$ with ATLAS. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
93	Measurement of the W-boson mass in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 110.	3.9	218
94	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $s = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 102.	3.9	13
95	Search for the direct production of charginos and neutralinos in final states with tau leptons in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 154.	3.9	52
96	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $s_{\text{NN}} = 2.76 \text{ TeV}$ and 5.0 TeV . <i>European Physical Journal C</i> , 2018, 78, 142.	3.9	59
97	Measurement of quarkonium production in proton-lead and proton-proton collisions at $s = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 171.	3.9	75
98	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $s = 13 \text{ TeV}$ with ATLAS. <i>European Physical Journal C</i> , 2018, 78, 186.	3.9	20
99	Search for heavy ZZ resonances in the $e^+e^- \rightarrow e^+e^- \rightarrow \ell^+\ell^- \bar{\nu}\nu$ final states using proton-proton collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 293.	3.9	101
100	A search for pair-produced resonances in four-jet final states at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 250.	3.9	66
101	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	40
102	Search for heavy resonances decaying into WW in the $e^+e^- \rightarrow \ell^+\ell^- \bar{\nu}\nu$ final state in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 24.	3.9	108
103	Direct top-quark decay width measurement in the $t\bar{t} \rightarrow l\nu + \text{jets}$ channel at $s = 8 \text{ TeV}$ with the ATLAS experiment. <i>European Physical Journal C</i> , 2018, 78, 129.	3.9	17
104	Search for WW/Z resonance production in $\ell^+\ell^- \bar{\nu}\nu$ final states in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	31
105	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow \ell^+\ell^- \bar{\nu}\nu$ decay channel at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	46
106	Measurement of the production cross-section of a single top quark in association with a Z boson in proton-proton collisions at 13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 780, 557-577.	4.1	19
107	Search for Higgs boson pair production in the $\gamma\gamma \rightarrow WW \rightarrow \ell^+\ell^- \bar{\nu}\nu$ channel using pp collision data recorded at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 1007.	3.9	53
108	Measurement of colour flow using jet-pull observables in $t\bar{t} \rightarrow l\nu + \text{jets}$ events with the ATLAS experiment at $s = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 847.	3.9	16

#	ARTICLE	IF	CITATIONS
109	Angular analysis of $B_0 \rightarrow K^- \pi^+ \pi^+ \pi^-$ decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	76
110	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb^{-1} of pp collisions at. European Physical Journal C, 2018, 78, 401.	3.9	50
111	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9
112	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	30
113	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 903.	3.9	181
114	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	3.9	125
115	Operation and performance of the ATLAS Tile Calorimeter in Run 1. European Physical Journal C, 2018, 78, 987.	3.9	25
116	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	37
117	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	22
118	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb^{-1} of pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	48
119	Combined measurement of differential and total cross sections in the $H \rightarrow \tau^+ \tau^-$ and the $H \rightarrow Z \bar{Z}$ decay channels at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 114-133.		
120	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	67
121	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	15
122	Observation of $t\bar{t}$ production in the $t \rightarrow b \ell^+ \nu$ decay channel at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 102-113.	4.1	138
123	Decays and VH production with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 223-244.	4.1	43
124	Constraints on off-shell Higgs boson production and the Higgs boson total width in $Z Z \rightarrow \ell^+ \ell^-$ and $Z Z \rightarrow \ell^+ \ell^- \gamma \gamma$ final states with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 223-244.	3.9	61
125	Prompt and non-prompt J/ψ suppression at high transverse momentum in 5.02 TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	4.7	31
126	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
	Measurement of the Higgs boson mass in the $H \rightarrow Z Z \rightarrow \ell^+ \ell^- \gamma \gamma$ and $H \rightarrow \ell^+ \ell^- \gamma \gamma$ channels with $\sqrt{s} = 13 \text{ TeV}$ pp collisions using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 345-366.		

#	ARTICLE	IF	CITATIONS
127	Search for exclusive Higgs and Z boson decays to $t\bar{t}^3$ and $\tilde{t}\tilde{t}^3$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	16
128	Measurements of b-jet tagging efficiency with the ATLAS detector using τ events at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	40
129	Search for flavour-changing neutral current top-quark decays $t \rightarrow t' qZ$ in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
130	Measurement of the inclusive and fiducial $t\bar{t}$ production cross-sections in the European Physical Journal C, 2018, 78, 487.	3.9	10
131	Search for Low-Mass Dijet Resonances Using Trigger Level Jets with the ATLAS Detector in $\sqrt{s}=13$ TeV Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>European Physical Journal C</i> , 2018, 78, 1801.	7.8	41
132	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	3.9	79
133	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. <i>Physical Review Letters</i> , 2018, 120, 092001.	7.8	33
134	Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment. <i>Physical Review Letters</i> , 2018, 120, 211802.	7.8	53
135	Search for a Structure in the Invariant Mass Spectrum with the ATLAS Experiment. <i>Physical Review Letters</i> , 2018, 120, 202007.	7.8	39
136	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 18.	4.7	136
137	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
138	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 199.	3.9	132
139	Measurement of τ polarization in $Z/\gamma \rightarrow \tau\tau$. <i>European Physical Journal C</i> , 2018, 78, 163.	3.9	7
140	Searches for heavy ZZ and ZW resonances in the $q\bar{q}$ and $\tilde{q}\tilde{q}$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	29
141	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	33
142	Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 784, 173-191.	4.1	169

#	ARTICLE	IF	CITATIONS
145	Measurement of differential cross sections and W^+/\bar{W}^+ cross-section ratios for W boson production in association with jets at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	16
146	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector. , 2018, 2018, 1.	1	
147	Measurement of the W -boson mass in pp collisions at ($\sqrt{s}=7$, TeV) with the ATLAS detector. , 2018, 78, 1.	1	
148	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at ($\sqrt{s}=13$, TeV). , 2018, 78, 1.	1	
149	Measurement of the $t\bar{t}Z$ and $t\bar{t}W$ production cross sections in multilepton final states using 3.2 fb^{-1} of pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 40.	3.9	41
150	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 26.	3.9	29
151	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	29
152	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 220.	3.9	11
153	Measurement of the W boson polarisation in $t\bar{t}Z$ events from pp collisions at $\sqrt{s}=8$ TeV in the lepton+jets channel with ATLAS. <i>European Physical Journal C</i> , 2017, 77, 264.	3.9	37
154	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2017, 77, 195.	3.9	87
155	Measurements of top-quark pair differential cross-sections in the $e\mu$ channel in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 292.	3.9	27
156	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s}=8$ TeV proton-proton collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 241.	3.9	61
157	Measurement of the prompt J/ψ pair production cross-section in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 76.	3.9	81
158	Search for triboson $W^{pm}W^{pm}W^{mp}W^{mp}W\pm W\pm W\pm W$ production in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 141.	3.9	25
159	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. <i>European Physical Journal C</i> , 2017, 77, 490.	3.9	325
160	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 531.	3.9	56
161	Measurements of electroweak W_{jj} production and constraints on anomalous gauge couplings with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 474.	3.9	26
162	Jet reconstruction and performance using particle flow with the ATLAS Detector. <i>European Physical Journal C</i> , 2017, 77, 466.	3.9	145

#	ARTICLE	IF	CITATIONS
163	Measurement of multi-particle azimuthal correlations in pp, p \bar{A} + $\bar{P}b$ and low-multiplicity Pb \bar{A} + $\bar{P}b$ collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	3.9	86
164	Search for the Dimuon Decay of the Higgs Boson in pp Collisions at $s=13\text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2017, 119, 051802. Search for Dark Matter Produced in Association with a Higgs Boson Decaying to mml:math $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ mml:mi b <math>\text{mml:mover} accent="true" > mml:mi b <math>\text{mml:mo stretchy="false"} $\bar{\text{A}}$ mml:mo </math> mml:mover <math>\text{mml:math} Using <math>\text{mml:math} $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ <math>\text{mml:mrow} <math>\text{mml:mn} <math>\text{mml:mtext} • <math>\text{mml:mtext} <math>\text{mml:mtext} • <math>\text{mml:mtext} <math>\text{mml:msup} <math>\text{mml:math} Physical Review Letters, 2017, 119, 181804.	7.8	36
165	Using <math>\text{mml:math} $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ <math>\text{mml:mrow} <math>\text{mml:mn} <math>\text{mml:mtext} • <math>\text{mml:mtext} <math>\text{mml:mtext} • <math>\text{mml:mtext} <math>\text{mml:msup} <math>\text{mml:math} Physical Review Letters, 2017, 119, 181804.	7.8	49
166	Search for Heavy Higgs Bosons A/H Decaying to a Top Quark Pair in pp Collisions at $s=8\text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2017, 119, 191803.	7.8	74
167	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^*$ decay channel in pp collisions at $s = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
168	Measurement of the cross-section for electroweak production of dijets in association with a Z boson in pp collisions at $s = 13\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 775, 206-228.	4.7	15
169	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$. European Physical Journal C, 2017, 77, 804.	3.9	28
170	Measurement of the γ production cross section in proton-proton collisions at $s = 8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
171	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8\text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
172	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	3.9	75
173	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $s = 13\text{ TeV}$ p p collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	3.9	12
174	Measurement of the $Z Z$ production cross section in proton-proton collisions at $s = 8\text{ TeV}$ using the $Z Z \rightarrow \ell^+ \ell^- + \ell^+ \ell^-$ and $Z Z \rightarrow \ell^+ \ell^- + \ell^+ \ell^-$ decay channels with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
175	Probing the $W tb$ vertex structure in t-channel single-top-quark production and decay in pp collisions at $s = 8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
176	Measurements of $\tilde{t}(2S)$ and $X(3872) \rightarrow J/\psi + \psi$ production in pp collisions at $s = 8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	33
177	Measurements of top-quark pair to Z-boson cross-section ratios at $s = 13\text{ TeV}$, 8, 7 TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	13
178	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	3.9	79
179	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	3.9	489
180	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	3.9	71

#	ARTICLE	IF	CITATIONS
181	Measurements of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 361.	3.9	47
182	Precision measurement and interpretation of inclusive $W^+ + W^-$ events. European Physical Journal C, 2017, 77, 367.	3.9	145
183	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{NN}} = 2.76$ TeV. European Physical Journal C, 2017, 77, 379.	3.9	51
184	Search for dark matter at $\sqrt{s}=13$ TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	3.9	80
185	Measurement of charged-particle distributions sensitive to the underlying event in $s = 13$ TeV proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
186	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	3.9	50
187	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
188	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in \varvec{pp} collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 765.	3.9	19
189	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
190	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
191	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
192	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	38
193	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	3.9	35
194	Measurement of $WW/WZ \rightarrow ell u q q' \rightarrow WW/WZ \rightarrow l^{\pm} l^{\mp} q q \rightarrow$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s} = 8$ TeV with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	3.9	28
195	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s = 13$ TeV proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	4.7	12
196	Searches for the $Z \rightarrow l^+l^-$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	30
197	Studies of $Z \rightarrow l^+l^-$ production in association with a high-mass dijet system in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
198	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	16

#	ARTICLE	IF	CITATIONS
199	Search for top quark decays $t \rightarrow qH$, with $H \rightarrow b\bar{b}$, in $s = 13 \text{ TeV}$ pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	18
200	Study of $WW\gamma$ and $WZ\gamma$ events. <i>European Physical Journal C</i> , 2017, 77, 646.	3.9	30
201	Measurements of top quark spin observables in $t\bar{t} \rightarrow b\bar{b}$ events using dilepton final states in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	20
202	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	11
203	Top-quark mass measurement in the all-hadronic $t\bar{t} \rightarrow b\bar{b}$ decay channel at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16
204	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	28
205	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	45
206	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb^{-1} of $s = 13 \text{ TeV}$ pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	31
207	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	36
208	Study of the material of the ATLAS inner detector for Run 2 of the LHC. <i>Journal of Instrumentation</i> , 2017, 12, P12009-P12009.	1.2	29
209	Measurement of the k_t splitting scales in $Z \rightarrow ee$ events in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	3
210	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t -channel at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
211	Evidence for the $H \rightarrow b\bar{b}$ decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	64
212	Search for new high-mass phenomena in the dilepton final state using 36 fb^{-1} of proton-proton collision data at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	168
213	Determination of the strong coupling constant α_s from transverse energy correlations in multijet events at $s = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 872.	3.9	32
214	Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties. <i>Journal of Instrumentation</i> , 2017, 12, P05002-P05002.	1.2	10
215	A measurement of material in the ATLAS tracker using secondary hadronic interactions in 7 TeV pp collisions. <i>Journal of Instrumentation</i> , 2016, 11, P11020-P11020.	1.2	10
216	Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	30

#	ARTICLE	IF	CITATIONS
217	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	10
218	Measurement of event-shape observables in $Z \rightarrow ell^+ ell^-$ events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 375.	3.9	15
219	Charged-particle distributions in pp interactions at $\sqrt{s} = 8 \text{ TeV}$ measured with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 403.	3.9	30
220	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 502.	3.9	61
221	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 547.	3.9	37
222	Search for minimal supersymmetric standard model Higgs Bosons H_A and for a Z' boson in the $t\bar{t}$ final state produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 585.	3.9	51
223	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. <i>European Physical Journal C</i> , 2016, 76, 666.	3.9	73
224	Measurement of the $b\bar{b}$ dijet cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 670.	3.9	12
225	The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , 2016, 76, 526.	3.9	21
226	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 541.	3.9	23
227	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 605.	3.9	24
228	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 292.	3.9	453
229	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 658.	3.9	48
230	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 565.	3.9	31
231	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	44
232	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	71
233	Search for flavour-changing neutral current top-quark decays to qZ in $p\bar{p}$ collision data collected with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 12.	3.9	39
234	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 87.	3.9	39

#	ARTICLE	IF	CITATIONS
235	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	3.9	10
236	Search for charged Higgs bosons in the $H \rightarrow t\bar{t}$ decay channel in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	43
237	Measurement of $W\Lambda^{\pm}$ and Z -boson production cross sections in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 601-621.		
238	Study of the rare decays of $B^0 \rightarrow \mu^+ \mu^-$ and $B^0 \rightarrow \mu^+ \mu^-$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	3.9	46
239	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ pp collisions. European Physical Journal C, 2016, 76, 517.	3.9	24
240	Search for resonances in diphoton events at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	70
241	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	3.9	43
242	Measurement of the top quark mass in the dilepton channel from $t\bar{t}$ production. European Physical Journal C, 2016, 76, 442.	4.1	52
243	Measurement of the relative width difference of the $B^0 \rightarrow \mu^+ \mu^-$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	8
244	Search for Higgs and Z boson decays to $\ell^+\ell^-$ with the ATLAS Detector. Physical Review Letters, 2016, 117, 111802.	7.8	13
245	Production Cross Section in $t\bar{t}$ Collisions at the ATLAS Detector. Physical Review Letters, 2016, 117, 111802.	7.8	31
246	Observation of Long-Range Elliptic Azimuthal Anisotropies in $t\bar{t}$ Collisions with the ATLAS Detector. Physical Review Letters, 2016, 116, 172301.	7.8	228
247	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	3.9	50
248	Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 581.	3.9	298
249	Measurement of the Inelastic Proton-Proton Cross Section at the LHC. Physical Review Letters, 2016, 117, 182002.	7.8	185
250	Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at $s = 7 \text{ TeV}$ and 8 TeV . Journal of High Energy Physics, 2016, 2016, 1.	4.7	473
251	Measurement of the charged-particle multiplicity inside jets from pp collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	3.9	51
252	Measurement of jet activity in top quark events using the $e\bar{e} \rightarrow t\bar{t}$ final state with two b-tagged jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	4

#	ARTICLE	IF	CITATIONS
253	Measurement of the transverse momentum and ϕ^* distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	3.9	154
254	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^+e^-/\tau^+\tau^-$ with the ATLAS detector at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
255	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20
256	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s = 8 \text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
257	Identification of high transverse momentum top quarks in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
258	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	2.9	2
259	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	1.2	11
260	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2016, 76, 538.	3.9	115
261	Measurement of the differential cross-sections of prompt and non-prompt production of J/ψ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	3.9	63
262	Luminosity determination in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	3.9	279
263	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	3.9	11
264	Addendum to "Measurement of the $t\bar{t}$ production cross-section using emu events with b-tagged jets in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ with the ATLAS detector". European Physical Journal C, 2016, 76, 1.	3.9	19
265	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	33
266	Searches for heavy diboson resonances in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	25
267	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8 \text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
268	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	21
269	Measurement of the CP-violating phase δ_s and the $B_s^0 \rightarrow J/\psi \pi^+$ decay width difference with $B_s^0 \rightarrow J/\psi \pi^+$ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
270	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	3.9	73

#	ARTICLE	IF	CITATIONS
271	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	38
272	A search for prompt lepton-jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	31
273	Search for new phenomena with photon+jet events in proton-proton collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13
274	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 199.	3.9	60
275	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
276	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	19
277	Search for strong gravity in multijet final states produced in pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	15
278	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 154.	3.9	62
279	Search for new phenomena in events with at least three photons collected in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 210.	3.9	95
280	Probing lepton flavour violation via neutrinoless $\nu_e \rightarrow 3\mu \bar{\nu}_e$ decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 232.	3.9	19
281	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 238.	3.9	9
282	Search for supersymmetry at $\sqrt{s} = 13 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 259.	3.9	72
283	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	49
284	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1-46.	4.7	13
285	Searches for scalar leptoquarks in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 5.	3.9	109
286	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ in the ATLAS experiment. <i>European Physical Journal C</i> , 2016, 76, 6.	3.9	274
287	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 11.	3.9	54
288	Study of the $B_c \rightarrow J/\psi D_s^+$ and $B_c \rightarrow J/\psi D_s^* \pi^-$ decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 4.	3.9	40

#	ARTICLE	IF	CITATIONS
289	Search for an additional, heavy Higgs boson in the $\rightarrow ZZ \rightarrow H \rightarrow Z Z$ decay channel at $\sqrt{s} = 8 \text{ TeV}$ in $p p$ collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45.	3.9	197
290	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	3.9	43
291	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in $p p$ collision data at ($\sqrt{s}=8 \text{ TeV}$) with the ATLAS detector. Measurements of the Total and Differential Higgs Boson Production Cross Sections Combining the $\rightarrow ZZ \rightarrow H \rightarrow Z Z$ decay channel at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 1.	1	
292	Search for New Phenomena in Dijet Angular Distributions in Proton-Proton Collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2015, 114, 221802.	7.8	48
293	Search for a Charged Higgs Boson Produced in the Vector-Boson Fusion Mode with Decay $\rightarrow ZZ \rightarrow H \rightarrow Z Z$ at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2015, 114, 221802.	7.8	27
294	Collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2015, 114, 221802.	7.8	10
295	Evidence of $\rightarrow ZZ \rightarrow H \rightarrow Z Z$ at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2015, 114, 221802.	7.8	20
296	Production in $\rightarrow ZZ \rightarrow H \rightarrow Z Z$ at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2015, 114, 221802.	7.8	30
297	Collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2015, 114, 221802.	7.8	49
298	Determination of the Ratio of $\rightarrow ZZ \rightarrow H \rightarrow Z Z$ at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2015, 114, 221802.	7.8	23
299	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $\sqrt{s}=8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	4
300	A search for high-mass resonances decaying to $\tilde{l}, \tilde{l}, \tilde{l}, \tilde{l}$ in $p p$ collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	23
301	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	4.7	55
302	Search for lepton-flavour-violating $H \rightarrow l l l l$ decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	52
303	Measurement of four-jet differential cross sections in $\sqrt{s}=8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	4.7	11
304	A search for $t t \rightarrow t \bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	66
305	Measurement of the forward-backward asymmetry of electron and muon pair-production in $p p$ collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	28
306	Measurement of charged-particle spectra in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76 \text{ TeV}$ with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	67

#	ARTICLE	IF	CITATIONS
307	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	33
308	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	108
309	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-39.	4.7	78
310	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $s = 7 \text{ TeV}$ in the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	40
311	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	84
312	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	71
313	Search for new phenomena in events with three or more charged leptons in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	20
314	Summary of the searches for squarks and gluinos using $s = 8 \text{ TeV}$ pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	60
315	Determination of the top-quark pole mass using $t\bar{t}W$ and $t\bar{t}Z$ production cross sections in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	25
316	Measurement of the $t\bar{t}W$ and $t\bar{t}Z$ production cross sections in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	22
317	Search for flavour-changing neutral current top quark decays $t\rightarrow t' H q$ in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-65.	4.7	19
318	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	36
319	Combined Measurement of the Higgs Boson Mass in $t\bar{t}H$ and $t\bar{t}W$ Production with the ATLAS and CMS Experiments. <i>Physical Review Letters</i> , 2015, 114, 191803.	7.8	1,062
320	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	42
321	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	116
322	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	17
323	Search for W' decays $tb \rightarrow q\bar{q}bb$ in $t\bar{t}' t\bar{t}' q\bar{q}bb$ decays in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 165.	3.9	35
324	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $s = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2015, 75, 158.	3.9	17

#	ARTICLE	IF	CITATIONS
325	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $\sqrt{s} = 8 \text{ TeV}$ $p\bar{p}$ collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	3.9	67
326	Study of $(W/Z)H$ production and Higgs boson couplings using $H \rightarrow WW^*$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
327	Search for metastable heavy charged particles with large ionisation energy loss in $p\bar{p}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	3.9	27
328	Measurement of the production and lepton charge asymmetry of WW bosons in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 23. www.w3.org/1998/Math/MathML	3.9	41
329	display="inline"><math>\frac{\partial}{\partial s} \left[\frac{1}{2} \int_0^s \frac{1}{2} \int_0^{s'} \frac{1}{2} \int_0^{s''} \frac{1}{2} \int_0^{s'''} \frac{1}{2} \int_0^{s''''} \frac{1}{2} \int_0^{s'''''} \frac{1}{2} \int_0^{s''''''} \frac{1}{2} \int_0^{s'''''''}		

#	ARTICLE	IF	CITATIONS
343	Measurement of the inclusive jet cross-section in proton-proton collisions at $s = 7 \text{ TeV}$ using 4.5 fb^{-1} of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	35
344	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $s = 8 \text{ TeV}$ pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	60
345	Search for charged Higgs bosons decaying via $H \rightarrow \tilde{l}^+ \tilde{l}^-$ in fully hadronic final states using pp collision data at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	69
346	Search for production of WW/WZ resonances decaying to a lepton, neutrino and jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 209.	3.9	79
347	Performance of the ATLAS muon trigger in pp collisions at $s = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2015, 75, 120.	3.9	62
348	Search for invisible decays of the Higgs boson produced in association with a hadronically decaying vector boson in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 337.	3.9	39
349	Search for Higgs boson pair production in the $b\bar{b} b\bar{b}$ final state from pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 412.	3.9	90
350	Determination of spin and parity of the Higgs boson in the $WW \rightarrow e\mu \nu\bar{\nu}$ decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 231.	3.9	21
351	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 299.	3.9	238
352	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $\ell\ell \nu\bar{\nu}$ final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 263.	3.9	60
353	Measurement of three-jet production cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 228.	3.9	23
354	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 335.	3.9	95
355	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $s = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2015, 75, 303.	3.9	70
356	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 476.	3.9	174
357	Observation and measurements of the production of prompt and non-prompt J/ψ mesons in association with a Z boson in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 229.	3.9	64
358	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 349.	3.9	123
359	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 318.	3.9	56
360	Search for heavy long-lived multi-charged particles in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 362.	3.9	36

#	ARTICLE	IF	CITATIONS
361	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	3.9	42
362	Measurement of the top quark mass in the $t \rightarrow l + jets$ and $t \rightarrow b + jets$ channels using $\sqrt{s} = 7$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	3.9	52
363	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	3.9	138
364	Measurement of the inclusive jet cross-section in proton-proton collisions at $(\sqrt{s}) = 7$ TeV using 4.5 fb^{-1} of data with the ATLAS detector. , 2015, 2015, 1.	3	
365	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. , 2015, 75, 1.	1	
366	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. , 2015, 75, 1.	2	
367	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. , 2015, 75, 1.	3	
368	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. , 2015, 75, 1.	3	
369	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	82
370	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 3130.	3.9	213
371	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	3.9	40
372	A measurement of the ratio of the production cross sections for W and Z bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	3.9	23
373	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $s = 8$ TeV with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
374	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb^{-1} of $\sqrt{s} = 8$ TeV proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	12
375	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $s = 8$ TeV proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	4.7	128
376	Measurement of the $t \bar{t} \rightarrow e \bar{\nu} + b \bar{b}$ production cross-section using $e \bar{\nu}$ events with $b \bar{b}$ -tagged jets in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3109. High-invariant-Mass	3.9	143
377	Measurements of Four-Lepton Production at the $\sqrt{s} = 8$ TeV	7.8	35
378	Measurements of Four-Lepton Production at the $\sqrt{s} = 8$ TeV	7.8	51

#	ARTICLE for Electroweak Production of $\langle \text{mml:math} \rangle$	IF	CITATIONS
379	Search for Scalar Diphoton Resonances in the Mass Range $65\text{GeV} < \sqrt{s} < 600\text{GeV}$ with the ATLAS Detector	7.8	123
380	Collision Data at $\sqrt{s} = 8\text{TeV}$ with the ATLAS Detector	7.8	168
381	Physical Review Letters, 2014, 113, 171801. Search for Dark Matter in Events with a Hadronically Decaying Z -Boson and Missing Transverse Momentum in $p\bar{p}$ Collisions at $\sqrt{s} = 8\text{TeV}$ with the ATLAS Detector. Physical Review Letters, 2014, 112, 041802.	7.8	129
382	Observation of an Excited State with the ATLAS Detector. Physical Review Letters, 2014, 113, 212004.	7.8	129
383	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $s = 8\text{TeV}$ $p\bar{p}$ collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	66
384	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s} = 7\text{TeV}$ in 2010. European Physical Journal C, 2014, 74, 3034.	3.9	58
385	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	3.9	172
386	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3134.	3.9	48
387	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.	3.9	68
388	Measurement of distributions sensitive to the underlying event in inclusive Z -boson production in $p\bar{p}$ collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3195.	3.9	46
389	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	41
390	Measurement of the production cross-section of $t\bar{t}(2S) \rightarrow t\bar{t}(\ell^+\ell^- + \nu\bar{\nu})$ in $p\bar{p}$ collisions at $\sqrt{s} = 7\text{TeV}$ at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	21
391	Measurement of the Z/γ^* boson transverse momentum distribution in $p\bar{p}$ collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	131
392	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $\sqrt{s} = 8\text{TeV}$ proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	38
393	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
394	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	47
395	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in $p\bar{p}$ collisions at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	35
396	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s} = 7\text{TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	42

#	ARTICLE	IF	CITATIONS
397	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	40
398	The differential production cross section of the $\phi(1020)$ meson in $\sqrt{s} = 7 \text{ TeV}$ pp collisions measured with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2895.	3.9	13
399	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014, 74, 2941.	3.9	204
400	Measurement of the underlying event in jet events from 7 TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 1.	3.9	23
401	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2982.	3.9	22
402	Light-quark and gluon jet discrimination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3023.	3.9	77
403	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	22
404	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	88
405	Measurement of the production cross section of prompt J/ ψ mesons in association with a W boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	35
406	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	36
407	Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	59
408	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	145
409	Search for supersymmetry at $\sqrt{s} = 8 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	45
410	Measurement of the low-mass Drell-Yan differential cross section at $s = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	25
411	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	59
412	Measurement of $t\bar{t}$ c1 and $t\bar{t}$ c2 production with $s = 7 \text{ TeV}$ pp collisions at ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	32
413	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	10
414	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	45

#	ARTICLE	IF	CITATIONS
415	Search for direct top squark pair production in events with a Z boson, b -jets and missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ $p\bar{p}$ collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	3.9	55
416	Measurement of the ($t\bar{t}$) production cross-section using (emu) events with (b)-tagged jets in ($p\bar{p}$) collisions at ($\sqrt{s} = 7$) and 8 TeV with the ATLAS detector. , 2014, 74, 1.		2
417	Measurement of the production cross section of jets in association with a Z boson in $p\bar{p}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	73
418	Measurement of the cross-section for W boson production in association with b-jets in $p\bar{p}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	53
419	Search for third generation scalar leptoquarks in $p\bar{p}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	32
420	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	137
421	Measurement of ZZ production in $p\bar{p}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ and limits on anomalous ZZZ and $ZZ\tilde{l}^3$ couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	61
422	Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using $p\bar{p}$ collision data at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	4.7	19
423	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in $p\bar{p}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
424	Measurement of k_T splitting scales in $W\rightarrow l\nu$ events at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.	3.9	19
425	Search for a light charged Higgs boson in the decay channel $H^{\pm} \rightarrow \tau^{\pm} \nu$ in $t\bar{t}$ events using $p\bar{p}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2465.	3.9	119
426	Evidence for the spin-0 nature of the Higgs boson using ATLAS data. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 726, 120-144.	4.1	307
427	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $\sqrt{s} = 8 \text{ TeV}$ $p\bar{p}$ collisions with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	102
428	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	4.7	71
429	Measurement of the differential cross-section of B^+ meson production in $p\bar{p}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	4.7	31
430	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
431	Improved luminosity determination in $p\bar{p}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.	3.9	362
432	Measurement of the inclusive jet cross-section in $p\bar{p}$ collisions at $\sqrt{s} = 2.76 \text{ TeV}$ and comparison to the inclusive jet cross-section at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2013, 73, 2509.	3.9	105

#	ARTICLE	IF	CITATIONS
433	Multi-channel search for squarks and gluinos in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.	3.9	34
434	Measurement of jet shapes in top-quark pair events at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2013, 73, 2676.	3.9	33
435	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	4.7	175
436	Measurement of the top quark charge in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	17
437	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	81
438	Measurement of isolated-photon pair production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	64
439	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	59
440	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	15
441	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Physics Letters Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 719, 226-241.	4.7	195
442	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2013, 73, 1.	3.9	61
443	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2013, 73, 1.	3.9	45
444	Measurement of the flavour composition of dijet events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 1.	3.9	15
445	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 1.	3.9	45
446	Jet energy resolution in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ recorded in 2010 with the ATLAS detector. European Physical Journal C, 2013, 73, 2306.	3.9	209
447	Measurement of the τ^+ production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.	3.9	45
448	Measurement of Top Quark Polarization in Top-Antitop Events from Proton-Proton Collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2013, 111, 232002.	7.8	57
449	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2013, 15, 043009.	2.9	15
450	Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector using final states with two high-p T leptons. Journal of High Energy Physics, 2012, 2012, 1.	4.7	45

#	ARTICLE	IF	CITATIONS
451	Jet mass and substructure of inclusive jets in $\sqrt{s} = 7\text{TeV}$ pp collisions with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	88
452	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	12
453	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb^{-1} of $\sqrt{s} = 7\text{TeV}$ proton-proton collisions. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	53
454	A search for $t\bar{t}$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	40
455	Search for the Standard Model Higgs boson in the $H \rightarrow t\bar{t}, +\bar{\nu}_l, \bar{\nu}_l^*$ decay mode in $\sqrt{s} = 7\text{TeV}$ pp collisions with ATLAS. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	43
456	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s}=7\text{TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	34
457	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ with ATLAS. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	15
458	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	54
459	Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	17
460	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s}=7\text{TeV}$ pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	48
461	Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s}=7\text{TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	13
462	Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 716, 1-29.	4.1	6,386
463	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $\sqrt{s} = 7\text{TeV}$. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	100
464	Measurement of $\star t\bar{t}$ production with a veto on additional central jet activity in pp collisions at $\sqrt{s}=7\text{TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 2043.	3.9	109
465	A search for $\star t\bar{t}$ resonances with the ATLAS detector in 2.05 fb^{-1} of proton-proton collisions at $\sqrt{s} = 7\text{TeV}$. <i>European Physical Journal C</i> , 2012, 72, 2083.	3.9	25
466	Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	37
467	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	16
468	Measurement of $W \pm Z$ production in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	59

#	ARTICLE	IF	CITATIONS
469	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	25
470	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	22
471	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	13
472	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions. European Physical Journal C, 2012, 72, 1.	3.9	31
473	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	36

474