Xinping Ai

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6357751/xinping-ai-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

161 60 12,744 110 h-index g-index citations papers 11.8 6.79 167 14,950 L-index avg, IF ext. citations ext. papers

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 161 | A Solid-Phase Conversion Sulfur Cathode with Full Capacity Utilization and Superior Cycle Stability for Lithium-Sulfur Batteries <i>Small</i> , 2022 , e2106144 | 11 | 2 |
| 160 | Room-Temperature All-Solid-State Lithium Drganic Batteries Based on Sulfide Electrolytes and Organodisulfide Cathodes. <i>Advanced Energy Materials</i> , 2021 , 11, 2102962 | 21.8 | 6 |
| 159 | Improved Initial Charging Capacity of Na-poor Na0.44MnO2 via Chemical Presodiation Strategy for Low-cost Sodium-ion Batteries. <i>Chemical Research in Chinese Universities</i> , 2021 , 37, 274-279 | 2.2 | 3 |
| 158 | Ethylene Carbonate-Free Propylene Carbonate-Based Electrolytes with Excellent Electrochemical Compatibility for Li-Ion Batteries through Engineering Electrolyte Solvation Structure. <i>Advanced Energy Materials</i> , 2021 , 11, 2003905 | 21.8 | 19 |
| 157 | Electrochemical Insight into the Sodium-Ion Storage Mechanism on a Hard Carbon Anode. <i>ACS Applied Materials & District Applied & District </i> | 9.5 | 6 |
| 156 | Achieving Desirable Initial Coulombic Efficiencies and Full Capacity Utilization of Li-Ion Batteries by Chemical Prelithiation of Graphite Anode. <i>Advanced Functional Materials</i> , 2021 , 31, 2101181 | 15.6 | 23 |
| 155 | -Formed Artificial Solid Electrolyte Interphase for Boosting the Cycle Stability of Si-Based Anodes for Li-Ion Batteries. <i>ACS Applied Materials & Amp; Interfaces</i> , 2021 , 13, 22505-22513 | 9.5 | 6 |
| 154 | Metal-Ligand Interactions in Lithium-Rich Li2RhO3 Cathode Material Activate Bimodal Anionic Redox. <i>Advanced Energy Materials</i> , 2021 , 11, 2100892 | 21.8 | 3 |
| 153 | An advanced low-cost cathode composed of graphene-coated Na2.4Fe1.8(SO4)3 nanograins in a 3D graphene network for ultra-stable sodium storage. <i>Journal of Energy Chemistry</i> , 2021 , 54, 564-570 | 12 | 5 |
| 152 | Chemically presodiated Sb with a fluoride-rich interphase as a cycle-stable anode for high-energy sodium ion batteries. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 5639-5647 | 13 | 11 |
| 151 | A controllable thermal-sensitivity separator with an organicIhorganic hybrid interlayer for high-safety lithium-ion batteries. <i>Materials Chemistry Frontiers</i> , 2021 , 5, 2313-2319 | 7.8 | 3 |
| 150 | Enabling stable and high-rate cycling of a Ni-rich layered oxide cathode for lithium-ion batteries by modification with an artificial Li+-conducting cathode-electrolyte interphase. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 11623-11631 | 13 | 5 |
| 149 | The underlying mechanism for reduction stability of organic electrolytes in lithium secondary batteries. <i>Chemical Science</i> , 2021 , 12, 9037-9041 | 9.4 | 5 |
| 148 | Tunable Electrocatalytic Behavior of Sodiated MoS Active Sites toward Efficient Sulfur Redox Reactions in Room-Temperature Na-S Batteries. <i>Advanced Materials</i> , 2021 , 33, e2100229 | 24 | 23 |
| 147 | Microstructure-Dependent Charge/Discharge Behaviors of Hollow Carbon Spheres and its Implication for Sodium Storage Mechanism on Hard Carbon Anodes. <i>Small</i> , 2021 , 17, e2102248 | 11 | 9 |
| 146 | Metal/covalent-organic frameworks for electrochemical energy storage applications. <i>EcoMat</i> , 2021 , 3, e12133 | 9.4 | 8 |
| 145 | Building a Thermal Shutdown Cathode for Li-Ion Batteries Using Temperature-Responsive Poly(3-Dodecylthiophene). <i>Energy Technology</i> , 2020 , 8, 2000365 | 3.5 | 11 |

(2019-2020)

| 144 | Building a Cycle-Stable Fe-Si Alloy/Carbon Nanocomposite Anode for Li-Ion Batteries through a Covalent-Bonding Method. <i>ACS Applied Materials & Amp; Interfaces</i> , 2020 , 12, 30503-30509 | 9.5 | 14 |
|-----|---|------|----|
| 143 | Covalently Bonded Silicon/Carbon Nanocomposites as Cycle-Stable Anodes for Li-Ion Batteries. <i>ACS Applied Materials & Discourse (Materials & Discourse)</i> , 12, 16411-16416 | 9.5 | 33 |
| 142 | Chemically Presodiated Hard Carbon Anodes with Enhanced Initial Coulombic Efficiencies for High-Energy Sodium Ion Batteries. <i>ACS Applied Materials & Enhanced Initial Coulombic Efficiencies</i> , 2020 , 12, 17620-17627 | 9.5 | 39 |
| 141 | A High-Performance Li-Mn-O Li-rich Cathode Material with Rhombohedral Symmetry via Intralayer Li/Mn Disordering. <i>Advanced Materials</i> , 2020 , 32, e2000190 | 24 | 48 |
| 140 | Flaky and Dense Lithium Deposition Enabled by a Nanoporous Copper Surface Layer on Lithium Metal Anode 2020 , 2, 358-366 | | 12 |
| 139 | Efficient and Facile Electrochemical Process for the Production of High-Quality Lithium Hexafluorophosphate Electrolyte. <i>ACS Applied Materials & amp; Interfaces</i> , 2020 , 12, 32771-32777 | 9.5 | 1 |
| 138 | Enabling an intrinsically safe and high-energy-density 4.5 V-class Li-ion battery with nonflammable electrolyte. <i>Informa</i> Materilly, 2020 , 2, 984-992 | 23.1 | 54 |
| 137 | Ultralow-Strain Zn-Substituted Layered Oxide Cathode with Suppressed P2D2 Transition for Stable Sodium Ion Storage. <i>Advanced Functional Materials</i> , 2020 , 30, 1910327 | 15.6 | 54 |
| 136 | Suppressing Voltage Fading of Li-Rich Oxide Cathode via Building a Well-Protected and Partially-Protonated Surface by Polyacrylic Acid Binder for Cycle-Stable Li-Ion Batteries. <i>Advanced Energy Materials</i> , 2020 , 10, 1904264 | 21.8 | 50 |
| 135 | Chemically Prelithiated Hard-Carbon Anode for High Power and High Capacity Li-Ion Batteries. <i>Small</i> , 2020 , 16, e1907602 | 11 | 52 |
| 134 | Enabling electrochemical compatibility of non-flammable phosphate electrolytes for lithium-ion batteries by tuning their molar ratios of salt to solvent. <i>Chemical Communications</i> , 2020 , 56, 6559-6562 | 5.8 | 12 |
| 133 | Surface Modification of Fe S /C Anode via Ultrathin Amorphous TiO Layer for Enhanced Sodium Storage Performance. <i>Small</i> , 2020 , 16, e2000745 | 11 | 10 |
| 132 | Facile and reversible digestion and regeneration of zirconium-based metal-organic frameworks. <i>Communications Chemistry</i> , 2020 , 3, | 6.3 | 11 |
| 131 | A low-defect and Na-enriched Prussian blue lattice with ultralong cycle life for sodium-ion battery cathode. <i>Electrochimica Acta</i> , 2020 , 332, 135533 | 6.7 | 31 |
| 130 | Dendrite-free lithium deposition by coating a lithiophilic heterogeneous metal layer on lithium metal anode. <i>Energy Storage Materials</i> , 2020 , 24, 635-643 | 19.4 | 80 |
| 129 | A polyethylene microsphere-coated separator with rapid thermal shutdown function for lithium-ion batteries. <i>Journal of Energy Chemistry</i> , 2020 , 44, 33-40 | 12 | 33 |
| 128 | Mesoporous Silica Reinforced Hybrid Polymer Artificial Layer for High-Energy and Long-Cycling Lithium Metal Batteries. <i>ACS Energy Letters</i> , 2020 , 5, 1644-1652 | 20.1 | 31 |
| 127 | Highly Selective and Pollution-Free Electrochemical Extraction of Lithium by a Polyaniline/Li Mn O Cell. <i>ChemSusChem</i> , 2019 , 12, 1361-1367 | 8.3 | 27 |

| 126 | Polyaniline hollow nanofibers prepared by controllable sacrifice-template route as high-performance cathode materials for sodium-ion batteries. <i>Electrochimica Acta</i> , 2019 , 301, 352-358 | 6.7 | 25 |
|-----|--|------|-----|
| 125 | Schwefel-basierte Elektroden mit Mehrelektronenreaktionen fl Raumtemperatur-Natriumionenspeicherung. <i>Angewandte Chemie</i> , 2019 , 131, 18490-18504 | 3.6 | 8 |
| 124 | Effective Chemical Prelithiation Strategy for Building a Silicon/Sulfur Li-Ion Battery. <i>ACS Energy Letters</i> , 2019 , 4, 1717-1724 | 20.1 | 78 |
| 123 | Sulfur-Based Electrodes that Function via Multielectron Reactions for Room-Temperature Sodium-Ion Storage. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 18324-18337 | 16.4 | 46 |
| 122 | In Situ Formation of CoS Nanoclusters in Sulfur-Doped Carbon Foam as a Sustainable and High-Rate Sodium-Ion Anode. <i>ACS Applied Materials & District Research</i> , 11, 19218-19226 | 9.5 | 33 |
| 121 | Electrolytes for Dual-Carbon Batteries. <i>ChemElectroChem</i> , 2019 , 6, 2615-2629 | 4.3 | 36 |
| 120 | Surface-Bound Silicon Nanoparticles with a Planar-Oriented N-Type Polymer for Cycle-Stable Li-Ion Battery Anode. <i>ACS Applied Materials & Amp; Interfaces</i> , 2019 , 11, 13251-13256 | 9.5 | 18 |
| 119 | High performance TiP2O7 nanoporous microsphere as anode material for aqueous lithium-ion batteries. <i>Science China Chemistry</i> , 2019 , 62, 118-125 | 7.9 | 8 |
| 118 | Na4Fe3(PO4)2P2O7/C nanospheres as low-cost, high-performance cathode material for sodium-ion batteries. <i>Energy Storage Materials</i> , 2019 , 22, 330-336 | 19.4 | 56 |
| 117 | Recent Progress in Rechargeable Sodium-Ion Batteries: toward High-Power Applications. <i>Small</i> , 2019 , 15, e1805427 | 11 | 149 |
| 116 | A temperature-sensitive poly(3-octylpyrrole)/carbon composite as a conductive matrix of cathodes for building safer Li-ion batteries. <i>Energy Storage Materials</i> , 2019 , 17, 275-283 | 19.4 | 23 |
| 115 | An Al-doped high voltage cathode of Na4Co3(PO4)2P2O7 enabling highly stable 4 V full sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 18940-18949 | 13 | 21 |
| 114 | A High-Voltage and Cycle Stable Aqueous Rechargeable Na-Ion Battery Based on Na2Zn3[Fe(CN)6]2NaTi2(PO4)3 Intercalation Chemistry. <i>ACS Applied Energy Materials</i> , 2019 , 2, 5809-58 | 15.1 | 12 |
| 113 | Engineering Al2O3 atomic layer deposition: Enhanced hard carbon-electrolyte interface towards practical sodium ion batteries. <i>Nano Energy</i> , 2019 , 64, 103903 | 17.1 | 58 |
| 112 | High-Safety Symmetric Sodium-Ion Batteries Based on Nonflammable Phosphate Electrolyte and Double NaV(PO) Electrodes. <i>ACS Applied Materials & Double Navier State State</i> | 9.5 | 21 |
| 111 | Highly Electrochemically-Reversible Mesoporous Na FePO F/C as Cathode Material for High-Performance Sodium-Ion Batteries. <i>Small</i> , 2019 , 15, e1903723 | 11 | 16 |
| 110 | A Membrane-Free and Energy-Efficient Three-Step Chlor-Alkali Electrolysis with Higher-Purity NaOH Production. <i>ACS Applied Materials & Machine States</i> , 2019 , 11, 45126-45132 | 9.5 | 8 |
| 109 | Hollow carbon nanofibers as high-performance anode materials for sodium-ion batteries. Nanoscale, 2019 , 11, 21999-22005 | 7.7 | 20 |

(2018-2019)

| 108 | 3D graphene decorated Na4Fe3(PO4)2(P2O7) microspheres as low-cost and high-performance cathode materials for sodium-ion batteries. <i>Nano Energy</i> , 2019 , 56, 160-168 | 17.1 | 75 |
|-----|--|------|-----|
| 107 | Stable Li Metal Anode with IbnBolvent-CoordinatedINonflammable Electrolyte for Safe Li Metal Batteries. <i>ACS Energy Letters</i> , 2019 , 4, 483-488 | 20.1 | 95 |
| 106 | High-Capacity Hard Carbon Pyrolyzed from Subbituminous Coal as Anode for Sodium-Ion Batteries. <i>ACS Applied Energy Materials</i> , 2019 , 2, 729-735 | 6.1 | 15 |
| 105 | Well-defined Na2Zn3[Fe(CN)6]2 nanocrystals as a low-cost and cycle-stable cathode material for Na-ion batteries. <i>Electrochemistry Communications</i> , 2019 , 98, 78-81 | 5.1 | 14 |
| 104 | An all-vanadium aqueous lithium ion battery with high energy density and long lifespan. <i>Energy Storage Materials</i> , 2019 , 18, 92-99 | 19.4 | 28 |
| 103 | A Fully Sodiated NaVOPO4 with Layered Structure for High-Voltage and Long-Lifespan Sodium-Ion Batteries. <i>CheM</i> , 2018 , 4, 1167-1180 | 16.2 | 92 |
| 102 | Prussian Blue Cathode Materials for Sodium-Ion Batteries and Other Ion Batteries. <i>Advanced Energy Materials</i> , 2018 , 8, 1702619 | 21.8 | 299 |
| 101 | A high voltage cathode of Na2+2xFe2\(\text{N}(SO4)\)3 intensively protected by nitrogen-doped graphene with improved electrochemical performance of sodium storage. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 4354-4364 | 13 | 30 |
| 100 | Recent Progress in Iron-Based Electrode Materials for Grid-Scale Sodium-Ion Batteries. <i>Small</i> , 2018 , 14, 1703116 | 11 | 118 |
| 99 | Low-Defect and Low-Porosity Hard Carbon with High Coulombic Efficiency and High Capacity for Practical Sodium Ion Battery Anode. <i>Advanced Energy Materials</i> , 2018 , 8, 1703238 | 21.8 | 262 |
| 98 | Symmetric Sodium-Ion Capacitor Based on NaMnO Nanorods for Low-Cost and High-Performance Energy Storage. <i>ACS Applied Materials & District Science</i> , 2018 , 10, 11689-11698 | 9.5 | 49 |
| 97 | Recent Advances in Sodium-Ion Battery Materials. <i>Electrochemical Energy Reviews</i> , 2018 , 1, 294-323 | 29.3 | 154 |
| 96 | Sodium-Ion Batteries: Prussian Blue Cathode Materials for Sodium-Ion Batteries and Other Ion Batteries (Adv. Energy Mater. 17/2018). <i>Advanced Energy Materials</i> , 2018 , 8, 1870079 | 21.8 | 21 |
| 95 | Suppression of Dendritic Lithium Growth by in Situ Formation of a Chemically Stable and Mechanically Strong Solid Electrolyte Interphase. <i>ACS Applied Materials & Description of Americal Science</i> , 2018, 10, 593- | -60∮ | 78 |
| 94 | Building a cycle-stable sulphur cathode by tailoring its redox reaction into a solid-phase conversion mechanism. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 23396-23407 | 13 | 28 |
| 93 | A Bifunctional Fluorophosphate Electrolyte for Safer Sodium-Ion Batteries. <i>IScience</i> , 2018 , 10, 114-122 | 6.1 | 30 |
| 92 | Aligning academia and industry for unified battery performance metrics. <i>Nature Communications</i> , 2018 , 9, 5262 | 17.4 | 156 |
| 91 | Understanding the Electrochemical Compatibility and Reaction Mechanism on Na Metal and Hard Carbon Anodes of PC-Based Electrolytes for Sodium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 39651-39660 | 9.5 | 22 |

| 90 | A Nonflammable Na+-Based Dual-Carbon Battery with Low-Cost, High Voltage, and Long Cycle Life. <i>Advanced Energy Materials</i> , 2018 , 8, 1802176 | 21.8 | 72 |
|----|--|----------------|-----|
| 89 | High Capacity and Cycle-Stable Hard Carbon Anode for Nonflammable Sodium-Ion Batteries. <i>ACS Applied Materials & District Materials & D</i> | 9.5 | 35 |
| 88 | Novel Alkaline Zn/NaMnO Dual-Ion Battery with a High Capacity and Long Cycle Lifespan. <i>ACS Applied Materials & Discourse (Materials & Discourse)</i> 10, 34108-34115 | 9.5 | 36 |
| 87 | Non-flammable electrolytes with high salt-to-solvent ratios for Li-ion and Li-metal batteries. <i>Nature Energy</i> , 2018 , 3, 674-681 | 62.3 | 357 |
| 86 | Phosphate Framework Electrode Materials for Sodium Ion Batteries. <i>Advanced Science</i> , 2017 , 4, 160039 | 92 13.6 | 200 |
| 85 | High Rate, Long Lifespan LiV O Nanorods as a Cathode Material for Lithium-Ion Batteries. <i>Small</i> , 2017 , 13, 1603148 | 11 | 42 |
| 84 | Graphene-Scaffolded NaV(PO) Microsphere Cathode with High Rate Capability and Cycling Stability for Sodium Ion Batteries. <i>ACS Applied Materials & Amp; Interfaces</i> , 2017 , 9, 7177-7184 | 9.5 | 123 |
| 83 | Manipulating AdsorptionInsertion Mechanisms in Nanostructured Carbon Materials for High-Efficiency Sodium Ion Storage. <i>Advanced Energy Materials</i> , 2017 , 7, 1700403 | 21.8 | 486 |
| 82 | Coaxial Three-Layered Carbon/Sulfur/Polymer Nanofibers with High Sulfur Content and High Utilization for Lithium-Sulfur Batteries. <i>ACS Applied Materials & District Science</i> , 2017, 9, 11626-11633 | 9.5 | 22 |
| 81 | Yolk-Shell TiO@C Nanocomposite as High-Performance Anode Material for Sodium-Ion Batteries. <i>ACS Applied Materials & Discourse (Materials & Discourse)</i> 345-353 | 9.5 | 52 |
| 80 | A novel bifunctional thermo-sensitive poly(lactic acid)@poly(butylene succinate) core\hat{\mathbb{B}}hell fibrous separator prepared by a coaxial electrospinning route for safe lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 23238-23242 | 13 | 48 |
| 79 | Novel Ceramic-Grafted Separator with Highly Thermal Stability for Safe Lithium-Ion Batteries. <i>ACS Applied Materials & District Materia</i> | 9.5 | 72 |
| 78 | An All-Phosphate and Zero-Strain Sodium-Ion Battery Based on NaV(PO) Cathode, NaTi(PO) Anode, and Trimethyl Phosphate Electrolyte with Intrinsic Safety and Long Lifespan. <i>ACS Applied Materials & Amp; Interfaces</i> , 2017 , 9, 43733-43738 | 9.5 | 31 |
| 77 | Surface-engineering enhanced sodium storage performance of Na3V2(PO4)3 cathode via in-situ self-decorated conducting polymer route. <i>Science China Chemistry</i> , 2017 , 60, 1546-1553 | 7.9 | 18 |
| 76 | SnO2-Reduced Graphene Oxide Nanocomposites via Microwave Route as Anode for Sodium-Ion Battery. <i>Jom</i> , 2016 , 68, 2607-2612 | 2.1 | 8 |
| 75 | Low Defect FeFe(CN)6 Framework as Stable Host Material for High Performance Li-Ion Batteries. <i>ACS Applied Materials & Description of Materials & Description (Materials & Description of Materials & Description </i> | 9.5 | 82 |
| 74 | Hard Carbon Fibers Pyrolyzed from Wool as High-Performance Anode for Sodium-Ion Batteries. <i>Jom</i> , 2016 , 68, 2579-2584 | 2.1 | 19 |
| 73 | Dual Core-Shell Structured Si@SiO@C Nanocomposite Synthesized via a One-Step Pyrolysis Method as a Highly Stable Anode Material for Lithium-Ion Batteries. <i>ACS Applied Materials & ACS ACS APPLIED & ACS ACS APPLIED & ACS ACS APPLIED & ACS ACS ACS ACS ACS ACS ACS ACS ACS ACS</i> | 9.5 | 72 |

(2015-2016)

| 72 | Electrospun TiO2/C Nanofibers As a High-Capacity and Cycle-Stable Anode for Sodium-Ion Batteries. <i>ACS Applied Materials & Amp; Interfaces</i> , 2016 , 8, 16684-9 | 9.5 | 107 |
|----|--|---------------------|-----|
| 71 | Graphene-supported TiO2 nanospheres as a high-capacity and long-cycle life anode for sodium ion batteries. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 11351-11356 | 13 | 58 |
| 70 | Building thermally stable Li-ion batteries using a temperature-responsive cathode. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 11239-11246 | 13 | 44 |
| 69 | Graphene-Modified TiO2 Microspheres Synthesized by a Facile Spray-Drying Route for Enhanced Sodium-Ion Storage. <i>Particle and Particle Systems Characterization</i> , 2016 , 33, 545-552 | 3.1 | 36 |
| 68 | Graphene-Wrapped Na2C12H6O4 Nanoflowers as High Performance Anodes for Sodium-Ion Batteries. <i>Small</i> , 2016 , 12, 583-7 | 11 | 71 |
| 67 | Coral-Inspired Nanoengineering Design for Long-Cycle and Flexible Lithium-Ion Battery Anode. <i>ACS Applied Materials & Design Faces</i> , 2016 , 8, 9185-93 | 9.5 | 18 |
| 66 | Highly Crystallized NattoFe(CN) with Suppressed Lattice Defects as Superior Cathode Material for Sodium-Ion Batteries. ACS Applied Materials & Interfaces, 2016, 8, 5393-9 | 9.5 | 220 |
| 65 | TiO2 ceramic-grafted polyethylene separators for enhanced thermostability and electrochemical performance of lithium-ion batteries. <i>Journal of Membrane Science</i> , 2016 , 504, 97-103 | 9.6 | 113 |
| 64 | Nanospherical-Like Manganese Monoxide/Reduced Graphene Oxide Composite Synthesized by Electron Beam Radiation as Anode Material for High-Performance Lithium-Ion Batteries. <i>Electrochimica Acta</i> , 2016 , 196, 431-439 | 6.7 | 29 |
| 63 | Antimony Nanocrystals Encapsulated in Carbon Microspheres Synthesized by a Facile Self-Catalyzing Solvothermal Method for High-Performance Sodium-Ion Battery Anodes. <i>ACS Applied Materials & Discourse Applied & Discourse & Discour</i> | 9.5 | 59 |
| 62 | Poly(3-butylthiophene)-based positive-temperature-coefficient electrodes for safer lithium-ion batteries. <i>Electrochimica Acta</i> , 2016 , 187, 173-178 | 6.7 | 20 |
| 61 | 3D Graphene Decorated NaTi2(PO4)3 Microspheres as a Superior High-Rate and Ultracycle-Stable Anode Material for Sodium Ion Batteries. <i>Advanced Energy Materials</i> , 2016 , 6, 1502197 | 21.8 | 177 |
| 60 | Understanding Voltage Decay in Lithium-Rich Manganese-Based Layered Cathode Materials by Limiting Cutoff Voltage. <i>ACS Applied Materials & Empty Interfaces</i> , 2016 , 8, 18867-77 | 9.5 | 35 |
| 59 | A 2D porous porphyrin-based covalent organic framework for sulfur storage in lithiumBulfur batteries. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 7416-7421 | 13 | 205 |
| 58 | A Safer Sodium-Ion Battery Based on Nonflammable Organic Phosphate Electrolyte. <i>Advanced Science</i> , 2016 , 3, 1600066 | 13.6 | 84 |
| 57 | Sulfur/carbon nanocomposite-filled polyacrylonitrile nanofibers as a long life and high capacity cathode for lithiumBulfur batteries. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 7406-7412 | 13 | 115 |
| 56 | High-Performance Olivine NaFePO4 Microsphere Cathode Synthesized by Aqueous Electrochemical Displacement Method for Sodium Ion Batteries. <i>ACS Applied Materials & Displacement Method For Sodium Ion Batteries</i> . <i>ACS Applied Materials & Displacement Method For Sodium Ion Batteries.</i> | 84 ⁵ | 108 |
| 55 | Improved rate capability of the conducting functionalized FTO-coated Li-[Li0.2Mn0.54Ni0.13Co0.13]O2 cathode material for Li-ion batteries. <i>Journal of Materials</i> Chemistry A. 2015 , 3, 17113-17119 | 13 | 32 |

| 54 | Temperature-responsive microspheres-coated separator for thermal shutdown protection of lithium ion batteries. <i>RSC Advances</i> , 2015 , 5, 172-176 | 3.7 | 42 |
|----|--|------------------|-----|
| 53 | A Highly Thermostable Ceramic-Grafted Microporous Polyethylene Separator for Safer Lithium-Ion Batteries. <i>ACS Applied Materials & Samp; Interfaces</i> , 2015 , 7, 24119-26 | 9.5 | 91 |
| 52 | A type of sodium-ion full-cell with a layered NaNi0.5Ti0.5O2 cathode and a pre-sodiated hard carbon anode. <i>RSC Advances</i> , 2015 , 5, 106519-106522 | 3.7 | 61 |
| 51 | Hierarchical carbon framework wrapped Na3V2(PO4)3 as a superior high-rate and extended lifespan cathode for sodium-ion batteries. <i>Advanced Materials</i> , 2015 , 27, 5895-900 | 24 | 372 |
| 50 | Electrochemical properties and morphological evolution of pitaya-like Sb@C microspheres as high-performance anode for sodium ion batteries. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 5708-5713 | 13 | 92 |
| 49 | Enabling a high capacity and long cycle life for nano-Si anodes by building a stable solid interface with a Li+-conducting polymer. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 9938-9944 | 13 | 18 |
| 48 | Photoregenerative I?/I🛚 couple as a liquid cathode for proton exchange membrane fuel cell. <i>Scientific Reports</i> , 2014 , 4, 6795 | 4.9 | 3 |
| 47 | Bis(2,2,2-trifluoroethyl) methylphosphonate: An Novel Flame-retardant Additive for Safe Lithium-ion Battery. <i>Electrochimica Acta</i> , 2014 , 129, 300-304 | 6.7 | 38 |
| 46 | SbII nanofibers with long cycle life as an anode material for high-performance sodium-ion batteries. <i>Energy and Environmental Science</i> , 2014 , 7, 323-328 | 35.4 | 536 |
| 45 | A tin(II) sulfidelarbon anode material based on combined conversion and alloying reactions for sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 16424-16428 | 13 | 118 |
| 44 | Mesoporous amorphous FePO4 nanospheres as high-performance cathode material for sodium-ion batteries. <i>Nano Letters</i> , 2014 , 14, 3539-43 | 11.5 | 210 |
| 43 | Li(+)-conductive polymer-embedded nano-Si particles as anode material for advanced Li-ion batteries. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 3508-12 | 9.5 | 72 |
| 42 | A honeycomb-layered Na3Ni2SbO6: a high-rate and cycle-stable cathode for sodium-ion batteries. <i>Advanced Materials</i> , 2014 , 26, 6301-6 | 24 | 217 |
| 41 | Synergistic Na-storage reactions in Sn4P3 as a high-capacity, cycle-stable anode of Na-ion batteries. <i>Nano Letters</i> , 2014 , 14, 1865-9 | 11.5 | 353 |
| 40 | Covalent-organic frameworks: potential host materials for sulfur impregnation in lithium ulfur batteries. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 8854-8858 | 13 | 177 |
| 39 | Enhanced Cycling Stability of Sulfur Cathode Surface-Modified by Poly(N-methylpyrrole). <i>Electrochimica Acta</i> , 2014 , 135, 108-113 | 6.7 | 13 |
| 38 | Enhanced high-rate capability and cycling stability of Na-stabilized layered Li1.2[Co0.13Ni0.13Mn0.54]O2 cathode material. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 11397 | 13 | 194 |
| 37 | A low-cost and environmentally benign aqueous rechargeable sodium-ion battery based on NaTi2(PO4)3Na2NiFe(CN)6 intercalation chemistry. <i>Electrochemistry Communications</i> , 2013 , 31, 145-148 | 8 ^{5.1} | 238 |

(2012-2013)

| 36 | Single-crystal FeFe(CN)6 nanoparticles: a high capacity and high rate cathode for Na-ion batteries. Journal of Materials Chemistry A, 2013 , 1, 10130 | 13 | 236 |
|----|--|-------|-----|
| 35 | A redox-active polythiophene-modified separator for safety control of lithium-ion batteries. Journal of Polymer Science, Part B: Polymer Physics, 2013, 51, 1487-1493 | 2.6 | 10 |
| 34 | Self-doped polypyrrole with ionizable sodium sulfonate as a renewable cathode material for sodium ion batteries. <i>Chemical Communications</i> , 2013 , 49, 11370-2 | 5.8 | 76 |
| 33 | Electroactive organic anion-doped polypyrrole as a low cost and renewable cathode for sodium-ion batteries. <i>Journal of Polymer Science, Part B: Polymer Physics,</i> 2013 , 51, 114-118 | 2.6 | 62 |
| 32 | Hierarchical porous Li2FeSiO4/C composite with 2 Li storage capacity and long cycle stability for advanced Li-ion batteries. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 4988 | 13 | 98 |
| 31 | High capacity and rate capability of amorphous phosphorus for sodium ion batteries. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 4633-6 | 16.4 | 535 |
| 30 | Synthesis and electrochemical behaviors of layered Na0.67[Mn0.65Co0.2Ni0.15]O2 microflakes as a stable cathode material for sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 3895 | 13 | 215 |
| 29 | SiCBbII nanocomposites as high-capacity and cycling-stable anode for sodium-ion batteries. <i>Electrochimica Acta</i> , 2013 , 87, 41-45 | 6.7 | 84 |
| 28 | Synthesis of Monoclinic Li[Li0.2Mn0.54Ni0.13Co0.13]O2 Nanoparticles by a Layered-Template Route for High-Performance Li-Ion Batteries. <i>European Journal of Inorganic Chemistry</i> , 2013 , 2013, 2887 | -2892 | 18 |
| 27 | An electrochemically compatible and flame-retardant electrolyte additive for safe lithium ion batteries. <i>Journal of Power Sources</i> , 2013 , 227, 106-110 | 8.9 | 59 |
| 26 | A SnBnSII nanocomposite as anode host materials for Na-ion batteries. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 7181 | 13 | 126 |
| 25 | High Capacity and Rate Capability of Amorphous Phosphorus for Sodium Ion Batteries. <i>Angewandte Chemie</i> , 2013 , 125, 4731-4734 | 3.6 | 245 |
| 24 | A Li+-conductive microporous carbonBulfur composite for Li-S batteries. <i>Electrochimica Acta</i> , 2013 , 87, 497-502 | 6.7 | 84 |
| 23 | In Situ Generation of Few-Layer Graphene Coatings on SnO2-SiC Core-Shell Nanoparticles for High-Performance Lithium-Ion Storage. <i>Advanced Energy Materials</i> , 2012 , 2, 95-102 | 21.8 | 216 |
| 22 | In Situ Generation of Few-Layer Graphene Coatings on SnO2-SiC Core-Shell Nanoparticles for High-Performance Lithium-Ion Storage (Adv. Energy Mater. 1/2012). <i>Advanced Energy Materials</i> , 2012 , 2, 94-94 | 21.8 | 5 |
| 21 | Pb-sandwiched nanoparticles as anode material for lithium-ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2012 , 16, 291-295 | 2.6 | 18 |
| 20 | Fe(CN)6 ^{II} -doped polypyrrole: a high-capacity and high-rate cathode material for sodium-ion batteries. <i>RSC Advances</i> , 2012 , 2, 5495 | 3.7 | 56 |
| 19 | Surface-oriented and nanoflake-stacked LiNi0.5Mn1.5O4 spinel for high-rate and long-cycle-life lithium ion batteries. <i>Journal of Materials Chemistry</i> , 2012 , 22, 17768 | | 77 |

| 18 | High capacity Na-storage and superior cyclability of nanocomposite Sb/C anode for Na-ion batteries. <i>Chemical Communications</i> , 2012 , 48, 7070-2 | 5.8 | 560 |
|----|--|------|-----|
| 17 | A positive-temperature-coefficient electrode with thermal protection mechanism for rechargeable lithium batteries. <i>Science Bulletin</i> , 2012 , 57, 4205-4209 | | 22 |
| 16 | An electrolyte additive for thermal shutdown protection of Li-ion batteries. <i>Electrochemistry Communications</i> , 2012 , 25, 98-100 | 5.1 | 27 |
| 15 | Green synthesis and stable li-storage performance of FeSi(2)/Si@C nanocomposite for lithium-ion batteries. <i>ACS Applied Materials & Acs Applied & Acs Appl</i> | 9.5 | 87 |
| 14 | Nanosized Na4Fe(CN)6/C Composite as a Low-Cost and High-Rate Cathode Material for Sodium-Ion Batteries. <i>Advanced Energy Materials</i> , 2012 , 2, 410-414 | 21.8 | 228 |
| 13 | Redox-active Fe(CN)(6)(4-)-doped conducting polymers with greatly enhanced capacity as cathode materials for Li-ion batteries. <i>Advanced Materials</i> , 2011 , 23, 4913-7 | 24 | 108 |
| 12 | Facile synthesis and stable lithium storage performances of Sn- sandwiched nanoparticles as a high capacity anode material for rechargeable Li batteries. <i>Journal of Materials Chemistry</i> , 2010 , 20, 7266 | | 55 |
| 11 | Electrochemical properties of nano-crystalline LiNi0.5Mn1.5O4 synthesized by polymer-pyrolysis method. <i>Journal of Solid State Electrochemistry</i> , 2008 , 12, 687-691 | 2.6 | 25 |
| 10 | Enhanced electrochemical performance of submicron LiCoO2 synthesized by polymer pyrolysis method. <i>Journal of Solid State Electrochemistry</i> , 2007 , 12, 149-153 | 2.6 | 14 |
| 9 | Synthesis and electrochemical properties of high-voltage LiNi0.5Mn1.5O4 electrode material for Li-ion batteries by the polymer-pyrolysis method. <i>Journal of Solid State Electrochemistry</i> , 2006 , 10, 283-2 | 287 | 25 |
| 8 | Electrochemical behavior of biphenyl as polymerizable additive for overcharge protection of lithium ion batteries. <i>Electrochimica Acta</i> , 2004 , 49, 4189-4196 | 6.7 | 108 |
| 7 | Surface-Modified Graphite as an Improved Intercalating Anode for Lithium-Ion Batteries. <i>Electrochemical and Solid-State Letters</i> , 2003 , 6, A30 | | 77 |
| 6 | Effects of Anions on the Zinc Electrodeposition onto Glassy-Carbon Electrode. <i>Russian Journal of Electrochemistry</i> , 2002 , 38, 321-325 | 1.2 | 26 |
| 5 | Designing Advanced Electrolytes for Lithium Secondary Batteries Based on the Coordination Number Rule. <i>ACS Energy Letters</i> ,4282-4290 | 20.1 | 16 |
| 4 | Amorphous NaVOPO 4 as a High-Rate and Ultrastable Cathode Material for Sodium-Ion Batteries. <i>CCS Chemistry</i> ,2428-2436 | 7.2 | 16 |
| 3 | An Overall Understanding of Sodium Storage Behaviors in Hard Carbons by an Adsorption-Intercalation/FillingIHybrid Mechanism. <i>Advanced Energy Materials</i> ,2200886 | 21.8 | 15 |
| 2 | A Facile and Efficient Chemical Prelithiation of Graphite for Full Capacity Utilization of Li-Ion Batteries. <i>Energy Technology</i> ,2200269 | 3.5 | |
| 1 | Understanding of the sodium storage mechanism in hard carbon anodes | | 12 |