

Limin Zheng

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6358282/limin-zheng-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

118
papers

7,729
citations

47
h-index

86
g-index

123
ext. papers

9,136
ext. citations

8.4
avg, IF

5.69
L-index

#	Paper	IF	Citations
118	Activated monocytes in peritumoral stroma of hepatocellular carcinoma foster immune privilege and disease progression through PD-L1. <i>Journal of Experimental Medicine</i> , 2009 , 206, 1327-37	16.6	615
117	Identification of miRNomes in human liver and hepatocellular carcinoma reveals miR-199a/b-3p as therapeutic target for hepatocellular carcinoma. <i>Cancer Cell</i> , 2011 , 19, 232-43	24.3	587
116	Increased intratumoral IL-17-producing cells correlate with poor survival in hepatocellular carcinoma patients. <i>Journal of Hepatology</i> , 2009 , 50, 980-9	13.4	396
115	Peritumoral neutrophils link inflammatory response to disease progression by fostering angiogenesis in hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2011 , 54, 948-55	13.4	331
114	Activated monocytes in peritumoral stroma of hepatocellular carcinoma promote expansion of memory T helper 17 cells. <i>Hepatology</i> , 2010 , 51, 154-64	11.2	196
113	A serum microRNA classifier for early detection of hepatocellular carcinoma: a multicentre, retrospective, longitudinal biomarker identification study with a nested case-control study. <i>Lancet Oncology</i> , 2015 , 16, 804-15	21.7	194
112	Tumor-derived hyaluronan induces formation of immunosuppressive macrophages through transient early activation of monocytes. <i>Blood</i> , 2007 , 110, 587-95	2.2	193
111	Increased intratumoral regulatory T cells are related to intratumoral macrophages and poor prognosis in hepatocellular carcinoma patients. <i>International Journal of Cancer</i> , 2009 , 125, 1640-8	7.5	186
110	MicroRNA-99a inhibits hepatocellular carcinoma growth and correlates with prognosis of patients with hepatocellular carcinoma. <i>Journal of Biological Chemistry</i> , 2011 , 286, 36677-85	5.4	186
109	PD-1hi Identifies a Novel Regulatory B-cell Population in Human Hepatoma That Promotes Disease Progression. <i>Cancer Discovery</i> , 2016 , 6, 546-59	24.4	172
108	Mycobacterium tuberculosis promotes apoptosis in human neutrophils by activating caspase-3 and altering expression of Bax/Bcl-xL via an oxygen-dependent pathway. <i>Journal of Immunology</i> , 2002 , 168, 6358-65	5.3	163
107	Monocyte/macrophage-elicited natural killer cell dysfunction in hepatocellular carcinoma is mediated by CD48/2B4 interactions. <i>Hepatology</i> , 2013 , 57, 1107-16	11.2	159
106	MicroRNA-155 regulates inflammatory cytokine production in tumor-associated macrophages via targeting C/EBPbeta. <i>Cellular and Molecular Immunology</i> , 2009 , 6, 343-52	15.4	157
105	High tumor-infiltrating macrophage density predicts poor prognosis in patients with primary hepatocellular carcinoma after resection. <i>Human Pathology</i> , 2009 , 40, 381-9	3.7	157
104	Cathepsin-cleaved Bid promotes apoptosis in human neutrophils via oxidative stress-induced lysosomal membrane permeabilization. <i>Journal of Leukocyte Biology</i> , 2007 , 81, 1213-23	6.5	150
103	Hepatic RIG-I predicts survival and interferon- α therapeutic response in hepatocellular carcinoma. <i>Cancer Cell</i> , 2014 , 25, 49-63	24.3	147
102	Tumor-activated monocytes promote expansion of IL-17-producing CD8+ T cells in hepatocellular carcinoma patients. <i>Journal of Immunology</i> , 2010 , 185, 1544-9	5.3	121

101	Hepatocellular Carcinoma Cell-Secreted Exosomal MicroRNA-210 Promotes Angiogenesis In Vitro and In Vivo. <i>Molecular Therapy - Nucleic Acids</i> , 2018 , 11, 243-252	10.7	118
100	Tumor-induced myeloid-derived suppressor cells promote tumor progression through oxidative metabolism in human colorectal cancer. <i>Journal of Translational Medicine</i> , 2015 , 13, 47	8.5	112
99	Tim-3 expression defines regulatory T cells in human tumors. <i>PLoS ONE</i> , 2013 , 8, e58006	3.7	110
98	Different subsets of tumor infiltrating lymphocytes correlate with NPC progression in different ways. <i>Molecular Cancer</i> , 2010 , 9, 4	42.1	105
97	Pathogen-induced apoptotic neutrophils express heat shock proteins and elicit activation of human macrophages. <i>Journal of Immunology</i> , 2004 , 173, 6319-26	5.3	105
96	Activated CD69+ T cells foster immune privilege by regulating IDO expression in tumor-associated macrophages. <i>Journal of Immunology</i> , 2012 , 188, 1117-24	5.3	103
95	Circulating hematopoietic stem and progenitor cells are myeloid-biased in cancer patients. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 4221-6	11.5	101
94	CD103+ Tumor Infiltrating Lymphocytes Predict a Favorable Prognosis in Urothelial Cell Carcinoma of the Bladder. <i>Journal of Urology</i> , 2015 , 194, 556-62	2.5	92
93	A novel vascular pattern promotes metastasis of hepatocellular carcinoma in an epithelial-mesenchymal transition-independent manner. <i>Hepatology</i> , 2015 , 62, 452-65	11.2	88
92	Association of intra-tumoral infiltrating macrophages and regulatory T cells is an independent prognostic factor in gastric cancer after radical resection. <i>Annals of Surgical Oncology</i> , 2011 , 18, 2585-93 ^{3.1}		79
91	Increased autophagy sustains the survival and pro-tumorigenic effects of neutrophils in human hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2015 , 62, 131-9	13.4	77
90	Transforming growth factor- β -induced epithelial-mesenchymal transition generates ALDH-positive cells with stem cell properties in cholangiocarcinoma. <i>Cancer Letters</i> , 2014 , 354, 320-8	9.9	75
89	Ca ²⁺ signalling mechanisms of the beta 2 integrin on neutrophils: involvement of phospholipase C gamma 2 and Ins(1,4,5)P ₃ . <i>Biochemical Journal</i> , 1996 , 317 (Pt 2), 403-9	3.8	69
88	CXCR2-CXCL1 axis is correlated with neutrophil infiltration and predicts a poor prognosis in hepatocellular carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2015 , 34, 129	12.8	68
87	Spleen mediates a distinct hematopoietic progenitor response supporting tumor-promoting myelopoiesis. <i>Journal of Clinical Investigation</i> , 2018 , 128, 3425-3438	15.9	62
86	p38 Mitogen-activated protein kinase and phosphatidylinositol 3-kinase activities have opposite effects on human neutrophil apoptosis. <i>FASEB Journal</i> , 2002 , 16, 129-31	0.9	61
85	Tumor-educated tolerogenic dendritic cells induce CD3epsilon down-regulation and apoptosis of T cells through oxygen-dependent pathways. <i>Journal of Immunology</i> , 2008 , 181, 3089-98	5.3	59
84	Mycobacterium tuberculosis-induced apoptotic neutrophils trigger a pro-inflammatory response in macrophages through release of heat shock protein 72, acting in synergy with the bacteria. <i>Microbes and Infection</i> , 2008 , 10, 233-40	9.3	58

83	Disruption of epithelial barrier integrity by Salmonella enterica serovar typhimurium requires geranylgeranylated proteins. <i>Infection and Immunity</i> , 2003 , 71, 872-81	3.7	58
82	EZH2 negatively regulates PD-L1 expression in hepatocellular carcinoma 2019 , 7, 300		58
81	Tumor microenvironment macrophage inhibitory factor directs the accumulation of interleukin-17-producing tumor-infiltrating lymphocytes and predicts favorable survival in nasopharyngeal carcinoma patients. <i>Journal of Biological Chemistry</i> , 2012 , 287, 35484-35495	5.4	57
80	Chemokine (C-X-C motif) receptor 3-positive B cells link interleukin-17 inflammation to protumorigenic macrophage polarization in human hepatocellular carcinoma. <i>Hepatology</i> , 2015 , 62, 1779-1790	11.3	55
79	B7-H1-expressing antigen-presenting cells mediate polarization of protumorigenic Th22 subsets. <i>Journal of Clinical Investigation</i> , 2014 , 124, 4657-67	15.9	55
78	Human macrophages promote the motility and invasiveness of osteopontin-knockdown tumor cells. <i>Cancer Research</i> , 2007 , 67, 5141-7	10.1	53
77	Identification of a novel TGF- β miR-122-fibronectin 1/serum response factor signaling cascade and its implication in hepatic fibrogenesis. <i>Oncotarget</i> , 2015 , 6, 12224-33	3.3	53
76	Endothelium-coated tumor clusters are associated with poor prognosis and micrometastasis of hepatocellular carcinoma after resection. <i>Cancer</i> , 2011 , 117, 4878-89	6.4	52
75	Activation of human neutrophils by Mycobacterium tuberculosis H37Ra involves phospholipase C gamma 2, Shc adapter protein, and p38 mitogen-activated protein kinase. <i>Journal of Immunology</i> , 2000 , 164, 959-65	5.3	51
74	Glycolytic activation of peritumoral monocytes fosters immune privilege via the PFKFB3-PD-L1 axis in human hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2019 , 71, 333-343	13.4	49
73	Uropathogenic Escherichia coli triggers oxygen-dependent apoptosis in human neutrophils through the cooperative effect of type 1 fimbriae and lipopolysaccharide. <i>Infection and Immunity</i> , 2004 , 72, 4570-87	3.7	49
72	Expression patterns of programmed death ligand 1 correlate with different microenvironments and patient prognosis in hepatocellular carcinoma. <i>British Journal of Cancer</i> , 2018 , 119, 80-88	8.7	48
71	MicroRNAs miR-125b and miR-100 suppress metastasis of hepatocellular carcinoma by disrupting the formation of vessels that encapsulate tumour clusters. <i>Journal of Pathology</i> , 2016 , 240, 450-460	9.4	47
70	Phase I trial of adoptively transferred tumor-infiltrating lymphocyte immunotherapy following concurrent chemoradiotherapy in patients with locoregionally advanced nasopharyngeal carcinoma. <i>Oncotarget</i> , 2015 , 4, e976507	7.2	45
69	GLUT1 and ASCT2 as Predictors for Prognosis of Hepatocellular Carcinoma. <i>PLoS ONE</i> , 2016 , 11, e0168907	9.7	45
68	Mast cells expressing interleukin 17 in the muscularis propria predict a favorable prognosis in esophageal squamous cell carcinoma. <i>Cancer Immunology, Immunotherapy</i> , 2013 , 62, 1575-85	7.4	44
67	The local immune landscape determines tumor PD-L1 heterogeneity and sensitivity to therapy. <i>Journal of Clinical Investigation</i> , 2019 , 129, 3347-3360	15.9	44
66	Tumour necrosis factor-alpha potentiates CR3-induced respiratory burst by activating p38 MAP kinase in human neutrophils. <i>Immunology</i> , 2001 , 103, 465-72	7.8	39

65	Plasma Cell Polarization to the Immunoglobulin G Phenotype in Hepatocellular Carcinomas Involves Epigenetic Alterations and Promotes Hepatoma Progression in Mice. <i>Gastroenterology</i> , 2019 , 156, 1890-1904.e16	13.3	38
64	Dendritic cell-elicited B-cell activation fosters immune privilege via IL-10 signals in hepatocellular carcinoma. <i>Nature Communications</i> , 2016 , 7, 13453	17.4	38
63	CXCL17 expression predicts poor prognosis and correlates with adverse immune infiltration in hepatocellular carcinoma. <i>PLoS ONE</i> , 2014 , 9, e110064	3.7	38
62	CD169 identifies an anti-tumour macrophage subpopulation in human hepatocellular carcinoma. <i>Journal of Pathology</i> , 2016 , 239, 231-41	9.4	38
61	Increased circulating Th17 cells after transarterial chemoembolization correlate with improved survival in stage III hepatocellular carcinoma: a prospective study. <i>PLoS ONE</i> , 2013 , 8, e60444	3.7	37
60	Distribution, characterization, and induction of CD8+ regulatory T cells and IL-17-producing CD8+ T cells in nasopharyngeal carcinoma. <i>Journal of Translational Medicine</i> , 2011 , 9, 189	8.5	36
59	An in situ molecular signature to predict early recurrence in hepatitis B virus-related hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2012 , 57, 313-21	13.4	35
58	Expression pattern of tumour-associated antigens in hepatocellular carcinoma: association with immune infiltration and disease progression. <i>British Journal of Cancer</i> , 2013 , 109, 1031-9	8.7	35
57	Minicircle-IFN γ induces antiproliferative and antitumoral effects in human nasopharyngeal carcinoma. <i>Clinical Cancer Research</i> , 2006 , 12, 4702-13	12.9	35
56	Differential effects of invasion by and phagocytosis of Salmonella typhimurium on apoptosis in human macrophages: potential role of Rho-GTPases and Akt. <i>Journal of Leukocyte Biology</i> , 2003 , 74, 620-9	6.5	34
55	Peritumoral monocytes induce cancer cell autophagy to facilitate the progression of human hepatocellular carcinoma. <i>Autophagy</i> , 2018 , 14, 1335-1346	10.2	34
54	Polarization of Tissue-Resident TFH-Like Cells in Human Hepatoma Bridges Innate Monocyte Inflammation and M2b Macrophage Polarization. <i>Cancer Discovery</i> , 2016 , 6, 1182-1195	24.4	33
53	Hepatoma cells inhibit the differentiation and maturation of dendritic cells and increase the production of regulatory T cells. <i>Immunology Letters</i> , 2007 , 114, 38-45	4.1	33
52	Induction of cell cycle arrest and apoptosis in human nasopharyngeal carcinoma cells by ZD6474, an inhibitor of VEGFR tyrosine kinase with additional activity against EGFR tyrosine kinase. <i>International Journal of Cancer</i> , 2007 , 121, 2095-104	7.5	32
51	Chemotactic peptide-induced activation of Ras in human neutrophils is associated with inhibition of p120-GAP activity. <i>Journal of Biological Chemistry</i> , 1997 , 272, 23448-54	5.4	31
50	High CD204+ tumor-infiltrating macrophage density predicts a poor prognosis in patients with urothelial cell carcinoma of the bladder. <i>Oncotarget</i> , 2015 , 6, 20204-14	3.3	31
49	Dynamic education of macrophages in different areas of human tumors. <i>Cancer Microenvironment</i> , 2012 , 5, 195-201	6.1	28
48	Vessels That Encapsulate Tumor Clusters (VETC) Pattern Is a Predictor of Sorafenib Benefit in Patients with Hepatocellular Carcinoma. <i>Hepatology</i> , 2019 , 70, 824-839	11.2	28

47	Vascular CXCR4 Expression Promotes Vessel Sprouting and Sensitivity to Sorafenib Treatment in Hepatocellular Carcinoma. <i>Clinical Cancer Research</i> , 2017 , 23, 4482-4492	12.9	27
46	First-in-class immune-modulating small molecule Icaritin in advanced hepatocellular carcinoma: preliminary results of safety, durable survival and immune biomarkers. <i>BMC Cancer</i> , 2019 , 19, 279	4.8	27
45	Leukotriene D4-induced mobilization of intracellular Ca ²⁺ in epithelial cells is critically dependent on activation of the small GTP-binding protein Rho. <i>Biochemical Journal</i> , 1996 , 316 (Pt 1), 239-45	3.8	27
44	Glycolytic activation of monocytes regulates the accumulation and function of neutrophils in human hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2020 , 73, 906-917	13.4	26
43	Immunosuppressive Immature Myeloid Cell Generation Is Controlled by Glutamine Metabolism in Human Cancer. <i>Cancer Immunology Research</i> , 2019 , 7, 1605-1618	12.5	26
42	Activation of Rac2 and Cdc42 on Fc and complement receptor ligation in human neutrophils. <i>Journal of Leukocyte Biology</i> , 2003 , 74, 611-9	6.5	26
41	Distinct patterns and prognostic values of tumor-infiltrating macrophages in hepatocellular carcinoma and gastric cancer. <i>Journal of Translational Medicine</i> , 2017 , 15, 37	8.5	22
40	Metabolic profiling study of early and late recurrence of hepatocellular carcinoma based on liquid chromatography-mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014 , 966, 163-70	3.2	22
39	Clustering of beta(2)-integrins on human neutrophils activates dual signaling pathways to PtdIns 3-kinase. <i>Experimental Cell Research</i> , 2000 , 256, 257-63	4.2	22
38	Monocytes/Macrophages promote vascular CXCR4 expression via the ERK pathway in hepatocellular carcinoma. <i>OncImmunology</i> , 2018 , 7, e1408745	7.2	21
37	MtiBase: a database for decoding microRNA target sites located within CDS and 5'UTR regions from CLIP-Seq and expression profile datasets. <i>Database: the Journal of Biological Databases and Curation</i> , 2015 , 2015,	5	20
36	Myeloid signature reveals immune contexture and predicts the prognosis of hepatocellular carcinoma. <i>Journal of Clinical Investigation</i> , 2020 , 130, 4679-4693	15.9	17
35	Preoperative levels of serum interleukin-6 in patients with hepatocellular carcinoma. <i>Hepato-Gastroenterology</i> , 2011 , 58, 1687-93		17
34	A supercritical-CO ₂ extract of Ganoderma lucidum spores inhibits cholangiocarcinoma cell migration by reversing the epithelial-mesenchymal transition. <i>Phytomedicine</i> , 2016 , 23, 491-7	6.5	17
33	Reprogramming immunosuppressive myeloid cells by activated T cells promotes the response to anti-PD-1 therapy in colorectal cancer. <i>Signal Transduction and Targeted Therapy</i> , 2021 , 6, 4	21	17
32	Generation of Myeloid Cells in Cancer: The Spleen Matters. <i>Frontiers in Immunology</i> , 2020 , 11, 1126	8.4	16
31	MicroRNA-17, 20a regulates the proangiogenic function of tumor-associated macrophages via targeting hypoxia-inducible factor 2 <i>PLoS ONE</i> , 2013 , 8, e77890	3.7	16
30	c-Met identifies a population of matrix metalloproteinase 9-producing monocytes in peritumoural stroma of hepatocellular carcinoma. <i>Journal of Pathology</i> , 2015 , 237, 319-29	9.4	15

29	Mutual Stabilization between TRIM9 Short Isoform and MKK6 Potentiates p38 Signaling to Synergistically Suppress Glioblastoma Progression. <i>Cell Reports</i> , 2018 , 23, 838-851	10.6	14
28	CD169 identifies an activated CD8(+) T cell subset in regional lymph nodes that predicts favorable prognosis in colorectal cancer patients. <i>Onc Immunology</i> , 2016 , 5, e1177690	7.2	13
27	SCC-112 gene is involved in tumor progression and promotes the cell proliferation in G2/M phase. <i>Journal of Cancer Research and Clinical Oncology</i> , 2008 , 134, 453-62	4.9	13
26	Icaritin-induced immunomodulatory efficacy in advanced hepatitis B virus-related hepatocellular carcinoma: Immunodynamic biomarkers and overall survival. <i>Cancer Science</i> , 2020 , 111, 4218-4231	6.9	13
25	Tumor-derived adenosine promotes macrophage proliferation in human hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2021 , 74, 627-637	13.4	13
24	Phosphate ester hydrolysis catalyzed by a dinuclear cobalt(II) complex equipped with intramolecular β -cyclodextrins. <i>Journal of Molecular Catalysis A</i> , 2015 , 396, 346-352		12
23	Lipid extract from completely sporoderm-broken germinating <i>Ganoderma sinensis</i> spores elicits potent antitumor immune responses in human macrophages. <i>Phytotherapy Research</i> , 2009 , 23, 844-50	6.7	12
22	B cells polarize pathogenic inflammatory T helper subsets through ICOSL-dependent glycolysis. <i>Science Advances</i> , 2020 , 6,	14.3	9
21	Tumor-infiltrating macrophages express interleukin-25 and predict a favorable prognosis in patients with gastric cancer after radical resection. <i>Oncotarget</i> , 2016 , 7, 11083-93	3.3	8
20	CD103 tumor-infiltrating lymphocytes predict favorable prognosis in patients with esophageal squamous cell carcinoma. <i>Journal of Cancer</i> , 2019 , 10, 5234-5243	4.5	8
19	Dual and opposing roles of the androgen receptor in VETC-dependent and invasion-dependent metastasis of hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2021 , 75, 900-911	13.4	7
18	Evaluation of the effects of type II radical hysterectomy in the treatment of 960 patients with stage IB-IIIB cervical carcinoma: A retrospective study. <i>Journal of Surgical Oncology</i> , 2011 , 103, 435-41	2.8	6
17	Targeting adenosinergic pathway enhances the anti-tumor efficacy of sorafenib in hepatocellular carcinoma. <i>Hepatology International</i> , 2020 , 14, 80-95	8.8	6
16	Retinoic Acid Synthesis Deficiency Fosters the Generation of Polymorphonuclear Myeloid-Derived Suppressor Cells in Colorectal Cancer. <i>Cancer Immunology Research</i> , 2021 , 9, 20-33	12.5	6
15	Icaritin Induces Anti-tumor Immune Responses in Hepatocellular Carcinoma by Inhibiting Splenic Myeloid-Derived Suppressor Cell Generation. <i>Frontiers in Immunology</i> , 2021 , 12, 609295	8.4	6
14	Glutamine Deprivation Promotes the Generation and Mobilization of MDSCs by Enhancing Expression of G-CSF and GM-CSF. <i>Frontiers in Immunology</i> , 2020 , 11, 616367	8.4	6
13	Immune landscape and therapeutic strategies: new insights into PD-L1 in tumors. <i>Cellular and Molecular Life Sciences</i> , 2021 , 78, 867-887	10.3	5
12	Activation of human dendritic cells by recombinant modified vaccinia virus Ankara vectors encoding survivin and IL-2 genes in vitro. <i>Human Gene Therapy</i> , 2010 , 21, 98-108	4.8	4

11	Proteomics promises a new era of precision cancer medicine. <i>Signal Transduction and Targeted Therapy</i> , 2019 , 4, 13	21	3
10	A pilot study of paclitaxel combined with gemcitabine followed by interleukin-2 and granulocyte macrophage colony-stimulating factor for patients with metastatic melanoma. <i>Cancer Biology and Therapy</i> , 2012 , 13, 1443-8	4.6	3
9	A multicenter, single arm phase II trial of a small molecule immune-modulator icaritin: Safety, overall survival, immune dynamics, and PD-L1 expression in advanced hepatocellular carcinoma.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 4077-4077	2.2	3
8	High S100A9 cell density predicts a poor prognosis in hepatocellular carcinoma patients after curative resection. <i>Aging</i> , 2021 , 13, 16367-16380	5.6	2
7	HHLA2 Expression is Associated with Poor Survival in Patients with Hepatocellular Carcinoma. <i>Biologics: Targets and Therapy</i> , 2021 , 15, 329-341	4.4	2
6	Neutrophil extracellular traps induce tumor metastasis through dual effects on cancer and endothelial cells.. <i>Onc Immunology</i> , 2022 , 11, 2052418	7.2	2
5	CFTR is a negative regulator of T cell IFN- γ production and antitumor immunity. <i>Cellular and Molecular Immunology</i> , 2021 , 18, 1934-1944	15.4	1
4	Optimized Intracellular Staining Reveals Heterogeneous Cytokine Production Ability of Murine and Human Hematopoietic Stem and Progenitor Cells. <i>Frontiers in Immunology</i> , 2021 , 12, 654094	8.4	1
3	Type I IFNs repolarized a CD169 macrophage population with anti-tumor potentials in hepatocellular carcinoma. <i>Molecular Therapy</i> , 2021 ,	11.7	1
2	C-Reactive Protein Is an Indicator of the Immunosuppressive Microenvironment Fostered by Myeloid Cells in Hepatocellular Carcinoma.. <i>Frontiers in Oncology</i> , 2021 , 11, 774823	5.3	0
1	Extract of spores induces cell cycle arrest of hepatoma cell via endoplasmic reticulum stress. <i>Pharmaceutical Biology</i> , 2021 , 59, 704-714	3.8	