

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/6358964/qi-li-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

120  
papers

7,629  
citations

45  
h-index

86  
g-index

138  
ext. papers

9,515  
ext. citations

10.2  
avg, IF

6.3  
L-index

#	Paper	IF	Citations
120	Flexible high-temperature dielectric materials from polymer nanocomposites. <i>Nature</i> , <b>2015</b> , 523, 576-9	50.4	1017
119	Solution-processed ferroelectric terpolymer nanocomposites with high breakdown strength and energy density utilizing boron nitride nanosheets. <i>Energy and Environmental Science</i> , <b>2015</b> , 8, 922-931	35.4	415
118	High energy and power density capacitors from solution-processed ternary ferroelectric polymer nanocomposites. <i>Advanced Materials</i> , <b>2014</b> , 26, 6244-9	24	352
117	High-Temperature Dielectric Materials for Electrical Energy Storage. <i>Annual Review of Materials Research</i> , <b>2018</b> , 48, 219-243	12.8	304
116	Ferroelectric polymer networks with high energy density and improved discharged efficiency for dielectric energy storage. <i>Nature Communications</i> , <b>2013</b> , 4, 2845	17.4	289
115	High-Energy-Density Dielectric Polymer Nanocomposites with Trilayered Architecture. <i>Advanced Functional Materials</i> , <b>2017</b> , 27, 1606292	15.6	232
114	Sandwich-structured polymer nanocomposites with high energy density and great charge-discharge efficiency at elevated temperatures. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2016</b> , 113, 9995-10000	11.5	227
113	Multicomponent Hierarchical Cu-Doped NiCo-LDH/CuO Double Arrays for Ultralong-Life Hybrid Fiber Supercapacitor. <i>Advanced Functional Materials</i> , <b>2019</b> , 29, 1809004	15.6	182
112	Ferroelectric polymer nanocomposites for room-temperature electrocaloric refrigeration. <i>Advanced Materials</i> , <b>2015</b> , 27, 1450-4	24	157
111	High-Performance Polymers Sandwiched with Chemical Vapor Deposited Hexagonal Boron Nitrides as Scalable High-Temperature Dielectric Materials. <i>Advanced Materials</i> , <b>2017</b> , 29, 1701864	24	153
110	Ferroelectric Polymers and Their Energy-Related Applications. <i>Macromolecular Chemistry and Physics</i> , <b>2016</b> , 217, 1228-1244	2.6	146
109	A Scalable, High-Throughput, and Environmentally Benign Approach to Polymer Dielectrics Exhibiting Significantly Improved Capacitive Performance at High Temperatures. <i>Advanced Materials</i> , <b>2018</b> , 30, e1805672	24	145
108	Defect-Rich Soft Carbon Porous Nanosheets for Fast and High-Capacity Sodium-Ion Storage. <i>Advanced Energy Materials</i> , <b>2019</b> , 9, 1803260	21.8	143
107	High-Energy Storage Performance of (Pb <sub>0.87</sub> Ba <sub>0.1</sub> La <sub>0.02</sub> )(Zr <sub>0.68</sub> Sn <sub>0.24</sub> Ti <sub>0.08</sub> )O <sub>3</sub> Antiferroelectric Ceramics Fabricated by the Hot-Press Sintering Method. <i>Journal of the American Ceramic Society</i> , <b>2015</b> , 98, 1175-1181	3.8	137
106	Colossal Room-Temperature Electrocaloric Effect in Ferroelectric Polymer Nanocomposites Using Nanostructured Barium Strontium Titanates. <i>ACS Nano</i> , <b>2015</b> , 9, 7164-74	16.7	131
105	High Energy Density Polymer Dielectrics Interlayered by Assembled Boron Nitride Nanosheets. <i>Advanced Energy Materials</i> , <b>2019</b> , 9, 1901826	21.8	130
104	A Hybrid Material Approach Toward Solution-Processable Dielectrics Exhibiting Enhanced Breakdown Strength and High Energy Density. <i>Advanced Functional Materials</i> , <b>2015</b> , 25, 3505-3513	15.6	129

103	Relaxor ferroelectric-based electrocaloric polymer nanocomposites with a broad operating temperature range and high cooling energy. <i>Advanced Materials</i> , <b>2015</b> , 27, 2236-41	24	115
102	Y doping and grain size co-effects on the electrical energy storage performance of (Pb <sub>0.87</sub> Ba <sub>0.1</sub> La <sub>0.02</sub> ) (Zr <sub>0.65</sub> Sn <sub>0.3</sub> Ti <sub>0.05</sub> )O <sub>3</sub> anti-ferroelectric ceramics. <i>Ceramics International</i> , <b>2014</b> , 40, 5455-5460	5.1	110
101	Poly(methyl methacrylate)/boron nitride nanocomposites with enhanced energy density as high temperature dielectrics. <i>Composites Science and Technology</i> , <b>2017</b> , 142, 139-144	8.6	107
100	Field-dependent charging phenomenon of HVDC spacers based on dominant charge behaviors. <i>Applied Physics Letters</i> , <b>2019</b> , 114, 202904	3.4	107
99	Self-healing of electrical damage in polymers using superparamagnetic nanoparticles. <i>Nature Nanotechnology</i> , <b>2019</b> , 14, 151-155	28.7	104
98	Laser Direct Writing of Ultrahigh Sensitive SiC-Based Strain Sensor Arrays on Elastomer toward Electronic Skins. <i>Advanced Functional Materials</i> , <b>2019</b> , 29, 1806786	15.6	102
97	Polymer/molecular semiconductor all-organic composites for high-temperature dielectric energy storage. <i>Nature Communications</i> , <b>2020</b> , 11, 3919	17.4	97
96	Thickness dependence of the properties of epitaxial MgB <sub>2</sub> thin films grown by hybrid physical-chemical vapor deposition. <i>Applied Physics Letters</i> , <b>2003</b> , 82, 4319-4321	3.4	92
95	Engineering of carbon nanotube/polydimethylsiloxane nanocomposites with enhanced sensitivity for wearable motion sensors. <i>Journal of Materials Chemistry C</i> , <b>2017</b> , 5, 11092-11099	7.1	87
94	Understanding surface charge accumulation and surface flashover on spacers in compressed gas insulation. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2018</b> , 25, 1152-1166	2.3	87
93	Lauric acid/intercalated kaolinite as form-stable phase change material for thermal energy storage. <i>Energy</i> , <b>2014</b> , 76, 385-389	7.9	87
92	Solvent-free fluids based on rhombohedral nanoparticles of calcium carbonate. <i>Journal of the American Chemical Society</i> , <b>2009</b> , 131, 9148-9	16.4	83
91	Toward Wearable Cooling Devices: Highly Flexible Electrocaloric Ba <sub>0.67</sub> Sr <sub>0.33</sub> TiO <sub>3</sub> Nanowire Arrays. <i>Advanced Materials</i> , <b>2016</b> , 28, 4811-6	24	80
90	Property-structure relationship of nanoscale ionic materials based on multiwalled carbon nanotubes. <i>ACS Nano</i> , <b>2010</b> , 4, 5797-806	16.7	78
89	Understanding of Relaxor Ferroelectric Behavior of Poly(vinylidene fluoride-trifluoroethylene-chlorotrifluoroethylene) Terpolymers. <i>Macromolecules</i> , <b>2015</b> , 48, 2731-2739	5.5	72
88	Suppression of energy dissipation and enhancement of breakdown strength in ferroelectric polymer-graphene percolative composites. <i>Journal of Materials Chemistry C</i> , <b>2013</b> , 1, 7034	7.1	71
87	Improved Energy Storage Properties Accompanied by Enhanced Interface Polarization in Annealed Microwave-Sintered BST. <i>Journal of the American Ceramic Society</i> , <b>2015</b> , 98, 3212-3222	3.8	71
86	Interface-modulated nanocomposites based on polypropylene for high-temperature energy storage. <i>Energy Storage Materials</i> , <b>2020</b> , 28, 255-263	19.4	65

85	Novel HVDC Spacers by Adaptively Controlling Surface Charges [Part I: Charge Transport and Control Strategy. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2018</b> , 25, 1238-1247	2.3	64
84	Acid-Interface Engineering of Carbon Nanotube/Elastomers with Enhanced Sensitivity for Stretchable Strain Sensors. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 37760-37766	9.5	60
83	Self-Healable Polymer Nanocomposites Capable of Simultaneously Recovering Multiple Functionalities. <i>Advanced Functional Materials</i> , <b>2016</b> , 26, 3524-3531	15.6	59
82	3.0 V High Energy Density Symmetric Sodium-Ion Battery: NaV(PO) <sub>4</sub>   NaV(PO) <sub>4</sub> . <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 10022-10028	9.5	56
81	Aqueous preparation of polyethylene glycol/sulfonated graphene phase change composite with enhanced thermal performance. <i>Energy Conversion and Management</i> , <b>2013</b> , 75, 482-487	10.6	56
80	Fluxible monodisperse quantum dots with efficient luminescence. <i>Angewandte Chemie - International Edition</i> , <b>2010</b> , 49, 9943-6	16.4	52
79	Charge cluster triggers unpredictable insulation surface flashover in pressurized SF <sub>6</sub> . <i>Journal Physics D: Applied Physics</i> , <b>2021</b> , 54, 015308	3	50
78	Direct Detection of Local Electric Polarization in the Interfacial Region in Ferroelectric Polymer Nanocomposites. <i>Advanced Materials</i> , <b>2019</b> , 31, e1807722	24	47
77	General Oriented Synthesis of Precise Carbon-Confined Nanostructures by Low-Pressure Vapor Superassembly and Controlled Pyrolysis. <i>Nano Letters</i> , <b>2017</b> , 17, 7773-7781	11.5	46
76	Polymer nanocomposites with high energy density and improved charge-discharge efficiency utilizing hierarchically-structured nanofillers. <i>Journal of Materials Chemistry A</i> , <b>2020</b> , 8, 6576-6585	13	44
75	Novel HVDC spacers by adaptively controlling surface charges [part ii: experiment. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2018</b> , 25, 1248-1258	2.3	44
74	Ternary PVDF-based terpolymer nanocomposites with enhanced energy density and high power density. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2018</b> , 109, 597-603	8.4	41
73	High energy density and breakdown strength from $\alpha$ and $\beta$ phases in poly(vinylidene fluoride-co-bromotrifluoroethylene) copolymers. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2014</b> , 6, 18981-8	9.5	40
72	NiO hierarchical hollow nanofibers as high-performance supercapacitor electrodes. <i>RSC Advances</i> , <b>2015</b> , 5, 96205-96212	3.7	39
71	Enhanced pyroelectric properties of porous Ba <sub>0.67</sub> Sr <sub>0.33</sub> TiO <sub>3</sub> ceramics fabricated with carbon nanotubes. <i>Journal of Alloys and Compounds</i> , <b>2015</b> , 636, 93-96	5.7	34
70	Flexible Ionic Diodes for Low-Frequency Mechanical Energy Harvesting. <i>Advanced Energy Materials</i> , <b>2017</b> , 7, 1601983	21.8	33
69	Polypropylene-based ternary nanocomposites for recyclable high-voltage direct-current cable insulation. <i>Composites Science and Technology</i> , <b>2018</b> , 165, 168-174	8.6	31
68	Temperature dependent electrical properties of thermoplastic polypropylene nanocomposites for HVDC cable insulation. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2019</b> , 26, 1596-1604	2.3	31

67	Facile template-free synthesis of uniform carbon-confined V <sub>2</sub> O <sub>3</sub> hollow spheres for stable and fast lithium storage. <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 6220-6224	13	29
66	Novel HVDC spacers by adaptively controlling surface charges [part iii: industrialization prospects. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2018</b> , 25, 1259-1266	2.3	29
65	A binary solvent system for improved liquid phase exfoliation of pristine graphene materials. <i>Carbon</i> , <b>2015</b> , 94, 405-411	10.4	28
64	Autonomous Self-Healing of Electrical Degradation in Dielectric Polymers Using In Situ Electroluminescence. <i>Matter</i> , <b>2020</b> , 2, 451-463	12.7	28
63	Controlling Chain Conformations of High-k Fluoropolymer Dielectrics to Enhance Charge Mobilities in Rubrene Single-Crystal Field-Effect Transistors. <i>Advanced Materials</i> , <b>2016</b> , 28, 10095-10102	24	28
62	Towards multicaloric effect with ferroelectrics. <i>Physical Review B</i> , <b>2016</b> , 94,	3.3	27
61	Wearable Textile-Based Co-Zn Alkaline Microbattery with High Energy Density and Excellent Reliability. <i>Small</i> , <b>2020</b> , 16, e2000293	11	26
60	Fluxible nanoclusters of Fe <sub>3</sub> O <sub>4</sub> nanocrystal-embedded polyaniline by macromolecule-induced self-assembly. <i>Langmuir</i> , <b>2013</b> , 29, 10223-8	4	26
59	Recent Advances in Nanowire-Based, Flexible, Freestanding Electrodes for Energy Storage. <i>Chemistry - A European Journal</i> , <b>2018</b> , 24, 18307-18321	4.8	26
58	Facile preparation and thermal performances of hexadecanol/crosslinked polystyrene core/shell nanocapsules as phase change material. <i>Polymer Composites</i> , <b>2014</b> , 35, 2154-2158	3	25
57	Self-unfolded graphene sheets. <i>Chemistry - A European Journal</i> , <b>2012</b> , 18, 7055-9	4.8	25
56	Design, synthesis and processing of PVDF-based dielectric polymers. <i>IET Nanodielectrics</i> , <b>2018</b> , 1, 80-91	2.8	25
55	Suppression of elevated temperature space charge accumulation in polypropylene/elastomer blends by deep traps induced by surface-modified ZnO nanoparticles. <i>Composites Science and Technology</i> , <b>2017</b> , 153, 103-110	8.6	24
54	A carbon black derivative with liquid behavior. <i>Carbon</i> , <b>2011</b> , 49, 1047-1051	10.4	23
53	Surface-modification effect of MgO nanoparticles on the electrical properties of polypropylene nanocomposite. <i>High Voltage</i> , <b>2020</b> , 5, 249-255	4.1	23
52	Polyoxomolybdate-derived carbon-encapsulated multicomponent electrocatalysts for synergistically boosting hydrogen evolution. <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 17874-17881	13	23
51	The effect of the addition of carbon nanotube fluids to a polymeric matrix to produce simultaneous reinforcement and plasticization. <i>Carbon</i> , <b>2012</b> , 50, 2056-2060	10.4	21
50	Polymer nanocomposites for high-energy-density capacitor dielectrics: Fundamentals and recent progress. <i>IEEE Electrical Insulation Magazine</i> , <b>2020</b> , 36, 7-28	2.1	18

49	Biocompatible and Flexible Hydrogel Diode-Based Mechanical Energy Harvesting. <i>Advanced Materials Technologies</i> , <b>2017</b> , 2, 1700118	6.8	17
48	Synergistic effect of ZnO microspherical varistors and carbon fibers on nonlinear conductivity and mechanical properties of the silicone rubber-based material. <i>Composites Science and Technology</i> , <b>2017</b> , 150, 187-193	8.6	17
47	Synthesis of Sandwich-Like Nanostructure Fillers and Their Use in Different Types of Thermal Composites. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 40694-40703	9.5	16
46	Tuning the potential distribution of AC cable terminals by stress cone of nonlinear conductivity material. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2017</b> , 24, 2686-2693	2.3	16
45	Polymer dielectrics sandwiched by medium-dielectric-constant nanoscale deposition layers for high-temperature capacitive energy storage. <i>Energy Storage Materials</i> , <b>2021</b> , 42, 445-453	19.4	16
44	Self-suspended polyaniline doped with a protonic acid containing a polyethylene glycol segment. <i>Chemistry - an Asian Journal</i> , <b>2011</b> , 6, 2920-4	4.5	15
43	Self-Healing of Electrical Damage in Polymers. <i>Advanced Science</i> , <b>2020</b> , 7, 2002131	13.6	15
42	Effect of Mn <sub>3</sub> O <sub>4</sub> nanoparticle composition and distribution on graphene as a potential hybrid anode material for lithium-ion batteries. <i>RSC Advances</i> , <b>2016</b> , 6, 33022-33030	3.7	14
41	Large energy density in Ba doped Pb <sub>0.97</sub> La <sub>0.02</sub> (Zr <sub>0.65</sub> Sn <sub>0.3</sub> Ti <sub>0.05</sub> )O <sub>3</sub> antiferroelectric ceramics with improved temperature stability. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2017</b> , 24, 744-748	2.3	13
40	Mapping the Space Charge at Nanoscale in Dielectric Polymer Nanocomposites. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 53425-53434	9.5	13
39	Micrometer-Sized Porous Fe N/C Bulk for High-Areal-Capacity and Stable Lithium Storage. <i>Small</i> , <b>2019</b> , 15, e1803572	11	12
38	. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2019</b> , 26, 1253-1260	2.3	11
37	Origins and effects of deep traps in functional group grafted polymeric dielectric materials. <i>Journal Physics D: Applied Physics</i> , <b>2020</b> , 53, 475301	3	11
36	How nonlinear V-I characteristics of single ZnO microvaristor influences the performance of its silicone rubber composite. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2018</b> , 25, 623-630	2.3	10
35	Comparisons of different polypropylene copolymers as potential recyclable HVDC cable insulation materials. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2019</b> , 26, 674-680	2.3	9
34	Globally reinforced mechanical, electrical, and thermal properties of nonlinear conductivity composites by surface treatment of varistor microspheres. <i>Composites Science and Technology</i> , <b>2019</b> , 175, 151-157	8.6	9
33	Self-healing of electrical damage in thermoset polymers via anionic polymerization. <i>Journal of Materials Chemistry C</i> , <b>2020</b> , 8, 6025-6033	7.1	9
32	Defect-targeted self-healing of multiscale damage in polymers. <i>Nanoscale</i> , <b>2020</b> , 12, 3605-3613	7.7	9

31	Multilayered ferroelectric polymer composites with high energy density at elevated temperature. <i>Composites Science and Technology</i> , <b>2021</b> , 202, 108594	8.6	9
30	General and precise carbon confinement of functional nanostructures derived from assembled metal-phenolic networks for enhanced lithium storage. <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 18605-18614	13.14	9
29	Optimal design of high temperature metalized thin-film polymer capacitors: A combined numerical and experimental method. <i>Journal of Power Sources</i> , <b>2017</b> , 357, 149-157	8.9	8
28	Space charge behavior in silicone rubber from in-service aged HVDC composite insulators. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2019</b> , 26, 843-850	2.3	8
27	Nonlinear effective permittivity of field grading composite dielectrics. <i>Journal Physics D: Applied Physics</i> , <b>2018</b> , 51, 075304	3	8
26	Fluxible Monodisperse Quantum Dots with Efficient Luminescence. <i>Angewandte Chemie</i> , <b>2010</b> , 122, 10139-10142	9.14	7
25	Laser Direct Writing of Flexible Sensor Arrays Based on Carbonized Carboxymethylcellulose and Its Composites for Simultaneous Mechanical and Thermal Stimuli Detection. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 10171-10180	9.5	7
24	Different microscopic features of AC and DC electrical trees in insulating polymer. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2018</b> , 25, 2259-2265	2.3	7
23	Self-assembled long-chain organic ion grafted carbon dot ionic nano hybrids with liquid-like behavior and dual luminescence. <i>New Journal of Chemistry</i> , <b>2013</b> , 37, 3857	3.6	6
22	Self-healing of internal damage in mechanically robust polymers utilizing a reversibly convertible molecular network. <i>Journal of Materials Chemistry A</i> , <b>2021</b> , 9, 15975-15984	13	6
21	. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2020</b> , 27, 10-16	2.3	5
20	Solvent-free zirconia nanofluids/silica single-layer multifunctional hybrid coatings. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2015</b> , 464, 26-32	5.1	4
19	Self-suspended polyaniline containing self-dissolved lyotropic liquid crystal with electrical conductivity. <i>Journal of Polymer Science Part A</i> , <b>2016</b> , 54, 3578-3582	2.5	4
18	Highly reflective and adhesive surface of aluminized polyvinyl chloride film by vacuum evaporation. <i>Applied Surface Science</i> , <b>2014</b> , 311, 541-548	6.7	4
17	Luminescence reveals micro discharge as a potential triggering factor for surface flashover. <i>Journal Physics D: Applied Physics</i> , <b>2020</b> , 53, 445103	3	4
16	Electroluminescence and electrical degradation of insulating polymers at electrode interfaces under divergent fields. <i>Journal of Applied Physics</i> , <b>2018</b> , 123, 135106	2.5	3
15	Boron Nitride Nanosheets: High Energy Density Polymer Dielectrics Interlayered by Assembled Boron Nitride Nanosheets (Adv. Energy Mater. 36/2019). <i>Advanced Energy Materials</i> , <b>2019</b> , 9, 1970140	21.8	3
14	Solvent-free Synthesis of Flowable Carbon Clusters with Customizable Size and Tunable Optical Performance. <i>Chinese Journal of Chemistry</i> , <b>2013</b> , 31, 1513-1518	4.9	3

13	Solid-state cooling by elastocaloric polymer with uniform chain-lengths.. <i>Nature Communications</i> , <b>2022</b> , 13, 9	17.4	3
12	Smart dielectric materials for next-generation electrical insulation <b>2022</b> , 1, 19-49		3
11	Polymer Dielectrics: A Scalable, High-Throughput, and Environmentally Benign Approach to Polymer Dielectrics Exhibiting Significantly Improved Capacitive Performance at High Temperatures (Adv. Mater. 49/2018). <i>Advanced Materials</i> , <b>2018</b> , 30, 1870378	24	2
10	MetalSupport Interactions within a Dual-Site Pd/YMn2O5 Catalyst during CH4 Combustion. <i>ACS Catalysis</i> , 4430-4439	13.1	2
9	Dielectric Properties Improvement of Grafting-Modified Polypropylene by Silane for HVDC Cable Insulation. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2021</b> , 28, 2004-2010	2.3	2
8	Space charge behavior in silicone rubber from in-service aged HVDC composite insulators. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2019</b> , 26, 843-850	2.3	1
7	Water Dispersible Graphene Sheets Produced from Unassembled GraphenePolyaniline Nanohybrids. <i>Nano</i> , <b>2015</b> , 10, 1550003	1.1	1
6	Gradient structure design of zinc oxide varistor microsphere composites for efficient electric field grading. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2021</b> , 106731	8.4	1
5	The Dielectric Properties of PP Nanocomposites Doped with Mesoporous Silica Nanoparticles <b>2018</b> ,		1
4	Comparisons of different polypropylene copolymers as potential recyclable HVDC cable insulation materials. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2019</b> , 26, 674-680	2.3	0
3	Ferroelectric Nanocomposites: Direct Detection of Local Electric Polarization in the Interfacial Region in Ferroelectric Polymer Nanocomposites (Adv. Mater. 21/2019). <i>Advanced Materials</i> , <b>2019</b> , 31, 1970154	24	
2	Polymer Dielectrics forFilm Capacitors Applied in HVDC Transmission <b>2021</b> , 607-626		
1	Polymer Nanocomposites for Power Energy Storage <b>2016</b> , 139-163		