

Bradley N. Gaynes

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6359437/bradley-n-gaynes-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

133 papers	4,462 citations	35 h-index	64 g-index
139 ext. papers	5,354 ext. citations	4.9 avg, IF	5.42 L-index

#	Paper	IF	Citations
133	A 7 Year Summary of Emergency Department Visits by Patients With Mental Health Disorders.. <i>Frontiers in Psychiatry</i> , 2022 , 13, 831843	5	1
132	DIP: Natural history model for major depression with incidence and prevalence. <i>Journal of Affective Disorders</i> , 2022 , 296, 498-505	6.6	1
131	Exploring Mental Health and Academic Outcomes of Children Receiving Non-manualized, Transdiagnostic, Task-Shifted Mental Health Care From Their Teachers in a Low-and-Middle Income Country.. <i>Frontiers in Pediatrics</i> , 2022 , 10, 807178	3.4	0
130	Posttraumatic Stress Disorder Symptom Clusters in Surrogate Decision Makers of Patients Experiencing Chronic Critical Illness. 2022 , 4, e0647		3
129	The cost-effectiveness of depression screening for the general adult population.. <i>Journal of Affective Disorders</i> , 2022 , 303, 306-314	6.6	
128	A national study of moral distress among U.S. internal medicine physicians during the COVID-19 pandemic.. <i>PLoS ONE</i> , 2022 , 17, e0268375	3.7	0
127	"Thandi should feel embarrassed": describing the validity and reliability of a tool to measure depression-related stigma among patients with depressive symptoms in Malawi. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 1	4.5	0
126	Impact of patient and clinical characteristics on cognitive changes after allogeneic hematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2021 , 56, 3100-3103	4.4	
125	Validation of screening tools for common mental health disorders in the methadone maintenance population in Hanoi, Vietnam. <i>BMC Psychiatry</i> , 2021 , 21, 488	4.2	1
124	Second-generation antidepressants for treatment of seasonal affective disorder. <i>The Cochrane Library</i> , 2021 , 3, CD008591	5.2	2
123	Examining common mental health disorders in people living with HIV on methadone maintenance therapy in Hanoi, Vietnam. <i>Harm Reduction Journal</i> , 2021 , 18, 45	4.6	2
122	Perceptions, attitudes, and knowledge of teachers serving as mental health lay counselors in a low and middle income country: a mixed methods pragmatic pilot study. <i>International Journal of Mental Health Systems</i> , 2021 , 15, 40	3.6	4
121	Generalized anxiety, depression and posttraumatic stress disorder in a national sample of U.S. internal medicine physicians during the COVID-19 pandemic. <i>General Hospital Psychiatry</i> , 2021 , 71, 142-144	5.6	6
120	The Sub-Saharan Africa Regional Partnership (SHARP) for Mental Health Capacity-Building Scale-Up Trial: Study Design and Protocol. <i>Psychiatric Services</i> , 2021 , 72, 812-821	3.3	2
119	Association Between Depression and HIV Care Engagement Outcomes Among Patients Newly Initiating ART in Lilongwe, Malawi. <i>AIDS and Behavior</i> , 2021 , 25, 826-835	4.3	5
118	Teacher Nomination of School-aged Children for Mental Health Services in a Low and Middle Income Country. <i>Global Health Action</i> , 2021 , 14, 1861921	3	4
117	Lifestyle psychiatry for depression and anxiety: Beyond diet and exercise. <i>Lifestyle Medicine</i> , 2021 , 2, e21	0.7	2

116	Benefits of Electroconvulsive Therapy for Patients With Major Depressive Disorder. <i>JAMA Network Open</i> , 2021 , 4, e2116674	10.4	0
115	A Mixed-Methods Process Evaluation: Integrating Depression Treatment Into HIV Care in Malawi. <i>Global Health, Science and Practice</i> , 2021 , 9, 611-625	2.8	1
114	A proactive consultation-liaison psychiatry implementation framework for the management of medical and surgical inpatients with psychiatric comorbidities. <i>General Hospital Psychiatry</i> , 2021 , 74, 149-149	5.6	1
113	Psychometric performance of the perceived stigma of substance abuse scale (PSAS) among patients on methadone maintenance therapy in Vietnam. <i>Drug and Alcohol Dependence</i> , 2021 , 226, 108831	4.9	1
112	Teacher and caregiver perceptions of family engagement in teacher-led task-shifted child mental health care in a low-and-middle-income country.. <i>Global Public Health</i> , 2021 , 1-16	3.5	1
111	The Potential Emergence of "Education as Mental Health Therapy" as a Feasible Form of Teacher-Delivered Child Mental Health Care in a Low and Middle Income Country: A Mixed Methods Pragmatic Pilot Study.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 790536	5	1
110	The role of patient-provider communication: a qualitative study of patient attitudes regarding co-occurring depression and chronic diseases in Malawi. <i>BMC Psychiatry</i> , 2020 , 20, 243	4.2	4
109	The impact of an integrated depression and HIV treatment program on mental health and HIV care outcomes among people newly initiating antiretroviral therapy in Malawi. <i>PLoS ONE</i> , 2020 , 15, e0231872	3.7	12
108	A systematic review of validated screening tools for anxiety disorders and PTSD in low to middle income countries. <i>BMC Psychiatry</i> , 2020 , 20, 338	4.2	28
107	Effect of the Patient-Centered Medical Home on Racial Disparities in Quality of Care. <i>Journal of General Internal Medicine</i> , 2020 , 35, 2304-2313	4	3
106	Additional Considerations for Screening and Treatment of Depression in Patients With Acute Coronary Syndrome. <i>JAMA Internal Medicine</i> , 2020 , 180, 473	11.5	1
105	Associations between prostate cancer-related anxiety and health-related quality of life. <i>Cancer Medicine</i> , 2020 , 9, 4467-4473	4.8	7
104	Defining treatment-resistant depression. <i>Depression and Anxiety</i> , 2020 , 37, 134-145	8.4	65
103	The AURORA Study: a longitudinal, multimodal library of brain biology and function after traumatic stress exposure. <i>Molecular Psychiatry</i> , 2020 , 25, 283-296	15.1	38
102	Harmonized Outcome Measures for Use in Depression Patient Registries and Clinical Practice. <i>Annals of Internal Medicine</i> , 2020 , 172, 803-809	8	7
101	The NIMH global mental health research community and COVID-19. <i>Lancet Psychiatry</i> , 2020 , 7, 834-836	3.3	8
100	The opioid and related drug epidemics in rural Appalachia: A systematic review of populations affected, risk factors, and infectious diseases. <i>Substance Abuse</i> , 2020 , 41, 35-69	3.8	14
99	Longitudinal Analysis of Depressive Symptoms, Perceived Social Support, and Alcohol Use among HIV-Infected Men Who Inject Drugs in Northern Vietnam. <i>Substance Use and Misuse</i> , 2020 , 55, 1237-1245	2.2	4

98	Burn recidivism: a 10-year retrospective study characterizing patients with repeated burn injuries at a large tertiary referral burn center in the United States. <i>Burns and Trauma</i> , 2019 , 7, 9	5.3	3
97	Interventions to Prevent Perinatal Depression: Evidence Report and Systematic Review for the US Preventive Services Task Force. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 321, 588-601	27.4	100
96	Depressive Symptoms and Engagement in Human Immunodeficiency Virus Care Following Antiretroviral Therapy Initiation. <i>Clinical Infectious Diseases</i> , 2019 , 68, 475-481	11.6	17
95	The Role of Depression Screening and Treatment in Achieving the UNAIDS 90-90-90 Goals in Sub-Saharan Africa. <i>AIDS and Behavior</i> , 2019 , 23, 153-161	4.3	13
94	Psychiatric Comorbidity of Unipolar Mood, Anxiety, and Trauma Disorders Prior to HIV Testing and the Effect on Linkage to Care Among HIV-Infected Adults in South Africa. <i>AIDS and Behavior</i> , 2019 , 23, 3444-3451	4.3	1
93	Incident Substance Use Disorder Following Anxiety Disorder in Privately Insured Youth. <i>Journal of Adolescent Health</i> , 2019 , 65, 536-542	5.8	2
92	The effectiveness of depression management for improving HIV care outcomes in Malawi: protocol for a quasi-experimental study. <i>BMC Public Health</i> , 2019 , 19, 827	4.1	5
91	How faithfully do HIV clinicians administer the PHQ-9 depression screening tool in high-volume, low-resource clinics? Results from a depression treatment integration project in Malawi. <i>Global Mental Health (Cambridge, England)</i> , 2019 , 6, e21	3.9	2
90	Vagus nerve stimulation (VNS) therapy in patients with treatment resistant depression: A systematic review and meta-analysis. <i>Comprehensive Psychiatry</i> , 2019 , 98, 152156	7.3	35
89	Perceived need, barriers to and facilitators of mental health care among HIV-infected PWID in Hanoi, Vietnam: a qualitative study. <i>Harm Reduction Journal</i> , 2019 , 16, 74	4.6	9
88	Psychotherapy Claims Surrounding Pharmacotherapy Initiation in Children and Adolescents with Anxiety Disorders. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2019 , 29, 100-106	2.9	3
87	Incidence of mental health hospitalizations, treated self-harm, and emergency room visits following new anxiety disorder diagnoses in privately insured U.S. children. <i>Depression and Anxiety</i> , 2019 , 36, 179-189	8.4	6
86	The Depression Treatment Cascade: Disparities by Alcohol Use, Drug Use, and Panic Symptoms Among Patients in Routine HIV Care in the United States. <i>AIDS and Behavior</i> , 2019 , 23, 592-601	4.3	9
85	Association of Increased Chronicity of Depression With HIV Appointment Attendance, Treatment Failure, and Mortality Among HIV-Infected Adults in the United States. <i>JAMA Psychiatry</i> , 2018 , 75, 379-385	14.5	58
84	Examining Parental Medication Adherence as a Predictor of Child Medication Adherence in Pediatric Anxiety Disorders. <i>Medical Care</i> , 2018 , 56, 510-519	3.1	4
83	Patient-Centered Values and Experiences with Emergency Department and Mental Health Crisis Care. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2018 , 45, 611-622	3.1	20
82	Measurement of depression treatment among patients receiving HIV primary care: Whither the truth?. <i>Journal of Affective Disorders</i> , 2018 , 230, 50-55	6.6	3
81	Knowledge, attitudes and practices regarding depression among primary health care providers in Fako division, Cameroon. <i>BMC Psychiatry</i> , 2018 , 18, 66	4.2	14

80	Trajectories of Depressive Symptoms Among a Population of HIV-Infected Men and Women in Routine HIV Care in the United States. <i>AIDS and Behavior</i> , 2018 , 22, 3176-3187	4.3	12
79	Treating Pediatric Anxiety: Initial Use of SSRIs and Other Antianxiety Prescription Medications. <i>Journal of Clinical Psychiatry</i> , 2018 , 79,	4.6	16
78	Prevalence and correlates of probable depression diagnosis and suicidal ideation among patients receiving HIV care in Lilongwe, Malawi. <i>Malawi Medical Journal</i> , 2018 , 30, 236-242	1.2	8
77	Prevalence and correlates of probable depression and post-traumatic stress disorder among female sex workers in Lilongwe, Malawi. <i>International Journal of Mental Health and Addiction</i> , 2018 , 16, 150-163	8.8	8
76	Probable antenatal depression at antiretroviral initiation and postpartum viral suppression and engagement in care. <i>Aids</i> , 2018 , 32, 2827-2833	3.5	4
75	Integrating depression management into HIV primary care in central Malawi: the implementation of a pilot capacity building program. <i>BMC Health Services Research</i> , 2018 , 18, 593	2.9	20
74	Prevalence and incidence of probable perinatal depression among women enrolled in Option B+ antenatal HIV care in Malawi. <i>Journal of Affective Disorders</i> , 2018 , 239, 115-122	6.6	8
73	Preventing and De-escalating Aggressive Behavior Among Adult Psychiatric Patients: A Systematic Review of the Evidence. <i>Psychiatric Services</i> , 2017 , 68, 819-831	3.3	40
72	Simultaneous Antidepressant and Benzodiazepine New Use and Subsequent Long-term Benzodiazepine Use in Adults With Depression, United States, 2001-2014. <i>JAMA Psychiatry</i> , 2017 , 74, 747-755	14.5	40
71	Stressful and traumatic life events as disruptors to antiretroviral therapy adherence. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2017 , 29, 1378-1385	2.2	6
70	Pharmacological and non-pharmacological treatments for major depressive disorder: review of systematic reviews. <i>BMJ Open</i> , 2017 , 7, e014912	3	56
69	Quality improvement, implementation, and dissemination strategies to improve mental health care for children and adolescents: a systematic review. <i>Implementation Science</i> , 2017 , 12, 93	8.4	24
68	Comparative Benefits and Harms of Complementary and Alternative Medicine Therapies for Initial Treatment of Major Depressive Disorder: Systematic Review and Meta-Analysis. <i>Journal of Alternative and Complementary Medicine</i> , 2017 , 23, 907-919	2.4	15
67	Mind the Gap: Gaps in Antidepressant Treatment, Treatment Adjustments, and Outcomes among Patients in Routine HIV Care in a Multisite U.S. Clinical Cohort. <i>PLoS ONE</i> , 2017 , 12, e0166435	3.7	17
66	Dr Cox and Colleagues Reply. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, 612	4.6	
65	AuthorsReply to Glzschke and Hamilton. <i>BMJ, The</i> , 2016 , 352, i617	5.9	
64	Role of Mediators in Reducing Antepartum Depressive Symptoms in Rural Low-Income Women Receiving a Culturally Tailored Cognitive Behavioral Intervention. <i>Issues in Mental Health Nursing</i> , 2016 , 37, 811-819	1.5	2
63	Predictors of depression recovery in HIV-infected individuals managed through measurement-based care in infectious disease clinics. <i>Journal of Affective Disorders</i> , 2016 , 192, 153-61	6.6	9

62	Ongoing life stressors and suicidal ideation among HIV-infected adults with depression. <i>Journal of Affective Disorders</i> , 2016 , 190, 322-328	6.6	14
61	Improvements in Depression and Changes in Fatigue: Results from the SLAM DUNC Depression Treatment Trial. <i>AIDS and Behavior</i> , 2016 , 20, 235-42	4.3	9
60	Disparities in Depressive Symptoms and Antidepressant Treatment by Gender and Race/Ethnicity among People Living with HIV in the United States. <i>PLoS ONE</i> , 2016 , 11, e0160738	3.7	30
59	The Perinatal Depression Treatment Cascade: Baby Steps Toward Improving Outcomes. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, 1189-1200	4.6	114
58	An observational study of pharmacological treatment in primary care of children with ADHD in the United Kingdom. <i>Psychiatric Services</i> , 2015 , 66, 617-24	3.3	20
57	Psychiatric comorbidity in depressed HIV-infected individuals: common and clinically consequential. <i>General Hospital Psychiatry</i> , 2015 , 37, 277-82	5.6	26
56	Comparative benefits and harms of second generation antidepressants and cognitive behavioral therapies in initial treatment of major depressive disorder: systematic review and meta-analysis. <i>BMJ, The</i> , 2015 , 351, h6019	5.9	98
55	Changes in HIV Outcomes Following Depression Care in a Resource-Limited Setting: Results from a Pilot Study in Bamenda, Cameroon. <i>PLoS ONE</i> , 2015 , 10, e0140001	3.7	31
54	Major Depressive Disorder in the Primary Care Setting: Strategies to Achieve Remission and Recovery. <i>Journal of Family Practice</i> , 2015 , 64, S4-S15	0.2	4
53	Feasibility, safety, acceptability, and preliminary efficacy of measurement-based care depression treatment for HIV patients in Bamenda, Cameroon. <i>AIDS and Behavior</i> , 2014 , 18, 1142-51	4.3	30
52	Attention-deficit/hyperactivity disorder: identifying high priority future research needs. <i>Journal of Psychiatric Practice</i> , 2014 , 20, 104-17	1.3	8
51	Implementation of PHQ-9 depression screening for HIV-infected patients in a real-world setting. <i>Journal of the Association of Nurses in AIDS Care</i> , 2014 , 25, 243-52	1.6	11
50	Repetitive transcranial magnetic stimulation for treatment-resistant depression: a systematic review and meta-analysis. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, 477-89; quiz 489	4.6	183
49	Prevalence, characteristics and correlates of a positive-dementia screen in patients on antiretroviral therapy in Bamenda, Cameroon: a cross-sectional study. <i>BMC Neurology</i> , 2013 , 13, 86	3.1	22
48	Physical activity during pregnancy and postpartum depressive symptoms. <i>Midwifery</i> , 2013 , 29, 139-47	2.8	13
47	Confounding control in a nonexperimental study of STAR*D data: logistic regression balanced covariates better than boosted CART. <i>Annals of Epidemiology</i> , 2013 , 23, 204-9	6.4	5
46	Stimulant treatment and injury among children with attention deficit hyperactivity disorder: an application of the self-controlled case series study design. <i>Injury Prevention</i> , 2013 , 19, 164-70	3.2	31
45	Providers' attitudes towards treating depression and self-reported depression treatment practices in HIV outpatient care. <i>AIDS Patient Care and STDs</i> , 2013 , 27, 171-80	5.8	15

44	Investigating differences in treatment effect estimates between propensity score matching and weighting: a demonstration using STAR*D trial data. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 138-44	2.6	11
43	Assessing the effect of Measurement-Based Care depression treatment on HIV medication adherence and health outcomes: rationale and design of the SLAM DUNC Study. <i>Contemporary Clinical Trials</i> , 2012 , 33, 828-38	2.3	28
42	Evaluating the Association of Initial Benzodiazepine Use and Antidepressant Adherence among Adults with Anxiety Disorders. <i>Journal of Experimental and Clinical Medicine</i> , 2012 , 4, 338-344		1
41	The depression treatment cascade in primary care: a public health perspective. <i>Current Psychiatry Reports</i> , 2012 , 14, 328-35	9.1	76
40	Effect of concurrent substance use disorder on the effectiveness of single and combination antidepressant medications for the treatment of major depression: an exploratory analysis of a single-blind randomized trial. <i>Depression and Anxiety</i> , 2012 , 29, 111-22	8.4	13
39	Comparative effectiveness of second-generation antidepressants for accompanying anxiety, insomnia, and pain in depressed patients: a systematic review. <i>Depression and Anxiety</i> , 2012 , 29, 495-505	8.4	43
38	The association between antidepressant dosage titration and medication adherence among patients with depression. <i>Depression and Anxiety</i> , 2012 , 29, 506-14	8.4	15
37	Treating depression after initial treatment failure: directly comparing switch and augmenting strategies in STAR*D. <i>Journal of Clinical Psychopharmacology</i> , 2012 , 32, 114-9	1.7	56
36	Treatment use and costs among privately insured youths with diagnoses of bipolar disorder. <i>Psychiatric Services</i> , 2012 , 63, 1019-25	3.3	16
35	Treating depression within the HIV "medical home": a guided algorithm for antidepressant management by HIV clinicians. <i>AIDS Patient Care and STDs</i> , 2012 , 26, 647-54	5.8	35
34	Correlates and outcomes of depressed out-patients with greater and fewer anxious symptoms: a CO-MED report. <i>International Journal of Neuropsychopharmacology</i> , 2012 , 15, 1387-99	5.8	18
33	Evaluation of the Menopause-Specific Quality of Life Questionnaire: a factor-analytic approach. <i>Menopause</i> , 2012 , 19, 211-5	2.5	16
32	Prevalence and predictors of major depression in HIV-infected patients on antiretroviral therapy in Bamenda, a semi-urban center in Cameroon. <i>PLoS ONE</i> , 2012 , 7, e41699	3.7	35
31	Physical activity and depressive symptoms among pregnant women: the PIN3 study. <i>Archives of Women's Mental Health</i> , 2011 , 14, 145-57	5	35
30	Does the presence of accompanying symptom clusters differentiate the comparative effectiveness of second-line medication strategies for treating depression?. <i>Depression and Anxiety</i> , 2011 , 28, 989-98	8.4	9
29	Deployment and mental health diagnoses among children of US Army personnel. <i>JAMA Pediatrics</i> , 2011 , 165, 999-1005		94
28	Associations between physical activity and postpartum depressive symptoms. <i>Journal of Women's Health</i> , 2011 , 20, 1025-34	3	14
27	Feasibility and diagnostic validity of the M-3 checklist: a brief, self-rated screen for depressive, bipolar, anxiety, and post-traumatic stress disorders in primary care. <i>Annals of Family Medicine</i> , 2010 , 8, 160-9	2.9	59

26	Second-generation antidepressants for seasonal affective disorder (SAD) 2010 ,		1
25	Prescription refill records as a screening tool to identify antidepressant non-adherence. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 33-7	2.6	31
24	The adverse effects of comorbid pain on depression outcomes in primary care patients: results from the ARTIST trial. <i>Pain Medicine</i> , 2010 , 11, 732-41	2.8	42
23	What did STAR*D teach us? Results from a large-scale, practical, clinical trial for patients with depression. <i>Psychiatric Services</i> , 2009 , 60, 1439-45	3.3	368
22	Effectiveness Study of Venlafaxine-XR Combined with Aripiprazole for Chronic or Recurrent Major Depressive Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009 , 43, 956-967	2.6	8
21	Depression, sexually transmitted infection, and sexual risk behavior among young adults in the United States. <i>JAMA Pediatrics</i> , 2009 , 163, 644-52		96
20	Diagnostic accuracy of Spanish language depression-screening instruments. <i>Annals of Family Medicine</i> , 2009 , 7, 455-62	2.9	56
19	STAR*D: revising conventional wisdom. <i>CNS Drugs</i> , 2009 , 23, 627-47	6.7	172
18	Prevalence estimation and validation of new instruments in psychiatric research: an application of latent class analysis and sensitivity analysis. <i>Psychological Assessment</i> , 2009 , 21, 235-9	5.3	8
17	Depression affects adherence measurement but not the effectiveness of an adherence intervention in heart failure patients. <i>Journal of the American Pharmacists Association: JAPhA</i> , 2009 , 49, 760-8	1.7	18
16	Identifying difficult-to-treat depression: differential diagnosis, subtypes, and comorbidities. <i>Journal of Clinical Psychiatry</i> , 2009 , 70 Suppl 6, 10-5	4.6	24
15	An open pilot study of the combination of escitalopram and bupropion-SR for outpatients with major depressive disorder. <i>Journal of Psychiatric Practice</i> , 2008 , 14, 271-80	1.3	34
14	Prevalence and comorbidity of psychiatric diagnoses based on reference standard in an HIV+ patient population. <i>Psychosomatic Medicine</i> , 2008 , 70, 505-11	3.7	77
13	Primary versus specialty care outcomes for depressed outpatients managed with measurement-based care: results from STAR*D. <i>Journal of General Internal Medicine</i> , 2008 , 23, 551-60	4	74
12	The STAR*D study: treating depression in the real world. <i>Cleveland Clinic Journal of Medicine</i> , 2008 , 75, 57-66	2.8	117
11	Generalist care managers for the treatment of depressed medicaid patients in North Carolina: a pilot study. <i>BMC Family Practice</i> , 2007 , 8, 7	2.6	20
10	Light therapy and fluoxetine similarly effective for improving seasonal affective disorder. <i>Evidence-Based Mental Health</i> , 2007 , 10, 26	11.1	1
9	Psychiatric illness and virologic response in patients initiating highly active antiretroviral therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2007 , 44, 159-66	3.1	160

8	Major depression symptoms in primary care and psychiatric care settings: a cross-sectional analysis. <i>Annals of Family Medicine</i> , 2007 , 5, 126-34	2.9	79
7	Prevalence of DSM-IV-defined mood, anxiety, and substance use disorders in an HIV clinic in the Southeastern United States. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2006 , 42, 298-306	3.1	178
6	Validation of a brief screening instrument for substance abuse and mental illness in HIV-positive patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2005 , 40, 434-44	3.1	41
5	A direct comparison of presenting characteristics of depressed outpatients from primary vs. specialty care settings: preliminary findings from the STAR*D clinical trial. <i>General Hospital Psychiatry</i> , 2005 , 27, 87-96	5.6	56
4	Depression and health-related quality of life. <i>Journal of Nervous and Mental Disease</i> , 2002 , 190, 799-806	1.8	107
3	Screening for depression in adults: a summary of the evidence for the U.S. Preventive Services Task Force. <i>Annals of Internal Medicine</i> , 2002 , 136, 765-76	8	599
2	The role of psychosocial factors in irritable bowel syndrome. <i>Baillieres Best Practice and Research in Clinical Gastroenterology</i> , 1999 , 13, 437-52	2.5	37
1	A Systematic Review of Validated Screening Tools for Anxiety Disorders and PTSD in Low to Middle Income Countries		2