

JosÃ© MarÃ­a Kenny

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/636056/publications.pdf>

Version: 2024-02-01

670
papers

37,579
citations

2213

99
h-index

6831

155
g-index

700
all docs

700
docs citations

700
times ranked

29985
citing authors

#	ARTICLE	IF	CITATIONS
1	Production of nanocrystalline cellulose from lignocellulosic biomass: Technology and applications. Carbohydrate Polymers, 2013, 94, 154-169.	5.1	918
2	Biodegradable polymer matrix nanocomposites for tissue engineering: A review. Polymer Degradation and Stability, 2010, 95, 2126-2146.	2.7	823
3	Thermal and mechanical properties of single-walled carbon nanotubes/polypropylene composites prepared by melt processing. Carbon, 2005, 43, 1499-1505.	5.4	586
4	Multifunctional bionanocomposite films of poly(lactic acid), cellulose nanocrystals and silver nanoparticles. Carbohydrate Polymers, 2012, 87, 1596-1605.	5.1	538
5	Multifunctional nanostructured PLA materials for packaging and tissue engineering. Progress in Polymer Science, 2013, 38, 1720-1747.	11.8	527
6	Sensors for sub-ppm NO ₂ gas detection based on carbon nanotube thin films. Applied Physics Letters, 2003, 82, 961-963.	1.5	480
7	Morphological, thermal and mechanical characterization of okra (<i>Abelmoschus esculentus</i>) fibres as potential reinforcement in polymer composites. Composites Science and Technology, 2010, 70, 116-122.	3.8	447
8	Effects of modified cellulose nanocrystals on the barrier and migration properties of PLA nano-biocomposites. Carbohydrate Polymers, 2012, 90, 948-956.	5.1	420
9	Physical, structural and antimicrobial properties of poly vinyl alcohol/chitosan biodegradable films. Food Hydrocolloids, 2014, 35, 463-470.	5.6	393
10	The Alpha Magnetic Spectrometer (AMS) on the International Space Station: Part I results from the test flight on the space shuttle. Physics Reports, 2002, 366, 331-405.	10.3	366
11	Science and technology of polymeric ablative materials for thermal protection systems and propulsion devices: A review. Progress in Materials Science, 2016, 84, 192-275.	16.0	313
12	Antioxidant and antibacterial lignin nanoparticles in polyvinyl alcohol/chitosan films for active packaging. Industrial Crops and Products, 2016, 94, 800-811.	2.5	307
13	A Review on Natural Fibre-Based Composites-Part II. Journal of Natural Fibers, 2005, 1, 23-65.	1.7	301
14	A Review on Natural Fibre-Based Composites-Part I. Journal of Natural Fibers, 2004, 1, 37-68.	1.7	298
15	Effect of nanoparticles on heat capacity of nanofluids based on molten salts as PCM for thermal energy storage. Nanoscale Research Letters, 2013, 8, 448.	3.1	291
16	Bionanocomposite films based on plasticized PLA/PHB/cellulose nanocrystal blends. Carbohydrate Polymers, 2015, 121, 265-275.	5.1	276
17	Recent Advances in Clay/Polymer Nanocomposites. Advanced Materials, 2011, 23, 5229-5236.	11.1	262
18	Investigations on scalable fabrication procedures for self-sensing carbon nanotube cement-matrix composites for SHM applications. Cement and Concrete Composites, 2016, 65, 200-213.	4.6	252

#	ARTICLE	IF	CITATIONS
19	Multifunctional PLA-PHB/cellulose nanocrystal films: Processing, structural and thermal properties. Carbohydrate Polymers, 2014, 107, 16-24.	5.1	250
20	PLA-PHB/cellulose based films: Mechanical, barrier and disintegration properties. Polymer Degradation and Stability, 2014, 107, 139-149.	2.7	243
21	Cosmic protons. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 490, 27-35.	1.5	242
22	Polyvinyl alcohol/chitosan hydrogels with enhanced antioxidant and antibacterial properties induced by lignin nanoparticles. Carbohydrate Polymers, 2018, 181, 275-284.	5.1	228
23	Leptons in near earth orbit. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 484, 10-22.	1.5	224
24	Design of biodegradable blends based on PLA and PCL: From morphological, thermal and mechanical studies to shape memory behavior. Polymer Degradation and Stability, 2016, 132, 97-108.	2.7	222
25	NO ₂ and CO gas adsorption on carbon nanotubes: Experiment and theory. Journal of Chemical Physics, 2003, 119, 10904-10910.	1.2	221
26	Valorization of Acid Isolated High Yield Lignin Nanoparticles as Innovative Antioxidant/Antimicrobial Organic Materials. ACS Sustainable Chemistry and Engineering, 2018, 6, 3502-3514.	3.2	214
27	Synergic effect of cellulose and lignin nanostructures in PLA based systems for food antibacterial packaging. European Polymer Journal, 2016, 79, 1-12.	2.6	212
28	Morphological characterization of single-walled carbon nanotubes-PP composites. Composites Science and Technology, 2003, 63, 1149-1153.	3.8	200
29	Microstructure and nonisothermal cold crystallization of PLA composites based on silver nanoparticles and nanocrystalline cellulose. Polymer Degradation and Stability, 2012, 97, 2027-2036.	2.7	193
30	Combined effects of cellulose nanocrystals and silver nanoparticles on the barrier and migration properties of PLA nano-biocomposites. Journal of Food Engineering, 2013, 118, 117-124.	2.7	192
31	Processing of nanostructured polymers and advanced polymeric based nanocomposites. Materials Science and Engineering Reports, 2014, 85, 1-46.	14.8	190
32	Production and characterization of PLA/PBS biodegradable blends reinforced with cellulose nanocrystals extracted from hemp fibres. Industrial Crops and Products, 2016, 93, 276-289.	2.5	186
33	Effect of chemical treatments on the mechanical and thermal behaviour of okra (Abelmoschus) Tj ETQq1 1 0.784314 rgBT /Overlock 10 3.8 183	3.8	183
34	Stem cell-biomaterial interactions for regenerative medicine. Biotechnology Advances, 2012, 30, 338-351.	6.0	179
35	Effects of chitosan on the physicochemical and antimicrobial properties of PLA films. Journal of Food Engineering, 2013, 119, 236-243.	2.7	176
36	Structure and properties of biodegradable wheat gluten bionanocomposites containing lignin nanoparticles. Industrial Crops and Products, 2015, 74, 348-356.	2.5	174

#	ARTICLE	IF	CITATIONS
37	Binary PVA bio-nanocomposites containing cellulose nanocrystals extracted from different natural sources: Part I. Carbohydrate Polymers, 2013, 97, 825-836.	5.1	169
38	Morphology and properties tuning of PLA/cellulose nanocrystals bio-nanocomposites by means of reactive functionalization and blending with PVAc. Polymer, 2014, 55, 3720-3728.	1.8	168
39	Processing and characterization of plasticized PLA/PHB blends for biodegradable multiphase systems. EXPRESS Polymer Letters, 2015, 9, 583-596.	1.1	168
40	PLLA-grafted cellulose nanocrystals: Role of the CNC content and grafting on the PLA bionanocomposite film properties. Carbohydrate Polymers, 2016, 142, 105-113.	5.1	167
41	Processing of PLA nanocomposites with cellulose nanocrystals extracted from Posidonia oceanica waste: Innovative reuse of coastal plant. Industrial Crops and Products, 2015, 67, 439-447.	2.5	165
42	NO ₂ gas sensitivity of carbon nanotubes obtained by plasma enhanced chemical vapor deposition. Sensors and Actuators B: Chemical, 2003, 93, 333-337.	4.0	164
43	Nano-biocomposite films with modified cellulose nanocrystals and synthesized silver nanoparticles. Carbohydrate Polymers, 2014, 101, 1122-1133.	5.1	161
44	Effect of cellulose and lignin on disintegration, antimicrobial and antioxidant properties of PLA active films. International Journal of Biological Macromolecules, 2016, 89, 360-368.	3.6	161
45	Investigation of thermo-mechanical, chemical and degradative properties of PLA-limonene films reinforced with cellulose nanocrystals extracted from Phormium tenax leaves. European Polymer Journal, 2014, 56, 77-91.	2.6	159
46	Properties and ageing behaviour of pea starch films as affected by blend with poly(vinyl alcohol). Food Hydrocolloids, 2015, 48, 84-93.	5.6	156
47	Cavitation wear behaviour of austenitic stainless steels with different grain sizes. Wear, 2005, 258, 503-510.	1.5	155
48	Crystallization and Melting Behavior of Poly(3-butylthiophene), Poly(3-octylthiophene), and Poly(3-dodecylthiophene). Macromolecules, 2005, 38, 409-415.	2.2	155
49	Mechanical characterisation of hybrid composite laminates based on basalt fibres in combination with flax, hemp and glass fibres manufactured by vacuum infusion. Materials & Design, 2013, 49, 728-735.	5.1	154
50	Plasma Fluorination of Chemically Derived Graphene Sheets and Subsequent Modification With Butylamine. Chemistry of Materials, 2009, 21, 3433-3438.	3.2	151
51	The principles of dielectric measurements for in situ monitoring of composite processing. Composites Science and Technology, 1993, 49, 277-290.	3.8	150
52	Effect of processing conditions and lignin content on thermal, mechanical and degradative behavior of lignin nanoparticles/poly(lactic acid) bionanocomposites prepared by melt extrusion and solvent casting. European Polymer Journal, 2015, 71, 126-139.	2.6	150
53	Development of flexible materials based on plasticized electrospun PLA/PHB blends: Structural, thermal, mechanical and disintegration properties. European Polymer Journal, 2015, 73, 433-446.	2.6	147
54	Highly sensitive and selective sensors based on carbon nanotubes thin films for molecular detection. Diamond and Related Materials, 2004, 13, 1301-1305.	1.8	146

#	ARTICLE	IF	CITATIONS
55	Helium in near Earth orbit. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 494, 193-202.	1.5	145
56	Title is missing!. Journal of Materials Science, 2002, 37, 4561-4565.	1.7	144
57	Ablative properties of carbon black and MWNT/phenolic composites: A comparative study. Composites Part A: Applied Science and Manufacturing, 2012, 43, 174-182.	3.8	143
58	Morphology and electrical properties of grapheneâ€“epoxy nanocomposites obtained by different solvent assisted processing methods. Composites Part A: Applied Science and Manufacturing, 2013, 46, 166-172.	3.8	143
59	The Interaction of Bacteria with Engineered Nanostructured Polymeric Materials: A Review. Scientific World Journal, The, 2014, 2014, 1-18.	0.8	141
60	Analysis of the cure reaction of carbon nanotubes/epoxy resin composites through thermal analysis and Raman spectroscopy. Journal of Applied Polymer Science, 2003, 88, 452-458.	1.3	137
61	Synthesis and characterization of PCLâ€“PLLA polyurethane with shape memory behavior. European Polymer Journal, 2013, 49, 893-903.	2.6	137
62	Impact and post-impact damage characterisation of hybrid composite laminates based on basalt fibres in combination with flax, hemp and glass fibres manufactured by vacuum infusion. Composites Part B: Engineering, 2015, 69, 507-515.	5.9	135
63	Dynamic mechanical and Raman spectroscopy studies on interaction between single-walled carbon nanotubes and natural rubber. Journal of Applied Polymer Science, 2004, 92, 3394-3400.	1.3	134
64	Dynamics in Polymerâ€“Silicate Nanocomposites As Studied by Dielectric Relaxation Spectroscopy and Dynamic Mechanical Spectroscopy. Macromolecules, 2006, 39, 2172-2182.	2.2	134
65	Effect of temperature and nanoparticle type on hydrolytic degradation of poly(lactic acid) nanocomposites. Polymer Degradation and Stability, 2011, 96, 2120-2129.	2.7	133
66	Determination of autocatalytic kinetic model parameters describing thermoset cure. Journal of Applied Polymer Science, 1994, 51, 761-764.	1.3	132
67	Degradation behaviour of a composite material for thermal protection systems Part Iâ€“Experimental characterization. Journal of Materials Science, 1998, 33, 3137-3143.	1.7	132
68	Physical and mechanical behavior of single-walled carbon nanotube/polypropylene/ethylene-propylene-diene rubber nanocomposites. Journal of Applied Polymer Science, 2003, 89, 2657-2663.	1.3	132
69	Sensors for inorganic vapor detection based on carbon nanotubes and poly(o-anisidine) nanocomposite material. Chemical Physics Letters, 2004, 383, 617-622.	1.2	132
70	Development and thermal behaviour of ternary PLA matrix composites. Polymer Degradation and Stability, 2010, 95, 2200-2206.	2.7	132
71	Sensitivity to NO ₂ and cross-sensitivity analysis to NH ₃ , ethanol and humidity of carbon nanotubes thin film prepared by PECVD. Sensors and Actuators B: Chemical, 2003, 95, 195-202.	4.0	130
72	Cellulose nanocrystals extracted from okra fibers in PVA nanocomposites. Journal of Applied Polymer Science, 2013, 128, 3220-3230.	1.3	130

#	ARTICLE	IF	CITATIONS
73	Effects of single-walled carbon nanotubes on the crystallization behavior of polypropylene. <i>Journal of Applied Polymer Science</i> , 2003, 87, 708-713.	1.3	128
74	Mechanical characterization of polypropylene-wood flour composites. <i>Journal of Applied Polymer Science</i> , 2003, 88, 1420-1428.	1.3	128
75	The alignment of single walled carbon nanotubes in an epoxy resin by applying a DC electric field. <i>Carbon</i> , 2012, 50, 2453-2464.	5.4	127
76	Flax fiber surface modifications: Effects on fiber physico mechanical and flax/polypropylene interface properties. <i>Polymer Composites</i> , 2005, 26, 324-332.	2.3	126
77	PVA bio-nanocomposites: A new take-off using cellulose nanocrystals and PLGA nanoparticles. <i>Carbohydrate Polymers</i> , 2014, 99, 47-58.	5.1	126
78	Carbon nanotubes as new materials for gas sensing applications. <i>Journal of the European Ceramic Society</i> , 2004, 24, 1405-1408.	2.8	125
79	Role of defects on the gas sensing properties of carbon nanotubes thin films: experiment and theory. <i>Chemical Physics Letters</i> , 2004, 387, 356-361.	1.2	121
80	Synergistic Effect of Halloysite and Cellulose Nanocrystals on the Functional Properties of PVA Based Nanocomposites. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 794-800.	3.2	120
81	Poly(lactic acid)/lignin films with enhanced toughness and anti-oxidation performance for active food packaging. <i>International Journal of Biological Macromolecules</i> , 2020, 144, 102-110.	3.6	119
82	Effects of single-walled carbon nanotube incorporation on the cure reaction of epoxy resin and its detection by Raman spectroscopy. <i>Diamond and Related Materials</i> , 2003, 12, 827-832.	1.8	118
83	A systematic investigation on the influence of the chemical treatment of natural fibers on the properties of their polymer matrix composites. <i>Polymer Composites</i> , 2004, 25, 470-479.	2.3	115
84	Effect of silver nanoparticles and cellulose nanocrystals on electrospun poly(lactic) acid mats: Morphology, thermal properties and mechanical behavior. <i>Carbohydrate Polymers</i> , 2014, 103, 22-31.	5.1	114
85	Bio- and Fossil-Based Polymeric Blends and Nanocomposites for Packaging: Structure-Property Relationship. <i>Materials</i> , 2019, 12, 471.	1.3	113
86	Cellulose nanocrystal based multifunctional nanohybrids. <i>Progress in Materials Science</i> , 2020, 112, 100668.	16.0	113
87	Biodegradable electrospun bionanocomposite fibers based on plasticized PLA-PHB blends reinforced with cellulose nanocrystals. <i>Industrial Crops and Products</i> , 2016, 93, 290-301.	2.5	112
88	A New Phase Change Material Based on Potassium Nitrate with Silica and Alumina Nanoparticles for Thermal Energy Storage. <i>Nanoscale Research Letters</i> , 2015, 10, 984.	3.1	111
89	A novel method to prepare conductive nanocrystalline cellulose/graphene oxide composite films. <i>Materials Letters</i> , 2013, 105, 4-7.	1.3	110
90	Impact testing and simulation of composite sandwich structures for civil transportation. <i>Composite Structures</i> , 2000, 50, 257-267.	3.1	108

#	ARTICLE	IF	CITATIONS
91	Novel Anthracene-Core Molecule for the Development of Efficient PCBM-Based Solar Cells. <i>Chemistry of Materials</i> , 2008, 20, 32-34.	3.2	107
92	Thermal and dynamic mechanical characterization of polypropylene-woodflour composites. <i>Polymer Engineering and Science</i> , 2002, 42, 733-742.	1.5	106
93	Bagasse Fiber-Polypropylene Based Composites. <i>Journal of Thermoplastic Composite Materials</i> , 1999, 12, 477-497.	2.6	105
94	Effects of the grain size on the corrosion behavior of refined AISI 304 austenitic stainless steels. <i>Journal of Materials Science Letters</i> , 2002, 21, 1631-1634.	0.5	105
95	Grain refinement strengthening of a micro-crystalline high nitrogen austenitic stainless steel. <i>Materials Letters</i> , 2003, 57, 1830-1834.	1.3	104
96	Poly(lactic acid)/natural rubber/cellulose nanocrystal bionanocomposites Part I. Processing and morphology. <i>Carbohydrate Polymers</i> , 2013, 96, 611-620.	5.1	104
97	Heat capacity of nanofluids for solar energy storage produced by dispersing oxide nanoparticles in nitrate salt mixture directly at high temperature. <i>Solar Energy Materials and Solar Cells</i> , 2017, 167, 60-69.	3.0	103
98	A model for the thermal and chemorheological behavior of thermoset processing: (II) Unsaturated polyester based composites. <i>Composites Science and Technology</i> , 1990, 38, 339-358.	3.8	102
99	Effects of carbon nanotubes on the crystallization behavior of polypropylene. <i>Polymer Engineering and Science</i> , 2004, 44, 303-311.	1.5	102
100	Thermal, antioxidant and swelling behaviour of transparent polyvinyl (alcohol) films in presence of hydrophobic citric acid-modified lignin nanoparticles. <i>International Journal of Biological Macromolecules</i> , 2019, 127, 665-676.	3.6	100
101	Cure kinetics of neat and carbon-fiber-reinforced TGDDM/DDS epoxy systems. <i>Journal of Applied Polymer Science</i> , 1996, 61, 1025-1037.	1.3	99
102	Effect of Chemical Treatment on the Mechanical Properties of Starch-Based Blends Reinforced with Sisal Fibre. <i>Journal of Composite Materials</i> , 2004, 38, 1387-1399.	1.2	99
103	Use of butylamine modified graphene sheets in polymer solar cells. <i>Journal of Materials Chemistry</i> , 2010, 20, 995-1000.	6.7	99
104	Elastomer/thermoplastic modified epoxy nanocomposites: The hybrid effect of μm and nm scale. <i>Materials Science and Engineering Reports</i> , 2017, 116, 1-29.	14.8	99
105	Characterization of Composites Based on Natural and Glass Fibers Obtained by Vacuum Infusion. <i>Journal of Composite Materials</i> , 2005, 39, 265-282.	1.2	98
106	Extraction of Cellulose Nanocrystals from Phormium tenax Fibres. <i>Journal of Polymers and the Environment</i> , 2013, 21, 319-328.	2.4	98
107	Enhancement of mechanical properties and interfacial adhesion of PP/EPDM/flax fiber composites using maleic anhydride as a compatibilizer. <i>Journal of Applied Polymer Science</i> , 2003, 90, 2170-2178.	1.3	96
108	Curing kinetics and chemorheology of epoxy/anhydride system. <i>Journal of Applied Polymer Science</i> , 2003, 90, 3012-3019.	1.3	96

#	ARTICLE	IF	CITATIONS
109	Effect of organically modified nanoclay on the miscibility, rheology, morphology and properties of epoxy/carboxyl-terminated (butadiene-co-acrylonitrile) blend. <i>Soft Matter</i> , 2013, 9, 2899.	1.2	96
110	Grain size dependence of the fatigue behaviour of a ultrafine-grained AISI 304 stainless steel. <i>Materials Letters</i> , 2003, 57, 3182-3185.	1.3	95
111	Stimuli Responsive Hydrogels Prepared by Frontal Polymerization. <i>Biomacromolecules</i> , 2009, 10, 2672-2677.	2.6	95
112	Effect of the molecular weight on the crystallinity of PCL-b-PLLA di-block copolymers. <i>Polymer</i> , 2012, 53, 4561-4568.	1.8	95
113	The role of irreversible and reversible phenomena in the piezoresistive behavior of graphene epoxy nanocomposites applied to structural health monitoring. <i>Composites Science and Technology</i> , 2013, 80, 73-79.	3.8	95
114	Study of disintegrability in compost and enzymatic degradation of PLA and PLA nanocomposites reinforced with cellulose nanocrystals extracted from <i>Posidonia Oceanica</i> . <i>Polymer Degradation and Stability</i> , 2015, 121, 105-115.	2.7	95
115	Poly(lactic acid)/natural rubber/cellulose nanocrystal bionanocomposites. Part II: Properties evaluation. <i>Carbohydrate Polymers</i> , 2013, 96, 621-627.	5.1	94
116	Revalorization of sunflower stalks as novel sources of cellulose nanofibrils and nanocrystals and their effect on wheat gluten bionanocomposite properties. <i>Carbohydrate Polymers</i> , 2016, 149, 357-368.	5.1	94
117	Multifunctional lignin-based nanocomposites and nanohybrids. <i>Green Chemistry</i> , 2021, 23, 6698-6760.	4.6	93
118	Sidewall functionalization of single-walled carbon nanotubes through CF ₄ plasma treatment and subsequent reaction with aliphatic amines. <i>Chemical Physics Letters</i> , 2005, 403, 385-389.	1.2	92
119	Relationship between processing and properties of biodegradable composites based on PCL/starch matrix and sisal fibers. <i>Polymer Composites</i> , 2001, 22, 104-110.	2.3	91
120	Simple citric acid-catalyzed surface esterification of cellulose nanocrystals. <i>Carbohydrate Polymers</i> , 2017, 157, 1358-1364.	5.1	91
121	Development of ultra fine grain structure by martensitic reversion in stainless steel. <i>Journal of Materials Science Letters</i> , 2002, 21, 751-753.	0.5	90
122	Optimized extraction of cellulose nanocrystals from pristine and carded hemp fibres. <i>Industrial Crops and Products</i> , 2014, 56, 175-186.	2.5	90
123	Reactive compatibilization of plant polysaccharides and biobased polymers: Review on current strategies, expectations and reality. <i>Carbohydrate Polymers</i> , 2019, 209, 20-37.	5.1	89
124	Tuning Multi/Pluri-Potent Stem Cell Fate by Electrospun Poly(lactic acid)-Ca	2.6	88
125	Processing of edible films based on nanoreinforced gelatinized starch. <i>Polymer Degradation and Stability</i> , 2016, 132, 157-168.	2.7	88
126	New multifunctional poly(lactide acid) composites: Mechanical, antibacterial, and degradation properties. <i>Journal of Applied Polymer Science</i> , 2012, 124, 87-98.	1.3	87

#	ARTICLE	IF	CITATIONS
127	Bio-based PLA-PHB plasticized blend films: Processing and structural characterization. LWT - Food Science and Technology, 2015, 64, 980-988.	2.5	87
128	Protocol for nonisothermal cure analysis of thermoset composites. Progress in Organic Coatings, 2019, 131, 333-339.	1.9	87
129	A model for the thermal and chemorheological behavior of thermosets. I: Processing of epoxy-based composites. Polymer Engineering and Science, 1989, 29, 973-983.	1.5	85
130	Effects of grain size on the properties of a low nickel austenitic stainless steel. Journal of Materials Science, 2003, 38, 4725-4733.	1.7	84
131	Effect of lignin nanoparticles and masterbatch procedures on the final properties of glycidyl methacrylate-g-poly (lactic acid) films before and after accelerated UV weathering. Industrial Crops and Products, 2015, 77, 833-844.	2.5	84
132	Effects of reinforcing fibers on the crystallization of polypropylene. Polymer Engineering and Science, 2000, 40, 2194-2204.	1.5	83
133	Reversible oxidation effects on carbon nanotubes thin films for gas sensing applications. Materials Science and Engineering C, 2003, 23, 523-529.	3.8	83
134	EPDM based heat shielding materials for Solid Rocket Motors: A comparative study of different fibrous reinforcements. Polymer Degradation and Stability, 2013, 98, 2131-2139.	2.7	83
135	Role of lignin nanoparticles in UV resistance, thermal and mechanical performance of PMMA nanocomposites prepared by a combined free-radical graft polymerization/masterbatch procedure. Composites Part A: Applied Science and Manufacturing, 2018, 107, 61-69.	3.8	83
136	Nanocomposites Based on Biodegradable Polymers. Materials, 2018, 11, 795.	1.3	83
137	Relationship between water absorption and dielectric behaviour of natural fibre composite materials. Polymer Testing, 2006, 25, 181-187.	2.3	82
138	Electrospinning of biodegradable polylactide/hydroxyapatite nanofibers: Study on the morphology, crystallinity structure and thermal stability. Polymer Degradation and Stability, 2012, 97, 2052-2059.	2.7	82
139	Preparation and properties of adhesives based on phenolic resin containing lignin micro and nanoparticles: A comparative study. Materials and Design, 2019, 161, 55-63.	3.3	82
140	Effect of Cellulose Nanocrystals and Lignin Nanoparticles on Mechanical, Antioxidant and Water Vapour Barrier Properties of Glutaraldehyde Crosslinked PVA Films. Polymers, 2020, 12, 1364.	2.0	82
141	Dielectric behavior of epoxy matrix/single-walled carbon nanotube composites. Composites Science and Technology, 2004, 64, 23-33.	3.8	81
142	Effect of chitosan and catechin addition on the structural, thermal, mechanical and disintegration properties of plasticized electrospun PLA-PHB biocomposites. Polymer Degradation and Stability, 2016, 132, 145-156.	2.7	81
143	Effect of the addition of polyester-grafted-cellulose nanocrystals on the shape memory properties of biodegradable PLA/PCL nanocomposites. Polymer Degradation and Stability, 2018, 152, 126-138.	2.7	81
144	Lignocellulosic nanostructures as reinforcement in extruded and solvent casted polymeric nanocomposites: an overview. European Polymer Journal, 2016, 80, 295-316.	2.6	80

#	ARTICLE	IF	CITATIONS
145	Valorization and extraction of cellulose nanocrystals from North African grass: <i>Ampelodesmos mauritanicus</i> (Diss). <i>Carbohydrate Polymers</i> , 2019, 209, 328-337.	5.1	77
146	Rheology of particle suspensions in viscoelastic media. Wood flour-polypropylene melt. <i>Rheologica Acta</i> , 2004, 43, 293-303.	1.1	76
147	A nanostructured ablative bulk molding compound: Development and characterization. <i>Composites Part A: Applied Science and Manufacturing</i> , 2011, 42, 1197-1204.	3.8	76
148	Carbon nanotubes and silver nanoparticles for multifunctional conductive biopolymer composites. <i>Carbon</i> , 2011, 49, 2370-2379.	5.4	76
149	In situ real-time monitoring of epoxy/amine kinetics by remote near infrared spectroscopy. <i>Polymers for Advanced Technologies</i> , 1996, 7, 1-16.	1.6	75
150	Use of alginate, chitosan and cellulose nanocrystals as emulsion stabilizers in the synthesis of biodegradable polymeric nanoparticles. <i>Journal of Colloid and Interface Science</i> , 2015, 445, 31-39.	5.0	75
151	Crystallization kinetics of poly(phenylene sulfide) (PPS) and PPS/carbon fiber composites. <i>Polymer Engineering and Science</i> , 1991, 31, 607-614.	1.5	74
152	Mechanical properties of polypropylene matrix composites reinforced with natural fibers: A statistical approach. <i>Polymer Composites</i> , 2004, 25, 26-36.	2.3	74
153	Effects of carbon nanotubes (CNTs) on the processing and in-vitro degradation of poly(dl-lactide-co-glycolide)/CNT films. <i>Journal of Materials Science: Materials in Medicine</i> , 2008, 19, 2377-2387.	1.7	73
154	Deposition of amino-functionalized polyhedral oligomeric silsesquioxanes on graphene oxide sheets immobilized onto an amino-silane modified silicon surface. <i>Journal of Materials Chemistry</i> , 2012, 22, 6213.	6.7	73
155	Solidification mode and residual ferrite in low-Ni austenitic stainless steels. <i>Journal of Materials Science</i> , 2000, 35, 375-380.	1.7	72
156	Effects of oxygen annealing on gas sensing properties of carbon nanotube thin films. <i>Thin Solid Films</i> , 2003, 436, 95-100.	0.8	72
157	Dynamics of amine functionalized nanotubes/epoxy composites by dielectric relaxation spectroscopy. <i>Carbon</i> , 2004, 42, 323-329.	5.4	72
158	Towards materials with enhanced electro-mechanical response: CaCu ₃ Ti ₄ O ₁₂ â€“polydimethylsiloxane composites. <i>Journal of Materials Chemistry</i> , 2012, 22, 24705.	6.7	72
159	Functional Properties of Plasticized Bio-Based Poly(Lactic Acid)_Poly(Hydroxybutyrate) (PLA_PHB) Films for Active Food Packaging. <i>Food and Bioprocess Technology</i> , 2017, 10, 770-780.	2.6	72
160	Citric Acid as Green Modifier for Tuned Hydrophilicity of Surface Modified Cellulose and Lignin Nanoparticles. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 9966-9978.	3.2	72
161	Electrospun poly(Î¼-caprolactone)/Ca-deficient hydroxyapatite nanohybrids: Microstructure, mechanical properties and cell response by murine embryonic stem cells. <i>Materials Science and Engineering C</i> , 2009, 29, 2063-2071.	3.8	71
162	Gallic Acid and Quercetin as Intelligent and Active Ingredients in Poly(vinyl alcohol) Films for Food Packaging. <i>Polymers</i> , 2019, 11, 1999.	2.0	71

#	ARTICLE	IF	CITATIONS
163	Melt free radical grafting of glycidyl methacrylate (GMA) onto fully biodegradable poly(lactic) acid films: effect of cellulose nanocrystals and a masterbatch process. RSC Advances, 2015, 5, 32350-32357.	1.7	69
164	Poly(lactic acid) melt-spun fibers reinforced with functionalized cellulose nanocrystals. RSC Advances, 2016, 6, 9221-9231.	1.7	69
165	Isothermal and dynamic reaction kinetics of high performance epoxy matrices. Polymer Engineering and Science, 1991, 31, 1426-1433.	1.5	68
166	Processing, properties and stability of biodegradable composites based on Mater-Bi® and cellulose fibres. Polymers for Advanced Technologies, 2003, 14, 749-756.	1.6	68
167	Development of high nitrogen, low nickel, 18%Cr austenitic stainless steels. Journal of Materials Science, 2000, 35, 4803-4808.	1.7	66
168	Thermally-activated shape memory behaviour of bionanocomposites reinforced with cellulose nanocrystals. Cellulose, 2014, 21, 4231-4246.	2.4	65
169	Microstructure and ablation behavior of an affordable and reliable nanostructured Phenolic Impregnated Carbon Ablator (PICA). Polymer Degradation and Stability, 2017, 141, 84-96.	2.7	65
170	Poly(N-vinylcaprolactam) nanocomposites containing nanocrystalline cellulose: a green approach to thermoresponsive hydrogels. Cellulose, 2013, 20, 2393-2402.	2.4	64
171	Effects of the nanoparticles on the thermal expansion and mechanical properties of unsaturated polyester/clay nanocomposites. Composites Part A: Applied Science and Manufacturing, 2013, 45, 44-48.	3.8	64
172	The Opportunity of Valorizing Agricultural Waste, Through Its Conversion into Biostimulants, Biofertilizers, and Biopolymers. Sustainability, 2021, 13, 2710.	1.6	64
173	Synthesis and characterization of epoxy resin-montmorillonite nanocomposites obtained by frontal polymerization. Journal of Polymer Science Part A, 2007, 45, 2204-2211.	2.5	63
174	Title is missing!. Journal of Materials Science, 2000, 35, 4563-4566.	1.7	62
175	Thermally-activated shape memory effect on biodegradable nanocomposites based on PLA/PCL blend reinforced with hydroxyapatite. Polymer Degradation and Stability, 2018, 151, 36-51.	2.7	62
176	Modification of fluorinated single-walled carbon nanotubes with aminosilane molecules. Carbon, 2006, 44, 2196-2201.	5.4	61
177	Electrical characteristics of carbon nanotube-doped composites. Physics-Uspexhi, 2015, 58, 209-251.	0.8	61
178	Molecular dynamics simulations of uniaxial deformation of thermoplastic polyimides. Soft Matter, 2016, 12, 3972-3981.	1.2	61
179	Micropatterned hydrogenated amorphous carbon guides mesenchymal stem cells towards neuronal differentiation. , 2010, 20, 231-244.		61
180	Experimental study and finite element analysis of the elastic instability of composite lattice structures for aeronautic applications. Composite Structures, 2007, 78, 519-528.	3.1	60

#	ARTICLE	IF	CITATIONS
181	Influence of thymol and silver nanoparticles on the degradation of poly(lactic acid) based nanocomposites: Thermal and morphological properties. <i>Polymer Degradation and Stability</i> , 2014, 108, 158-165.	2.7	60
182	Cure kinetics of epoxy/MWCNTs nanocomposites: Isothermal calorimetric and rheological analyses. <i>Progress in Organic Coatings</i> , 2017, 108, 75-83.	1.9	60
183	Enhancing the Radical Scavenging Activity and UV Resistance of Lignin Nanoparticles via Surface Mannich Amination toward a Biobased Antioxidant. <i>Biomacromolecules</i> , 2021, 22, 2693-2701.	2.6	60
184	Effect of cellulose nanocrystals on the properties of pea starchâ€“poly(vinyl alcohol) blend films. <i>Journal of Materials Science</i> , 2015, 50, 6979-6992.	1.7	59
185	Electrodeposition of transparent and conducting graphene/carbon nanotube thin films. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2010, 207, 2461-2466.	0.8	58
186	Biodegradable electrospun PLA-PHB fibers plasticized with oligomeric lactic acid. <i>Polymer Degradation and Stability</i> , 2020, 179, 109226.	2.7	58
187	Hydrogenated Amorphous Carbon Nanopatterned Film Designs Drive Human Bone Marrow Mesenchymal Stem Cell Cytoskeleton Architecture. <i>Tissue Engineering - Part A</i> , 2009, 15, 3139-3149.	1.6	57
188	Dynamic mechanical properties of oil palm microfibrilâ€“reinforced natural rubber composites. <i>Journal of Applied Polymer Science</i> , 2010, 117, 1298-1308.	1.3	57
189	Effect of alkali and silane treatments on mechanical and thermal behavior of Phormium tenax fibers. <i>Fibers and Polymers</i> , 2013, 14, 423-427.	1.1	57
190	Effect of Wollastonite on the ablation resistance of EPDM based elastomeric heat shielding materials for solid rocket motors. <i>Polymer Degradation and Stability</i> , 2016, 130, 47-57.	2.7	57
191	Degradation behaviour of a composite material for thermal protection systemsPart II Process simulation. <i>Journal of Materials Science</i> , 1998, 33, 3145-3149.	1.7	56
192	Title is missing!. <i>Journal of Materials Science Letters</i> , 2002, 21, 1969-1971.	0.5	56
193	Use of plasma fluorinated single-walled carbon nanotubes for the preparation of nanocomposites with epoxy matrix. <i>Composites Science and Technology</i> , 2008, 68, 1008-1014.	3.8	56
194	Poly(<i>N,N</i> -dimethylacrylamide) hydrogels obtained by frontal polymerization. <i>Journal of Polymer Science Part A</i> , 2009, 47, 1422-1428.	2.5	56
195	Nanostructured starch combined with hydroxytyrosol in poly(vinyl alcohol) based ternary films as active packaging system. <i>Carbohydrate Polymers</i> , 2018, 193, 239-248.	5.1	56
196	Creep behavior of biocomposites based on sisal fiber reinforced cellulose derivatives/starch blends. <i>Polymer Composites</i> , 2004, 25, 280-288.	2.3	55
197	Morphological and Mechanical Characterization of Nanostructured Thermosets from Epoxy and Styrene- <i>b</i> -Butadiene- <i>b</i> -Styrene Triblock Copolymer. <i>Industrial & Engineering Chemistry Research</i> , 2013, 52, 9121-9129.	1.8	55
198	Biowaste chicken eggshell powder as a potential cure modifier for epoxy/anhydride systems: competitiveness with terpolymer-modified calcium carbonate at low loading levels. <i>RSC Advances</i> , 2017, 7, 2218-2230.	1.7	55

#	ARTICLE	IF	CITATIONS
199	Processing Conditions, Thermal and Mechanical Responses of Stretchable Poly (Lactic Acid)/Poly (Butylene Succinate) Films. <i>Materials</i> , 2017, 10, 809.	1.3	55
200	Pulsed PECVD deposition of diamond-like carbon films. <i>Diamond and Related Materials</i> , 2002, 11, 1047-1052.	1.8	54
201	Reaction-Induced Phase Separation and Thermomechanical Properties in Epoxidized Styrene- <i>block</i> -butadiene- <i>block</i> -styrene Triblock Copolymer Modified Epoxy/DDM System. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 6941-6950.	1.8	54
202	Characterization and disintegrability under composting conditions of PLA-based nanocomposite films with thymol and silver nanoparticles. <i>Polymer Degradation and Stability</i> , 2016, 132, 2-10.	2.7	54
203	Principal features of structural relaxation in glassy polymers. A Review. <i>Polymer Engineering and Science</i> , 1994, 34, 381-389.	1.5	53
204	A comparative evaluation of crashworthy composite sandwich structures. <i>Composite Structures</i> , 2007, 78, 34-44.	3.1	53
205	In situ production of high filler content graphene-based polymer nanocomposites by reactive processing. <i>Journal of Materials Chemistry</i> , 2011, 21, 16544.	6.7	53
206	Ternary PVA nanocomposites containing cellulose nanocrystals from different sources and silver particles: Part II. <i>Carbohydrate Polymers</i> , 2013, 97, 837-848.	5.1	53
207	Thermal degradation of recycled polypropylene toughened with elastomers. <i>Polymer Degradation and Stability</i> , 2003, 82, 279-290.	2.7	52
208	Structure-Properties Relationship of Short Jute Fiber-reinforced Polypropylene Composites. <i>Journal of Composite Materials</i> , 2005, 39, 51-65.	1.2	52
209	Combined Effects of Ag Nanoparticles and Oxygen Plasma Treatment on PLGA Morphological, Chemical, and Antibacterial Properties. <i>Biomacromolecules</i> , 2013, 14, 626-636.	2.6	52
210	Membrane Made of Cellulose Acetate with Polyacrylic Acid Reinforced with Carbon Nanotubes and Its Applicability for Chromium Removal. <i>International Journal of Polymer Science</i> , 2015, 2015, 1-12.	1.2	52
211	Synergic Effect of Nanolignin and Metal Oxide Nanoparticles into Poly(<i>l</i> -lactide) Bionanocomposites: Material Properties, Antioxidant Activity, and Antibacterial Performance. <i>ACS Applied Bio Materials</i> , 2020, 3, 5263-5274.	2.3	52
212	Biodegradable polycaprolactone-based composites reinforced with ramie and borassus fibres. <i>Composite Structures</i> , 2017, 167, 20-29.	3.1	51
213	UV Protective, Antioxidant, Antibacterial and Compostable Polylactic Acid Composites Containing Pristine and Chemically Modified Lignin Nanoparticles. <i>Molecules</i> , 2021, 26, 126.	1.7	51
214	Formation of carbon nanotubes by plasma enhanced chemical vapor deposition: Role of nitrogen and catalyst layer thickness. <i>Journal of Applied Physics</i> , 2002, 92, 6188-6194.	1.1	50
215	PLGA/Ag nanocomposites: in vitro degradation study and silver ion release. <i>Journal of Materials Science: Materials in Medicine</i> , 2011, 22, 2735-2744.	1.7	50
216	Carbon nanofibers for strain and impact damage sensing in glass fiber reinforced composites based on an unsaturated polyester resin. <i>Polymer Composites</i> , 2011, 32, 766-775.	2.3	50

#	ARTICLE	IF	CITATIONS
217	Structure, gas-barrier properties and overall migration of poly(lactic acid) films coated with hydrogenated amorphous carbon layers. <i>Carbon</i> , 2013, 63, 274-282.	5.4	50
218	Correlation between dielectric and chemorheological properties during cure of epoxy-based composites. <i>Journal of Materials Science</i> , 1994, 29, 800-808.	1.7	49
219	Mechanical properties of polypropylene composites based on natural fibers subjected to multiple extrusion cycles. <i>Journal of Applied Polymer Science</i> , 2007, 103, 228-237.	1.3	49
220	Statistical analysis of the mechanical properties of natural fibers and their composite materials. I. Natural fibers. <i>Polymer Composites</i> , 2008, 29, 313-320.	2.3	49
221	Okra (<i>Abelmoschus esculentus</i>) Fibre Based PLA Composites: Mechanical Behaviour and Biodegradation. <i>Journal of Polymers and the Environment</i> , 2013, 21, 726-737.	2.4	49
222	Cure kinetics of epoxy/chicken eggshell biowaste composites: Isothermal calorimetric and chemorheological analyses. <i>Progress in Organic Coatings</i> , 2018, 114, 208-215.	1.9	49
223	Impedance spectroscopy of reactive polymers. 1. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1994, 32, 2519-2527.	2.4	48
224	Biocompatible Poly(L-lactide)/MWCNT Nanocomposites: Morphological Characterization, Electrical Properties, and Stem Cell Interaction. <i>Macromolecular Bioscience</i> , 2012, 12, 870-881.	2.1	48
225	Effect of boron carbide nanoparticles on the fire reaction and fire resistance of carbon fiber/epoxy composites. <i>Polymer</i> , 2013, 54, 5154-5165.	1.8	48
226	Keratins extracted from Merino wool and Brown Alpaca fibres as potential fillers for PLLA-based biocomposites. <i>Journal of Materials Science</i> , 2014, 49, 6257-6269.	1.7	48
227	Thermal and composting degradation of EVA/Thermoplastic starch blends and their nanocomposites. <i>Polymer Degradation and Stability</i> , 2019, 159, 184-198.	2.7	48
228	Interface morphology of carbon fibre/PEEK composites. <i>Journal of Materials Science</i> , 1990, 25, 3493-3496.	1.7	47
229	Melt rheological behavior of starch-based matrix composites reinforced with short sisal fibers. <i>Polymer Engineering and Science</i> , 2004, 44, 1907-1914.	1.5	47
230	Dynamics of Six Generations of PAMAM Dendrimers As Studied by Dielectric Relaxation Spectroscopy. <i>Macromolecules</i> , 2007, 40, 5212-5221.	2.2	47
231	Modeling diffusion-control in the cure kinetics of epoxy-amine thermoset resins: An approach based on configurational entropy. <i>Polymer</i> , 2010, 51, 5833-5845.	1.8	47
232	Development and characterization of bionanocomposites based on poly(3-hydroxybutyrate) and cellulose nanocrystals for packaging applications. <i>Polymer International</i> , 2016, 65, 1046-1053.	1.6	47
233	Drying and redispersion of plant cellulose nanofibers for industrial applications: a review. <i>Cellulose</i> , 2020, 27, 10649-10670.	2.4	47
234	Thermal degradation of poly(vinyl chloride) plastisols based on low-migration polymeric plasticizers. <i>Polymer Degradation and Stability</i> , 2001, 73, 447-453.	2.7	46

#	ARTICLE	IF	CITATIONS
235	Mechanotransduction: Tuning Stem Cells Fate. Journal of Functional Biomaterials, 2011, 2, 67-87.	1.8	46
236	New environmentally friendly composite laminates with epoxidized linseed oil (ELO) and slate fiber fabrics. Composites Part B: Engineering, 2015, 71, 203-209.	5.9	46
237	Interaction of methane with carbon nanotube thin films: role of defects and oxygen adsorption. Materials Science and Engineering C, 2004, 24, 527-533.	3.8	45
238	Numerical modeling and experimental study of the frontal polymerization of the diglycidyl ether of bisphenol A/diethylenetriamine epoxy system. Journal of Applied Polymer Science, 2005, 96, 1756-1766.	1.3	45
239	Effect of magnetic nanoparticles on the thermal properties of some hydrogels. Polymer Degradation and Stability, 2007, 92, 2198-2205.	2.7	45
240	Compressive and flexural behaviour of fibre reinforced endodontic posts. Journal of Dentistry, 2012, 40, 968-978.	1.7	45
241	Influence of organically modified clays on the properties and disintegrability in compost of solution cast poly(3-hydroxybutyrate) films. Polymer Degradation and Stability, 2014, 99, 127-135.	2.7	45
242	Recycling coffee silverskin in sustainable composites based on a poly(butylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 467 Td (adipate-co-Products, 2018, 118, 311-320.	2.5	45
243	Dynamic-mechanical and dielectric characterization of PEEK crystallization. Polymer Engineering and Science, 1990, 30, 314-320.	1.5	44
244	Thermal degradation and fire resistance of epoxyâ€“amineâ€“phenolic blends. Polymer Degradation and Stability, 2001, 73, 521-527.	2.7	44
245	Rheological behavior and processability of polypropylene blends with rubber ethylene propylene diene terpolymer. Journal of Applied Polymer Science, 2001, 81, 1-10.	1.3	44
246	Vacancy-Induced Chemisorption of NO ₂ on Carbon Nanotubes: A Combined Theoretical and Experimental Study. Journal of Physical Chemistry B, 2005, 109, 13175-13179.	1.2	44
247	Synthesis and thermal characterization of phenolic resin/silica nanocomposites prepared with high shear rateâ€“mixing technique. Journal of Applied Polymer Science, 2011, 120, 2632-2640.	1.3	44
248	Biodegradation of <i>Phormium tenax</i> /poly(lactic acid) composites. Journal of Applied Polymer Science, 2012, 125, E562.	1.3	44
249	Effect of nanoclay and carboxyl-terminated (butadiene-co-acrylonitrile) (CTBN) rubber on the reaction induced phase separation and cure kinetics of an epoxy/cyclic anhydride system. Journal of Materials Science, 2012, 47, 5241-5253.	1.7	44
250	The role of nanocrystalline cellulose on the microstructure of foamed castor-oil polyurethane nanocomposites. Carbohydrate Polymers, 2015, 134, 110-118.	5.1	44
251	Title is missing!. Journal of Materials Science, 2003, 38, 3257-3262.	1.7	43
252	Mechanical and shapeâ€“memory properties of poly(mannitol sebacate)/cellulose nanocrystal nanocomposites. Journal of Polymer Science Part A, 2014, 52, 3123-3133.	2.5	43

#	ARTICLE	IF	CITATIONS
253	Preparation of alginate hydrogels containing silver nanoparticles: a facile approach for antibacterial applications. <i>Polymer International</i> , 2016, 65, 921-926.	1.6	43
254	Comparative study of the effects of different fibers on the processing and properties of ternary composites based on PP-EPDM blends. <i>Polymer Composites</i> , 2002, 23, 779-789.	2.3	42
255	Effect of clay organic modifier on the final performance of PCL/clay nanocomposites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 529, 215-223.	2.6	42
256	Effect of ethylene-co-vinyl acetate-glycidylmethacrylate and cellulose microfibers on the thermal, rheological and biodegradation properties of poly(lactic acid) based systems. <i>Polymer Degradation and Stability</i> , 2013, 98, 2742-2751.	2.7	42
257	Keratins extracted from Merino wool and Brown Alpaca fibres: Thermal, mechanical and biological properties of PLLA based biocomposites. <i>Materials Science and Engineering C</i> , 2015, 47, 394-406.	3.8	42
258	Properties of composite laminates based on basalt fibers with epoxidized vegetable oils. <i>Materials & Design</i> , 2015, 72, 9-15.	5.1	41
259	Ozone adsorption on carbon nanotubes: Ab initio calculations and experiments. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2004, 22, 1466-1470.	0.9	40
260	Multiresponsive Shape Memory Blends and Nanocomposites Based on Starch. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 19197-19201.	4.0	40
261	Formulation and mechanical characterization of PVC plastisols based on low-toxicity additives. <i>Journal of Applied Polymer Science</i> , 2001, 81, 1881-1890.	1.3	39
262	Processing and characterization of epoxy-anhydride-based intercalated nanocomposites. <i>Journal of Applied Polymer Science</i> , 2003, 90, 2532-2539.	1.3	39
263	Novel approaches to developing carbon nanotube based polymer composites: fundamental studies and nanotech applications. <i>Polymer</i> , 2005, 46, 6715-6718.	1.8	39
264	Mechanical properties of natural fibers/polyamides composites. <i>Polymer Composites</i> , 2009, 30, 257-264.	2.3	39
265	Impact damage sensing in glass fiber reinforced composites based on carbon nanotubes by electrical resistance measurements. <i>Journal of Applied Polymer Science</i> , 2011, 122, 2829-2836.	1.3	39
266	Ablation modeling of state of the art EPDM based elastomeric heat shielding materials for solid rocket motors. <i>Computational Materials Science</i> , 2016, 111, 460-480.	1.4	39
267	Cellulose nanocrystals as templates for cetyltrimethylammonium bromide mediated synthesis of Ag nanoparticles and their novel use in PLA films. <i>Carbohydrate Polymers</i> , 2017, 157, 1557-1567.	5.1	39
268	Effect of Cellulose Nanocrystals and Bacterial Cellulose on Disintegrability in Composting Conditions of Plasticized PHB Nanocomposites. <i>Polymers</i> , 2017, 9, 561.	2.0	39
269	Thermomechanical, antioxidant and moisture behaviour of PVA films in presence of citric acid esterified cellulose nanocrystals. <i>International Journal of Biological Macromolecules</i> , 2020, 161, 617-626.	3.6	39
270	Calorimetric analysis of the polymerization reaction of a phenolic resin. <i>Thermochimica Acta</i> , 1995, 269-270, 201-211.	1.2	38

#	ARTICLE	IF	CITATIONS
271	Processing of "structure-adhesion" relationship in CVD diamond films on titanium substrates. <i>Diamond and Related Materials</i> , 1999, 8, 17-24.	1.8	38
272	Effects of oxygen annealing on cross sensitivity of carbon nanotubes thin films for gas sensing applications. <i>Sensors and Actuators B: Chemical</i> , 2004, 100, 33-40.	4.0	38
273	Polyaniline/multiwalled carbon nanotube systems: Dispersion of CNT and CNT/PANI interaction. <i>Polymer Engineering and Science</i> , 2008, 48, 1872-1877.	1.5	38
274	Confinement of Functionalized Graphene Sheets by Triblock Copolymers. <i>Journal of Physical Chemistry C</i> , 2009, 113, 17973-17978.	1.5	38
275	Phenolic matrix nanocomposites based on commercial grade resins: Synthesis and characterization. <i>Composites Science and Technology</i> , 2010, 70, 571-577.	3.8	38
276	Effect of carbon nanofibers on the cure kinetics of unsaturated polyester resin: Thermal and chemorheological modelling. <i>Composites Science and Technology</i> , 2011, 71, 1507-1507.	3.8	38
277	Effect of carbon black nanoparticle intrinsic properties on the self-monitoring performance of glass fibre reinforced composite rods. <i>Composites Science and Technology</i> , 2011, 71, 1-8.	3.8	38
278	Cellulose nanocrystals thin films as gate dielectric for flexible organic field-effect transistors. <i>Materials Letters</i> , 2014, 126, 55-58.	1.3	38
279	Toward the microstructure-properties relationship in MWCNT/epoxy composites: Percolation behavior and dielectric spectroscopy. <i>Composites Science and Technology</i> , 2014, 96, 38-46.	3.8	38
280	Effect of fibre posts, bone losses and fibre content on the biomechanical behaviour of endodontically treated teeth: 3D-finite element analysis. <i>Materials Science and Engineering C</i> , 2017, 74, 334-346.	3.8	38
281	Effect of reactive functionalization on properties and degradability of poly(lactic acid)/poly(vinyl) Tj ETQq1 1 0.784314 rgBT /Overlock 1	2.0	38
282	Design and Characterization of PLA Bilayer Films Containing Lignin and Cellulose Nanostructures in Combination With Umbelliferone as Active Ingredient. <i>Frontiers in Chemistry</i> , 2019, 7, 157.	1.8	38
283	Controlled Release of Thymol from Poly(Lactic Acid)-Based Silver Nanocomposite Films with Antibacterial and Antioxidant Activity. <i>Antioxidants</i> , 2020, 9, 395.	2.2	38
284	Role of PLLA plasma surface modification in the interaction with human marrow stromal cells. <i>Journal of Applied Polymer Science</i> , 2009, 114, 3602-3611.	1.3	37
285	Enhancing Osteoconduction of PLLA-Based Nanocomposite Scaffolds for Bone Regeneration Using Different Biomimetic Signals to MSCs. <i>International Journal of Molecular Sciences</i> , 2012, 13, 2439-2458.	1.8	37
286	Cure kinetics and thermal stability of micro and nanostructured thermosetting blends of epoxy resin and epoxidized styrene-butadiene-styrene triblock copolymer systems. <i>Polymer Engineering and Science</i> , 2012, 52, 2336-2347.	1.5	37
287	Poly(μ -caprolactone) reinforced with fibres of Poly(methyl methacrylate) loaded with multiwall carbon nanotubes or graphene nanoplatelets. <i>Chemical Engineering Journal</i> , 2012, 195-196, 140-148.	6.6	37
288	Tensile and fatigue characterisation of textile cotton waste/polypropylene laminates. <i>Composites Part B: Engineering</i> , 2015, 81, 84-90.	5.9	37

#	ARTICLE	IF	CITATIONS
289	Comparative study by DSC and FTIR techniques of an unsaturated polyester resin cured at different temperatures. <i>Polymer International</i> , 1998, 45, 333-338.	1.6	36
290	The influence of atmospheric humidity and grain size on the friction and wear of AISI 304 austenitic stainless steel. <i>Materials Letters</i> , 2003, 57, 4505-4508.	1.3	36
291	Dynamics of Multifunctional Polyhedral Oligomeric Silsesquioxane/Poly(propylene oxide) Nanocomposites As Studied by Dielectric Relaxation Spectroscopy and Dynamic Mechanical Spectroscopy. <i>Macromolecules</i> , 2007, 40, 6239-6248.	2.2	36
292	Synthesis of PLLA-b-PCL-b-PLLA linear tri-block copolymers and their corresponding poly(ester-urethane)s: effect of the molecular weight on their crystallisation and mechanical properties. <i>RSC Advances</i> , 2014, 4, 8510.	1.7	36
293	Liquid rubber and silicon carbide nanofiber modified epoxy nanocomposites: Volume shrinkage, cure kinetics and properties. <i>Composites Science and Technology</i> , 2014, 102, 65-73.	3.8	36
294	Parameterization of electrostatic interactions for molecular dynamics simulations of heterocyclic polymers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2015, 53, 912-923.	2.4	36
295	The effect of sepiolite on the compatibilization of polyethylene-thermoplastic starch blends for environmentally friendly films. <i>Journal of Materials Science</i> , 2015, 50, 863-872.	1.7	36
296	Effect of Different Compatibilizers on Sustainable Composites Based on a PHBV/PBAT Matrix Filled with Coffee Silverskin. <i>Polymers</i> , 2018, 10, 1256.	2.0	36
297	Kinetic analysis of the thermal degradation of PVC plastisols. <i>Journal of Applied Polymer Science</i> , 1999, 73, 1069-1079.	1.3	35
298	Chemorheological behaviour of double-walled carbon nanotube-epoxy nanocomposites. <i>Composites Science and Technology</i> , 2008, 68, 1862-1868.	3.8	35
299	Poly(lactic acid)/Phormium tenax composites: Morphology and thermo-mechanical behavior. <i>Polymer Composites</i> , 2011, 32, 1362-1368.	2.3	35
300	Nonvolatile memory behavior of nanocrystalline cellulose/graphene oxide composite films. <i>Applied Physics Letters</i> , 2014, 105, 153111.	1.5	35
301	Biodegradable nanocomposites based on poly(ester-urethane) and nanosized hydroxyapatite: Plastificant and reinforcement effects. <i>Polymer Degradation and Stability</i> , 2015, 121, 171-179.	2.7	35
302	Combined effect of cellulose nanocrystals, carvacrol and oligomeric lactic acid in PLA_PHB polymeric films. <i>Carbohydrate Polymers</i> , 2019, 223, 115131.	5.1	35
303	Electrospinning of PCL-Based Blends: Processing Optimization for Their Scalable Production. <i>Materials</i> , 2020, 13, 3853.	1.3	35
304	Design of Intrinsically Flame-Retardant Vanillin-Based Epoxy Resin for Thermal-Conductive Epoxy/Graphene Aerogel Composites. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 59341-59351.	4.0	35
305	Frequency dependent electrical transport between conjugated polymer and single-walled carbon nanotubes. <i>Diamond and Related Materials</i> , 2003, 12, 1601-1609.	1.8	34
306	Investigation of the NO ₂ sensitivity properties of multiwalled carbon nanotubes prepared by plasma enhanced chemical vapor deposition. <i>Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena</i> , 2003, 21, 1996.	1.6	34

#	ARTICLE	IF	CITATIONS
307	Self-Assembling of SBS Block Copolymers as Templates for Conductive Silver Nanocomposites. <i>Macromolecular Materials and Engineering</i> , 2008, 293, 568-573.	1.7	34
308	Preparation of extended alkylated graphene oxide conducting layers and effect study on the electrical properties of PEDOT:PSS polymer composites. <i>Chemical Physics Letters</i> , 2010, 494, 264-268.	1.2	34
309	Influence of the carbon nanofiller surface curvature on the initiation of crystallization in thermoplastic polymers. <i>RSC Advances</i> , 2014, 4, 48606-48612.	1.7	34
310	Bio-Polyethylene-Based Composites Reinforced with Alkali and Palmitoyl Chloride-Treated Coffee Silverskin. <i>Molecules</i> , 2019, 24, 3113.	1.7	34
311	Effect of water absorption on the behavior of E-glass fiber/nylon-6 composites. <i>Polymer Composites</i> , 1991, 12, 333-337.	2.3	33
312	Crystallization kinetics by differential scanning calorimetry for PCL/starch and their reinforced sisal fiber composites. <i>Polymer Engineering and Science</i> , 2001, 41, 1521-1528.	1.5	33
313	Integrated PLGA-Ag nanocomposite systems to control the degradation rate and antibacterial properties. <i>Journal of Applied Polymer Science</i> , 2013, 130, 1185-1193.	1.3	33
314	Hydrophobic, UV resistant and dielectric polyurethane-nanolignin composites with good reprocessability. <i>Materials and Design</i> , 2020, 196, 109150.	3.3	33
315	Highly-toughened PVA/nanocellulose hydrogels with anti-oxidative and antibacterial properties triggered by lignin-Ag nanoparticles. <i>Materials Science and Engineering C</i> , 2021, 129, 112385.	3.8	33
316	Water sorption kinetics in poly(aryl ether ether ketone). <i>Journal of Applied Polymer Science</i> , 1989, 37, 381-392.	1.3	32
317	Polypropylene-natural fibre composites. Analysis of fibre structure modification during compounding and its influence on the final properties. <i>Composite Interfaces</i> , 2008, 15, 111-129.	1.3	32
318	Correlation between the High-Temperature Local Mobility of Heterocyclic Polyimides and Their Mechanical Properties. <i>Macromolecules</i> , 2016, 49, 6700-6710.	2.2	32
319	Lignin Nanoparticles: A Promising Tool to Improve Maize Physiological, Biochemical, and Chemical Traits. <i>Nanomaterials</i> , 2021, 11, 846.	1.9	32
320	Elasto-plastic behavior of thermoplastic composite laminates under cyclic loading. <i>Composite Structures</i> , 1995, 32, 375-382.	3.1	31
321	Analysis of the recrystallization and grain growth processes in AISI 316 stainless steel. <i>Journal of Materials Science</i> , 2002, 37, 5291-5298.	1.7	31
322	Clay nanostructure and its localisation in an epoxy/liquid rubber blend. <i>RSC Advances</i> , 2013, 3, 24634.	1.7	31
323	Effect of different lignocellulosic fibres on poly(ϵ -caprolactone)-based composites for potential applications in orthotics. <i>RSC Advances</i> , 2015, 5, 23798-23809.	1.7	31
324	Poly(lactic acid)-based nanocomposites filled with cellulose nanocrystals with modified surface: all-atom molecular dynamics simulations. <i>Polymer International</i> , 2016, 65, 892-898.	1.6	31

#	ARTICLE	IF	CITATIONS
325	Mechanical Properties of a Polymer at the Interface Structurally Ordered by Graphene. Journal of Physical Chemistry C, 2016, 120, 6771-6777.	1.5	31
326	Innovative cool roofing membrane with integrated phase change materials: Experimental characterization of morphological, thermal and optic-energy behavior. Energy and Buildings, 2016, 112, 40-48.	3.1	31
327	An overview of nanoparticles role in the improvement of barrier properties of bioplastics for food packaging applications. , 2017, , 391-424.		31
328	On the physical dimensions of the Avrami constant. Thermochemica Acta, 1995, 269-270, 185-190.	1.2	30
329	Analysis of the Relationship between Processing Conditions-Fiber Orientation-Final Properties in Short Fiber Reinforced Polypropylene. Journal of Reinforced Plastics and Composites, 1999, 18, 413-420.	1.6	30
330	Processing and properties of poly(μ -caprolactone)/carbon nanofibre composite mats and films obtained by electrospinning and solvent casting. Journal of Materials Science, 2009, 44, 4789-4795.	1.7	30
331	Novel Poly(L-lactide) PLLA/SWNTs Nanocomposites for Biomedical Applications: Material Characterization and Biocompatibility Evaluation. Journal of Biomaterials Science, Polymer Edition, 2011, 22, 541-556.	1.9	30
332	The production of concentrated dispersions of few-layer graphene by the direct exfoliation of graphite in organosilanes. Nanoscale Research Letters, 2012, 7, 674.	3.1	30
333	Plasma surface modification of porous PLLA films: Analysis of surface properties and <i>in vitro</i> hydrolytic degradation. Journal of Applied Polymer Science, 2012, 125, E239.	1.3	30
334	Influence of the Processing Parameters on the Electrospinning of Biopolymeric Fibers. Journal of Renewable Materials, 2014, 2, 23-34.	1.1	30
335	Crystallization and thermal characterization of biodegradable tri-block copolymers and poly(ester-urethane)s based on PCL and β -PLLA. Polymer Degradation and Stability, 2014, 108, 140-150.	2.7	30
336	Preparation of transparent and conductive cellulose nanocrystals/graphene nanoplatelets films. Journal of Materials Science, 2014, 49, 1009-1013.	1.7	30
337	Processing and characterization of nanocomposite based on poly(butylene/triethylene succinate) copolymers and cellulose nanocrystals. Carbohydrate Polymers, 2017, 165, 51-60.	5.1	30
338	THE STEFAN AND DEBORAH NUMBERS IN POLYMER CRYSTALLIZATION. Chemical Engineering Communications, 1987, 53, 69-84.	1.5	29
339	A new kinetic model for polymer crystallization derived by calorimetric analysis. Thermochemica Acta, 1993, 227, 83-95.	1.2	29
340	Processing of short-fiber reinforced polypropylene. I. Influence of processing conditions on the morphology of extruded filaments. Polymer Engineering and Science, 2000, 40, 11-22.	1.5	29
341	Comparison of kinetic and rheological evaluation of gel time for an amine-epoxy system. Polymer, 1993, 34, 207-209.	1.8	28
342	Analysis of pultrusion processing of composites of unsaturated polyester resin with glass fibers. Polymer Composites, 1996, 17, 478-485.	2.3	28

#	ARTICLE	IF	CITATIONS
343	Friction and Wear Behavior of Austenitic Stainless Steel: Influence of Atmospheric Humidity, Load Range, and Grain Size. <i>Tribology Letters</i> , 2004, 17, 697-704.	1.2	28
344	Synthesis and photoelectrical properties of carbon nanotube–dendritic porphyrin light harvesting molecule systems. <i>Diamond and Related Materials</i> , 2007, 16, 658-663.	1.8	28
345	Analysis of the biomineralization process on SWNT-COOH and F-SWNT films. <i>Materials Science and Engineering C</i> , 2008, 28, 1522-1529.	3.8	28
346	Surfactant assisted selective confinement of carbon nanotubes functionalized with octadecylamine in a poly(styrene- <i>b</i> -isoprene- <i>b</i> -styrene) block copolymer matrix. <i>Carbon</i> , 2009, 47, 2474-2480.	5.4	28
347	Volume shrinkage and rheological studies of epoxidised and unepoxidised poly(styrene- <i>block</i> -butadiene- <i>block</i> -styrene) triblock copolymer modified epoxy resin–diamino diphenyl methane nanostructured blend systems. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 12760-12770.	1.3	28
348	Preparation and characterization of polybutylene–succinate/poly(ethylene–glycol)/cellulose nanocrystals ternary composites. <i>Journal of Applied Polymer Science</i> , 2016, 133, .	1.3	28
349	Effect of poly(<i>dl</i> -lactide-co-glycolide) nanoparticles or cellulose nanocrystals-based formulations on <i>Pseudomonas syringae</i> pv. tomato (Pst) and tomato plant development. <i>Journal of Plant Diseases and Protection</i> , 2016, 123, 301-310.	1.6	28
350	Effective Postharvest Preservation of Kiwifruit and Romaine Lettuce with a Chitosan Hydrochloride Coating. <i>Coatings</i> , 2017, 7, 196.	1.2	28
351	Graphene nanoplatelet, multiwall carbon nanotube, and hybrid multiwall carbon nanotube–graphene nanoplatelet epoxy nanocomposites as strain sensing coatings. <i>Journal of Reinforced Plastics and Composites</i> , 2021, 40, 632-643.	1.6	28
352	A macrokinetic approach to crystallization applied to a new thermoplastic polyimide (New TPI) as a model polymer. <i>Journal of Applied Polymer Science</i> , 1995, 56, 985-993.	1.3	27
353	Kinetic Modeling of the Thermal Degradation of Stabilized PVC Plasticsols. <i>Magyar Árvad Kémlemez</i> , 2000, 61, 483-491.	1.4	27
354	Modelling primary recrystallization and grain growth in a low nickel austenitic stainless steel. <i>Journal of Materials Science</i> , 2001, 36, 593-601.	1.7	27
355	Fatigue behavior of a high nitrogen austenitic stainless steel as a function of its grain size. <i>Journal of Materials Science Letters</i> , 2003, 22, 1511-1513.	0.5	27
356	Clustering and Cooperative Dynamics in a Reactive System. <i>Physical Review Letters</i> , 2005, 94, 065702.	2.9	27
357	[2.2]Paracyclophane-based molecular systems for the development of organic solar cells. <i>Thin Solid Films</i> , 2008, 516, 7193-7198.	0.8	27
358	Protein Encapsulation in Biodegradable Polymeric Nanoparticles: Morphology, Fluorescence Behaviour and Stem Cell Uptake. <i>Macromolecular Bioscience</i> , 2013, 13, 1204-1212.	2.1	27
359	Revalorisation of <i>Posidonia Oceanica</i> as Reinforcement in Polyethylene/Maleic Anhydride Grafted Polyethylene Composites. <i>Journal of Renewable Materials</i> , 2014, 2, 66-76.	1.1	27
360	Relationship between morphology and electrical properties in PP/MWCNT composites: Processing-induced anisotropic percolation threshold. <i>Materials Chemistry and Physics</i> , 2016, 180, 284-290.	2.0	27

#	ARTICLE	IF	CITATIONS
361	Biomimetic multifunctional materials: a review. <i>Emergent Materials</i> , 2019, 2, 391-415.	3.2	27
362	Organic and Inorganic PCL-Based Electrospun Fibers. <i>Polymers</i> , 2020, 12, 1325.	2.0	27
363	New Developments in Dynamically Cured PP/EPDM Blends. <i>Rubber Chemistry and Technology</i> , 2001, 74, 211-220.	0.6	26
364	Microstructure and Cytocompatibility of Electrospun Nanocomposites Based on Poly(ϵ -Caprolactone) and Carbon Nanostructures. <i>International Journal of Artificial Organs</i> , 2010, 33, 271-282.	0.7	26
365	Influence of the carbon nanotube surface modification on the microstructure of thermoplastic binders. <i>RSC Advances</i> , 2015, 5, 51621-51630.	1.7	26
366	Liquid-rubber-modified epoxy/clay nanocomposites: effect of dispersion methods on morphology and ultimate properties. <i>Polymer Bulletin</i> , 2015, 72, 1703-1722.	1.7	26
367	Effect of hydroxytyrosol methyl carbonate on the thermal, migration and antioxidant properties of PVA-based films for active food packaging. <i>Polymer International</i> , 2016, 65, 872-882.	1.6	26
368	Characterization and enzymatic degradation study of poly(μ -caprolactone)-based biocomposites from almond agricultural by-products. <i>Polymer Degradation and Stability</i> , 2016, 132, 181-190.	2.7	26
369	Antioxidant Packaging Films Based on Ethylene Vinyl Alcohol Copolymer (EVOH) and Caffeic Acid. <i>Molecules</i> , 2020, 25, 3953.	1.7	26
370	Organic waste valorisation towards circular and sustainable biocomposites. <i>Green Chemistry</i> , 2022, 24, 5429-5459.	4.6	26
371	Processing of short fibre/thermosetting matrix composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 1996, 27, 229-240.	3.8	25
372	Ar-dilution effects on the elastic and structural properties of hydrogenated hard carbon films deposited by plasma-enhanced chemical vapor deposition. <i>Diamond and Related Materials</i> , 2001, 10, 1088-1092.	1.8	25
373	Light Scattering Study of Vitrification during the Polymerization of Model Epoxy Resins. <i>Macromolecules</i> , 2003, 36, 5271-5278.	2.2	25
374	[2.2]Paracyclophanes incorporated within poly(3-butylthiophene): synthesis and photoelectrical properties. <i>New Journal of Chemistry</i> , 2006, 30, 939.	1.4	25
375	Structure-properties relationship in resol/montmorillonite nanocomposites. <i>Journal of Applied Polymer Science</i> , 2007, 104, 3082-3089.	1.3	25
376	Morphological and thermal behavior of porous biopolymeric nanoparticles. <i>European Polymer Journal</i> , 2012, 48, 1152-1159.	2.6	25
377	Shape memory polymers: properties, synthesis and applications. , 2014, , 204-236.		25
378	Preparation of Alginate/Graphene Oxide Hybrid Films and Their Integration in Triboelectric Generators. <i>European Journal of Inorganic Chemistry</i> , 2015, 2015, 1192-1197.	1.0	25

#	ARTICLE	IF	CITATIONS
379	Antimicrobial Properties and Cytocompatibility of PLGA/Ag Nanocomposites. <i>Materials</i> , 2016, 9, 37.	1.3	25
380	In-vitro degradation of PLGA nanoparticles in aqueous medium and in stem cell cultures by monitoring the cargo fluorescence spectrum. <i>Polymer Degradation and Stability</i> , 2016, 134, 296-304.	2.7	25
381	Effect of boron carbide nanoparticles on the thermal stability of carbon/phenolic composites. <i>Polymer Composites</i> , 2017, 38, 1819-1827.	2.3	25
382	PBS-Based Green Copolymer as an Efficient Compatibilizer in Thermoplastic Inedible Wheat Flour/Poly(butylene succinate) Blends. <i>Biomacromolecules</i> , 2020, 21, 3254-3269.	2.6	25
383	Development and Characterization of Xanthan Gum and Alginate Based Bioadhesive Film for Pycnogenol Topical Use in Wound Treatment. <i>Pharmaceutics</i> , 2021, 13, 324.	2.0	25
384	Impedance spectroscopy of reactive polymers. 2. Multifunctional epoxy/amine formulations. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1995, 33, 433-443.	2.4	24
385	Influence of Twin-Screw Processing Conditions on the Mechanical Properties of Biocomposites. <i>Journal of Composite Materials</i> , 2005, 39, 2023-2038.	1.2	24
386	Morphology-properties relationship on nanocomposite films based on poly(styrene-block-diene-block-styrene) copolymers and silver nanoparticles. <i>EXPRESS Polymer Letters</i> , 2011, 5, 104-118.	1.1	24
387	Synthesis, characterization and hydrolytic degradation of polyester-urethanes obtained by lipase biocatalysis. <i>Polymer Degradation and Stability</i> , 2014, 108, 188-194.	2.7	24
388	Thermal and bio-disintegration properties of poly(lactic acid)/natural rubber/organoclay nanocomposites. <i>Applied Clay Science</i> , 2014, 93-94, 78-84.	2.6	24
389	Novel Nanocomposite PLA Films with Lignin/Zinc Oxide Hybrids: Design, Characterization, Interaction with Mesenchymal Stem Cells. <i>Nanomaterials</i> , 2020, 10, 2176.	1.9	24
390	Controlled Release, Disintegration, Antioxidant, and Antimicrobial Properties of Poly (Lactic) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302 T	2.0	24
391	A macrokinetic approach to crystallization modelling of semicrystalline thermoplastic matrices for advanced composites. <i>Journal of Materials Science</i> , 1993, 28, 4994-5001.	1.7	23
392	Polypropylene Crystallization in an Ethylene-propylene-diene Rubber Matrix. <i>Magyar AprÃ³vad KÃ¶zlemÃ©nyek</i> , 2000, 61, 437-450.	1.4	23
393	Surface patterning of linearly functionalized [2.2]paracyclophanes by voltage assisted dewetting. <i>Journal of Materials Chemistry</i> , 2006, 16, 1622.	6.7	23
394	Morphological analysis of self-assembled SIS block copolymer matrices containing silver nanoparticles. <i>Composites Science and Technology</i> , 2008, 68, 1631-1636.	3.8	23
395	Spin coated cellulose nanocrystal/silver nanoparticle films. <i>Carbohydrate Polymers</i> , 2014, 113, 394-402.	5.1	23
396	Melt processing and mechanical property characterization of high-performance poly(ether ether) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 6	1.6	23

#	ARTICLE	IF	CITATIONS
397	Design of a nanocomposite substrate inducing adult stem cell assembly and progression toward an Epiblast-like or Primitive Endoderm-like phenotype via mechanotransduction. <i>Biomaterials</i> , 2017, 144, 211-229.	5.7	23
398	Application of modeling to the control and optimization of composites processing. <i>Composite Structures</i> , 1994, 27, 129-139.	3.1	22
399	Wear resistance of a high-nitrogen austenitic stainless steel coated with nitrogenated amorphous carbon films. <i>Surface and Coatings Technology</i> , 2002, 161, 224-231.	2.2	22
400	Mapping of carbon nanotubes in the polystyrene domains of a polystyrene-b-polyisoprene-b-polystyrene block copolymer matrix using electrostatic force microscopy. <i>Carbon</i> , 2010, 48, 2590-2595.	5.4	22
401	Effect of Fiber Surface Treatments on Thermo-Mechanical Behavior of Poly(Lactic Acid)/Phormium Tenax Composites. <i>Journal of Polymers and the Environment</i> , 2013, 21, 881-891.	2.4	22
402	Nanofillers in Polymers. , 2017, , 47-86.		22
403	Influence of specific intermolecular interactions on the thermal and dielectric properties of bulk polymers: atomistic molecular dynamics simulations of Nylon 6. <i>Soft Matter</i> , 2017, 13, 474-485.	1.2	22
404	Toward Predictive Molecular Dynamics Simulations of Asphaltenes in Toluene and Heptane. <i>ACS Omega</i> , 2019, 4, 20005-20014.	1.6	22
405	Evaluation of the Factors Affecting the Disintegration under a Composting Process of Poly(lactic) Tj ETQq1 1 0.784314 rgBT /Overloc	2.0	22
406	Mathematical modeling of the pultrusion of epoxy based composites. <i>Advances in Polymer Technology</i> , 1990, 10, 251-264.	0.8	21
407	The effects of surface treatments of fibers on the interfacial properties in single-fiber composites. <i>Journal of Adhesion Science and Technology</i> , 1991, 5, 377-388.	1.4	21
408	Influence of the chemorheology of toughened epoxy matrices on the processing behavior of high performance composites. <i>Makromolekulare Chemie Macromolecular Symposia</i> , 1993, 68, 41-56.	0.6	21
409	Thermal stability of P(HB-co-HV) and its blends with polyalcohols. <i>Journal of Applied Polymer Science</i> , 2000, 77, 2889-2900.	1.3	21
410	Influence of Clay Modification on the Properties of Resol Nanocomposites. <i>Macromolecular Materials and Engineering</i> , 2008, 293, 878-886.	1.7	21
411	Wettability and switching of electrical conductivity in UV irradiated graphene oxide films. <i>Diamond and Related Materials</i> , 2011, 20, 871-874.	1.8	21
412	Effect of alumina nanoparticles on the thermal properties of carbon fibre reinforced composites. <i>Fire and Materials</i> , 2014, 38, 339-355.	0.9	21
413	Effect of silane coupling agents on basalt fiber-epoxidized vegetable oil matrix composite materials analyzed by the single fiber fragmentation technique. <i>Polymer Composites</i> , 2015, 36, 1205-1212.	2.3	21
414	Mechanical and thermal properties of epoxy/silicon carbide nanofiber composites. <i>Polymers for Advanced Technologies</i> , 2015, 26, 142-146.	1.6	21

#	ARTICLE	IF	CITATIONS
415	Modulation of Acid Hydrolysis Reaction Time for the Extraction of Cellulose Nanocrystals from <i>Posidonia oceanica</i> Leaves. <i>Journal of Renewable Materials</i> , 2016, 4, 190-198.	1.1	21
416	Non-covalently coated biopolymeric nanoparticles for improved tamoxifen delivery. <i>European Polymer Journal</i> , 2017, 95, 348-357.	2.6	21
417	Effect of nanohydroxyapatite, antibiotic, and mucosal defensive agent on the mechanical and thermal properties of glass ionomer cements for special needs patients. <i>Journal of Materials Research</i> , 2018, 33, 638-649.	1.2	21
418	Relationship between the optical and mechanical properties of fluorinated amorphous carbon thin films. <i>Journal of Non-Crystalline Solids</i> , 2001, 291, 153-159.	1.5	20
419	Comparative Study of the Effects of Different Fibers on the Processing and Properties of Polypropylene Matrix Composites. <i>Journal of Thermoplastic Composite Materials</i> , 2002, 15, 337-353.	2.6	20
420	Electrodeposited carbon nanotubes as template for the preparation of semi-transparent conductive thin films by in situ polymerization of methyl methacrylate. <i>Carbon</i> , 2007, 45, 2685-2691.	5.4	20
421	POSS vapor grafting on graphene oxide film. <i>Chemical Physics Letters</i> , 2012, 537, 84-87.	1.2	20
422	Flexible triboelectric generator and pressure sensor based on poly[(<i>R</i>)-3-hydroxybutyric acid] biopolymer. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2014, 52, 859-863.	2.4	20
423	Melt-processing of bionanocomposites based on ethylene-co-vinyl acetate and starch nanocrystals. <i>Carbohydrate Polymers</i> , 2019, 208, 382-390.	5.1	20
424	Hydroxytyrosol and Oleuropein-Enriched Extracts Obtained from Olive Oil Wastes and By-Products as Active Antioxidant Ingredients for Poly (Vinyl Alcohol)-Based Films. <i>Molecules</i> , 2021, 26, 2104.	1.7	20
425	Effects of fluorine incorporation on the properties of amorphous carbon/p-type crystalline silicon heterojunction diodes. <i>Journal of Non-Crystalline Solids</i> , 2003, 321, 175-182.	1.5	19
426	Cure kinetics of epoxy/anhydride nanocomposite systems with added reactive flame retardants. <i>Journal of Applied Polymer Science</i> , 2004, 94, 1676-1689.	1.3	19
427	Synthesis and characterization of sPS/montmorillonite nanocomposites. <i>Journal of Applied Polymer Science</i> , 2006, 100, 4957-4963.	1.3	19
428	A Silicone Treatment Compared to Traditional Natural Fiber Treatments: Effect on the Mechanical and Viscoelastic Properties of Jute/Vinylester Laminates. <i>Journal of Composite Materials</i> , 2007, 41, 2005-2024.	1.2	19
429	Natural fiber suspensions in thermoplastic polymers. I. Analysis of fiber damage during processing. <i>Journal of Applied Polymer Science</i> , 2007, 103, 2501-2506.	1.3	19
430	Self-Assembly of Photoresponsive [2.2]Paracyclophane-Derivative Nanostripes on a Conducting Surface with Modified Wettability. <i>Small</i> , 2007, 3, 1200-1203.	5.2	19
431	Anisotropic Electrical Transport Properties of Aligned Carbon Nanotube/PMMA Films Obtained by Electric-Field-Assisted Thermal Annealing. <i>Macromolecular Materials and Engineering</i> , 2008, 293, 867-871.	1.7	19
432	Modelling of the chemorheological behavior of thermosetting polymer nanocomposites. <i>Polymer Composites</i> , 2009, 30, 1-12.	2.3	19

#	ARTICLE	IF	CITATIONS
433	The role of clay modifier on cure characteristics and properties of epoxy/clay/carboxyl-terminated poly(butadiene-co-acrylonitrile) (CTBN) hybrid. <i>Materials Technology</i> , 2017, 32, 171-177.	1.5	19
434	Humidity-Activated Shape Memory Effects on Thermoplastic Starch/EVA Blends and Their Compatibilized Nanocomposites. <i>Macromolecular Chemistry and Physics</i> , 2017, 218, 1700388.	1.1	19
435	Atomistic Molecular Dynamics Simulations of the Initial Crystallization Stage in an SWCNT-Polyetherimide Nanocomposite. <i>Polymers</i> , 2017, 9, 548.	2.0	19
436	Bio-Based Nanocomposites in Food Packaging. , 2018, , 71-110.		19
437	Rheology of short-fiber composites: A systematic approach. <i>Composite Structures</i> , 1994, 27, 83-91.	3.1	18
438	Oil palm microcomposites: Processing and mechanical behavior. <i>Polymer Engineering and Science</i> , 2010, 50, 1853-1863.	1.5	18
439	Radiofrequency plasma assisted exfoliation and reduction of large-area graphene oxide platelets produced by a mechanical transfer process. <i>Chemical Physics Letters</i> , 2011, 508, 285-288.	1.2	18
440	Cure kinetics of a highly reactive silica-polyurethane nanocomposite. <i>Thermochimica Acta</i> , 2012, 549, 172-178.	1.2	18
441	A Photoresponsive Hybrid Nanomaterial Based on Graphene and Polyhedral Oligomeric Silsesquioxanes. <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 5282-5287.	1.0	18
442	Kinetic and chemorheological modeling of the vitrification effect of highly reactive poly(urethane-isocyanurate) thermosets. <i>Thermochimica Acta</i> , 2013, 574, 88-97.	1.2	18
443	Thermal and mechanical characterisation of Phormium tenax-reinforced polypropylene composites. <i>Journal of Thermoplastic Composite Materials</i> , 2014, 27, 1493-1503.	2.6	18
444	Multiscale computer simulation of polymer nanocomposites based on thermoplastics. <i>Polymer Science - Series C</i> , 2016, 58, 2-15.	0.8	18
445	Computer Simulation of Asphaltenes. <i>Petroleum Chemistry</i> , 2018, 58, 983-1004.	0.4	18
446	Effect of Almond Shell Waste on Physicochemical Properties of Polyester-Based Biocomposites. <i>Polymers</i> , 2020, 12, 835.	2.0	18
447	Structural, morphological, and mechanical properties of plasma deposited hydrogenated amorphous carbon thin films: Ar gas dilution effects. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2001, 19, 1611-1616.	0.9	17
448	High temperature resistance of a high nitrogen and low nickel austenitic stainless steel. <i>Journal of Materials Science Letters</i> , 2003, 22, 691-693.	0.5	17
449	A deeper understanding of the photodesorption mechanism of aligned carbon nanotube thin films by impedance spectroscopy. <i>Thin Solid Films</i> , 2004, 449, 105-112.	0.8	17
450	Chemical gating and photoconductivity of CF ₄ plasma-functionalized single-walled carbon nanotubes with adsorbed butylamine. <i>Journal of Applied Physics</i> , 2005, 97, 114320.	1.1	17

#	ARTICLE	IF	CITATIONS
451	Development of unsaturated polyester matrix “ carbon nanofibers nanocomposites with improved electrical properties. Journal of Applied Polymer Science, 2010, 117, 1658-1666.	1.3	17
452	Morphology and Photoelectrical Properties of Solution Processable Butylamine-Modified Graphene- and Pyrene-Based Organic Semiconductor. Journal of Physical Chemistry C, 2010, 114, 11252-11257.	1.5	17
453	Mechanical and thermal properties of crab chitin reinforced carboxylated SBR composites. EXPRESS Polymer Letters, 2012, 6, 396-409.	1.1	17
454	Reinforcement effect of cellulose nanocrystals in thermoplastic polyurethane matrices characterized by different soft/hard segment ratio. Polymer Engineering and Science, 2017, 57, 521-530.	1.5	17
455	PLA Electrospun Fibers Reinforced with Organic and Inorganic Nanoparticles: A Comparative Study. Molecules, 2021, 26, 4925.	1.7	17
456	Shape-Memory Materials via Electrospinning: A Review. Polymers, 2022, 14, 995.	2.0	17
457	Effect of nitrogen addition on the elastic and structural properties of amorphous carbon thin films. Thin Solid Films, 2001, 389, 315-320.	0.8	16
458	Fluorinated amorphous carbon thin films: Analysis of the role of the plasma source frequency on the structural and optical properties. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2001, 19, 2168-2173.	0.9	16
459	Thermokinetic effect of the aging of epoxy matrix prepregs for high performance composites. Polymer Composites, 2002, 23, 530-537.	2.3	16
460	Influence of grain size and film composition on wear resistance of ultra fine grained AISI 304 stainless steel coated with amorphous carbon films. Wear, 2002, 253, 458-464.	1.5	16
461	Selective interaction of single-walled carbon nanotubes with conducting dendrimer. Diamond and Related Materials, 2006, 15, 95-99.	1.8	16
462	Production and properties of solvent-cast poly(ϵ -caprolactone) composites with carbon nanostructures. Journal of Applied Polymer Science, 2011, 119, 3544-3552.	1.3	16
463	Graphene based composites prepared through exfoliation of graphite platelets in methyl methacrylate/poly(methyl methacrylate). Polymer International, 2012, 61, 1079-1083.	1.6	16
464	Crystallization behavior of diblock copolymers based on PCL and PLLA biopolymers. Journal of Applied Crystallography, 2014, 47, 1948-1957.	1.9	16
465	Mechanical effect of static loading on endodontically treated teeth restored with fiber-reinforced posts. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2014, 102, 384-394.	1.6	16
466	Tensile Behavior of Thermoplastic Films from Wheat Flours as Function of Raw Material Baking Properties. Journal of Polymers and the Environment, 2016, 24, 37-47.	2.4	16
467	To What Extent Can Hyperelastic Models Make Sense the Effect of Clay Surface Treatment on the Mechanical Properties of Elastomeric Nanocomposites?. Macromolecular Materials and Engineering, 2017, 302, 1700036.	1.7	16
468	Preparation of toughened poly(lactic acid)-poly(ϵ -caprolactone)-lignin nanocomposites with good heat- and UV-resistance. Industrial Crops and Products, 2022, 183, 114965.	2.5	16

#	ARTICLE	IF	CITATIONS
469	Thermal analysis of thermoplastic matrices for advanced composite materials: poly(phenylene) Tj ETQq1 1 0.784314,rgBT /Overlock 10	1.2	15
470	Processing of short fiber reinforced polypropylene. II: Statistical study of the effects of processing conditions on the impact strength. <i>Polymer Engineering and Science</i> , 1999, 39, 1880-1890.	1.5	15
471	Processability and mechanical properties of ternary composites PP/EPDM/GF. <i>Polymer Composites</i> , 2000, 21, 377-386.	2.3	15
472	Adsorption of oxidizing gases on multiwalled carbon nanotubes. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2004, 22, 1450-1454.	0.9	15
473	Selective deposition of semiconducting single-walled carbon nanotubes onto amino-silane modified indium tin-oxide surface for the development of poly(3-hexylthiophene)/carbon-nanotube photovoltaic heterojunctions. <i>Carbon</i> , 2010, 48, 861-867.	5.4	15
474	Tensile, Thermal and Morphological Characterization of Cocoa Bean Shells (CBS)/Polycaprolactone-Based Composites. <i>Journal of Renewable Materials</i> , 2016, 4, 199-205.	1.1	15
475	Hydroxytyrosol as Active Ingredient in Poly(vinyl alcohol) Films for Food Packaging Applications. <i>Journal of Renewable Materials</i> , 2017, 5, 81-95.	1.1	15
476	Thermomechanical and Morphological Properties of Poly(ethylene terephthalate)/Anhydrous Calcium Terephthalate Nanocomposites. <i>Polymers</i> , 2020, 12, 276.	2.0	15
477	Blends of semicrystalline and amorphous polymeric matrices for high performance composites. <i>Polymer Composites</i> , 1992, 13, 380-385.	2.3	14
478	Effect of Grafted PP on the Properties of Thermoplastic Elastomers Based on PP-EPDM Blends. <i>Macromolecular Chemistry and Physics</i> , 2001, 202, 1909-1916.	1.1	14
479	Use of Benzene-1,3-Bis(Sulfonyl)Azide as Crosslinking Agent of TPVs Based on EPDM Rubberâ€™Polyolefin Blends. <i>Rubber Chemistry and Technology</i> , 2001, 74, 198-210.	0.6	14
480	Title is missing!. <i>Journal of Materials Science Letters</i> , 2003, 22, 981-983.	0.5	14
481	Ternary composites based on PP-EPDM blends reinforced with flax fibers. Part II: Mechanical properties/morphology relationship. <i>Polymer Engineering and Science</i> , 2003, 43, 1031-1043.	1.5	14
482	Pulsed plasma-induced alignment of carbon nanotubes. <i>Materials Letters</i> , 2003, 57, 3699-3704.	1.3	14
483	Electrically switchable carbon nanotubes hydrophobic surfaces. <i>Diamond and Related Materials</i> , 2005, 14, 121-124.	1.8	14
484	Enhancement of photoelectrical properties in polymer nanocomposites containing modified single-walled carbon nanotubes by conducting dendrimer. <i>Journal of Applied Physics</i> , 2006, 99, 114305.	1.1	14
485	Patterning of [2.2]paracyclophane derivative modified single-walled carbon nanotubes through grid-assisted deposition. <i>Journal of Materials Chemistry</i> , 2008, 18, 484-488.	6.7	14
486	Nanostructured physical gel of SBS block copolymer and Ag/DT/SBS nanocomposites. <i>Journal of Materials Science</i> , 2009, 44, 1287-1293.	1.7	14

#	ARTICLE	IF	CITATIONS
487	Biodegradable Composite Scaffolds: A Strategy to Modulate Stem Cell Behaviour. Recent Patents on Drug Delivery and Formulation, 2013, 7, 9-17.	2.1	14
488	Effect of processing techniques on the 3D microstructure of poly (l-lactic) Tj ETQq0 0 0 rgBT /Overlock 10 Tf Science, 2015, 132, .	1.3	14
489	CTAB modified dellite: A novel support for enzyme immobilization in bio-based electrochemical detection and its in vitro antimicrobial activity. Sensors and Actuators B: Chemical, 2016, 235, 46-55.	4.0	14
490	Influence of Processing Conditions on Morphological, Thermal and Degradative Behavior of Nanocomposites Based on Plasticized Poly(3-hydroxybutyrate) and Organo-Modified Clay. Journal of Polymers and the Environment, 2016, 24, 12-22.	2.4	14
491	Lignocellulosic materials as reinforcements in sustainable packaging systems. , 2019, , 87-102.		14
492	Synthesis of a Lignin/Zinc Oxide Hybrid Nanoparticles System and Its Application by Nano-Priming in Maize. Nanomaterials, 2022, 12, 568.	1.9	14
493	Comparison of diamond-like carbon films synthesized by 2.45 GHz microwave and 13.56 MHz multi-jet radiofrequency plasma sources. Diamond and Related Materials, 2001, 10, 920-926.	1.8	13
494	Deposition of hydrogenated amorphous carbon films from CH4/Ar plasmas: Ar dilution effects. Journal of Materials Science, 2001, 36, 5295-5300.	1.7	13
495	Isothermal crystallization of poly(vinyl alcohol-co-ethylene). Journal of Applied Polymer Science, 2003, 89, 1071-1077.	1.3	13
496	Processing and properties of recycled polypropylene modified with elastomers. Plastics, Rubber and Composites, 2003, 32, 357-367.	0.9	13
497	AC conductivity of conjugated polymer onto self-assembled aligned carbon nanotubes. Diamond and Related Materials, 2004, 13, 250-255.	1.8	13
498	Anisotropic Electrical Transport Properties of Graphene Nanoplatelets/Pyrene Composites by Electric-Field-Assisted Thermal Annealing. Journal of Physical Chemistry C, 2011, 115, 16652-16656.	1.5	13
499	Multistimuli-responsive hydrogels of poly(2-acrylamido-2-methyl-1-propanesulfonic acid) containing graphene. Colloid and Polymer Science, 2013, 291, 2681-2687.	1.0	13
500	Scanning Electron Microscopy Evaluation of Dental Root Resorption Associated With Granuloma. Microscopy and Microanalysis, 2015, 21, 1264-1270.	0.2	13
501	Life Cycle Analysis of Extruded Films Based on Poly(lactic acid)/Cellulose Nanocrystal/Limonene: A Comparative Study with ATBC Plasticized PLA/OMMT Systems. Journal of Polymers and the Environment, 2018, 26, 1891-1902.	2.4	13
502	Modeling of the dynamic mechanical properties of semicrystalline thermoplastic matrix composites. Polymer Composites, 1992, 13, 386-393.	2.3	12
503	Structure and mechanical properties of argon assisted carbon nitride films. Thin Solid Films, 2001, 398-399, 124-129.	0.8	12
504	Ternary composites based on PP-EPDM blends reinforced with flax fibers. Part I: Processing and thermal behavior. Polymer Engineering and Science, 2003, 43, 1018-1030.	1.5	12

#	ARTICLE	IF	CITATIONS
505	Effect of catalyst layer thickness and Ar dilution on the plasma deposition of multi-walled carbon nanotubes. <i>Diamond and Related Materials</i> , 2003, 12, 821-826.	1.8	12
506	Cure characteristics, mechanical properties, and morphological studies of linoleum flour-filled NBR compounds. <i>Polymer Engineering and Science</i> , 2004, 44, 909-916.	1.5	12
507	Nanostructured morphology of a random P(DLLA-co-CL) copolymer. <i>Nanoscale Research Letters</i> , 2012, 7, 103.	3.1	12
508	Design, development and characterization of a nanomagnetic system based on iron oxide nanoparticles encapsulated in PLLA-nanospheres. <i>European Polymer Journal</i> , 2015, 62, 145-154.	2.6	12
509	Polyethylene/sepiolite fibers. Influence of drawing and nanofiller content on the crystal morphology and mechanical properties. <i>Polymer Engineering and Science</i> , 2015, 55, 1096-1103.	1.5	12
510	Acoustic impact of a wave energy converter in Mediterranean shallow waters. <i>Scientific Reports</i> , 2019, 9, 9586.	1.6	12
511	Multifunctional and Environmentally Friendly TiO ₂ @SiO ₂ Mesoporous Materials for Sustainable Green Buildings. <i>Molecules</i> , 2019, 24, 4226.	1.7	12
512	Characterization of Licorice Root Waste for Prospective Use as Filler in more Eco-Friendly Composite Materials. <i>Processes</i> , 2020, 8, 733.	1.3	12
513	Improved Toughness in Lignin/Natural Fiber Composites Plasticized with Epoxidized and Maleinized Linseed Oils. <i>Materials</i> , 2020, 13, 600.	1.3	12
514	Anthocyanin Hybrid Nanopigments from Pomegranate Waste: Colour, Thermomechanical Stability and Environmental Impact of Polyester-Based Bionanocomposites. <i>Polymers</i> , 2021, 13, 1966.	2.0	12
515	Wound Dressing: Combination of Acacia Gum/PVP/Cyclic Dextrin in Bioadhesive Patches Loaded with Grape Seed Extract. <i>Pharmaceutics</i> , 2022, 14, 485.	2.0	12
516	Processing, properties and morphology of polypropylene-epdm blends. <i>Macromolecular Symposia</i> , 1999, 148, 345-360.	0.4	11
517	Electrical transport properties of conjugated polymer onto self-assembled aligned carbon nanotubes. <i>Diamond and Related Materials</i> , 2003, 12, 1524-1531.	1.8	11
518	Solution casting of transparent and conductive carbon nanotubes/poly(3,4-ethylenedioxythiophene)-poly(styrenesulfonate) films under a magnetic field. <i>Carbon</i> , 2008, 46, 1513-1517.	5.4	11
519	Dynamic mechanical analysis of oil palm microfibril-reinforced acrylonitrile butadiene rubber composites. <i>Polymer Composites</i> , 2009, 31, NA-NA.	2.3	11
520	Liquid Droplet excitation of freestanding poly(methyl methacrylate)/graphene oxide films for mechanical energy harvesting. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2013, 51, 1028-1032.	2.4	11
521	Hot press transferring of graphene nanoplatelets on polyurethane block copolymers film for electroactive shape memory devices. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2014, 52, 1100-1106.	2.4	11
522	Effects of dielectric barrier discharge in air on morphological and electrical properties of graphene nanoplatelets and multi-walled carbon nanotubes. <i>Journal of Physics and Chemistry of Solids</i> , 2014, 75, 858-868.	1.9	11

#	ARTICLE	IF	CITATIONS
523	Nanostructured polystyrene films engineered by plasma processes: Surface characterization and stem cell interaction. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	1.3	11
524	Effect of extrusion conditions and post-extrusion techniques on the morphology and thermal/mechanical properties of polycaprolactone/clay nanocomposites. <i>Journal of Composite Materials</i> , 2014, 48, 2059-2070.	1.2	11
525	Nanocomposite hydrogels based on embedded PLGA nanoparticles in gelatin. <i>Nanocomposites</i> , 2015, 1, 46-50.	2.2	11
526	Analysis and simulation of the electrical properties of CNTs/epoxy nanocomposites for high performance composite matrices. <i>Polymer Composites</i> , 2017, 38, 105-115.	2.3	11
527	Relationships between wheat flour baking properties and tensile characteristics of derived thermoplastic films. <i>Industrial Crops and Products</i> , 2017, 100, 138-145.	2.5	11
528	Effect of nano- ϵ -magnetite particle content on mechanical, thermal and magnetic properties of polypropylene composites. <i>Polymer Composites</i> , 2018, 39, E1742.	2.3	11
529	Extraction of nanostructured starch from purified granules of waxy and non-waxy barley cultivars. <i>Industrial Crops and Products</i> , 2019, 130, 520-527.	2.5	11
530	Effect of Lemon Waste Natural Dye and Essential Oil Loaded into Laminar Nanoclays on Thermomechanical and Color Properties of Polyester Based Bionanocomposites. <i>Polymers</i> , 2020, 12, 1451.	2.0	11
531	Flexible Transistors Exploiting P3HT on Paper Substrate and Graphene Oxide Film as Gate Dielectric: Proof of Concept. <i>Science of Advanced Materials</i> , 2013, 5, 530-533.	0.1	11
532	Poly(butylene cyclohexanedicarboxylate/diglycolate) random copolymers reinforced with SWCNTs for multifunctional conductive biopolymer composites. <i>EXPRESS Polymer Letters</i> , 2016, 10, 111-124.	1.1	11
533	Cure kinetics of dicyanate matrix polymers. <i>Polymer Composites</i> , 1992, 13, 191-196.	2.3	10
534	Thermal analysis of standard and toughened high-performance epoxy matrices. <i>Thermochimica Acta</i> , 1992, 199, 213-227.	1.2	10
535	Processing and properties of resol and epoxy blends for resin transfer molding. <i>Polymer Composites</i> , 1999, 20, 675-682.	2.3	10
536	Influence of plasma source frequency on composition and density of fluorinated amorphous carbon thin films. <i>Materials Letters</i> , 2001, 51, 514-518.	1.3	10
537	Kinetic crystallization of polypropylene in ternary composites based on fiber-reinforced PP-EPDM blends. <i>Journal of Applied Polymer Science</i> , 2001, 81, 1063-1074.	1.3	10
538	Structural and optical properties of nitrogen and oxygen doped a-C:H coatings. <i>Thin Solid Films</i> , 2002, 415, 195-200.	0.8	10
539	Controllable fabrication of aligned carbon nanotubes by pulsed plasma: selective positioning and electrical transport phenomena. <i>Materials Letters</i> , 2004, 58, 470-473.	1.3	10
540	Electrodeposition of polyfluorene on a carbon nanotube electrode. <i>Nanotechnology</i> , 2007, 18, 115702.	1.3	10

#	ARTICLE	IF	CITATIONS
541	Statistical analysis of the mechanical properties of natural fibers and their composite materials. II. Composite materials. <i>Polymer Composites</i> , 2008, 29, 321-325.	2.3	10
542	Surfactant Effects on Morphology-Properties Relationships of Silver-poly(styrene- <i>b</i> -isoprene- <i>b</i> -styrene) Block Copolymer Nanocomposites. <i>Journal of Nanoscience and Nanotechnology</i> , 2009, 9, 2128-2139.	0.9	10
543	The effect of processing routes on the thermal and mechanical properties of poly(urethane- <i>isocyanurate</i>) nanocomposites. <i>Journal of Applied Polymer Science</i> , 2015, 132, .	1.3	10
544	Ar dilution effects on the elastic properties of hydrogenated amorphous hard-carbon films grown by plasma-enhanced chemical vapor deposition. <i>Journal of Applied Physics</i> , 2001, 89, 1003-1007.	1.1	9
545	Helium permeation through a-C:H films deposited on polymeric substrates. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2002, 20, 1647-1652.	0.9	9
546	Interaction of oxygen with nanocomposites made of n-type conducting polymers and carbon nanotubes: role of charge transfer complex formation between nanotubes and poly(3-octylthiophene). <i>Thin Solid Films</i> , 2005, 476, 162-167.	0.8	9
547	Nanofibrillar self-organization of regioregular poly(3-hexylthiophene) and [6,6]-phenyl C ₆₁ -butyric acid methyl ester by dip-coating: a simple method to obtain efficient bulk heterojunction solar cells. <i>Nanotechnology</i> , 2009, 20, 095603.	1.3	9
548	Compatibilization and development of layered silicate nanocomposites based of unsaturated polyester resin and customized intercalation agent. <i>Journal of Applied Polymer Science</i> , 2010, 115, 3659-3666.	1.3	9
549	Emerging methods for producing graphene oxide composites in coatings with multifunctional properties. <i>Journal of Materials Chemistry</i> , 2012, 22, 21355.	6.7	9
550	Glass optical fibre sensors for detection of through thickness moisture diffusion in glass reinforced composites under hostile environments. <i>Advances in Applied Ceramics</i> , 2015, 114, S76-S83.	0.6	9
551	Multifunctional antimicrobial nanocomposites for food packaging applications. , 2017, , 265-303.		9
552	Polymeric Bioadhesive Patch Based on Ketoprofen-Hydrotalcite Hybrid for Local Treatments. <i>Pharmaceutics</i> , 2020, 12, 733.	2.0	9
553	Effect of Chlorophyll Hybrid Nanopigments from Broccoli Waste on Thermomechanical and Colour Behaviour of Polyester-Based Bionanocomposites. <i>Polymers</i> , 2020, 12, 2508.	2.0	9
554	Short- and long-term degradation of polymer-based composites. <i>Thermochimica Acta</i> , 1993, 227, 97-106.	1.2	8
555	Radiation effects on room temperature epoxy adhesive molecular structure: Mechanical tests and correlation with calorimetric and outgassing analyses. <i>Journal of Macromolecular Science - Physics</i> , 1999, 38, 623-633.	0.4	8
556	Nitrogen doping of fluorinated amorphous carbon thin films: structural and optical properties evolution upon thermal annealing. <i>Thin Solid Films</i> , 2002, 408, 291-296.	0.8	8
557	Synthesis and electrical properties of CdS Langmuir-Blodgett multilayers nanoparticles on self-assembled carbon nanotubes. <i>Chemical Physics Letters</i> , 2004, 392, 214-219.	1.2	8
558	Effects of storage aging on the cure kinetics of bismaleimide prepreps. <i>Advances in Polymer Technology</i> , 2005, 24, 253-265.	0.8	8

#	ARTICLE	IF	CITATIONS
559	Clustering, glass transition and gelation in a reactive fluid. <i>Journal of Physics Condensed Matter</i> , 2005, 17, S3557-S3563.	0.7	8
560	Mechanical Properties Evaluation of a Recycled Flax Fiber-reinforced Vinyl Ester. <i>Journal of Composite Materials</i> , 2006, 40, 245-256.	1.2	8
561	Relationship between Water Absorption and Dielectric Behavior of Glass Fiber Reinforced Unsaturated Polyester Resin. <i>Journal of Composite Materials</i> , 2007, 41, 393-402.	1.2	8
562	Poly(methyl methacrylate)/Graphene Oxide Layered Films as Generators for Mechanical Energy Harvesting. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 3770-3775.	4.0	8
563	The relationship between nanosilica dispersion degree and the tensile properties of polyurethane nanocomposites. <i>Colloid and Polymer Science</i> , 2013, 291, 2745-2753.	1.0	8
564	Structural aspects of mechanical properties of i<sc>PP</sc>-based composites. I. Composite i<sc>PP</sc> fibers with <sc>VGCF</sc> nanofiller. <i>Journal of Applied Polymer Science</i> , 2015, 132, .	1.3	8
565	Effect of SWCNT introduction in random copolymers on material properties and fibroblast long term culture stability. <i>Polymer Degradation and Stability</i> , 2016, 132, 220-230.	2.7	8
566	Active Role of ZnO Nanorods in Thermomechanical and Barrier Performance of Poly(vinyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 462 Td (2.0	8
567	Thermal and mechanical behavior of thermoplastic composites reinforced with fibers enzymatically extracted from <i>Ampelodesmos mauritanicus</i> . <i>Polymer Engineering and Science</i> , 2019, 59, 2418-2428.	1.5	8
568	Lignocellulosic Based Bionanocomposites for Different Industrial Applications. <i>Current Organic Chemistry</i> , 2018, 22, 1205-1221.	0.9	8
569	Functionalization of Wood Waste and Its Use in Polyester Type Composite. A Preliminary Study. <i>Journal of Polymer Engineering</i> , 1995, 14, .	0.6	7
570	Temperature and crystallinity profiles generated in a polycaprolactone/starch blend under different cooling conditions. <i>Journal of Applied Polymer Science</i> , 2001, 82, 3275-3283.	1.3	7
571	Effect of thermal annealing on the electronic properties of nitrogen doped amorphous carbon/p-type crystalline silicon heterojunction diodes. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2003, 21, 582-588.	0.9	7
572	Electrodeposition of carbon nanotube semi-transparent thin films: A facile route for preparing photoactive polymeric hybrid materials. <i>Diamond and Related Materials</i> , 2008, 17, 1573-1576.	1.8	7
573	Inclusion of PLLA nanoparticles in thermosensitive semi-interpenetrating polymer networks. <i>Polymer Degradation and Stability</i> , 2014, 108, 280-287.	2.7	7
574	Strain sensitivity of carbon nanotube cement-based composites for structural health monitoring. , 2016, , .		7
575	Multiscale modeling of electrical conductivity of carbon nanotubes based polymer nanocomposites. <i>Journal of Applied Physics</i> , 2017, 121, .	1.1	7
576	Effect of polymer chain stiffness on initial stages of crystallization of polyetherimides: Coarse-grained computer simulation. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2017, 55, 1254-1265.	2.4	7

#	ARTICLE	IF	CITATIONS
577	Effect of Pretreatment of Nanocomposite PES-Fe ₃ O ₄ Separator on Microbial Fuel Cells Performance. <i>Polymer Engineering and Science</i> , 2020, 60, 371-379.	1.5	7
578	Biocomposites Based on Plasticized Wheat Flours: Effect of Bran Content on Thermomechanical Behavior. <i>Polymers</i> , 2020, 12, 2248.	2.0	7
579	Migration and Degradation in Composting Environment of Active Polylactic Acid Bilayer Nanocomposites Films: Combined Role of Umbelliferone, Lignin and Cellulose Nanostructures. <i>Polymers</i> , 2021, 13, 282.	2.0	7
580	Fabrication of water-resistant epoxy nanocomposite with improved dynamic mechanical properties and balanced thermal and dimensional stability: Study on dual role of graphene oxide nanosheets and barium oxide microparticles. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021, 617, 126405.	2.3	7
581	Rheology of thermoplastic matrix short glass fiber composites. <i>Journal of Vinyl and Additive Technology</i> , 1995, 1, 269-272.	1.8	6
582	Soft-x-ray photoemission spectroscopy and ab initio studies on the adsorption of NO ₂ molecules on defective multiwalled carbon nanotubes. <i>Journal of Chemical Physics</i> , 2005, 123, 034702.	1.2	6
583	New anthracene-containing phenylene- or thienylene-vinylene copolymers: Synthesis, characterization, photophysics, and photovoltaics. <i>Journal of Applied Polymer Science</i> , 2009, 113, 1173-1181.	1.3	6
584	Shear induced orientation of phase segregated block copolymer/epoxy blends. <i>European Polymer Journal</i> , 2013, 49, 3359-3365.	2.6	6
585	Nanocomposites Based on PLLA and Multi Walled Carbon Nanotubes Support the Myogenic Differentiation of Murine Myoblast Cell Line. <i>ISRN Tissue Engineering</i> , 2013, 2013, 1-8.	0.5	6
586	A polycaprolactone-based compatibilization treatment to improve dispersion and interphase structure of silica polyurethane composites. <i>Polymer Engineering and Science</i> , 2014, 54, 1817-1826.	1.5	6
587	An Armadillo-Like Flexible Thermal Protection System for Inflatable Decelerators: A Novel Paradigm. <i>Macromolecular Materials and Engineering</i> , 2014, 299, 379-390.	1.7	6
588	Solvent Uptake of Liquid Rubber Toughened Epoxy/Clay Nanocomposites. <i>Advances in Polymer Technology</i> , 2016, 35, .	0.8	6
589	Effect of Cellulose Nanocrystals on Fire, Thermal and Mechanical Behavior of N,N'-Diallyl-phenylphosphoricdiamide Modified Poly(lactic acid). <i>Journal of Renewable Materials</i> , 2017, 5, 423-434.	1.1	6
590	Structure-property relationships of thermoset nanocomposites. , 2018, , 231-276.		6
591	A Novel Class of Cost Effective and High Performance Composites Based on Terephthalate Salts Reinforced Polyether Ether Ketone. <i>Polymers</i> , 2019, 11, 2097.	2.0	6
592	Effect of SWCNT Content and Water Vapor Adsorption on the Electrical Properties of Cellulose Nanocrystal-Based Nanohybrids. <i>Journal of Physical Chemistry C</i> , 2020, 124, 14901-14910.	1.5	6
593	Lemna minor aqueous extract as a natural ingredient incorporated in poly (vinyl alcohol)-based films for active food packaging systems. <i>Food Packaging and Shelf Life</i> , 2022, 32, 100822.	3.3	6
594	Degradation Kinetics of High-Performance Polymers and Their Composites. <i>ACS Symposium Series</i> , 1995, , 140-154.	0.5	5

#	ARTICLE	IF	CITATIONS
595	Hydrogen concentrations and mass density obtained by X-ray and neutron reflectivity on hydrogenated amorphous carbon nitride thin films. <i>Diamond and Related Materials</i> , 2002, 11, 1188-1192.	1.8	5
596	Analysis of the role of fluorine content on the thermal stability of a-C:H:F thin films. <i>Diamond and Related Materials</i> , 2002, 11, 1100-1105.	1.8	5
597	Influence of nitrogen and temperature on the plasma deposition of fluorinated amorphous carbon films. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2002, 20, 1210-1215.	0.9	5
598	Analysis of the effects of the polymerization route of ethylene-propylene-diene rubbers (EPDM) on the properties of polypropylene-EPDM blends. <i>Journal of Applied Polymer Science</i> , 2002, 85, 25-37.	1.3	5
599	Fluorinated amorphous carbon thin films: Analysis of the role of the plasma excitation mode on the structural and mechanical properties. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2003, 21, 1964-1970.	0.9	5
600	Fluorinated amorphous carbon films prepared by plasma enhanced chemical vapor deposition for solar cell applications. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2003, 21, 1784-1790.	0.9	5
601	Dielectric properties at microwave frequencies of poly(ϵ -caprolactone)/CNF films and electrospun mats. <i>Synthetic Metals</i> , 2011, 161, 911-918.	2.1	5
602	Electric field assisted thermal annealing reorganization of graphene oxide/polystyrene latex films. <i>EXPRESS Polymer Letters</i> , 2011, 5, 819-824.	1.1	5
603	Okra Fibres as Potential Reinforcement in Biocomposites. , 2014, , 175-190.		5
604	Manufacturing of Natural Fiber/Agrowaste Based Polymer Composites. <i>Green Energy and Technology</i> , 2017, , 125-147.	0.4	5
605	Synthesis and Characterization of Nanofluids Useful in Concentrated Solar Power Plants Produced by New Mixing Methodologies for Large-Scale Production. <i>Journal of Heat Transfer</i> , 2018, 140, .	1.2	5
606	An innovative approach to gas sensing using carbon nanotubes thin films: sensitivity, selectivity and stability response analysis. , 0, , .		4
607	Viscoelastic Characterization of Reinforced Polyester Foams. <i>Journal of Cellular Plastics</i> , 1988, 24, 473-485.	1.2	4
608	The Effect of Grain Size on the Mechanical and Cavitation Resistance of a High Nitrogen and Low Nickel Austenitic Stainless Steel. <i>Materials Science Forum</i> , 2003, 426-432, 975-980.	0.3	4
609	Processing and Final Properties Improvement of Polyolefinâ€Sepiolite and Carbon Nanofibre Nanocomposites. <i>Macromolecular Symposia</i> , 2011, 301, 128-135.	0.4	4
610	Transfer writing of foldable graphene nanoplatelet patterns on paper substrates. <i>Materials Letters</i> , 2013, 113, 54-58.	1.3	4
611	A comparative study between carbon nanotubes and carbon nanofibers as nano-inclusions in self-sensing concrete. , 2015, , .		4
612	The role of the interphase on the shear induced failure of multiwall carbon nanotubes reinforced epoxy nanocomposites. <i>Journal of Applied Polymer Science</i> , 2015, 132, .	1.3	4

#	ARTICLE	IF	CITATIONS
613	Computational Modeling of Polylactide and Its Cellulose-Reinforced Nanocomposites. , 2016, , 313-341.		4
614	Determination of the crystallization enthalpy of new-TPI. Journal of Applied Polymer Science, 1998, 67, 763-766.	1.3	4
615	Microstructure and cytocompatibility of electrospun nanocomposites based on poly(epsilon-caprolactone) and carbon nanostructures. International Journal of Artificial Organs, 2010, 33, 271-82.	0.7	4
616	Science and Technology of Polymer Composites. , 1989, , 471-525.		3
617	Thermal and chemorheological modelling of the processing of advanced epoxy based composites. Makromolekulare Chemie Macromolecular Symposia, 1989, 25, 45-54.	0.6	3
618	Title is missing!. Magyar AprÃ³vad KÃ¶zlemÃ©nyek, 2000, 61, 565-578.	1.4	3
619	Modelling Primary Recrystallization and Grain Growth in the AISI 316 Stainless Steel. Materials Science Forum, 2003, 426-432, 1011-1016.	0.3	3
620	Wear Resistance of Fine-Grained High Nitrogen Austenitic Stainless Steel Coated with Amorphous Carbon Films: The Soft X-ray Spectroscopy Approach. Tribology Letters, 2004, 16, 51-58.	1.2	3
621	Influence of atmospheric humidity and grain size on the friction and wear of high nitrogen austenitic stainless steel. Journal of Materials Science, 2004, 39, 1481-1484.	1.7	3
622	Uncovering regulator's (implicit) social welfare weights under price cap regulation. Economics Letters, 2006, 90, 1-5.	0.9	3
623	8 Injection moulding of plant fibre composites. , 2017, , 420-439.		3
624	Conclusive editorial on non-destructive techniques for cultural heritage. Rendiconti Lincei, 2020, 31, 819-820.	1.0	3
625	Lignin-based materials with antioxidant and antimicrobial properties. , 2021, , 291-326.		3
626	STRAIN-SENSING CARBON NANOTUBE CEMENT-BASED COMPOSITES FOR APPLICATIONS IN STRUCTURAL HEALTH MONITORING: PREPARATION AND MODELLING ISSUES. , 2015, , .		3
627	Thermal Characterization of the Cure Kinetics of Advanced Matrices for High-Performance Composites. Advances in Chemistry Series, 1993, , 539-557.	0.6	2
628	Structural changes of fluorinated amorphous carbon films by nitrogen incorporation. Materials Science in Semiconductor Processing, 2002, 5, 271-277.	1.9	2
629	Spectroscopic analysis of the structure of amorphous nitrogenated carbon films after wear tests. Thin Solid Films, 2003, 423, 108-114.	0.8	2
630	Ozone reactivity with carbon nanotubes: experimental and theoretical studies. , 0, , .		2

#	ARTICLE	IF	CITATIONS
631	A study of cosmic ray secondaries induced by the Mir space station using AMS-01. Nuclear Instruments & Methods in Physics Research B, 2005, 234, 321-332.	0.6	2
632	Realization of porous poly(methyl methacrylate) films filled with electrodeposited carbon nanotubes. Nanotechnology, 2008, 19, 295301.	1.3	2
633	PHENOLIC MATRIX NANOCOMPOSITES BASED ON COMMERCIAL GRADE RESOLS SYNTHESIS, CHARACTERIZATION AND COMPARISON WITH MICROCOMPOSITES. AIP Conference Proceedings, 2008, , .	0.3	2
634	Methods for Improving the Integration of Functionalized Carbon Nanotubes in Polymers. RSC Nanoscience and Nanotechnology, 2013, , 234-252.	0.2	2
635	Processing and Characterization of Nano-biocomposites Based on Mater-Bi® with Layered Silicates. Journal of Renewable Materials, 2014, 2, 42-51.	1.1	2
636	Polyethylene-based nanocomposite films: Structure/properties relationship. Polymer Engineering and Science, 2014, 54, 1931-1940.	1.5	2
637	Thermoset Nanocomposites as ablative materials for rocket and military applications. , 2018, , 477-509.		2
638	Stimuli-responsive core-shell nanoparticles. , 2018, , 245-258.		2
639	Polymeric composites and nanocomposites containing lignin. , 2022, , 293-324.		2
640	Analysis of the Ductility on Short Fiber Reinforced Polypropylene Plates. Journal of Elastomers and Plastics, 2000, 32, 302-310.	0.7	1
641	Ar dilution effects on hydrogen concentration and mass density obtained by X-ray and neutron reflectivity on hydrogenated amorphous nitride thin films. Applied Physics A: Materials Science and Processing, 2002, 74, s1104-s1106.	1.1	1
642	Wear resistance of a high nitrogen austenitic stainless steel coated with amorphous carbon films: influence of grain size and film composition. Materials Letters, 2003, 57, 1281-1287.	1.3	1
643	Organized fluidic assembly of single-walled carbon nanotubes onto fluorine-doped tin-oxide surface with modified wettability. Carbon, 2008, 46, 372-375.	5.4	1
644	Epoxy-carbon nanotube composites. , 2011, , 230-261.		1
645	CHAPTER 6. Electrospinning of PLA. RSC Polymer Chemistry Series, 2014, , 171-194.	0.1	1
646	CHAPTER 11. Biomaterials for Tissue Engineering Based on Nano-structured Poly(Lactic Acid). RSC Polymer Chemistry Series, 2014, , 266-285.	0.1	1
647	Preparation and characterization of nickel chelating functionalized poly (lactic-co-glycolic acid) microspheres. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2015, 468, 122-128.	2.3	1
648	Multifunctional nanostructured biopolymeric materials for therapeutic applications. , 2017, , 107-135.		1

#	ARTICLE	IF	CITATIONS
649	Physicochemical properties of nanosized polymeric drug carrier systems. , 2018, , 7-17.		1
650	The Initial Stage of Thermoplastic Polyimide Crystallization: Computer Simulations and Experiments. Reviews and Advances in Chemistry, 2021, 11, 85-99.	0.2	1
651	SÃntesis y caracterizaciÃ³n de composites de TPOS reforzados con nanotubos de carbono. Boletín De La Sociedad Española De Cerámica Y Vidrio, 2004, 43, 527-531.	0.9	1
652	Integration of Processing Models with Control and Optimization of Polymer Composites Fabrication. , 1992, , 529-544.		1
653	Cure Kinetics of Epoxy/Rubber Polymer Blends. , 2017, , 211-237.		1
654	USA-Italy Joint Workshop on Composite Materials: Processing Science and Technology of Polymeric Matrix Composites Capri, Italy, 6-10 June 1988. Composites, 1989, 20, 89-90.	0.9	0
655	Chemorheological Fundamental Aspects of the SMC Process. Science and Engineering of Composite Materials, 1995, 4, .	0.6	0
656	Cavitation Erosion and Friction Behavior of Stainless Steel as a Function of Grain Size. Materials Research Society Symposia Proceedings, 2003, 782, 1.	0.1	0
657	Carbon nanotubes gas sensors: current status and future prospects. , 0, , .		0
658	MORPHOLOGY AND RHEOLOGICAL BEHAVIOUR OF Ag-SBS NANOCOMPOSITE GELS. AIP Conference Proceedings, 2008, , .	0.3	0
659	MWNT-Doped Epoxy Matrix for Detecting Impact Damages in Fiber Reinforced Composites by Electrical Resistance Measurements. , 2010, , .		0
660	Probing the Sequestering of Carbon Nanotubes in the PS Domains of SIS Block Copolymer Matrix using Electrostatic Force Microscopy. , 2010, , .		0
661	LIGHT INDUCED CHANGE IN CONDUCTIVITY OF GRAPHENE OXIDE FILMS PATTERNED BY METAL MASKS. Functional Materials Letters, 2012, 05, 1250034.	0.7	0
662	Biodegradable Composite Scaffolds: A Strategy to Modulate Stem Cell Behaviour. Recent Patents on Drug Delivery and Formulation, 2012, 7, 9-17.	2.1	0
663	Cure Kinetics of Epoxy/Rubber Polymer Blends. , 2015, , 1-27.		0
664	Recent Advances in Conductive Composites Based on Biodegradable Polymers for Regenerative Medicine Applications. , 2017, , 519-542.		0
665	In Focus International Conference on Nanostructured Polymers and Nanocomposites (ECNP). Polymer International, 2017, 66, 1689-1689.	1.6	0
666	Nanocomposites based on ethylene vinyl acetate reinforced with different types of nanoparticles: potential applications. , 2021, , 357-377.		0

#	ARTICLE	IF	CITATIONS
667	CHEMORHEOLOGY AND CURING KINETICS OF TOUGHENED EPOXY MATRICES FOR HIGH PERFORMANCE COMPOSITES. , 1992, , 868-870.		0
668	Science and Technology of Polymer Composites. , 1993, , 321-357.		0
669	Skin Tissue Engineering. , 2017, , 1408-1423.		0
670	Variation On The Properties Of Silver Nanoparticles Nanocomposites Based On SIS And SBS Block Copolymer. , 0, , 295-302.		0