

# Michal PÅibyl

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6361997/publications.pdf>

Version: 2024-02-01

55  
papers

638  
citations

567281

15  
h-index

677142

22  
g-index

57  
all docs

57  
docs citations

57  
times ranked

598  
citing authors

#	ARTICLE	IF	CITATIONS
1	Microreaction and membrane technologies for continuous single-enantiomer production: A review. <i>Catalysis Reviews - Science and Engineering</i> , 2023, 65, 773-821.	12.9	5
2	A mathematical model of a lateral electrochromatography device for continuous chiral separation. <i>Separation and Purification Technology</i> , 2022, 282, 120033.	7.9	4
3	Effects of aqueous systems and stabilization membranes on the separation of an antibiotic precursor in a microextractor. <i>Separation and Purification Technology</i> , 2022, 292, 121050.	7.9	3
4	Electric field enhanced selective separation of products of an enzymatic reaction in a membrane microcontactor. <i>Biotechnology and Bioengineering</i> , 2021, 118, 715-724.	3.3	10
5	Enzyme synthesis of cephalexin in continuous-flow microfluidic device in ATPS environment. <i>Chemical Engineering Journal</i> , 2020, 396, 125236.	12.7	32
6	Theoretical study on enzyme synthesis of cephalexin in a parallel-flow microreactor combined with electrically driven ATPS microextraction. <i>Reaction Chemistry and Engineering</i> , 2020, 5, 570-583.	3.7	6
7	Separation efficiency of parallel flow microfluidic extractors with transport enhanced by electric field. <i>Separation and Purification Technology</i> , 2019, 221, 311-318.	7.9	9
8	Traveling-wave Phenomena in a Model of Autocrine Signaling Coupled with Dynamics of the MAPK Cascade. <i>Israel Journal of Chemistry</i> , 2018, 58, 742-752.	2.3	0
9	Optimization of aqueous two-phase systems for the production of 6-aminopenicillanic acid in integrated microfluidic reactors-separators. <i>New Biotechnology</i> , 2018, 47, 73-79.	4.4	20
10	Characterization of slug flow of two aqueous phases by electrochemical impedance spectroscopy in a fluidic chip. <i>Microelectronic Engineering</i> , 2018, 194, 89-95.	2.4	7
11	Electric field assisted transport of dielectric droplets dispersed in aqueous solutions of ionic surfactants. <i>Electrophoresis</i> , 2018, 39, 2997-3005.	2.4	5
12	Electric field driven addressing of ATPS droplets in microfluidic chips. <i>Microfluidics and Nanofluidics</i> , 2017, 21, 1.	2.2	13
13	Computational fluid dynamics model of rhythmic motion of charged droplets between parallel electrodes. <i>Journal of Fluid Mechanics</i> , 2017, 822, 31-53.	3.4	6
14	Aldolase catalyzed L-phenylserine synthesis in a slug-flow microfluidic system – Performance and diastereoselectivity studies. <i>Chemical Engineering Science</i> , 2017, 169, 97-105.	3.8	16
15	Minimal oscillating subnetwork in the Huang-Ferrell model of the MAPK cascade. <i>PLoS ONE</i> , 2017, 12, e0178457.	2.5	13
16	Electric Field Driven Addressing of Oil-in-Water Droplets in the Presence of Gradients of Ionic and Nonionic Surfactants. <i>IEEE Transactions on Industry Applications</i> , 2016, 52, 4337-4344.	4.9	10
17	Electrochemical characteristics of ideal polarizable interfaces with limited number of charge carriers. <i>Physical Review E</i> , 2015, 92, 052404.	2.1	1
18	Electric field driven addressing of oil in water droplets in the presence of gradients of ionic and nonionic surfactants. , 2015, , .		1

#	ARTICLE	IF	CITATIONS
19	Enzymatic sensor of putrescine with optical oxygen transducer – mathematical model of responses of sensitive layer. <i>Chemical Papers</i> , 2015, 69, .	2.2	4
20	AC electric sensing of slug-flow properties with exposed gold microelectrodes. <i>Journal of Micromechanics and Microengineering</i> , 2014, 24, 015002.	2.6	8
21	Oscillatory motion of water droplets in kerosene above co-planar electrodes in microfluidic chips. <i>AIP Advances</i> , 2014, 4, 067103.	1.3	23
22	Local kinetics and thermodynamics of rapid electrochemical reactions. <i>Physical Review E</i> , 2014, 89, 042403.	2.1	1
23	Oscillatory Flow Accelerates Autocrine Signaling due to Nonlinear Effect of Convection on Receptor-Related Actions. <i>Biophysical Journal</i> , 2013, 105, 818-828.	0.5	3
24	Three-phase slug flow in microchips can provide beneficial reaction conditions for enzyme liquid-liquid reactions. <i>Biomicrofluidics</i> , 2013, 7, 054103.	2.4	17
25	Mathematical Modeling of Traveling Wave Micropumps: Analysis of Energy Transformation. <i>IEEE Transactions on Industry Applications</i> , 2013, 49, 685-690.	4.9	7
26	Development of a dip-stick electrochemical micro-biosensor: Stability of protein layers on gold. <i>Microelectronic Engineering</i> , 2013, 111, 289-293.	2.4	1
27	Enzyme hydrolysis of soybean oil in a slug flow microsystem. <i>Biochemical Engineering Journal</i> , 2012, 67, 194-202.	3.6	27
28	Effects of Convective Transport on Chemical Signal Propagation in Epithelia. <i>Biophysical Journal</i> , 2012, 102, 990-1000.	0.5	4
29	Development of a conductivity microsensor considering electric double layer capacity. <i>Microelectronic Engineering</i> , 2012, 97, 387-390.	2.4	3
30	Hybrid gold–copper stamp for rapid fabrication of microchips. <i>Microelectronic Engineering</i> , 2012, 98, 548-551.	2.4	2
31	Kinetic mechanism for modeling of electrochemical reactions. <i>Physical Review E</i> , 2012, 85, 041505.	2.1	5
32	Fast ferritin immunoassay on PDMS microchips. <i>Chemical Papers</i> , 2011, 65, .	2.2	8
33	Mathematical modeling of electrochemical cell involving novel kinetics description. , 2011, , .		1
34	Detection of immunoglobulins in a laser induced fluorescence system utilizing polydimethylsiloxane microchips with advanced surface and optical properties. <i>Biomicrofluidics</i> , 2011, 5, 14101.	2.4	11
35	Mathematical modeling of AC electroosmosis in microfluidic and nanofluidic chips using equilibrium and non-equilibrium approaches. <i>Journal of Applied Electrochemistry</i> , 2010, 40, 967-980.	2.9	28
36	PDMS microfluidic chips prepared by a novel casting and pre-polymerization method. <i>Microelectronic Engineering</i> , 2010, 87, 1600-1602.	2.4	21

#	ARTICLE	IF	CITATIONS
37	Fabrication of plastic microchips with gold microelectrodes using techniques of sacrificed substrate and thermally activated solvent bonding. <i>Microelectronic Engineering</i> , 2010, 87, 1590-1593.	2.4	18
38	Plastic microfluidic systems made by imprinting against an epoxy stamp. <i>Microelectronic Engineering</i> , 2010, 87, 1527-1530.	2.4	14
39	Toward High Net Velocities in AC Electroosmotic Micropumps Based on Asymmetric Coplanar Electrodes. <i>IEEE Transactions on Industry Applications</i> , 2010, 46, 1679-1691.	4.9	9
40	Numerical Models for AC Electroosmotic Micropumps. <i>IEEE Transactions on Industry Applications</i> , 2010, 46, 2179-2189.	4.9	6
41	Study on surface properties of PDMS microfluidic chips treated with albumin. <i>Biomicrofluidics</i> , 2009, 3, 044101.	2.4	41
42	Numerical study on AC electroosmosis in microfluidic channels. <i>Microelectronic Engineering</i> , 2009, 86, 1333-1336.	2.4	12
43	Electro-osmotic characteristics of Polystyrene microchips – Experiments and modeling. <i>Microelectronic Engineering</i> , 2008, 85, 1100-1103.	2.4	5
44	Microfluidic chip for fast bioassays – evaluation of binding parameters. <i>Biomicrofluidics</i> , 2007, 1, 024101.	2.4	5
45	Transient behavior of an electrolytic diode. <i>Physical Chemistry Chemical Physics</i> , 2007, 9, 5374.	2.8	18
46	Dynamical and stationary analysis of an electrolyte diode and comparison with experiments. <i>Computer Aided Chemical Engineering</i> , 2006, 21, 291-296.	0.5	2
47	Adaptive mesh simulations of ionic systems in microcapillaries based on the estimation of transport times. <i>Computers and Chemical Engineering</i> , 2006, 30, 674-685.	3.8	6
48	Modeling reaction-transport processes in a microcapillary biosensor for detection of human IgG. <i>Microelectronic Engineering</i> , 2006, 83, 1660-1663.	2.4	12
49	Nonlinear phenomena and qualitative evaluation of risk of clogging in a capillary microreactor under imposed electric field. <i>Chemical Engineering Journal</i> , 2005, 105, 99-109.	12.7	21
50	Modeling of electric-field driven transport processes in microdevices for immunoassay. <i>Chemical Engineering Journal</i> , 2004, 101, 303-314.	12.7	14
51	Transitions in the model of epithelial patterning. <i>Developmental Dynamics</i> , 2003, 226, 155-159.	1.8	12
52	Long-Range Signal Transmission in Autocrine Relays. <i>Biophysical Journal</i> , 2003, 84, 883-896.	0.5	41
53	Discrete Models of Autocrine Cell Communication in Epithelial Layers. <i>Biophysical Journal</i> , 2003, 84, 3624-3635.	0.5	45
54	Modeling of hydrogel immobilized enzyme reactors with mass-transport enhancement by electric field. <i>Chemical Engineering Science</i> , 2001, 56, 433-442.	3.8	18

#	ARTICLE	IF	CITATIONS
55	Multiphysical Modeling of DC and AC Electroosmosis in Micro- and Nanosystems. , 0, , .		4