

# Antonio A Cuadri

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6362082/antonio-a-cuadri-publications-by-year.pdf>

**Version:** 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

31  
papers

700  
citations

18  
h-index

26  
g-index

34  
ext. papers

863  
ext. citations

5.1  
avg. IF

4.52  
L-index

#	Paper	IF	Citations
31	Combining vegetable oils and bioactive compounds via inverse vulcanization for antioxidant and antimicrobial materials. <i>Polymer Testing</i> , <b>2022</b> , 109, 107546	4.5	2
30	Promising Chalcogenide Hybrid Copolymers for Sustainable Applications as Bio-lubricants and Metal Adsorbents. <i>ACS Applied Polymer Materials</i> , <b>2022</b> , 4, 3667-3675	4.3	1
29	Short- and Long-Term Epoxy Modification of Bitumen: Modification Kinetics, Rheological Properties, and Microstructure. <i>Polymers</i> , <b>2020</b> , 12,	4.5	4
28	Synergistic ethylcellulose/polyphosphoric acid modification of bitumen for paving applications. <i>Materials and Structures/Materiaux Et Constructions</i> , <b>2020</b> , 53, 1	3.4	6
27	Using Mathcad to facilitate the design of chemical reactors involving multiple reactions. <i>Computer Applications in Engineering Education</i> , <b>2020</b> , 28, 293-303	1.6	6
26	Development and Characterization of Novel Fibers Based on Potato Protein/Polyethylene Oxide Through Electrospinning. <i>Fibers and Polymers</i> , <b>2019</b> , 20, 1586-1593	2	5
25	The Effect of Carboxyl Group Content on Water Uptake Capacity and Tensile Properties of Functionalized Soy Protein-Based Superabsorbent Plastics. <i>Journal of Polymers and the Environment</i> , <b>2018</b> , 26, 2934-2944	4.5	26
24	Thermal, thermo-oxidative and thermomechanical degradation of PLA: A comparative study based on rheological, chemical and thermal properties. <i>Polymer Degradation and Stability</i> , <b>2018</b> , 150, 37-45	4.7	59
23	The combined effect of formulation and pH on properties of polyethylene oxide composite fiber containing egg albumen protein. <i>International Journal of Biological Macromolecules</i> , <b>2018</b> , 112, 996-1004	7.9	10
22	Relation between concentration and shear-extensional rheology properties of xanthan and guar gum solutions. <i>Carbohydrate Polymers</i> , <b>2018</b> , 181, 63-70	10.3	42
21	Selection of ethylene-vinyl-acetate properties for modified bitumen with enhanced end-performance. <i>Rheologica Acta</i> , <b>2018</b> , 57, 71-82	2.3	3
20	The effect of thermal and thermo-oxidative degradation conditions on rheological, chemical and thermal properties of HDPE. <i>Polymer Degradation and Stability</i> , <b>2017</b> , 141, 11-18	4.7	34
19	Natural superabsorbent plastic materials based on a functionalized soy protein. <i>Polymer Testing</i> , <b>2017</b> , 58, 126-134	4.5	47
18	Linear and non-linear viscoelastic behavior of SBS and LDPE modified bituminous mastics. <i>Construction and Building Materials</i> , <b>2016</b> , 123, 464-472	6.7	20
17	A natural-based polymeric hydrogel based on functionalized soy protein. <i>European Polymer Journal</i> , <b>2016</b> , 85, 164-174	5.2	33
16	Influence of polymer melting point and Melt Flow Index on the performance of ethylene-vinyl-acetate modified bitumen for reduced-temperature application. <i>Materials and Design</i> , <b>2016</b> , 96, 180-188	8.1	34
15	Formulation and processing of recycled-low-density-polyethylene-modified bitumen emulsions for reduced-temperature asphalt technologies. <i>Chemical Engineering Science</i> , <b>2016</b> , 156, 197-205	4.4	29

14	The development of polyurethane modified bitumen emulsions for cold mix applications. <i>Materials and Structures/Materiaux Et Constructions</i> , <b>2015</b> , 48, 3407-3414	3.4	25
13	Chemically modified bitumens with enhanced rheology and adhesion properties to siliceous aggregates. <i>Construction and Building Materials</i> , <b>2015</b> , 93, 766-774	6.7	22
12	Bitumen modifiers for reduced temperature asphalts: A comparative analysis between three polymeric and non-polymeric additives. <i>Construction and Building Materials</i> , <b>2014</b> , 51, 82-88	6.7	15
11	Valorization of phosphogypsum waste as asphaltic bitumen modifier. <i>Journal of Hazardous Materials</i> , <b>2014</b> , 279, 11-6	12.8	61
10	Influence of the prepolymer molecular weight and free isocyanate content on the rheology of polyurethane modified bitumens. <i>European Polymer Journal</i> , <b>2014</b> , 57, 151-159	5.2	25
9	Effect of transesterification degree and post-treatment on the in-service performance of NCO-functionalized vegetable oil bituminous products. <i>Chemical Engineering Science</i> , <b>2014</b> , 111, 126-134	4.4	7
8	Processing of bitumens modified by a bio-oil-derived polyurethane. <i>Fuel</i> , <b>2014</b> , 118, 83-90	7.1	41
7	End-performance evaluation of thiourea-modified bituminous binders through viscous flow and linear viscoelasticity testing. <i>Rheologica Acta</i> , <b>2013</b> , 52, 145-154	2.3	10
6	Thermal, rheological and microstructural characterisation of commercial biodegradable polyesters. <i>Polymer Testing</i> , <b>2013</b> , 32, 716-723	4.5	50
5	Isocyanate-functionalized castor oil as a novel bitumen modifier. <i>Chemical Engineering Science</i> , <b>2013</b> , 97, 320-327	4.4	28
4	Rheological behaviour of polymer-modified bituminous mastics: A comparative analysis between physical and chemical modification. <i>Construction and Building Materials</i> , <b>2012</b> , 27, 234-240	6.7	18
3	Enhancing the viscoelastic properties of bituminous binders via thiourea-modification. <i>Fuel</i> , <b>2012</b> , 97, 862-868	7.1	6
2	Influence of Processing Temperature on the Modification Route and Rheological Properties of Thiourea Dioxide-Modified Bitumen. <i>Energy &amp; Fuels</i> , <b>2011</b> , 25, 4055-4062	4.1	7
1	Bitumen chemical modification by thiourea dioxide. <i>Fuel</i> , <b>2011</b> , 90, 2294-2300	7.1	24