

Andreas Lind

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6362451/publications.pdf>

Version: 2024-02-01

26
papers

1,154
citations

623574

14
h-index

552653

26
g-index

33
all docs

33
docs citations

33
times ranked

2455
citing authors

#	ARTICLE	IF	CITATIONS
1	Systemic complement activation is associated with respiratory failure in COVID-19 hospitalized patients. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 25018-25025.	3.3	279
2	Outbreak caused by the SARS-CoV-2 Omicron variant in Norway, November to December 2021. <i>Eurosurveillance</i> , 2021, 26, .	3.9	252
3	Distinct and early increase in circulating MMP-9 in COVID-19 patients with respiratory failure. <i>Journal of Infection</i> , 2020, 81, e41-e43.	1.7	129
4	Elevated markers of gut leakage and inflammasome activation in COVID-19 patients with cardiac involvement. <i>Journal of Internal Medicine</i> , 2021, 289, 523-531.	2.7	76
5	Increased interleukin-6 and macrophage chemoattractant protein-1 are associated with respiratory failure in COVID-19. <i>Scientific Reports</i> , 2020, 10, 21697.	1.6	65
6	An Exploratory Trial of Cyclooxygenase Type 2 Inhibitor in HIV-1 Infection: Downregulated Immune Activation and Improved T Cell-Dependent Vaccine Responses. <i>Journal of Virology</i> , 2011, 85, 6557-6566.	1.5	58
7	Detailed stratified GWAS analysis for severe COVID-19 in four European populations. <i>Human Molecular Genetics</i> , 2022, 31, 3945-3966.	1.4	46
8	Persisting symptoms three to eight months after non-hospitalized COVID-19, a prospective cohort study. <i>PLoS ONE</i> , 2021, 16, e0256142.	1.1	39
9	Elevated plasma sTIM-3 levels in patients with severe COVID-19. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, 92-98.	1.5	31
10	Circulating levels of HMGB1 are correlated strongly with MD2 in HIV-infection: Possible implication for TLR4-signalling and chronic immune activation. <i>Innate Immunity</i> , 2013, 19, 290-297.	1.1	22
11	Intranasal Administration of a Therapeutic HIV Vaccine (Vacc-4x) Induces Dose-Dependent Systemic and Mucosal Immune Responses in a Randomized Controlled Trial. <i>PLoS ONE</i> , 2014, 9, e112556.	1.1	22
12	Rapid SARS-CoV-2 variant monitoring using PCR confirmed by whole genome sequencing in a high-volume diagnostic laboratory. <i>Journal of Clinical Virology</i> , 2021, 141, 104906.	1.6	21
13	Overestimation of Human Immunodeficiency Virus Type 1 Load Caused by the Presence of Cells in Plasma from Plasma Preparation Tubes. <i>Journal of Clinical Microbiology</i> , 2009, 47, 2170-2174.	1.8	18
14	Intradermal vaccination of HIV-infected patients with short HIV Gag p24-like peptides induces CD4 + and CD8 + T cell responses lasting more than seven years. <i>Scandinavian Journal of Infectious Diseases</i> , 2012, 44, 566-572.	1.5	16
15	Observed reduction in the diagnosis of acute lymphoblastic leukaemia in children during the COVID-19 pandemic. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021, 110, 596-597.	0.7	16
16	The incidence of infectious diseases and viruses other than SARS-CoV-2 amongst hospitalised children in Oslo, Norway during the Covid-19 pandemic 2020-2021. <i>Journal of Clinical Virology Plus</i> , 2022, 2, 100060.	0.4	14
17	Boosters of a therapeutic HIV-1 vaccine induce divergent T cell responses related to regulatory mechanisms. <i>Vaccine</i> , 2013, 31, 4611-4618.	1.7	10
18	A Parameter for IL-10 and TGF- β Mediated Regulation of HIV-1 Specific T Cell Activation Provides Novel Information and Relates to Progression Markers. <i>PLoS ONE</i> , 2014, 9, e85604.	1.1	8

#	ARTICLE	IF	CITATIONS
19	High MIP-1 β Levels in Plasma Predict Long-Term Immunological Nonresponse to Suppressive Antiretroviral Therapy in HIV Infection. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015, 69, 395-402.	0.9	6
20	En mann i 90-Årrene med feber og tørrhoste. <i>Tidsskrift for Den Norske Lægeforening</i> , 2020, 140, .	0.2	3
21	Regulation of Gag- and Env-Specific CD8+ T Cell Responses in ART-Naïve HIV-Infected Patients: Potential Implications for Individualized Immunotherapy. <i>PLoS ONE</i> , 2016, 11, e0153849.	1.1	2
22	Pre-screening and preventive quarantine likely explains the low SARS-CoV-2 prevalence among Norwegian conscripts. <i>Scandinavian Journal of Primary Health Care</i> , 2021, 39, 31-34.	0.6	2
23	Dispersion of SARS-CoV-2 in air surrounding COVID-19-infected individuals with mild symptoms. <i>Indoor Air</i> , 2022, 32, e13001.	2.0	2
24	Severe acute respiratory syndrome coronavirus 2 prevalence in 1170 asymptomatic Norwegian conscripts. <i>Health Science Reports</i> , 2021, 4, e233.	0.6	1
25	The use of eculizumab in <i>Capnocytophaga canimorsus</i> associated thrombotic microangiopathy: a case report. <i>BMC Infectious Diseases</i> , 2021, 21, 137.	1.3	1
26	Status for vaksineutvikling mot covid-19. <i>Tidsskrift for Den Norske Lægeforening</i> , 2020, 140, .	0.2	1