## Elizabeth L Johnson

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6362578/elizabeth-l-johnson-publications-by-year.pdf

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

17	758	10	<b>22</b>
papers	citations	h-index	g-index
22	1,021 ext. citations	10.8	4.29
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
17	Identification and characterization of 3-ketosphinganine reductase activity encoded at the BT_0972 locus in Bacteroides thetaiotaomicron. <i>Journal of Lipid Research</i> , <b>2022</b> , 100236	6.3	1
16	Dietary sphinganine is selectively assimilated by members of the mammalian gut microbiome. <i>Journal of Lipid Research</i> , <b>2021</b> , 62, 100034	6.3	10
15	A BOSSS method for managing insights into diet-microbiome interactions. <i>Trends in Biochemical Sciences</i> , <b>2021</b> , 46, 944-945	10.3	
14	The microbiome affects liver sphingolipids and plasma fatty acids in a murine model of the Western diet based on soybean oil. <i>Journal of Nutritional Biochemistry</i> , <b>2021</b> , 97, 108808	6.3	3
13	Sphingolipids produced by gut bacteria enter host metabolic pathways impacting ceramide levels. <i>Nature Communications</i> , <b>2020</b> , 11, 2471	17.4	64
12	Going Keto? Say ⊞B-ye Bye to Your Gut Bifidobacteria. <i>Cell Host and Microbe</i> , <b>2020</b> , 28, 3-5	23.4	2
11	Sphingolipids in host-microbial interactions. <i>Current Opinion in Microbiology</i> , <b>2018</b> , 43, 92-99	7.9	84
10	RECK isoforms have opposing effects on cell migration. <i>Molecular Biology of the Cell</i> , <b>2018</b> , 29, 1825-18	3 <b>3§</b> .5	15
9	Alternative polyadenylation factors link cell cycle to migration. <i>Genome Biology</i> , <b>2018</b> , 19, 176	18.3	10
8	Widespread changes in mRNA stability contribute to quiescence-specific gene expression patterns in a fibroblast model of quiescence. <i>BMC Genomics</i> , <b>2017</b> , 18, 123	4.5	10
7	Microbiome and metabolic disease: revisiting the bacterial phylum Bacteroidetes. <i>Journal of Molecular Medicine</i> , <b>2017</b> , 95, 1-8	5.5	159
6	A microRNA network regulates proliferative timing and extracellular matrix synthesis during cellular quiescence in fibroblasts. <i>Genome Biology</i> , <b>2012</b> , 13, R121	18.3	50
5	Quiescent fibroblasts are protected from proteasome inhibition-mediated toxicity. <i>Molecular Biology of the Cell</i> , <b>2012</b> , 23, 3566-81	3.5	23
4	Regulation of the let-7a-3 promoter by NF-B. PLoS ONE, 2012, 7, e31240	3.7	38
3	Quiescent fibroblasts exhibit high metabolic activity. <i>PLoS Biology</i> , <b>2010</b> , 8, e1000514	9.7	267
2	Resource allocation in a social wasp: effects of breeding system and life cycle on reproductive decisions. <i>Molecular Ecology</i> , <b>2009</b> , 18, 2908-20	5.7	18
1	Sphingolipid production by gut Bacteroidetes regulates glucose homeostasis		2