

Marc van der Valk

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6362842/marc-van-der-valk-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85
papers

2,514
citations

24
h-index

49
g-index

93
ext. papers

3,022
ext. citations

6.9
avg, IF

4.34
L-index

#	Paper	IF	Citations
85	Cross-sectional comparison of the prevalence of age-associated comorbidities and their risk factors between HIV-infected and uninfected individuals: the AGEHIV cohort study. <i>Clinical Infectious Diseases</i> , 2014 , 59, 1787-97	11.6	485
84	Nevirapine-containing antiretroviral therapy in HIV-1 infected patients results in an anti-atherogenic lipid profile. <i>Aids</i> , 2001 , 15, 2407-14	3.5	180
83	Daclatasvir plus sofosbuvir, with or without ribavirin, achieved high sustained virological response rates in patients with HCV infection and advanced liver disease in a real-world cohort. <i>Gut</i> , 2016 , 65, 1861-1870 ¹⁹² 146	19.2	146
82	Safety, tolerability, and antiviral effect of RG-101 in patients with chronic hepatitis C: a phase 1B, double-blind, randomised controlled trial. <i>Lancet, The</i> , 2017 , 389, 709-717	40	144
81	A randomized trial to study first-line combination therapy with or without a protease inhibitor in HIV-1-infected patients. <i>Aids</i> , 2003 , 17, 987-99	3.5	131
80	Increased risk of lipodystrophy when nucleoside analogue reverse transcriptase inhibitors are included with protease inhibitors in the treatment of HIV-1 infection. <i>Aids</i> , 2001 , 15, 847-55	3.5	120
79	Restrictions for reimbursement of interferon-free direct-acting antiviral drugs for HCV infection in Europe. <i>The Lancet Gastroenterology and Hepatology</i> , 2018 , 3, 125-133	18.8	98
78	Lipodystrophy in HIV-1-positive patients is associated with insulin resistance in multiple metabolic pathways. <i>Aids</i> , 2001 , 15, 2093-100	3.5	89
77	HIV infection is independently associated with frailty in middle-aged HIV type 1-infected individuals compared with similar but uninfected controls. <i>Aids</i> , 2016 , 30, 241-50	3.5	86
76	Cost-effectiveness analysis of pre-exposure prophylaxis for HIV-1 prevention in the Netherlands: a mathematical modelling study. <i>Lancet Infectious Diseases, The</i> , 2016 , 16, 1423-1429	25.5	63
75	HIV-associated adipose redistribution syndrome as a selective autonomic neuropathy. <i>Lancet, The</i> , 2003 , 362, 1758-60	40	55
74	Higher Prevalence of Hypertension in HIV-1-Infected Patients on Combination Antiretroviral Therapy Is Associated With Changes in Body Composition and Prior Stavudine Exposure. <i>Clinical Infectious Diseases</i> , 2016 , 63, 205-13	11.6	52
73	Sofosbuvir shows antiviral activity in a patient with chronic hepatitis E virus infection. <i>Journal of Hepatology</i> , 2017 , 66, 242-243	13.4	51
72	Ritonavir impairs lipoprotein lipase-mediated lipolysis and decreases uptake of fatty acids in adipose tissue. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006 , 26, 124-9	9.4	45
71	Prevalence of Lipoatrophy and Mitochondrial DNA Content of Blood and Subcutaneous Fat in HIV-1-Infected Patients Randomly Allocated to Zidovudine- or Stavudine-Based Therapy. <i>Antiviral Therapy</i> , 2004 , 9, 385-393	1.6	44
70	Low bone mineral density in patients with well-suppressed HIV infection: association with body weight, smoking, and prior advanced HIV disease. <i>Journal of Infectious Diseases</i> , 2015 , 211, 539-48	7	42
69	Impact of nevirapine on lipid metabolism. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2003 , 34 Suppl 1, S79-84	3.1	41

68	Higher Prevalence and Faster Progression of Chronic Kidney Disease in Human Immunodeficiency Virus-Infected Middle-Aged Individuals Compared With Human Immunodeficiency Virus-Uninfected Controls. <i>Journal of Infectious Diseases</i> , 2017 , 216, 622-631	7	40
67	High Treatment Uptake in Human Immunodeficiency Virus/Hepatitis C Virus-Coinfected Patients After Unrestricted Access to Direct-Acting Antivirals in the Netherlands. <i>Clinical Infectious Diseases</i> , 2018 , 66, 1352-1359	11.6	37
66	Highly active antiretroviral therapy-induced lipodystrophy has minor effects on human immunodeficiency virus-induced changes in lipolysis, but normalizes resting energy expenditure. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 5066-71	5.6	32
65	Viral hepatitis C therapy: pharmacokinetic and pharmacodynamic considerations. <i>Clinical Pharmacokinetics</i> , 2014 , 53, 409-27	6.2	30
64	Linkage and retention in HCV care for HIV-infected populations: early data from the DAA era. <i>Journal of the International AIDS Society</i> , 2018 , 21 Suppl 2, e25051	5.4	27
63	Liver fibrosis in HIV-infected individuals on long-term antiretroviral therapy: associated with immune activation, immunodeficiency and prior use of didanosine. <i>Aids</i> , 2016 , 30, 1771-80	3.5	26
62	Immune phenotype and function of natural killer and T cells in chronic hepatitis C patients who received a single dose of anti-MicroRNA-122, RG-101. <i>Hepatology</i> , 2017 , 66, 57-68	11.2	25
61	Suboptimal primary and secondary cardiovascular disease prevention in HIV-positive individuals on antiretroviral therapy. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 1297-1307	3.9	20
60	Markedly diminished lipolysis and partial restoration of glucose metabolism, without changes in fat distribution after extended discontinuation of protease inhibitors in severe lipodystrophic human immunodeficient virus-1-infected patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 3554-60	5.6	20
59	Daclatasvir plus sofosbuvir, with or without ribavirin, in real-world patients with HIV-HCV coinfection and advanced liver disease. <i>Antiviral Therapy</i> , 2017 , 22, 225-236	1.6	20
58	Incidence of hepatocellular carcinoma in HIV/HBV-coinfected patients on tenofovir therapy: Relevance for screening strategies. <i>Journal of Hepatology</i> , 2019 , 71, 274-280	13.4	19
57	Lipid profiles associated with antiretroviral drug choices. <i>Current Opinion in Infectious Diseases</i> , 2003 , 16, 19-23	5.4	19
56	Cigarette Smoking and Inflammation, Monocyte Activation, and Coagulation in HIV-Infected Individuals Receiving Antiretroviral Therapy, Compared With Uninfected Individuals. <i>Journal of Infectious Diseases</i> , 2016 , 214, 1817-1821	7	19
55	Genetic characterization of multiple hepatitis C virus infections following acute infection in HIV-infected men who have sex with men. <i>Aids</i> , 2015 , 29, 2287-95	3.5	18
54	Development and validation of the HCV-MOSAIC risk score to assist testing for acute hepatitis C virus (HCV) infection in HIV-infected men who have sex with men (MSM). <i>Eurosurveillance</i> , 2017 , 22,	19.8	16
53	Difference in Aortic Stiffness Between Treated Middle-Aged HIV Type 1-Infected and Uninfected Individuals Largely Explained by Traditional Cardiovascular Risk Factors, With an Additional Contribution of Prior Advanced Immunodeficiency. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016 , 73, 55-62	3.1	15
52	Kaposi Sarcoma Risk in HIV-Infected Children and Adolescents on Combination Antiretroviral Therapy From Sub-Saharan Africa, Europe, and Asia. <i>Clinical Infectious Diseases</i> , 2016 , 63, 1245-1253	11.6	15
51	Predictive Performance of Cardiovascular Disease Risk Prediction Algorithms in People Living With HIV. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019 , 81, 562-571	3.1	15

50	Cardiovascular Disease Prevention Policy in Human Immunodeficiency Virus: Recommendations From a Modeling Study. <i>Clinical Infectious Diseases</i> , 2018 , 66, 743-750	11.6	14
49	Prevalence of lipotrophy and mitochondrial DNA content of blood and subcutaneous fat in HIV-1-infected patients randomly allocated to zidovudine- or stavudine-based therapy. <i>Antiviral Therapy</i> , 2004 , 9, 385-93	1.6	13
48	Characterization of Hepatitis C Virus (HCV) Envelope Diversification from Acute to Chronic Infection within a Sexually Transmitted HCV Cluster by Using Single-Molecule, Real-Time Sequencing. <i>Journal of Virology</i> , 2017 , 91,	6.6	12
47	Coccidioidomycosis infection of a total knee arthroplasty in a nonendemic region. <i>Journal of Arthroplasty</i> , 2013 , 28, 375.e13-5	4.4	12
46	HCV micro-elimination in individuals with HIV in the Netherlands 4 years after universal access to direct-acting antivirals: a retrospective cohort study. <i>Lancet HIV,the</i> , 2021 , 8, e96-e105	7.8	12
45	Sympathetic nervous system function in HIV-associated adipose redistribution syndrome. <i>Aids</i> , 2006 , 20, 773-5	3.5	11
44	Management of drug interactions with direct-acting antivirals in Dutch HIV/hepatitis C virus-coinfected patients: adequate but not perfect. <i>HIV Medicine</i> , 2018 , 19, 216-226	2.7	11
43	HIV-1 exposure and immune activation enhance sexual transmission of Hepatitis C virus by primary Langerhans cells. <i>Journal of the International AIDS Society</i> , 2019 , 22, e25268	5.4	10
42	Persistence of NS5B-S282T, a sofosbuvir resistance-associated substitution, in a HIV/HCV-coinfected MSM with risk of onward transmission. <i>Journal of Hepatology</i> , 2018 , 69, 968-970	13.4	10
41	Immune responses in DAA treated chronic hepatitis C patients with and without prior RG-101 dosing. <i>Antiviral Research</i> , 2017 , 146, 139-145	10.8	10
40	Incidence of HCV Reinfection Among HIV-Positive MSM and Its Association With Sexual Risk Behavior: A Longitudinal Analysis. <i>Clinical Infectious Diseases</i> , 2021 , 73, 460-467	11.6	9
39	Dried blood spot self-sampling at home is a feasible technique for hepatitis C RNA detection. <i>PLoS ONE</i> , 2020 , 15, e0231385	3.7	9
38	Viral hepatitis in haemophilia: historical perspective and current management. <i>British Journal of Haematology</i> , 2021 , 195, 174-185	4.5	7
37	Low compliance with hepatocellular carcinoma screening guidelines in hepatitis B/C virus co-infected HIV patients with cirrhosis. <i>Journal of Viral Hepatitis</i> , 2019 , 26, 1224-1228	3.4	6
36	Brief Report: High Need to Switch cART or Comedication With the Initiation of DAAs in Elderly HIV/HCV-Coinfected Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017 , 76, 193-199	3.1	6
35	Decreased Time to Viral Suppression After Implementation of Targeted Testing and Immediate Initiation of Treatment of Acute Human Immunodeficiency Virus Infection Among Men Who Have Sex With Men in Amsterdam. <i>Clinical Infectious Diseases</i> , 2021 , 72, 1952-1960	11.6	6
34	Noncommunicable Diseases in People Living With HIV: Time for Integrated Care. <i>Journal of Infectious Diseases</i> , 2017 , 216, 1481-1483	7	5
33	Hepatitis C elimination in the Netherlands (CELINE): study protocol for nationwide retrieval of lost to follow-up patients with chronic hepatitis C. <i>BMJ Open Gastroenterology</i> , 2020 , 7, e000396	3.9	5

32	Is reaching 90-90-90 enough to end AIDS? Lessons from Amsterdam. <i>Current Opinion in HIV and AIDS</i> , 2019 , 14, 455-463	4.2	5
31	Human Immunodeficiency Virus (HIV)-Negative Men Who Have Sex With Men Have Higher CD8+ T-Cell Counts and Lower CD4+/CD8+ T-Cell Ratios Compared With HIV-Negative Heterosexual Men. <i>Journal of Infectious Diseases</i> , 2021 , 224, 1187-1197	7	4
30	Successful implementation of hepatitis C virus treatment in two large HIV clinics in Amsterdam: hepatitis C virus treatment cascade of care. <i>Aids</i> , 2017 , 31, 1779-1780	3.5	4
29	A rosiglitazone-induced increase in adiponectin does not improve glucose metabolism in HIV-infected patients with overt lipoatrophy. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009 , 297, E1097-104	6	4
28	Acute hepatitis C infection among adults with HIV in the Netherlands between 2003 and 2016: a capture-recapture analysis for the 2013 to 2016 period. <i>Eurosurveillance</i> , 2020 , 25,	19.8	4
27	8 weeks of sofosbuvir/ledipasvir is effective in DAA-naive non-cirrhotic HCV genotype 4 infected patients (HEPNED-001 study). <i>Journal of Hepatology</i> , 2019 , 70, 554-557	13.4	4
26	High proportions of liver fibrosis and cirrhosis in an ageing population of people who use drugs in Amsterdam, The Netherlands. <i>European Journal of Gastroenterology and Hepatology</i> , 2018 , 30, 1168-1176	2.2	4
25	Improved darunavir genotypic mutation score predicting treatment response for patients infected with HIV-1 subtype B and non-subtype B receiving a salvage regimen. <i>Journal of Antimicrobial Chemotherapy</i> , 2016 , 71, 1352-60	5.1	3
24	Noncirrhotic Portal Hypertension in Perinatally HIV-infected Adolescents Treated With Didanosine-containing Antiretroviral Regimens in Childhood. <i>Pediatric Infectious Disease Journal</i> , 2016 , 35, e248-52	3.4	3
23	Progression of liver fibrosis following acute hepatitis C virus infection in HIV-positive MSM. <i>Aids</i> , 2019 , 33, 833-844	3.5	3
22	Global temporal changes in the proportion of children with advanced disease at the start of combination antiretroviral therapy in an era of changing criteria for treatment initiation. <i>Journal of the International AIDS Society</i> , 2018 , 21, e25200	5.4	3
21	Sofosbuvir/velpatasvir for 12 vs. 6 weeks for the treatment of recently acquired hepatitis C infection. <i>Journal of Hepatology</i> , 2021 , 75, 829-839	13.4	3
20	Seven years of chronic hepatitis C virus infection in an HIV-infected man without detectable antibodies. <i>Aids</i> , 2015 , 29, 389-90	3.5	2
19	Selection of an M184V mutation in the cerebrospinal fluid of a treatment-naive HIV-infected individual starting darunavir-based therapy. <i>Antiviral Therapy</i> , 2011 , 16, 931-5	1.6	2
18	Design and Implementation of a Multilevel Intervention to Reduce Hepatitis C Transmission Among Men Who Have Sex With Men in Amsterdam: Co-Creation and Usability Study. <i>JMIR Formative Research</i> , 2020 , 4, e19100	2.5	2
17	Hepatitis C Virus Transmission Among Men Who Have Sex With Men in Amsterdam: External Introductions May Complicate Microelimination Efforts. <i>Clinical Infectious Diseases</i> , 2021 , 72, e1056-e1063	11.6	2
16	Changes in lung function among treated HIV-positive and HIV-negative individuals: analysis of the prospective AGEHIV cohort study. <i>The Lancet Healthy Longevity</i> , 2021 , 2, e202-e211	9.5	2
15	Generally rare but occasionally severe weight gain after switching to an integrase inhibitor in virally suppressed AGEHIV cohort participants. <i>PLoS ONE</i> , 2021 , 16, e0251205	3.7	2

14	Clinical consequences of increased ciprofloxacin and gentamicin resistance in patients with <i>Escherichia coli</i> bacteraemia in the Netherlands. <i>Scandinavian Journal of Infectious Diseases</i> , 2012 , 44, 363-8		1
13	Prevalence of viral hepatitis B and C in Sierra Leone-current knowledge and knowledge gaps: a narrative review. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2021 , 115, 1106-1113 ²		1
12	Understanding Reasons for HIV Late Diagnosis: A Qualitative Study Among HIV-Positive Individuals in Amsterdam, The Netherlands. <i>AIDS and Behavior</i> , 2021 , 25, 2898-2906	4.3	1
11	Bile-salt stimulated lipase polymorphisms do not associate with HCV susceptibility. <i>Virus Research</i> , 2019 , 274, 197715	6.4	0
10	Evaluation of the Hepatitis C Testing Strategy for Human Immunodeficiency Virus-Positive Men Who Have Sex With Men at the Sexually Transmitted Infections Outpatient Clinic of Amsterdam, the Netherlands. <i>Sexually Transmitted Diseases</i> , 2020 , 47, 587-595	2.4	0
9	Promoting HIV indicator condition-guided testing in hospital settings (PROTEST 2.0): study protocol for a multicentre interventional study. <i>BMC Infectious Diseases</i> , 2021 , 21, 519	4	0
8	Direct-Acting Antiviral Treatment for Hepatitis C Genotypes Uncommon in High-Income Countries: A Dutch Nationwide Cohort Study. <i>Open Forum Infectious Diseases</i> , 2021 , 8, ofab006	1	0
7	Usability, acceptability, and self-reported impact of an innovative hepatitis C risk reduction intervention for men have sex with men: A mixed methods study.. <i>PLoS ONE</i> , 2022 , 17, e0263654	3.7	0
6	Severe coronavirus disease 2019 in a patient with HIV-2 infection. <i>Aids</i> , 2021 , 35, 1151-1152	3.5	
5	Barriers to eliminating HIV transmission in England by 2030. <i>Lancet Public Health</i> , 2021 , 6, e699-e700 ^{2,4}		
4	Dried blood spot self-sampling at home is a feasible technique for hepatitis C RNA detection 2020 , 15, e0231385		
3	Dried blood spot self-sampling at home is a feasible technique for hepatitis C RNA detection 2020 , 15, e0231385		
2	Dried blood spot self-sampling at home is a feasible technique for hepatitis C RNA detection 2020 , 15, e0231385		
1	Dried blood spot self-sampling at home is a feasible technique for hepatitis C RNA detection 2020 , 15, e0231385		