
Lech Sliwa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6363552/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Preservation of Residual Hearing in Children and Post-Lingually Deafened Adults after Cochlear Implantation: An Initial Study. Orl, 2002, 64, 247-253.	1.1	97
2	Diverging frequency-modulated 50-kHz vocalization, locomotor activity and conditioned place preference effects in rats given repeated amphetamine treatment. Neuropharmacology, 2014, 83, 128-136.	4.1	47
3	A modified oddball paradigm for investigation of neural correlates of attention: a simultaneous ERP–fMRI study. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2013, 26, 511-526.	2.0	41
4	A comparison of audiometric and objective methods in hearing screening of school children. A preliminary study. International Journal of Pediatric Otorhinolaryngology, 2011, 75, 483-488.	1.0	38
5	Dose-dependent protection on cisplatin-induced ototoxicity – an electrophysiological study on the effect of three antioxidants in the Sprague-Dawley rat animal model. Medical Science Monitor, 2011, 17, BR179-BR186.	1.1	34
6	A connection between the Efferent Auditory System and Noise-Induced Tinnitus Generation. Reduced contralateral suppression of TEOAEs in patients with noise-induced tinnitus. Medical Science Monitor, 2011, 17, MT56-MT62.	1.1	18
7	Estimation of pure-tone thresholds in adults using extrapolated distortion product otoacoustic emission input/output-functions and auditory steady state responses. International Journal of Audiology, 2009, 48, 625-631.	1.7	13
8	Otoacoustic emissions in neonates measured with different acquisition protocols. International Journal of Pediatric Otorhinolaryngology, 2012, 76, 382-387.	1.0	9
9	Hearing threshold prediction with Auditory Steady State Responses and estimation of correction functions to compensate for differences with behavioral data, in adult subjects. Part 1: Audera and CHARTR EP devices. Medical Science Monitor, 2012, 18, MT47-MT53.	1.1	8
10	Low-frequency otoacoustic emissions in schoolchildren measured by two commercial devices. International Journal of Pediatric Otorhinolaryngology, 2013, 77, 1724-1728.	1.0	7
11	Chirp-evoked otoacoustic emissions in children. International Journal of Pediatric Otorhinolaryngology, 2013, 77, 101-106.	1.0	6
12	Measurement of Wideband Absorbance as a Test for Otosclerosis. Journal of Clinical Medicine, 2020, 9, 1908.	2.4	6
13	Repeatability of Transient-Evoked Otoacoustic Emissions in Young Adults. Medical Science Monitor, 2015, 21, 36-43.	1.1	6
14	A Universal Computer Audiometer for Objective Hearing Testing and Screening. , 2007, , .		4
15	A pilot study on assessing hearing threshold using the Cochlea-Scan. Medical Science Monitor, 2008, 14, MT7-11.	1.1	4
16	Comparison of 3 ABR Methods for Diagnosis of Retrocochlear Hearing Impairment. Medical Science Monitor, 2015, 21, 3814-3824.	1.1	3
17	Threshold estimation in adult normal- and impaired-hearing subjects using auditory steady-state responses. Medical Science Monitor, 2010, 16, CR21-7.	1.1	3
18	Relationship Between Distortion Product – Otoacoustic Emissions (DPOAEs) and High-Frequency Acoustic Immittance Measures. Medical Science Monitor, 2016, 22, 2028-2034.	1.1	2

LECH SLIWA

#	Article	IF	CITATIONS
19	Contralateral suppression of otoacoustic emissions: Input-Output functions in neonates. Medical Science Monitor, 2011, 17, CR557-CR562.	1.1	1
20	Technological advances in Universal Neonatal Hearing Screening (UNHS). Hearing, Balance and Communication, 2013, 11, 104-109.	0.4	1
21	Three-year experience in the rehabilitation of brainstem implant patients. International Congress Series, 2003, 1240, 429-432.	0.2	Ο