Nobuyuki Yajima

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6363699/nobuyuki-yajima-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

37 papers	530	11	22
	citations	h-index	g-index
39	610 ext. citations	3.2	2.55
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
37	Prevalence and treatment conditions for hypertension and dyslipidaemia complicated with systemic lupus erythematosus: A multi-centre cross-sectional study. <i>Lupus</i> , 2021 , 30, 1146-1153	2.6	O
36	Relationship between disease activity level and physical activity in rheumatoid arthritis using a triaxial accelerometer and self-reported questionnaire. <i>BMC Research Notes</i> , 2021 , 14, 242	2.3	2
35	Damage accrual related to pregnancies before and after diagnosis of systemic lupus erythematosus: a cross-sectional and nested case-control analysis from a lupus registry. <i>Lupus</i> , 2020 , 29, 176-181	2.6	2
34	The association between age and adverse events due to biologic disease-modifying antirheumatic drugs in patients with rheumatoid arthritis: A retrospective cohort study. <i>Medicine (United States)</i> , 2020 , 99, e23861	1.8	2
33	Fragmented QRS complex in patients with systemic lupus erythematosus at the time of diagnosis and its relationship with disease activity. <i>PLoS ONE</i> , 2020 , 15, e0227022	3.7	2
32	Age and quality of life in patients with rheumatoid arthritis treated with biologic agents. <i>Modern Rheumatology</i> , 2020 , 30, 44-49	3.3	3
31	The development of quality indicators for systemic lupus erythematosus using electronic health data: A modified RAND appropriateness method. <i>Modern Rheumatology</i> , 2020 , 30, 525-531	3.3	4
30	Serum anti-Mllerian hormone levels in women with rheumatoid arthritis during tumor necrosis factor-Inhibitor treatment: Exploratory research. <i>Obstetric Medicine</i> , 2019 , 12, 186-189	1.5	1
29	Salt intake and body weight correlate with higher blood pressure in the very elderly population: The Sukagawa study. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 942-949	2.3	6
28	Association Between Accumulation of Advanced Glycation End-Products and Hearing Impairment in Community-Dwelling Older People: A Cross-Sectional Sukagawa Study. <i>Journal of the American Medical Directors Association</i> , 2018 , 19, 235-239.e1	5.9	4
27	A novel approach of understanding prediction models: TRIPOD framework. <i>Journal of General and Family Medicine</i> , 2017 , 18, 319-320	1	
26	Anti-TIF1-Lantibody and cancer-associated myositis: A clinicohistopathologic study. <i>Neurology</i> , 2016 , 87, 299-308	6.5	70
25	A case of Degos disease: demonstration of C5b-9-mediated vascular injury. <i>Modern Rheumatology</i> , 2015 , 25, 480-3	3.3	6
24	Depression is improved when low-dose tacrolimus is given to rheumatoid arthritis patients showing an inadequate response to biologic agents. <i>Modern Rheumatology</i> , 2013 , 23, 920-4	3.3	2
23	Correlation of serum CX3CL1 level with disease activity in adult-onset Still disease and significant involvement in hemophagocytic syndrome. <i>Clinical Rheumatology</i> , 2012 , 31, 853-60	3.9	18
22	Elevated serum levels of macrophage migration inhibitory factor and their significant correlation with rheumatoid vasculitis disease activity. <i>Modern Rheumatology</i> , 2012 , 22, 59-65	3.3	8
21	Synergistic induction of CX3CL1 by interleukin-1[and interferon-[in human lung fibroblasts: involvement of signal transducer and activator of transcription 1 signaling pathways. <i>Translational Research</i> , 2011 , 157, 64-70	11	20

20	Involvement of CX3CL1/CX3CR1 axis in etanercept therapy for patients with active rheumatoid arthritis. <i>Open Access Rheumatology: Research and Reviews</i> , 2011 , 3, 1-7	2.4	1
19	Effects of low-dose tacrolimus therapy in combination with methotrexate in patients with methotrexate-refractory rheumatoid arthritis. <i>Open Access Rheumatology: Research and Reviews</i> , 2010 , 2, 29-34	2.4	
18	A case of rheumatoid arthritis with bucillamine-induced yellow nail syndrome initially manifesting as pulmonary disease. <i>Clinical Medicine Insights: Case Reports</i> , 2010 , 3, 63-8	0.8	6
17	Dermatomyositis complicated with hemorrhagic shock of the iliopsoas muscle on both sides and the thigh muscle. <i>Modern Rheumatology</i> , 2010 , 20, 420-2	3.3	5
16	Correlation of CX3CL1 and CX3CR1 levels with response to infliximab therapy in patients with rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2009 , 36, 1158-65	4.1	32
15	Increased serum levels of macrophage migration inhibitory factor (MIF) in patients with microscopic polyangiitis. <i>Open Access Rheumatology: Research and Reviews</i> , 2009 , 1, 1-8	2.4	3
14	Effects of low-dose mizoribine pulse therapy in combination with methotrexate in rheumatoid arthritis patients with an insufficient response to methotrexate. <i>Modern Rheumatology</i> , 2009 , 19, 395-4	o ³ 0 ³	8
13	Chemokines in systemic lupus erythematosus involving the central nervous system. <i>Frontiers in Bioscience - Landmark</i> , 2008 , 13, 2527-36	2.8	9
12	Tacrolimus-induced lung injury in a rheumatoid arthritis patient with interstitial pneumonitis. <i>Modern Rheumatology</i> , 2008 , 18, 208-11	3.3	9
11	Effect of the H2 receptor antagonist nizatidine on xerostomia in patients with primary Sjgren syndrome. <i>Modern Rheumatology</i> , 2008 , 18, 455-9	3.3	7
10	Increased serum levels of soluble fractalkine (CX3CL1) correlate with disease activity in rheumatoid vasculitis. <i>Arthritis and Rheumatism</i> , 2006 , 54, 3408-16		54
9	Expression and Function of Cytokines and Chemokines in Neuropsychiatric Related Systemic Lupus Erythematosus. <i>Current Rheumatology Reviews</i> , 2006 , 2, 177-185	1.6	
8	Macrophage inflammatory protein 1 and CCR5 as attractive therapeutic targets for HIV infection. <i>Recent Patents on Anti-infective Drug Discovery</i> , 2006 , 1, 275-80	1.6	6
7	Clinical evaluation of patients with inflammatory connective tissue diseases complicated by cytomegalovirus antigenemia. <i>Modern Rheumatology</i> , 2006 , 16, 137-42	3.3	23
6	Elevated levels of soluble fractalkine in active systemic lupus erythematosus: potential involvement in neuropsychiatric manifestations. <i>Arthritis and Rheumatism</i> , 2005 , 52, 1670-5		74
5	Activated leucocytes express and secrete macrophage inflammatory protein-1alpha upon interaction with synovial fibroblasts of rheumatoid arthritis via a beta2-integrin/ICAM-1 mechanism. <i>British Journal of Rheumatology</i> , 2003 , 42, 1390-7		21
4	Interaction of monocytes with vascular endothelial cells synergistically induces interferon gamma-inducible protein 10 expression through activation of specific cell surface molecules and cytokines. <i>Cellular Immunology</i> , 2002 , 219, 131-9	4.4	17
3	Relationship between psychological factors and arthralgia in patients with rheumatoid arthritis. Modern Rheumatology, 2002 , 12, 32-6	3.3	7

Vascular endothelial growth factor expression by activated synovial leukocytes in rheumatoid arthritis: critical involvement of the interaction with synovial fibroblasts. *Arthritis and Rheumatism*, **2001**, 44, 2512-24

55

Expression of vascular endothelial growth factor by synovial fluid neutrophils in rheumatoid arthritis (RA). *Clinical and Experimental Immunology*, **2000**, 121, 533-8

6.2 43