

# Jeon-Soo Shin

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6364635/jeon-soo-shin-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

97  
papers

6,077  
citations

32  
h-index

77  
g-index

107  
ext. papers

6,777  
ext. citations

6.8  
avg, IF

5.45  
L-index

#	Paper	IF	Citations
97	Canagliflozin protects against cisplatin-induced acute kidney injury by AMPK-mediated autophagy in renal proximal tubular cells.. <i>Cell Death Discovery</i> , <b>2022</b> , 8, 12	6.9	1
96	Identification of highly selective type II kinase inhibitors with chiral peptidomimetic tails.. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , <b>2022</b> , 37, 1257-1277	5.6	
95	Inflammasome-Dependent Peroxiredoxin 2 Secretion Induces the Classical Complement Pathway Activation. <i>Immune Network</i> , <b>2021</b> , 21, e36	6.1	1
94	The collagen structure of C1q induces wound healing by engaging discoidin domain receptor 2. <i>Molecular Medicine</i> , <b>2021</b> , 27, 125	6.2	0
93	Secretory autophagy machinery and vesicular trafficking are involved in HMGB1 secretion. <i>Autophagy</i> , <b>2021</b> , 17, 2345-2362	10.2	13
92	Reactive oxygen species induce Cys106-mediated anti-parallel HMGB1 dimerization that protects against DNA damage. <i>Redox Biology</i> , <b>2021</b> , 40, 101858	11.3	11
91	Disordered Nanocomposite Islands for Nanospeckle Illumination Microscopy in Wide-Field Super-Resolution Imaging. <i>Advanced Optical Materials</i> , <b>2021</b> , 9, 2100211	8.1	3
90	Plasmon-enhanced fluorescence correlation spectroscopy for super-localized detection of nanoscale subcellular dynamics. <i>Biosensors and Bioelectronics</i> , <b>2021</b> , 184, 113219	11.8	3
89	HMGB1 orchestrates STING-mediated senescence via TRIM30 modulation in cancer cells. <i>Cell Death Discovery</i> , <b>2021</b> , 7, 28	6.9	2
88	Disordered Nanocomposite Islands for Nanospeckle Illumination Microscopy in Wide-Field Super-Resolution Imaging (Advanced Optical Materials 15/2021). <i>Advanced Optical Materials</i> , <b>2021</b> , 9, 2170058	8.1	
87	Serum Erythrocyte Nuclein and IL-1β are increased and correlated with measures of disease severity in children with epilepsy: potential prognostic biomarkers?. <i>BMC Neurology</i> , <b>2020</b> , 20, 85	3.1	10
86	Sulfatide Inhibits HMGB1 Secretion by Hindering Toll-Like Receptor 4 Localization Within Lipid Rafts. <i>Frontiers in Immunology</i> , <b>2020</b> , 11, 1305	8.4	3
85	Immunological Significance of HMGB1 Post-Translational Modification and Redox Biology. <i>Frontiers in Immunology</i> , <b>2020</b> , 11, 1189	8.4	32
84	Electrical antimicrobial susceptibility testing based on aptamer-functionalized capacitance sensor array for clinical isolates. <i>Scientific Reports</i> , <b>2020</b> , 10, 13709	4.9	5
83	Vertical capacitance aptasensors for real-time monitoring of bacterial growth and antibiotic susceptibility in blood. <i>Biosensors and Bioelectronics</i> , <b>2019</b> , 143, 111623	11.8	6
82	Peroxiredoxin-mediated disulfide bond formation is required for nucleocytoplasmic translocation and secretion of HMGB1 in response to inflammatory stimuli. <i>Redox Biology</i> , <b>2019</b> , 24, 101203	11.3	20
81	High-Mobility Group Box 1 Is Associated with the Inflammatory Pathogenesis of Graves Orbitopathy. <i>Thyroid</i> , <b>2019</b> , 29, 868-878	6.2	5

80	HMGB1 modulates the balance between senescence and apoptosis in response to genotoxic stress. <i>FASEB Journal</i> , <b>2019</b> , 33, 10942-10953	0.9	21
79	Structural analysis of fungal pathogenicity-related casein kinase $\beta$ subunit, Cka1, in the human fungal pathogen <i>Cryptococcus neoformans</i> . <i>Scientific Reports</i> , <b>2019</b> , 9, 14398	4.9	1
78	Association Analysis of Interleukin-1 $\beta$ /Interleukin-6, and HMGB1 Variants with Postictal Serum Cytokine Levels in Children with Febrile Seizure and Generalized Epilepsy with Febrile Seizure Plus. <i>Journal of Clinical Neurology (Korea)</i> , <b>2019</b> , 15, 555-563	1.7	8
77	Association of Tumor Necrosis Factor- $\alpha$ Gene Promotor Variant, Not Interleukin-10, with Febrile Seizures and Genetic Epilepsy with Febrile Seizure Plus. <i>Annals of Child Neurology</i> , <b>2019</b> , 27, 38-45	0.2	1
76	Inflachromene inhibits autophagy through modulation of Beclin 1 activity. <i>Journal of Cell Science</i> , <b>2018</b> , 131,	5.3	10
75	High-Mobility Group Box 1-Induced Complement Activation Causes Sterile Inflammation. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 705	8.4	27
74	Complement C1q stimulates the progression of hepatocellular tumor through the activation of discoidin domain receptor 1. <i>Scientific Reports</i> , <b>2018</b> , 8, 4908	4.9	15
73	Aptamer-functionalized capacitance sensors for real-time monitoring of bacterial growth and antibiotic susceptibility. <i>Biosensors and Bioelectronics</i> , <b>2018</b> , 102, 164-170	11.8	40
72	Structural basis for arginine glycosylation of host substrates by bacterial effector proteins. <i>Nature Communications</i> , <b>2018</b> , 9, 4283	17.4	33
71	Dielectric imaging for differentiation between cancer and inflammation in vivo. <i>Scientific Reports</i> , <b>2017</b> , 7, 13137	4.9	2
70	Advanced glycation end products impair NLRP3 inflammasome-mediated innate immune responses in macrophages. <i>Journal of Biological Chemistry</i> , <b>2017</b> , 292, 20437-20448	5.4	32
69	A Genetic Screen Reveals Novel Targets to Render Sensitive to Lysozyme and Cell Wall-Targeting Antibiotics. <i>Frontiers in Cellular and Infection Microbiology</i> , <b>2017</b> , 7, 59	5.9	7
68	Effect of pregabalin administration upon reperfusion in a rat model of hyperglycemic stroke: Mechanistic insights associated with high-mobility group box 1. <i>PLoS ONE</i> , <b>2017</b> , 12, e0171147	3.7	11
67	Real-time monitoring of 3D cell culture using a 3D capacitance biosensor. <i>Biosensors and Bioelectronics</i> , <b>2016</b> , 77, 56-61	11.8	39
66	N-linked glycosylation plays a crucial role in the secretion of HMGB1. <i>Journal of Cell Science</i> , <b>2016</b> , 129, 29-38	5.3	30
65	NOD-Like Receptors in Infection, Immunity, and Diseases. <i>Yonsei Medical Journal</i> , <b>2016</b> , 57, 5-14	3	192
64	HMGB1 Binds to Lipoteichoic Acid and Enhances TNF- $\alpha$ and IL-6 Production through HMGB1-Mediated Transfer of Lipoteichoic Acid to CD14 and TLR2. <i>Journal of Innate Immunity</i> , <b>2015</b> , 7, 405-16	6.9	32
63	The effect of bortezomib on expression of inflammatory cytokines and survival in a murine sepsis model induced by cecal ligation and puncture. <i>Yonsei Medical Journal</i> , <b>2015</b> , 56, 112-23	3	10

62	Drug-loaded gold plasmonic nanoparticles for treatment of multidrug resistance in cancer. <i>Biomaterials</i> , <b>2014</b> , 35, 2272-82	15.6	74
61	Characterization of Escherichia coli K1 colominic acid-specific murine antibodies that are cross-protective against Neisseria meningitidis groups B, C, and Y. <i>Molecular Immunology</i> , <b>2014</b> , 59, 142-53	4.3	4
60	The role of high mobility group box 1 in innate immunity. <i>Yonsei Medical Journal</i> , <b>2014</b> , 55, 1165-76	3	72
59	Glycyrrhizin, inhibitor of high mobility group box-1, attenuates monocrotaline-induced pulmonary hypertension and vascular remodeling in rats. <i>Respiratory Research</i> , <b>2014</b> , 15, 148	7.3	43
58	High mobility group nucleosomal binding domain 2 (HMGN2) SUMOylation by the SUMO E3 ligase PIAS1 decreases the binding affinity to nucleosome core particles. <i>Journal of Biological Chemistry</i> , <b>2014</b> , 289, 20000-11	5.4	9
57	Surface plasmon-enhanced nanoscopy of intracellular cytoskeletal actin filaments using random nanodot arrays. <i>Optics Express</i> , <b>2014</b> , 22, 27695-706	3.3	15
56	Extraordinary Transmission-based Plasmonic Nanoarrays for Axially Super-Resolved Cell Imaging. <i>Advanced Optical Materials</i> , <b>2014</b> , 2, 48-55	8.1	34
55	Detection of IFN- $\gamma$ for latent tuberculosis diagnosis using an anodized aluminum oxide-based capacitive sensor. <i>Biosensors and Bioelectronics</i> , <b>2014</b> , 51, 366-70	11.8	14
54	Crossed fiber optic Bessel beams for curvilinear optofluidic transport of dielectric particles. <i>Optics Express</i> , <b>2013</b> , 21, 23021-9	3.3	13
53	Chaperone-like activity of high-mobility group box 1 protein and its role in reducing the formation of polyglutamine aggregates. <i>Journal of Immunology</i> , <b>2013</b> , 190, 1797-806	5.3	36
52	Current Understanding of HMGB1-mediated Autophagy. <i>Journal of Bacteriology and Virology</i> , <b>2013</b> , 43, 148	0.3	
51	A magnetic switch for the control of cell death signalling in in vitro and in vivo systems. <i>Nature Materials</i> , <b>2012</b> , 11, 1038-43	27	165
50	High mobility group box-1 is phosphorylated by protein kinase C zeta and secreted in colon cancer cells. <i>Biochemical and Biophysical Research Communications</i> , <b>2012</b> , 424, 321-6	3.4	31
49	Nanoscale magnetism control via surface and exchange anisotropy for optimized ferrimagnetic hysteresis. <i>Nano Letters</i> , <b>2012</b> , 12, 3716-21	11.5	334
48	Capacitance-based assay for real-time monitoring of endocytosis and cell viability. <i>Lab on A Chip</i> , <b>2012</b> , 12, 2377-84	7.2	19
47	Fourier optics along a hybrid optical fiber for Bessel-like beam generation and its applications in multiple-particle trapping. <i>Optics Letters</i> , <b>2012</b> , 37, 623-5	3	18
46	Preparation of interconnected porous chitosan scaffolds by sodium acetate particulate leaching. <i>Journal of Biomaterials Science, Polymer Edition</i> , <b>2011</b> , 22, 1319-29	3.5	23
45	Interactions between Shh, Sostdc1 and Wnt signaling and a new feedback loop for spatial patterning of the teeth. <i>Development (Cambridge)</i> , <b>2011</b> , 138, 1807-16	6.6	91

44	CKD712, (S)-1-(Ephaphthylmethyl)-6,7-dihydroxy-1,2,3,4-tetrahydroisoquinoline, inhibits the lipopolysaccharide-stimulated secretion of HMGB1 by inhibiting PI3K and classical protein kinase C. <i>International Immunopharmacology</i> , <b>2011</b> , 11, 1160-5	5.8	20
43	Venom peptides from solitary hunting wasps induce feeding disorder in lepidopteran larvae. <i>Peptides</i> , <b>2011</b> , 32, 568-72	3.8	14
42	CKD-712, (S)-1-(Ephaphthylmethyl)-6,7-dihydroxy-1,2,3,4-tetrahydroisoquinoline, Inhibits the NF- $\kappa$ B Activation and Augments Akt Activation during TLR4 Signaling. <i>Immune Network</i> , <b>2011</b> , 11, 420-3	6.1	2
41	Increased levels of HMGB1 and pro-inflammatory cytokines in children with febrile seizures. <i>Journal of Neuroinflammation</i> , <b>2011</b> , 8, 135	10.1	96
40	Identification of lipopolysaccharide-binding peptide regions within HMGB1 and their effects on subclinical endotoxemia in a mouse model. <i>European Journal of Immunology</i> , <b>2011</b> , 41, 2753-62	6.1	56
39	Noninvasive remote-controlled release of drug molecules in vitro using magnetic actuation of mechanized nanoparticles. <i>Journal of the American Chemical Society</i> , <b>2010</b> , 132, 10623-5	16.4	539
38	Programmed death-1 (PD-1) gene polymorphisms lodged in the genetic predispositions of Kawasaki Disease. <i>European Journal of Pediatrics</i> , <b>2010</b> , 169, 181-5	4.1	15
37	Cyanoacrylate adhesives curable to flexible polymeric materials by poly(l-lactide-co- $\epsilon$ -caprolactone). <i>Materials Letters</i> , <b>2010</b> , 64, 2438-2440	3.3	8
36	Artificial Control of Cell Signaling and Growth by Magnetic Nanoparticles. <i>Angewandte Chemie</i> , <b>2010</b> , 122, 5834-5838	3.6	5
35	Artificial control of cell signaling and growth by magnetic nanoparticles. <i>Angewandte Chemie - International Edition</i> , <b>2010</b> , 49, 5698-702	16.4	62
34	Immunoglobulin V(H) chain gene analysis of peripheral blood IgM-producing B cells in patients with Kawasaki disease. <i>Yonsei Medical Journal</i> , <b>2009</b> , 50, 493-504	3	14
33	Non-histone nuclear factor HMGB1 is phosphorylated and secreted in colon cancers. <i>Laboratory Investigation</i> , <b>2009</b> , 89, 948-59	5.9	52
32	Distinguishing between apoptosis and necrosis using a capacitance sensor. <i>Biosensors and Bioelectronics</i> , <b>2009</b> , 24, 2586-91	11.8	27
31	Carbon nanotube-based biosensor for detection of matrix metalloproteinase-9 and S-100B. <i>Current Applied Physics</i> , <b>2009</b> , 9, e270-e272	2.6	7
30	HMGB1 is phosphorylated by classical protein kinase C and is secreted by a calcium-dependent mechanism. <i>Journal of Immunology</i> , <b>2009</b> , 182, 5800-9	5.3	127
29	Double-stranded RNA mediates interferon regulatory factor 3 activation and interleukin-6 production by engaging Toll-like receptor 3 in human brain astrocytes. <i>Immunology</i> , <b>2008</b> , 124, 480-8	7.8	35
28	High mobility group box 1 protein binding to lipopolysaccharide facilitates transfer of lipopolysaccharide to CD14 and enhances lipopolysaccharide-mediated TNF-alpha production in human monocytes. <i>Journal of Immunology</i> , <b>2008</b> , 180, 5067-74	5.3	213
27	Neisseria Meningitidis Detection Based on a Microcalorimetric Biosensor With a Split-Flow Microchannel. <i>Journal of Microelectromechanical Systems</i> , <b>2008</b> , 17, 590-598	2.5	15

26	Development of monoclonal antibodies against human IRF-5 and their use in identifying the binding of IRF-5 to nuclear import proteins karyopherin-alpha1 and -beta1. <i>Yonsei Medical Journal</i> , <b>2008</b> , 49, 1023-31	3	4
25	Increased serum levels of macrophage migration inhibitory factor in patients with Kawasaki disease. <i>Scandinavian Journal of Rheumatology</i> , <b>2007</b> , 36, 222-5	1.9	5
24	An intracellular antibody can suppress tumorigenicity in hepatitis B virus X-expressing cells. <i>Cancer Immunology, Immunotherapy</i> , <b>2006</b> , 55, 569-78	7.4	5
23	Dual-mode nanoparticle probes for high-performance magnetic resonance and fluorescence imaging of neuroblastoma. <i>Angewandte Chemie - International Edition</i> , <b>2006</b> , 45, 8160-2	16.4	309
22	Association of genetic variations in CCR5 and its ligand, RANTES with clearance of hepatitis B virus in Korea. <i>Journal of Medical Virology</i> , <b>2006</b> , 78, 1564-71	19.7	35
21	Dual-Mode Nanoparticle Probes for High-Performance Magnetic Resonance and Fluorescence Imaging of Neuroblastoma. <i>Angewandte Chemie</i> , <b>2006</b> , 118, 8340-8342	3.6	67
20	Nucleocytoplasmic shuttling of HMGB1 is regulated by phosphorylation that redirects it toward secretion. <i>Journal of Immunology</i> , <b>2006</b> , 177, 7889-97	5.3	277
19	Biocompatible heterostructured nanoparticles for multimodal biological detection. <i>Journal of the American Chemical Society</i> , <b>2006</b> , 128, 15982-3	16.4	309
18	Human brain astrocytes mediate TRAIL-mediated apoptosis after treatment with IFN-gamma. <i>Yonsei Medical Journal</i> , <b>2006</b> , 47, 354-8	3	6
17	In vivo magnetic resonance detection of cancer by using multifunctional magnetic nanocrystals. <i>Journal of the American Chemical Society</i> , <b>2005</b> , 127, 12387-91	16.4	768
16	Nanoscale size effect of magnetic nanocrystals and their utilization for cancer diagnosis via magnetic resonance imaging. <i>Journal of the American Chemical Society</i> , <b>2005</b> , 127, 5732-3	16.4	1034
15	Anti-idiotypic antibody as a potential candidate vaccine for Neisseria meningitidis serogroup B. <i>Infection and Immunity</i> , <b>2005</b> , 73, 6399-406	3.7	13
14	Cloning of TLR3 isoform. <i>Yonsei Medical Journal</i> , <b>2004</b> , 45, 359-61	3	15
13	Peptide mimotopes of Neisseria meningitidis group B capsular polysaccharide. <i>Yonsei Medical Journal</i> , <b>2004</b> , 45, 755-8	3	15
12	Over-expression of S100B protein in children with cerebral palsy or delayed development. <i>Brain and Development</i> , <b>2004</b> , 26, 190-6	2.2	17
11	Production and characterization of peptide mimotopes of phenolic glycolipid-I of Mycobacterium leprae. <i>FEMS Immunology and Medical Microbiology</i> , <b>2004</b> , 41, 51-7		8
10	Two novel mutations of Wiskott-Aldrich syndrome: the molecular prediction of interaction between the mutated WASP L101P with WASP-interacting protein by molecular modeling. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , <b>2004</b> , 1690, 134-40	6.9	8
9	Expression of a novel secreted splice variant of the receptor for advanced glycation end products (RAGE) in human brain astrocytes and peripheral blood mononuclear cells. <i>Molecular Immunology</i> , <b>2004</b> , 40, 1203-11	4.3	116

8	Serotypes and Antimicrobial Susceptibility of Streptococcus pneumoniae. <i>Korean Journal of Pediatric Infectious Diseases</i> , <b>2003</b> , 10, 159		1
7	Ceramide increases Fas-mediated apoptosis in glioblastoma cells through FLIP down-regulation. <i>Journal of Neuro-Oncology</i> , <b>2002</b> , 60, 135-41	4.8	12
6	Peptide mimotopes of pneumococcal capsular polysaccharide of 6B serotype: a peptide mimotope can bind to two unrelated antibodies. <i>Journal of Immunology</i> , <b>2002</b> , 168, 6273-8	5.3	26
5	Expression of fas ligand in human hepatoma cell lines: role of hepatitis-B virus X (HBX) in induction of Fas ligand. <i>International Journal of Cancer</i> , <b>1999</b> , 82, 587-91	7.5	47
4	Monoclonal antibodies with various reactivity to p58 killer inhibitory receptors. <i>Hybridoma</i> , <b>1999</b> , 18, 521-7		
3	Expression of Fas-related genes in human hepatocellular carcinomas. <i>Cancer Letters</i> , <b>1998</b> , 134, 155-62	9.9	42
2	Localization of intracellular monoclonal antibody specific for mycobacteria in experimentally induced pulmonary tuberculous lesion. <i>International Archives of Allergy and Immunology</i> , <b>1995</b> , 106, 113-7	3.7	
1	Detection of phenolic glycolipid I of Mycobacterium leprae and antibodies to the antigen in sera from leprosy patients and their contacts. <i>Yonsei Medical Journal</i> , <b>1988</b> , 29, 219-24	3	4