Taesung Park

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6364762/taesung-park-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

6,767 80 195 27 h-index g-index citations papers 5.17 249 7,937 4.5 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
195	Clinicopathologic and protein markers distinguishing the "polymerase epsilon exonuclease" from the "copy number low" subtype of endometrial cancer <i>Journal of Gynecologic Oncology</i> , 2022 ,	4	1
194	Transethnic meta-analysis of exome-wide variants identifies new loci associated with male-specific metabolic syndrome <i>Genes and Genomics</i> , 2022 , 1	2.1	
193	Microbiome markers of pancreatic cancer based on bacteria-derived extracellular vesicles acquired from blood samples: A retrospective propensity score matching analysis. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2022 , 26, S55-S55	1.5	
192	Effects of government policies on the spread of COVID-19 worldwide. Scientific Reports, 2021, 11, 204	95 4.9	1
191	Spatial rank-based multifactor dimensionality reduction to detect gene-gene interactions for multivariate phenotypes. <i>BMC Bioinformatics</i> , 2021 , 22, 480	3.6	2
190	Identification of genetic loci affecting body mass index through interaction with multiple environmental factors using structured linear mixed model. <i>Scientific Reports</i> , 2021 , 11, 5001	4.9	1
189	Forecasting of the COVID-19 pandemic situation of Korea. <i>Genomics and Informatics</i> , 2021 , 19, e11	1.9	3
188	Powerful p-value combination methods to detect incomplete association. <i>Scientific Reports</i> , 2021 , 11, 6980	4.9	2
187	Microbiome Markers of Pancreatic Cancer Based on Bacteria-Derived Extracellular Vesicles Acquired from Blood Samples: A Retrospective Propensity Score Matching Analysis. <i>Biology</i> , 2021 , 10,	4.9	6
186	Development of Machine Learning Models to Predict Platinum Sensitivity of High-Grade Serous Ovarian Carcinoma. <i>Cancers</i> , 2021 , 13,	6.6	4
185	Prediction Models for the Clinical Severity of Patients With COVID-19 in Korea: Retrospective Multicenter Cohort Study. <i>Journal of Medical Internet Research</i> , 2021 , 23, e25852	7.6	3
184	Development and External Validation of Survival Prediction Model for Pancreatic Cancer Using Two Nationwide Databases: Surveillance, Epidemiology and End Results (SEER) and Korea Tumor Registry System-Biliary Pancreas (KOTUS-BP). <i>Gut and Liver</i> , 2021 , 15, 912-921	4.8	2
183	Association between the Arylalkylamine N-Acetyltransferase (AANAT) Gene and Seasonality in Patients with Bipolar Disorder. <i>Psychiatry Investigation</i> , 2021 , 18, 453-462	3.1	
182	Estimation of Undetected Asymptomatic COVID-19 Cases in South Korea Using a Probabilistic Model. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	4
181	The relationships of present vegetation, bacteria, and soil properties with soil organic matter characteristics in moist acidic tundra in Alaska. <i>Science of the Total Environment</i> , 2021 , 772, 145386	10.2	4
180	Identifying miRNA-mRNA Integration Set Associated With Survival Time. <i>Frontiers in Genetics</i> , 2021 , 12, 634922	4.5	0
179	Multi-biomarker panel prediction model for diagnosis of pancreatic cancer. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021 ,	2.8	3

(2020-2021)

178	Inclusive Quantification Assay of Serum Des-ECarboxyprothrombin Proteoforms for Hepatocellular Carcinoma Surveillance by Targeted Mass Spectrometry. <i>Hepatology Communications</i> , 2021 , 5, 1767-17	83	1	
177	Which National Factors Are Most Influential in the Spread of COVID-19?. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1	
176	The Homocysteine and Metabolic Syndrome: A Mendelian Randomization Study. <i>Nutrients</i> , 2021 , 13,	6.7	2	
175	Association of an IGHV3-66 gene variant with Kawasaki disease. <i>Journal of Human Genetics</i> , 2021 , 66, 475-489	4.3	9	
174	Diagnostic model for pancreatic cancer using a multi-biomarker panel. <i>Annals of Surgical Treatment and Research</i> , 2021 , 100, 144-153	2	4	
173	Clinical Characteristics and Outcomes of COVID-19 Cohort Patients in Daegu Metropolitan City Outbreak in 2020. <i>Journal of Korean Medical Science</i> , 2021 , 36, e12	4.7	25	
172	Statistical Estimation of Effects of Implemented Government Policies on COVID-19 Situation in South Korea. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	2	
171	Penalized generalized estimating equations approach to longitudinal data with multinomial responses. <i>Journal of the Korean Statistical Society</i> , 2021 , 50, 844-859	0.5		
170	Integrative Analysis of Multi-Omics Data Based on Blockwise Sparse Principal Components. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	2	
169	Metagenomic Analysis of Serum Microbe-Derived Extracellular Vesicles and Diagnostic Models to Differentiate Ovarian Cancer and Benign Ovarian Tumor. <i>Cancers</i> , 2020 , 12,	6.6	9	
168	Gene-Gene Interaction Analysis for the Survival Phenotype Based on the Kaplan-Meier Median Estimate. <i>BioMed Research International</i> , 2020 , 2020, 5282345	3	3	
167	Enhanced Permutation Tests via Multiple Pruning. Frontiers in Genetics, 2020, 11, 509	4.5	1	
166	Hierarchical structural component model for pathway analysis of common variants. <i>BMC Medical Genomics</i> , 2020 , 13, 26	3.7	2	
165	Proposal of the minimal number of retrieved regional lymph nodes for accurate staging of distal bile duct cancer and clinical validation of the three-tier lymph node staging system (AJCC 8th edition). <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020 , 27, 75-83	2.8	3	
164	HisCoM-PCA: software for hierarchical structural component analysis for pathway analysis based using principal component analysis. <i>Genomics and Informatics</i> , 2020 , 18, e11	1.9		
163	Confidence intervals for the COVID-19 neutralizing antibody retention rate in the Korean population. <i>Genomics and Informatics</i> , 2020 , 18, e31	1.9	4	
162	Updated confidence intervals for the COVID-19 antibody retention rate in the Korean population. <i>Genomics and Informatics</i> , 2020 , 18, e45	1.9	3	
161	The influences of DNA methylation and epigenetic clocks, on metabolic disease, in middle-aged Koreans. <i>Clinical Epigenetics</i> , 2020 , 12, 148	7.7	2	

160	Pathway-Based Integrative Analysis of Metabolome and Microbiome Data from Hepatocellular Carcinoma and Liver Cirrhosis Patients. <i>Cancers</i> , 2020 , 12,	6.6	2
159	Risk prediction for malignant intraductal papillary mucinous neoplasm of the pancreas: logistic regression versus machine learning. <i>Scientific Reports</i> , 2020 , 10, 20140	4.9	5
158	Changes in serum fibronectin levels predict tumor recurrence in patients with early hepatocellular carcinoma after curative treatment. <i>Scientific Reports</i> , 2020 , 10, 21313	4.9	2
157	Do we need to reconsider the CMAM admission and discharge criteria?; an analysis of CMAM data in South Sudan. <i>BMC Public Health</i> , 2020 , 20, 511	4.1	1
156	Structural equation modeling for hypertension and type 2 diabetes based on multiple SNPs and multiple phenotypes. <i>PLoS ONE</i> , 2019 , 14, e0217189	3.7	2
155	Comprehensive Metabolomic Search for Biomarkers to Differentiate Early Stage Hepatocellular Carcinoma from Cirrhosis. <i>Cancers</i> , 2019 , 11,	6.6	29
154	Longitudinal analysis to better characterize Asthma-COPD overlap syndrome: Findings from an adult asthma cohort in Korea (COREA). <i>Clinical and Experimental Allergy</i> , 2019 , 49, 603-614	4.1	15
153	Clinical validation of scoring systems of postoperative pancreatic fistula after pancreatoduodenectomy: applicability to Eastern cohorts?. <i>Hepatobiliary Surgery and Nutrition</i> , 2019 , 8, 211-218	2.1	9
152	Circulating Microbiota-Based Metagenomic Signature for Detection of Hepatocellular Carcinoma. <i>Scientific Reports</i> , 2019 , 9, 7536	4.9	31
151	Glycoprotein 96 polymorphisms are associated with the risk of systemic lupus erythematosus: A case-control study. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 905-912	2.3	
150	Heavy metal accumulation in and food safety of shark meat from Jeju island, Republic of Korea. <i>PLoS ONE</i> , 2019 , 14, e0212410	3.7	11
149	Effect of Interaction between Early Menarche and Genetic Polymorphisms on Triglyceride. <i>Oxidative Medicine and Cellular Longevity</i> , 2019 , 2019, 9148920	6.7	1
148	Multivariate Cluster-Based Multifactor Dimensionality Reduction to Identify Genetic Interactions for Multiple Quantitative Phenotypes. <i>BioMed Research International</i> , 2019 , 2019, 4578983	3	3
147	Pathway analysis of rare variants for the clustered phenotypes by using hierarchical structured components analysis. <i>BMC Medical Genomics</i> , 2019 , 12, 100	3.7	5
146	Meta-Qtest: meta-analysis of quadratic test for rare variants. BMC Medical Genomics, 2019, 12, 102	3.7	0
145	Novel Trajectories for Identifying Asthma Phenotypes: A Longitudinal Study in Korean Asthma Cohort, COREA. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019 , 7, 1850-1857.e4	5.4	8
144	Characterization and Validation of an "Acute Aerobic Exercise Load" as a Tool to Assess Antioxidative and Anti-inflammatory Nutrition in Healthy Subjects Using a Statistically Integrated Approach in a Comprehensive Clinical Trial. <i>Oxidative Medicine and Cellular Longevity</i> , 2019 , 2019, 95267	6.7 725	O
143	Development of Web-Based Nomograms to Predict Treatment Response and Prognosis of Epithelial Ovarian Cancer. <i>Cancer Research and Treatment</i> , 2019 , 51, 1144-1155	5.2	9

(2018-2019)

142	Clinical validation of the 2017 international consensus guidelines on intraductal papillary mucinous neoplasm of the pancreas. <i>Annals of Surgical Treatment and Research</i> , 2019 , 97, 58-64	2	14	
141	Pure additive contribution of genetic variants to a risk prediction model using propensity score matching: application to type 2 diabetes. <i>Genomics and Informatics</i> , 2019 , 17, e47	1.9	1	
140	HisCoM-mimi: Software for Hierarchical Structural Component Analysis for miRNA-mRNA Integration Model for Binary Phenotypes. <i>Genomics and Informatics</i> , 2019 , 17, e10	1.9	1	
139	In this issue, there are 10 articles: two review articles, six original articles, one clinical genomics, and one application note. <i>Genomics and Informatics</i> , 2019 , 17, e1	1.9		
138	HisCoM-PAGE: software for hierarchical structural component models for pathway analysis of gene expression data. <i>Genomics and Informatics</i> , 2019 , 17, e45	1.9		
137	HisCoM-PAGE: Hierarchical Structural Component Models for Pathway Analysis of Gene Expression Data. <i>Genes</i> , 2019 , 10,	4.2	4	
136	Psychopathologic structure of bipolar disorders: exploring dimensional phenotypes, their relationships, and their associations with bipolar I and II disorders. <i>Psychological Medicine</i> , 2019 , 49, 21	77-218	5 ⁶	
135	Develop Nomogram to Predict Malignancy of Intraductal Papillary Mucinous Neoplasm. <i>Methods in Molecular Biology</i> , 2019 , 1882, 23-32	1.4	1	
134	Detecting differential DNA methylation from sequencing of bisulfite converted DNA of diverse species. <i>Briefings in Bioinformatics</i> , 2019 , 20, 33-46	13.4	9	
133	New Common and Rare Variants Influencing Metabolic Syndrome and Its Individual Components in a Korean Population. <i>Scientific Reports</i> , 2018 , 8, 5701	4.9	15	
132	Evaluating the contribution of rare variants to type 2 diabetes and related traits using pedigrees. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 379-384	11.5	21	
131	GxGrare: gene-gene interaction analysis method for rare variants from high-throughput sequencing data. <i>BMC Systems Biology</i> , 2018 , 12, 19	3.5	4	
130	Exact association test for small size sequencing data. <i>BMC Medical Genomics</i> , 2018 , 11, 30	3.7	1	
129	Fuzzy set-based generalized multifactor dimensionality reduction analysis of gene-gene interactions. <i>BMC Medical Genomics</i> , 2018 , 11, 32	3.7	7	
128	WISARD: workbench for integrated superfast association studies for related datasets. <i>BMC Medical Genomics</i> , 2018 , 11, 39	3.7	7	
127	Hierarchical structural component modeling of microRNA-mRNA integration analysis. <i>BMC Bioinformatics</i> , 2018 , 19, 75	3.6	11	
126	Nuclear receptor and VEGF pathways for gene-blood lead interactions, on bone mineral density, in Korean smokers. <i>PLoS ONE</i> , 2018 , 13, e0193323	3.7	5	
125	Prognostic significance of E-cadherin and ZEB1 expression in intraductal papillary mucinous neoplasm. <i>Oncotarget</i> , 2018 , 9, 306-320	3.3	5	

124	CONCORD biomarker prediction for novel drug introduction to different cancer types. <i>Oncotarget</i> , 2018 , 9, 1091-1106	3.3	2
123	EFMDR-Fast: An Application of Empirical Fuzzy Multifactor Dimensionality Reduction for Fast Execution. <i>Genomics and Informatics</i> , 2018 , 16, e37	1.9	4
122	Editor® Introduction to This Issue (G&I 16:4, 2018). Genomics and Informatics, 2018, 16, e16	1.9	1
121	Ovarian Cancer Prognostic Prediction Model Using RNA Sequencing Data. <i>Genomics and Informatics</i> , 2018 , 16, e32	1.9	
120	HisCoM-GGI: Software for Hierarchical Structural Component Analysis of Gene-Gene Interactions. <i>Genomics and Informatics</i> , 2018 , 16, e38	1.9	1
119	Integration of a Large-Scale Genetic Analysis Workbench Increases the Accessibility of a High-Performance Pathway-Based Analysis Method. <i>Genomics and Informatics</i> , 2018 , 16, e39	1.9	
118	Effects of genetic variants of ST8SIA2 and NCAM1 genes on seasonal mood changes and circadian preference in the general population. <i>Chronobiology International</i> , 2018 , 35, 405-415	3.6	7
117	Fuzzy heaping mechanism for heaped count data with imprecision. <i>Soft Computing</i> , 2018 , 22, 4585-4594	13.5	3
116	Risk prediction of type 2 diabetes using common and rare variants. <i>International Journal of Data Mining and Bioinformatics</i> , 2018 , 20, 77	0.5	3
115	HisCoM-GGI: Hierarchical structural component analysis of gene-gene interactions. <i>Journal of Bioinformatics and Computational Biology</i> , 2018 , 16, 1840026	1	8
114	Analysis of significant protein abundance from multiple reaction-monitoring data. <i>BMC Systems Biology</i> , 2018 , 12, 123	3.5	
113	Unified Cox model based multifactor dimensionality reduction method for gene-gene interaction analysis of the survival phenotype. <i>BioData Mining</i> , 2018 , 11, 27	4.3	3
112	Functional conservation of sequence determinants at rapidly evolving regulatory regions across mammals. <i>PLoS Computational Biology</i> , 2018 , 14, e1006451	5	5
111	Gene-gene interaction analysis for quantitative trait using cluster-based multifactor dimensionality reduction method. <i>International Journal of Data Mining and Bioinformatics</i> , 2018 , 20, 1	0.5	5
110	Nonsynonymous Variants in and Are Associated With Type 2 Diabetes in an East Asian Population. <i>Diabetes</i> , 2018 , 67, 1892-1902	0.9	23
109	Rare variant association test with multiple phenotypes. <i>Genetic Epidemiology</i> , 2017 , 41, 198-209	2.6	14
108	Association between mutations of critical pathway genes and survival outcomes according to the tumor location in colorectal cancer. <i>Cancer</i> , 2017 , 123, 3513-3523	6.4	27
107	Association between the zinc finger protein 804A (ZNF804A) gene and the risk of schizophrenia and bipolar I disorder across diagnostic boundaries. <i>Bipolar Disorders</i> , 2017 , 19, 305-313	3.8	8

106	Correlation estimation with singly truncated bivariate data. Statistics in Medicine, 2017, 36, 1977-1988	2.3	3
105	Pathway-Driven Approaches of Interaction between Oxidative Balance and Genetic Polymorphism on Metabolic Syndrome. <i>Oxidative Medicine and Cellular Longevity</i> , 2017 , 2017, 6873197	6.7	15
104	Long-term response to mood stabilizer treatment and its clinical correlates in patients with bipolar disorders: a retrospective observational study. <i>International Journal of Bipolar Disorders</i> , 2017 , 5, 24	5.4	13
103	Calibration of High-Density Lipoprotein Cholesterol Values From the Korea National Health and Nutrition Examination Survey Data, 2008 to 2015. <i>Annals of Laboratory Medicine</i> , 2017 , 37, 1-8	3.1	9
102	Serum fibronectin distinguishes the early stages of hepatocellular carcinoma. <i>Scientific Reports</i> , 2017 , 7, 9449	4.9	30
101	Improving Disease Prediction by Incorporating Family Disease History in Risk Prediction Models with Large-Scale Genetic Data. <i>Genetics</i> , 2017 , 207, 1147-1155	4	7
100	Analysis of population-specific pharmacogenomic variants using next-generation sequencing data. <i>Scientific Reports</i> , 2017 , 7, 8416	4.9	16
99	Proposed new staging system for ampulla of Vater cancer with greater discriminatory ability: multinational study from eastern and western centers. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2017 , 24, 475-484	2.8	1
98	An empirical fuzzy multifactor dimensionality reduction method for detecting gene-gene interactions. <i>BMC Genomics</i> , 2017 , 18, 115	4.5	21
97	PreCimp: Pre-collapsing imputation approach increases imputation accuracy of rare variants in terms of collapsed variables. <i>Genetic Epidemiology</i> , 2017 , 41, 41-50	2.6	3
96	Enhancing inhibitory synaptic function reverses spatial memory deficits in Shank2 mutant mice. <i>Neuropharmacology</i> , 2017 , 112, 104-112	5.5	37
95	Generalized estimating equations with stabilized working correlation structure. <i>Computational Statistics and Data Analysis</i> , 2017 , 106, 1-11	1.6	4
94	Sequence data and association statistics from 12,940 type 2 diabetes cases and controls. <i>Scientific Data</i> , 2017 , 4, 170179	8.2	22
93	Diagnostic performance enhancement of pancreatic cancer using proteomic multimarker panel. <i>Oncotarget</i> , 2017 , 8, 93117-93130	3.3	20
92	Statistical methods for metagenomics data analysis. <i>International Journal of Data Mining and Bioinformatics</i> , 2017 , 19, 366	0.5	2
91	Integration of Traditional and Metabolomics Biomarkers Identifies Prognostic Metabolites for Predicting Responsiveness to Nutritional Intervention against Oxidative Stress and Inflammation. <i>Nutrients</i> , 2017 , 9,	6.7	12
90	Ceruloplasmin as a prognostic marker in patients with bile duct cancer. <i>Oncotarget</i> , 2017 , 8, 29028-290	37.3	14
89	Comparative studies for developing protein based cancer prediction model to maximise the ROC-AUC with various variable selection methods. <i>International Journal of Data Mining and Bioinformatics</i> , 2016 , 16, 64	0.5	1

88	Statistical analysis for aggregated count data in genetic association studies. <i>International Journal of Data Mining and Bioinformatics</i> , 2016 , 16, 77	0.5	
87	Gene-set association tests for next-generation sequencing data. <i>Bioinformatics</i> , 2016 , 32, i611-i619	7.2	4
86	Pathway-based approach using hierarchical components of collapsed rare variants. <i>Bioinformatics</i> , 2016 , 32, i586-i594	7.2	23
85	Multifactor dimensionality reduction analysis of multiple binary traits for gene-gene interaction. <i>International Journal of Data Mining and Bioinformatics</i> , 2016 , 14, 293	0.5	3
84	Comparing family-based rare variant association tests for dichotomous phenotypes. <i>BMC Proceedings</i> , 2016 , 10, 181-186	2.3	4
83	Molecular subtypes of pancreatic cancer based on miRNA expression profiles have independent prognostic value. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016 , 31, 1160-7	4	37
82	HNF4lls a therapeutic target that links AMPK to WNT signalling in early-stage gastric cancer. <i>Gut</i> , 2016 , 65, 19-32	19.2	69
81	Transancestral fine-mapping of four type 2 diabetes susceptibility loci highlights potential causal regulatory mechanisms. <i>Human Molecular Genetics</i> , 2016 , 25, 2070-2081	5.6	20
80	LPEseq: Local-Pooled-Error Test for RNA Sequencing Experiments with a Small Number of Replicates. <i>PLoS ONE</i> , 2016 , 11, e0159182	3.7	4
79	Systematic approach identifies RHOA as a potential biomarker therapeutic target for Asian gastric cancer. <i>Oncotarget</i> , 2016 , 7, 81435-81451	3.3	11
78	Risk Prediction Using Genome-Wide Association Studies on Type 2 Diabetes. <i>Genomics and Informatics</i> , 2016 , 14, 138-148	1.9	9
77	Prediction of Quantitative Traits Using Common Genetic Variants: Application to Body Mass Index. <i>Genomics and Informatics</i> , 2016 , 14, 149-159	1.9	6
76	Gene-Gene Interaction Analysis for the Accelerated Failure Time Model Using a Unified Model-Based Multifactor Dimensionality Reduction Method. <i>Genomics and Informatics</i> , 2016 , 14, 166-17	/2 .9	6
75	Genetic Association Analysis of Fasting and 1- and 2-Hour Glucose Tolerance Test Data Using a Generalized Index of Dissimilarity Measure for the Korean Population. <i>Genomics and Informatics</i> , 2016 , 14, 181-186	1.9	0
74	Development of Diagnostic Biomarkers for Detecting Diabetic Retinopathy at Early Stages Using Quantitative Proteomics. <i>Journal of Diabetes Research</i> , 2016 , 2016, 6571976	3.9	22
73	Using the Generalized Index of Dissimilarity to Detect Gene-Gene Interactions in Multi-Class Phenotypes. <i>PLoS ONE</i> , 2016 , 11, e0158668	3.7	3
72	The genetic architecture of type 2 diabetes. <i>Nature</i> , 2016 , 536, 41-47	50.4	704
71	FARVATX: Family-Based Rare Variant Association Test for X-Linked Genes. <i>Genetic Epidemiology</i> , 2016 , 40, 475-85	2.6	3

(2015-2016)

70	Conditional estimation of local pooled dispersion parameter in small-sample RNA-Seq data improves differential expression test. <i>Journal of Bioinformatics and Computational Biology</i> , 2016 , 14, 1644006	1		
69	Analysis of multiple related phenotypes in genome-wide association studies. <i>Journal of Bioinformatics and Computational Biology</i> , 2016 , 14, 1644005	1	5	
68	A novel fuzzy set based multifactor dimensionality reduction method for detecting gene-gene interaction. <i>Computational Biology and Chemistry</i> , 2016 , 65, 193-202	3.6	12	
67	A unified model based multifactor dimensionality reduction framework for detecting gene-gene interactions. <i>Bioinformatics</i> , 2016 , 32, i605-i610	7.2	18	
66	Multivariate Quantitative Multifactor Dimensionality Reduction for Detecting Gene-Gene Interactions. <i>Human Heredity</i> , 2015 , 79, 168-81	1.1	13	
65	ECaryophyllene potently inhibits solid tumor growth and lymph node metastasis of B16F10 melanoma cells in high-fat diet-induced obese C57BL/6N mice. <i>Carcinogenesis</i> , 2015 , 36, 1028-39	4.6	34	
64	A genome-wide scan for signatures of directional selection in domesticated pigs. <i>BMC Genomics</i> , 2015 , 16, 130	4.5	47	
63	Relationship between thyroid-stimulating hormone levels and risk of depression among the general population with normal free T4 levels. <i>Psychoneuroendocrinology</i> , 2015 , 58, 114-9	5	26	
62	Adjusting heterogeneous ascertainment bias for genetic association analysis with extended families. <i>BMC Medical Genetics</i> , 2015 , 16, 62	2.1	7	
61	Clinical implication of serum carcinoembryonic antigen and carbohydrate antigen 19-9 for the prediction of malignancy in intraductal papillary mucinous neoplasm of pancreas. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2015 , 22, 699-707	2.8	43	
60	A new strategy for enhancing imputation quality of rare variants from next-generation sequencing data via combining SNP and exome chip data. <i>BMC Genomics</i> , 2015 , 16, 1109	4.5	7	
59	An Efficient Stepwise Statistical Test to Identify Multiple Linked Human Genetic Variants Associated with Specific Phenotypic Traits. <i>PLoS ONE</i> , 2015 , 10, e0138700	3.7	3	
58	A Comparative Study on Multifactor Dimensionality Reduction Methods for Detecting Gene-Gene Interactions with the Survival Phenotype. <i>BioMed Research International</i> , 2015 , 2015, 671859	3	6	
57	Detecting Genetic Interactions for Quantitative Traits Using m-Spacing Entropy Measure. <i>BioMed Research International</i> , 2015 , 2015, 523641	3	5	
56	VizEpis : A visualization and mapping tool for interpreting epistasis 2015,		2	
55	Seasonality and its distinct clinical correlates in bipolar II disorder. <i>Psychiatry Research</i> , 2015 , 225, 540-	4 9.9	18	
54	Two simple algorithms on linear combination of multiple biomarkers to maximize partial area under the ROC curve. <i>Computational Statistics and Data Analysis</i> , 2015 , 88, 15-27	1.6	7	
53	Prevalence, behavioral manifestations and associated individual and climatic factors of seasonality in the Korean general population. <i>Comprehensive Psychiatry</i> , 2015 , 57, 148-54	7.3	10	

52	Robust Gene-Gene Interaction Analysis in Genome Wide Association Studies. <i>PLoS ONE</i> , 2015 , 10, e013	59.1/6	6
51	Association between ST8SIA2 and the Risk of Schizophrenia and Bipolar I Disorder across Diagnostic Boundaries. <i>PLoS ONE</i> , 2015 , 10, e0139413	3.7	19
50	Analysis of pharmacogenomic variants associated with population differentiation. <i>PLoS ONE</i> , 2015 , 10, e0119994	3.7	О
49	FARVAT: a family-based rare variant association test. <i>Bioinformatics</i> , 2014 , 30, 3197-205	7.2	20
48	Cancer survival classification using integrated data sets and intermediate information. <i>Artificial Intelligence in Medicine</i> , 2014 , 62, 23-31	7.4	14
47	Bis-class: a new classification tool of methylation status using bayes classifier and local methylation information. <i>BMC Genomics</i> , 2014 , 15, 608	4.5	8
46	22q11-q13 as a hot spot for prediction of disease-free survival in bile duct cancer: integrative analysis of copy number variations. <i>Cancer Genetics</i> , 2014 , 207, 57-69	2.3	10
45	Practical issues in screening and variable selection in genome-wide association analysis. <i>Cancer Informatics</i> , 2014 , 13, 55-65	2.4	4
44	Correlation of Lifetime Symptom Dimensions with Cognitive Function and Other Clinical Characteristics in Schizophrenia Patients. <i>Korean Journal of Schizophrenia Research</i> , 2014 , 17, 72	0.7	
43	Patterns of gene expression associated with Pten deficiency in the developing inner ear. <i>PLoS ONE</i> , 2014 , 9, e97544	3.7	3
42	CARAT-GxG: CUDA-Accelerated Regression Analysis Toolkit for Large-Scale Gene-Gene Interaction with GPU Computing System. <i>Cancer Informatics</i> , 2014 , 13, 27-33	2.4	3
41	Joint identification of genetic variants for physical activity in Korean population. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 12407-21	6.3	11
40	Pathway-driven discovery of rare mutational impact on cancer. <i>BioMed Research International</i> , 2014 , 2014, 171892	3	3
39	Definition of smad3 phosphorylation events that affect malignant and metastatic behaviors in breast cancer cells. <i>Cancer Research</i> , 2014 , 74, 6139-49	10.1	27
38	Biomarker development for pancreatic ductal adenocarcinoma using integrated analysis of mRNA and miRNA expression 2014 ,		1
37	Personalized identification of altered pathways in cancer using accumulated normal tissue data. <i>Bioinformatics</i> , 2014 , 30, i422-9	7.2	64
36	Supplementation of Korean black raspberry improves endogenous antioxidant capacity in overweight adults (LB308). <i>FASEB Journal</i> , 2014 , 28, LB308	0.9	
35	Multivariate generalized multifactor dimensionality reduction to detect gene-gene interactions. <i>BMC Systems Biology</i> , 2013 , 7 Suppl 6, S15	3.5	14

(2007-2013)

34	A modified entropy-based approach for identifying gene-gene interactions in case-control study. <i>PLoS ONE</i> , 2013 , 8, e69321	3.7	20
33	Selection of differentially expressed gene in the colon of the mice fed high-fat diet associated with blood adipokine concentrations as early biomarkers of pathological changes. <i>FASEB Journal</i> , 2013 , 27, 865.3	0.9	1
32	A novel method to identify high order gene-gene interactions in genome-wide association studies: gene-based MDR. <i>BMC Bioinformatics</i> , 2012 , 13 Suppl 9, S5	3.6	37
31	Phenotype prediction from genome-wide association studies: application to smoking behaviors. <i>BMC Systems Biology</i> , 2012 , 6 Suppl 2, S11	3.5	5
30	Large-scale genome-wide association study of Asian population reveals genetic factors in FRMD4A and other loci influencing smoking initiation and nicotine dependence. <i>Human Genetics</i> , 2012 , 131, 100	9-2-3	48
29	Gene-gene interaction analysis for the survival phenotype based on the Cox model. <i>Bioinformatics</i> , 2012 , 28, i582-i588	7.2	31
28	Large-scale genome-wide association studies in East Asians identify new genetic loci influencing metabolic traits. <i>Nature Genetics</i> , 2011 , 43, 990-5	36.3	229
27	Practical issues in genome-wide association studies for physical activity. <i>Annals of the New York Academy of Sciences</i> , 2011 , 1229, 38-44	6.5	13
26	A chi-square test for detecting multiple joint genetic variants in genome-wide association studies 2011 ,		2
25	Joint identification of multiple genetic variants via elastic-net variable selection in a genome-wide association analysis. <i>Annals of Human Genetics</i> , 2010 , 74, 416-28	2.2	64
24	Biological, clinical and population relevance of 95 loci for blood lipids. <i>Nature</i> , 2010 , 466, 707-13	50.4	2742
23	Multivariate Analysis of Microarray Data: Application of MANOVA 2010 , 151-166		
22	Statistical Models, Inference, and Algorithms for Large Biological Data Analysis 2010 , 185-199		
21	Associations of variants in CHRNA5/A3/B4 gene cluster with smoking behaviors in a Korean population. <i>PLoS ONE</i> , 2010 , 5, e12183	3.7	47
20	Identification of gene-gene interactions in the presence of missing data using the multifactor dimensionality reduction method. <i>Genetic Epidemiology</i> , 2009 , 33, 646-56	2.6	20
19	A large-scale genome-wide association study of Asian populations uncovers genetic factors influencing eight quantitative traits. <i>Nature Genetics</i> , 2009 , 41, 527-34	36.3	822
18	Log-linear model-based multifactor dimensionality reduction method to detect gene gene interactions. <i>Bioinformatics</i> , 2007 , 23, 2589-95	7.2	72
17	Odds ratio based multifactor-dimensionality reduction method for detecting gene-gene interactions. <i>Bioinformatics</i> , 2007 , 23, 71-6	7.2	132

16	Error-pooling-based statistical methods for identifying novel temporal replication profiles of human chromosomes observed by DNA tiling arrays. <i>Nucleic Acids Research</i> , 2007 , 35, e69	20.1	8
15	Searching susceptibility genes for antipsychotic-induced weight gain: is the 5-HT2C receptor gene a promising candidate?. <i>Personalized Medicine</i> , 2007 , 4, 357-361	2.2	2
14	Spot intensity ratio statistics in two-channel microarray experiments. <i>Journal of Bioinformatics and Computational Biology</i> , 2007 , 5, 865-73	1	
13	Combining multiple microarrays in the presence of controlling variables. <i>Bioinformatics</i> , 2006 , 22, 1682	-97.2	33
12	Diagnostic plots for detecting outlying slides in a cDNA microarray experiment. <i>BioTechniques</i> , 2005 , 38, 463-71	2.5	9
11	Mixed Models: Covariance Models for Nested Repeated Measures Data: Analysis of Ovarian Steroid Secretion Data 2005 , 187-208		
10	Bayesian methods for contingency tables using Gibbs sampling. Statistical Papers, 2004, 45, 33-50	1	7
9	Statistical analysis of MMR vaccine adverse events on aseptic meningitis using the case cross-over design. <i>Statistics in Medicine</i> , 2004 , 23, 1871-83	2.3	12
8	Statistical tests for identifying differentially expressed genes in time-course microarray experiments. <i>Bioinformatics</i> , 2003 , 19, 694-703	7.2	136
7	Evaluation of normalization methods for microarray data. <i>BMC Bioinformatics</i> , 2003 , 4, 33	3.6	102
6	Joint Modelling of Repeated Measures and Survival Time Data. <i>Biometrical Journal</i> , 2003 , 45, 647-658	1.5	8
5	Covariance models for nested repeated measures data: analysis of ovarian steroid secretion data. <i>Statistics in Medicine</i> , 2002 , 21, 143-64	2.3	29
4	Effects of covariance model assumptions on hypothesis tests for repeated measurements: analysis of ovarian hormone data and pituitary-pteryomaxillary distance data. <i>Statistics in Medicine</i> , 2001 , 20, 2441-53	2.3	17
3	SEGMENTED DOSE-RESPONSE MODELS FOR REPEATED MEASURES DATA. <i>Communications in Statistics - Theory and Methods</i> , 2001 , 30, 2045-2056	0.5	
2	On the use of working correlation matrices in the gee approach for longitudinal data. <i>Communications in Statistics Part B: Simulation and Computation</i> , 1999 , 28, 1011-1029	0.6	4
1	Simple pattern-mixture models for longitudinal data with missing observations: analysis of urinary incontinence data. <i>Statistics in Medicine</i> , 1999 , 18, 2933-41	2.3	16