

Young-Min Park

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6366298/young-min-park-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

22

papers

288

citations

10

h-index

16

g-index

22

ext. papers

361

ext. citations

2.8

avg, IF

2.83

L-index

#	Paper	IF	Citations
22	Physical Activity Differentially Affects the Cecal Microbiota of Ovariectomized Female Rats Selectively Bred for High and Low Aerobic Capacity. <i>PLoS ONE</i> , 2015 , 10, e0136150	3.7	44
21	Female rats selectively bred for high intrinsic aerobic fitness are protected from ovariectomy-associated metabolic dysfunction. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015 , 308, R530-42	3.2	38
20	Soy Improves Cardiometabolic Health and Cecal Microbiota in Female Low-Fit Rats. <i>Scientific Reports</i> , 2017 , 7, 9261	4.9	32
19	Moderate amounts of fructose- or glucose-sweetened beverages do not differentially alter metabolic health in male and female adolescents. <i>American Journal of Clinical Nutrition</i> , 2014 , 100, 796-805	7	27
18	Retention of sedentary obese visceral white adipose tissue phenotype with intermittent physical activity despite reduced adiposity. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015 , 309, R594-602	3.2	24
17	Time since menopause and skeletal muscle estrogen receptors, PGC-1 α and AMPK. <i>Menopause</i> , 2017 , 24, 815-823	2.5	24
16	Effects of intrinsic aerobic capacity and ovariectomy on voluntary wheel running and nucleus accumbens dopamine receptor gene expression. <i>Physiology and Behavior</i> , 2016 , 164, 383-9	3.5	20
15	Effects of ovariectomy and intrinsic aerobic capacity on tissue-specific insulin sensitivity. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2016 , 310, E190-9	6	18
14	Acute estradiol treatment reduces skeletal muscle protein breakdown markers in early- but not late-postmenopausal women. <i>Steroids</i> , 2019 , 146, 43-49	2.8	12
13	Prior exercise does not alter the incretin response to a subsequent meal in obese women. <i>Peptides</i> , 2015 , 71, 94-9	3.8	11
12	Voluntary Running Attenuates Metabolic Dysfunction in Ovariectomized Low-Fit Rats. <i>Medicine and Science in Sports and Exercise</i> , 2017 , 49, 254-264	1.2	10
11	Ovariectomized Highly Fit Rats Are Protected against Diet-Induced Insulin Resistance. <i>Medicine and Science in Sports and Exercise</i> , 2016 , 48, 1259-69	1.2	8
10	Appendicular lean mass is lower in late compared with early perimenopausal women: potential role of FSH. <i>Journal of Applied Physiology</i> , 2020 , 128, 1373-1380	3.7	8
9	Voluntary wheel running improves adipose tissue immunometabolism in ovariectomized low-fit rats. <i>Adipocyte</i> , 2018 , 7, 20-34	3.2	6
8	Bone Mineral Density in Different Menopause Stages is Associated with Follicle Stimulating Hormone Levels in Healthy Women. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	4
7	Lessons Learned in Protein Precipitation Using a Membrane Emulsification Technique to Produce Reversible and Uniform Microbeads. <i>Pharmaceutics</i> , 2021 , 13,	6.4	2
6	Menopause and the Loss of Skeletal Muscle Mass in Women. <i>Iranian Journal of Public Health</i> , 2021 , 50, 413-414	0.7	0

- 5 Appendicular Muscle Mass is Lower in Late- Compared to Early-perimenopausal Women. *FASEB Journal*, **2018**, 32, lb397 0.9
- 4 Endothelial Estrogen Receptor α Protein Ratio is Associated with Circulating Estrogen Levels in Healthy Women. *FASEB Journal*, **2019**, 33, lb513 0.9
- 3 Low intrinsic aerobic fitness increases susceptibility to OVX-induced obesity and insulin resistance in the absence of adipose tissue inflammation (1028.3). *FASEB Journal*, **2014**, 28, 1028.3 0.9
- 2 Intermittent Physical Activity Produces a Leaner but Sedentary Obese White Adipose Tissue Phenotype. *FASEB Journal*, **2015**, 29, 1055.16 0.9
- 1 Chronic Ankle Instability Research and Cross-Cultural Adaptation Process Necessity for the Self-Reported Questionnaire. *Iranian Journal of Public Health*, **2021**, 50, 838-839 0.7