

# Jim Mintz

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6367178/publications.pdf>

Version: 2024-02-01

380  
papers

30,226  
citations

4103

90  
h-index

7234

158  
g-index

383  
all docs

383  
docs citations

383  
times ranked

24261  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Perceptions and experiences of web-prolonged exposure for posttraumatic stress disorder: A mixed-methods study.. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2024, 16, 143-148.  | 1.4 | 0         |
| 2  | Treatment responder status and time to response as a function of hazardous drinking among active-duty military receiving variable-length cognitive processing therapy for posttraumatic stress disorder.. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2023, 15, 386-393. | 1.4 | 2         |
| 3  | Dose-related effects of ketamine for antidepressant-resistant symptoms of posttraumatic stress disorder in veterans and active duty military: a double-blind, randomized, placebo-controlled multi-center clinical trial. <i>Neuropsychopharmacology</i> , 2022, 47, 1574-1581.                    | 2.8 | 41        |
| 4  | In-office, in-home, and telehealth cognitive processing therapy for posttraumatic stress disorder in veterans: a randomized clinical trial. <i>BMC Psychiatry</i> , 2022, 22, 41.  | 1.1 | 15        |
| 5  | Testing the role of aerobic exercise in the treatment of posttraumatic stress disorder (PTSD) symptoms in U.S. active duty military personnel: a pilot study. <i>Cognitive Behaviour Therapy</i> , 2022, 51, 309-325.  | 1.9 | 3         |
| 6  | Effect of Written Exposure Therapy vs Cognitive Processing Therapy on Increasing Treatment Efficiency Among Military Service Members With Posttraumatic Stress Disorder. <i>JAMA Network Open</i> , 2022, 5, e2140911.   | 2.8 | 22        |
| 7  | Aggression and violent behavior in the military: Self-reported conflict tactics in a sample of service members and veterans seeking treatment for posttraumatic stress disorder. <i>Aggression and Violent Behavior</i> , 2022, 66, 101734.  | 1.2 | 3         |
| 8  | Sleep disorder symptoms are associated with greater posttraumatic stress and anger symptoms in US Army service members seeking treatment for posttraumatic stress disorder. <i>Journal of Clinical Sleep Medicine</i> , 2022, 18, 1617-1627.   | 1.4 | 5         |
| 9  | PTSD symptoms and tinnitus severity: An analysis of veterans with posttraumatic headaches.. <i>Health Psychology</i> , 2022, 41, 178-183.  | 1.3 | 4         |
| 10 | Addressing chronic pain with Focused Acceptance and Commitment Therapy in integrated primary care: findings from a mixed methods pilot randomized controlled trial. , 2022, 23, 77.  |     | 9         |
| 11 | Quetiapine as an adjunct to enhance engagement in prolonged exposure therapy for PTSD in veterans: A randomized, pilot trial. <i>Journal of Behavioral and Cognitive Therapy</i> , 2022, 32, 243-253.  | 0.7 | 2         |
| 12 | Adopting a Companion Dog Helps Veterans with Posttraumatic Stress Disorder in a Pilot Randomized Trial. <i>Society and Animals</i> , 2022, -1, 1-24.   | 0.1 | 0         |
| 13 | Cognitive Behavioral Therapy for Veterans With Comorbid Posttraumatic Headache and Posttraumatic Stress Disorder Symptoms. <i>JAMA Neurology</i> , 2022, 79, 746.  | 4.5 | 17        |
| 14 | Prazosin for treatment of post-traumatic stress disorder: a systematic review and meta-analysis. <i>CNS Spectrums</i> , 2021, 26, 338-344.   | 0.7 | 28        |
| 15 | Parameters of Aggressive Behavior in a Treatment-Seeking Sample of Military Personnel: A Secondary Analysis of Three Randomized Controlled Trials of Evidence-Based PTSD Treatments. <i>Behavior Therapy</i> , 2021, 52, 136-148.  | 1.3 | 1         |
| 16 | A Novel Approach to the Assessment of Fidelity to a Cognitive Behavioral Therapy for PTSD Using Clinical Worksheets: A Proof of Concept With Cognitive Processing Therapy. <i>Behavior Therapy</i> , 2021, 52, 656-672.  | 1.3 | 11        |
| 17 | The Impact of Hazardous Drinking Among Active Duty Military With Posttraumatic Stress Disorder: Does Cognitive Processing Therapy Format Matter?. <i>Journal of Traumatic Stress</i> , 2021, 34, 210-220.  | 1.0 | 4         |
| 18 | The Effects of Interpersonal Support on Treatment Outcomes Using Cognitive Processing Therapy. <i>Cognitive Therapy and Research</i> , 2021, 45, 679-688.  | 1.2 | 3         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | The Military Service Sleep Assessment: an instrument to assess factors precipitating sleep disturbances in U.S. military personnel. <i>Journal of Clinical Sleep Medicine</i> , 2021, 17, 1401-1409.  | 1.4 | 7         |
| 20 | Identifying suicidal subtypes and dynamic indicators of increasing and decreasing suicide risk in active duty military personnel: Study protocol. <i>Contemporary Clinical Trials Communications</i> , 2021, 21, 100752.                              | 0.5 | 4         |
| 21 | A Closer Examination of Relational Outcomes from a Pilot Study of Abbreviated, Intensive, Multi-Couple Group Cognitive-Behavioral Conjoint Therapy for PTSD with Military Dyads. <i>Family Process</i> , 2021, 60, 712-726.                           | 1.4 | 11        |
| 22 | Efficacy of individual and group cognitive processing therapy for military personnel with and without child abuse histories.. <i>Journal of Consulting and Clinical Psychology</i> , 2021, 89, 476-482.   | 1.6 | 3         |
| 23 | Variable-length Cognitive Processing Therapy for posttraumatic stress disorder in active duty military: Outcomes and predictors. <i>Behaviour Research and Therapy</i> , 2021, 141, 103846.   | 1.6 | 23        |
| 24 | A Program to Increase the Appropriate Use of Long-Acting Injectable Antipsychotic Medications in Community Settings. <i>Psychiatric Services</i> , 2021, 72, 1012-1017.   | 1.1 | 4         |
| 25 | Post-9/11 service members: Associations between gender, marital status, and psychiatric aeromedical evacuations from combat zones. <i>Military Psychology</i> , 2021, 33, 436-445.  | 0.7 | 3         |
| 26 | STRONG STAR and the Consortium to Alleviate PTSD: Shaping the future of combat PTSD and related conditions in military and veteran populations. <i>Contemporary Clinical Trials</i> , 2021, 110, 106583.  | 0.8 | 15        |
| 27 | Persistent posttraumatic headaches and functioning in veterans: Injury type can matter. <i>Headache</i> , 2021, 61, 1334-1341.  | 1.8 | 2         |
| 28 | Written exposure therapy for posttraumatic stress symptoms and suicide risk: Design and methodology of a randomized controlled trial with patients on a military psychiatric inpatient unit. <i>Contemporary Clinical Trials</i> , 2021, 110, 106564. | 0.8 | 2         |
| 29 | Temporal-dimensional examination of the Scale for Suicidal Ideation in a cohort of service members in treatment for PTSD.. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2021, 13, 793-801.                                   | 1.4 | 5         |
| 30 | Development of a Patient-Centered Software System to Facilitate Effective Management of Bipolar Disorder. <i>Psychopharmacology Bulletin</i> , 2021, 51, 8-19.  | 0.0 | 0         |
| 31 | Secondary individual outcomes following multicouple group therapy for posttraumatic stress disorder: An uncontrolled pilot study with military dyads. <i>Journal of Traumatic Stress</i> , 2021, , .  | 1.0 | 0         |
| 32 | Weekly Changes in Blame and PTSD Among Active-Duty Military Personnel Receiving Cognitive Processing Therapy. <i>Behavior Therapy</i> , 2020, 51, 386-400.  | 1.3 | 9         |
| 33 | Changes in anger and aggression after treatment for PTSD in active duty military. <i>Journal of Clinical Psychology</i> , 2020, 76, 493-507.  | 1.0 | 17        |
| 34 | Study design comparing written exposure therapy to cognitive processing therapy for PTSD among military service members: A noninferiority trial. <i>Contemporary Clinical Trials Communications</i> , 2020, 17, 100507.                               | 0.5 | 8         |
| 35 | Intensive, Multi-Couple Group Therapy for PTSD: A Nonrandomized Pilot Study With Military and Veteran Dyads. <i>Behavior Therapy</i> , 2020, 51, 700-714.   | 1.3 | 23        |
| 36 | Quetiapine augmentation of prolonged exposure therapy in veterans with PTSD and a history of mild traumatic brain injury: design and methodology of a pilot study. <i>Military Medical Research</i> , 2020, 7, 46.                                    | 1.9 | 4         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | It's about time: Examining the role of session timing in Cognitive Processing Therapy in active duty military personnel. <i>Journal of Behavioral and Cognitive Therapy</i> , 2020, 30, 231-239.  | 0.7 | 5         |
| 38 | The effects of a prolonged exposure workshop with and without consultation on provider and patient outcomes: a randomized implementation trial. <i>Implementation Science</i> , 2020, 15, 59.   | 2.5 | 18        |
| 39 | Demographic and Occupational Risk Factors Associated With Suicide-Related Aeromedical Evacuation Among Deployed U.S. Military Service Members. <i>Military Medicine</i> , 2020, 185, e1968-e1976.   | 0.4 | 3         |
| 40 | Treatment of comorbid sleep disorders and posttraumatic stress disorder in active duty military: Design and methodology of a randomized clinical trial. <i>Contemporary Clinical Trials</i> , 2020, 99, 106186.                                   | 0.8 | 7         |
| 41 | Predictors of Treatment Outcome in Group or Individual Cognitive Processing Therapy for Posttraumatic Stress Disorder Among Active Duty Military. <i>Cognitive Therapy and Research</i> , 2020, 44, 611-620.                                      | 1.2 | 14        |
| 42 | Predictors of Cognitive Behavioral Therapy for Insomnia (CBTi) Outcomes in Active-Duty U.S. Army Personnel. <i>Behavior Therapy</i> , 2020, 51, 522-534.  | 1.3 | 9         |
| 43 | A Nonrandomized Trial of Prolonged Exposure and Cognitive Processing Therapy for Combat-Related Posttraumatic Stress Disorder in a Deployed Setting. <i>Behavior Therapy</i> , 2020, 51, 882-894.   | 1.3 | 16        |
| 44 | Sleep problems in active duty military personnel seeking treatment for posttraumatic stress disorder: presence, change, and impact on outcomes. <i>Sleep</i> , 2020, 43, .  | 0.6 | 27        |
| 45 | A pilot randomized controlled trial of cognitive behavioral treatment for trauma-related nightmares in active duty military personnel. <i>Journal of Clinical Sleep Medicine</i> , 2020, 16, 29-40.   | 1.4 | 11        |
| 46 | Guilt in the Treatment of Posttraumatic Stress Disorder Among Active Duty Military Personnel. <i>Journal of Traumatic Stress</i> , 2019, 32, 616-624.   | 1.0 | 3         |
| 47 | Conceptualizing comorbid PTSD and depression among treatment-seeking, active duty military service members. <i>Journal of Affective Disorders</i> , 2019, 256, 541-549.   | 2.0 | 15        |
| 48 | Depression Suppresses Treatment Response for Traumatic Loss-Related Posttraumatic Stress Disorder in Active Duty Military Personnel. <i>Journal of Traumatic Stress</i> , 2019, 32, 774-783.  | 1.0 | 2         |
| 49 | A resting-state network comparison of combat-related PTSD with combat-exposed and civilian controls. <i>Social Cognitive and Affective Neuroscience</i> , 2019, 14, 933-945.  | 1.5 | 4         |
| 50 | Attitudes and Beliefs of Deployed United States Military Medical Personnel about Providing Healthcare for Iraqi Patients. <i>Military Behavioral Health</i> , 2019, 7, 142-150.   | 0.4 | 3         |
| 51 | Mediation of suicide ideation in prolonged exposure therapy for posttraumatic stress disorder. <i>Behaviour Research and Therapy</i> , 2019, 119, 103409.   | 1.6 | 10        |
| 52 | Testing a variable-length Cognitive Processing Therapy intervention for posttraumatic stress disorder in active duty military: Design and methodology of a clinical trial. <i>Contemporary Clinical Trials Communications</i> , 2019, 15, 100381. | 0.5 | 10        |
| 53 | Repeated ketamine infusions for antidepressant-resistant PTSD: Methods of a multicenter, randomized, placebo-controlled clinical trial. <i>Contemporary Clinical Trials</i> , 2019, 81, 11-18.  | 0.8 | 26        |
| 54 | Predictors of attendance and dropout in three randomized controlled trials of PTSD treatment for active duty service members. <i>Behaviour Research and Therapy</i> , 2019, 118, 7-17.  | 1.6 | 48        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Examination of Treatment Effects on Hazardous Drinking Among Service Members With Posttraumatic Stress Disorder. <i>Journal of Traumatic Stress</i> , 2019, 32, 310-316.  | 1.0 | 8         |
| 56 | Trauma-Related Cognitions and Cognitive Emotion Regulation as Mediators of PTSD Change Among Treatment-Seeking Active-Duty Military Personnel With PTSD. <i>Behavior Therapy</i> , 2019, 50, 1053-1062.   | 1.3 | 28        |
| 57 | Does prolonged exposure increase suicide risk? Results from an active duty military sample. <i>Behaviour Research and Therapy</i> , 2019, 118, 87-93.   | 1.6 | 23        |
| 58 | Caffeine Use in Military Personnel With PTSD: Prevalence and Impact on Sleep. <i>Behavioral Sleep Medicine</i> , 2019, 17, 202-212.   | 1.1 | 6         |
| 59 | An epidemiological evaluation of trauma types in a cohort of deployed service members.. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2019, 11, 877-885.  | 1.4 | 12        |
| 60 | Adding Increased Energy or Activity to Criterion (A) of the DSM-5 Definition of Hypomania and Mania. <i>Journal of Clinical Psychiatry</i> , 2019, 80, .  | 1.1 | 11        |
| 61 | Rationale and design of a pilot study examining Acceptance and Commitment Therapy for persistent pain in an integrated primary care clinic. <i>Contemporary Clinical Trials</i> , 2018, 66, 28-35.  | 0.8 | 6         |
| 62 | The Influence of Posttraumatic Stress Disorder on Health Functioning in Active-Duty Military Service Members. <i>Journal of Traumatic Stress</i> , 2018, 31, 307-316.   | 1.0 | 5         |
| 63 | Distinct Trauma Types in Military Service Members Seeking Treatment for Posttraumatic Stress Disorder. <i>Journal of Traumatic Stress</i> , 2018, 31, 286-295.  | 1.0 | 88        |
| 64 | Impact of cognitive behavioral therapy for insomnia disorder on sleep and comorbid symptoms in military personnel: a randomized clinical trial. <i>Sleep</i> , 2018, 41, .  | 0.6 | 34        |
| 65 | Effect of Prolonged Exposure Therapy Delivered Over 2 Weeks vs 8 Weeks vs Present-Centered Therapy on PTSD Symptom Severity in Military Personnel. <i>JAMA - Journal of the American Medical Association</i> , 2018, 319, 354.  | 3.8 | 252       |
| 66 | Abnormal Trajectory of Intracortical Myelination in Schizophrenia Implicates White Matter in Disease Pathophysiology and the Therapeutic Mechanism of Action of Antipsychotics. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018, 3, 454-462. | 1.1 | 18        |
| 67 | Effect of Crisis Response Planning on Patient Mood and Clinician Decision Making: A Clinical Trial With Suicidal U.S. Soldiers. <i>Psychiatric Services</i> , 2018, 69, 108-111.  | 1.1 | 42        |
| 68 | Design of a randomized controlled trial examining the efficacy and biological mechanisms of web-prolonged exposure and present-centered therapy for PTSD among active-duty military personnel and veterans. <i>Contemporary Clinical Trials</i> , 2018, 64, 41-48.        | 0.8 | 7         |
| 69 | Reliability of the Structured Clinical Interview for DSM-5 Sleep Disorders Module. <i>Journal of Clinical Sleep Medicine</i> , 2018, 14, 459-464.   | 1.4 | 62        |
| 70 | Factor Structure and Psychometric Properties of the Peritraumatic and Posttraumatic Emotions Questionnaires Among Active Duty Military Personnel With Posttraumatic Stress Disorder. <i>Journal of Traumatic Stress</i> , 2018, 31, 826-836.                              | 1.0 | 1         |
| 71 | Psychiatric Aeromedical Evacuations of Deployed Active Duty U.S. Military Personnel During Operations Enduring Freedom, Iraqi Freedom, and New Dawn. <i>Military Medicine</i> , 2018, 183, e649-e658.   | 0.4 | 25        |
| 72 | Design of a clinical effectiveness trial of in-home cognitive processing therapy for combat-related PTSD. <i>Contemporary Clinical Trials</i> , 2018, 73, 27-35.  | 0.8 | 8         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Doxazosin for the treatment of co-occurring PTSD and alcohol use disorder: Design and methodology of a randomized controlled trial in military veterans. <i>Contemporary Clinical Trials</i> , 2018, 73, 8-15.                | 0.8 | 11        |
| 74 | Acute Assessment of Traumatic Brain Injury and Post-Traumatic Stress After Exposure to a Deployment-Related Explosive Blast. <i>Military Medicine</i> , 2018, 183, e555-e563.   | 0.4 | 16        |
| 75 | Use of crisis management interventions among suicidal patients: Results of a randomized controlled trial. <i>Depression and Anxiety</i> , 2018, 35, 619-628.  | 2.0 | 23        |
| 76 | Intensive prolonged exposure therapy for combat-related posttraumatic stress disorder: Design and methodology of a randomized clinical trial. <i>Contemporary Clinical Trials</i> , 2018, 72, 126-136.                        | 0.8 | 12        |
| 77 | Associations of patient-rated emotional bond and vocally encoded emotional arousal among clinicians and acutely suicidal military personnel.. <i>Journal of Consulting and Clinical Psychology</i> , 2018, 86, 372-383.       | 1.6 | 25        |
| 78 | Effect of crisis response planning vs. contracts for safety on suicide risk in U.S. Army Soldiers: A randomized clinical trial. <i>Journal of Affective Disorders</i> , 2017, 212, 64-72.                                     | 2.0 | 203       |
| 79 | Internet and In-Person Cognitive Behavioral Therapy for Insomnia in Military Personnel: A Randomized Clinical Trial. <i>Sleep</i> , 2017, 40, .   | 0.6 | 64        |
| 80 | Effect of Group vs Individual Cognitive Processing Therapy in Active-Duty Military Seeking Treatment for Posttraumatic Stress Disorder. <i>JAMA Psychiatry</i> , 2017, 74, 28.  | 6.0 | 225       |
| 81 | Cognitive Emotion Regulation Strategies Associated With the <i>DSM-5</i> Posttraumatic Stress Disorder Criteria. <i>Journal of Traumatic Stress</i> , 2017, 30, 343-350.  | 1.0 | 15        |
| 82 | The implementation of prolonged exposure: Design of a multisite study evaluating the usefulness of workshop with and without consultation. <i>Contemporary Clinical Trials</i> , 2017, 61, 48-54.                             | 0.8 | 2         |
| 83 | Interactive Effects of Traumatic Brain Injury and Anxiety Sensitivity Cognitive Concerns on Post-traumatic Stress Among Active Duty Soldiers. <i>Cognitive Therapy and Research</i> , 2017, 41, 902-910.                      | 1.2 | 5         |
| 84 | Engagement-focused care during transitions from inpatient and emergency psychiatric facilities. <i>Patient Preference and Adherence</i> , 2017, Volume 11, 919-928.   | 0.8 | 7         |
| 85 | Moving effective treatment for posttraumatic stress disorder to primary care: A randomized controlled trial with active duty military.. <i>Families, Systems and Health</i> , 2017, 35, 450-462.                              | 0.4 | 57        |
| 86 | Ethnoracial differences in PTSD symptoms and trauma-related cognitions in treatment-seeking active duty military personnel for PTSD.. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2017, 9, 741-745. | 1.4 | 21        |
| 87 | Prospective Longitudinal Study of Predictors of Postpartum-Onset Depression in Women With a History of Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2017, 78, 1110-1116.                                | 1.1 | 28        |
| 88 | EVALUATING POTENTIAL IATROGENIC SUICIDE RISK IN TRAUMA-FOCUSED GROUP COGNITIVE BEHAVIORAL THERAPY FOR THE TREATMENT OF PTSD IN ACTIVE DUTY MILITARY PERSONNEL. <i>Depression and Anxiety</i> , 2016, 33, 549-557.             | 2.0 | 59        |
| 89 | Residual sleep disturbances following PTSD treatment in active duty military personnel.. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2016, 8, 697-701.  | 1.4 | 115       |
| 90 | Mixed Depression in Bipolar Disorder: Prevalence Rate and Clinical Correlates During Naturalistic Follow-Up in the Stanley Bipolar Network. <i>American Journal of Psychiatry</i> , 2016, 173, 1015-1023.                     | 4.0 | 52        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Psychometric analysis of the PTSD Checklist-5 (PCL-5) among treatment-seeking military service members.. Psychological Assessment, 2016, 28, 1392-1403.  | 1.2 | 636       |
| 92  | Prevalence, Correlates, and Predictors of Insomnia in the US Army prior to Deployment. Sleep, 2016, 39, 1795-1806.   | 0.6 | 100       |
| 93  | Analysis of bipolar maintenance treatment with lithium versus olanzapine utilizing Multi-Outcome Analysis of Treatments (<scp>MOAT</scp>). Bipolar Disorders, 2016, 18, 282-287.   | 1.1 | 10        |
| 94  | The Daily Activity Report (DAR) a Novel Measure of Functional Outcome for Serious Mental Illness. Schizophrenia Bulletin, 2016, 42, 579-587.   | 2.3 | 5         |
| 95  | Qualitative examination of cognitive change during PTSD treatment for active duty service members. Behaviour Research and Therapy, 2016, 79, 1-6.  | 1.6 | 22        |
| 96  | Using the theory of planned behavior to improve treatment adherence in Mexican Americans with schizophrenia.. Journal of Consulting and Clinical Psychology, 2015, 83, 985-993.  | 1.6 | 63        |
| 97  | A randomized clinical trial of group cognitive processing therapy compared with group present-centered therapy for PTSD among active duty military personnel.. Journal of Consulting and Clinical Psychology, 2015, 83, 1058-1068. | 1.6 | 188       |
| 98  | Association Study of Genotype by Depressive Response during Acute Tryptophan Depletion in Subjects Recovered from Major Depression. Molecular Neuropsychiatry, 2015, 1, 165-174.   | 3.0 | 7         |
| 99  | Brief Cognitive-Behavioral Therapy Effects on Post-Treatment Suicide Attempts in a Military Sample: Results of a Randomized Clinical Trial With 2-Year Follow-Up. American Journal of Psychiatry, 2015, 172, 441-449.              | 4.0 | 261       |
| 100 | The Role of Posttraumatic Stress in Acute Postconcussive Symptoms following Blast Injury in Combat. Psychotherapy and Psychosomatics, 2015, 84, 120-121.   | 4.0 | 6         |
| 101 | Is cognitive adaptation training (CAT) compensatory, restorative, or both?. Schizophrenia Research, 2015, 166, 290-296.  | 1.1 | 28        |
| 102 | Treatment of active duty military with PTSD in primary care: A follow-up report. Journal of Anxiety Disorders, 2015, 36, 110-114.  | 1.5 | 52        |
| 103 | A randomized pilot study of MOtiVation and Enhancement (MOVE) Training for negative symptoms in schizophrenia. Schizophrenia Research, 2015, 165, 175-180.   | 1.1 | 65        |
| 104 | Comparison of SGA Oral Medications and a Long-Acting Injectable SGA: The PROACTIVE Study. Schizophrenia Bulletin, 2015, 41, 449-459.   | 2.3 | 65        |
| 105 | A Randomized Controlled Trial Comparing Cognitive Behavior Therapy, Cognitive Adaptation Training, Their Combination and Treatment as Usual in Chronic Schizophrenia. Schizophrenia Bulletin, 2015, 41, 597-603.                   | 2.3 | 22        |
| 106 | A randomized, controlled trial of Social Cognition and Interaction Training (<scp>SCIT</scp>) for outpatients with schizophrenia spectrum disorders. British Journal of Clinical Psychology, 2014, 53, 281-298.                    | 1.7 | 118       |
| 107 | The Reliability and Validity of the MATRICS Functional Assessment Battery. Schizophrenia Bulletin, 2014, 40, 1047-1052.  | 2.3 | 21        |
| 108 | Change in negative cognitions associated with PTSD predicts symptom reduction in prolonged exposure.. Journal of Consulting and Clinical Psychology, 2014, 82, 171-175.  | 1.6 | 152       |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 109 | Comparison of Outcomes for African Americans, Hispanics, and Non-Hispanic Whites in the CATIE Study. <i>Psychiatric Services</i> , 2013, 64, 570-578.   | 1.1  | 12        |
| 110 | Relative effectiveness of adjunctive risperidone on manic and depressive symptoms in mixed mania. <i>International Clinical Psychopharmacology</i> , 2013, 28, 91-95.   | 0.9  | 11        |
| 111 | A Randomized Trial Comparing In Person and Electronic Interventions for Improving Adherence to Oral Medications in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2013, 39, 999-1007.   | 2.3  | 70        |
| 112 | The Ability of Multifamily Groups to Improve Treatment Adherence in Mexican Americans With Schizophrenia. <i>Archives of General Psychiatry</i> , 2012, 69, 265.  | 13.8 | 80        |
| 113 | The Cultural Adaptability of Intermediate Measures of Functional Outcome in Schizophrenia*. <i>Schizophrenia Bulletin</i> , 2012, 38, 630-641.  | 2.3  | 23        |
| 114 | Neuroticism, acculturation and the cortisol awakening response in Mexican American adults. <i>Hormones and Behavior</i> , 2012, 61, 23-30.  | 1.0  | 33        |
| 115 | Multimodal Magnetic Resonance Imaging Assessment of White Matter Aging Trajectories Over the Lifespan of Healthy Individuals. <i>Biological Psychiatry</i> , 2012, 72, 1026-1034.   | 0.7  | 138       |
| 116 | Impact on intracortical myelination trajectory of long acting injection versus oral risperidone in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2012, 140, 122-128.   | 1.1  | 70        |
| 117 | Subtypes of antipsychotics and suicidal behavior in bipolar disorder. <i>Journal of Affective Disorders</i> , 2012, 143, 27-33.   | 2.0  | 14        |
| 118 | Mood-state effects on amygdala volume in bipolar disorder. <i>Journal of Affective Disorders</i> , 2012, 139, 298-301.  | 2.0  | 32        |
| 119 | Group and site differences on the California Verbal Learning Test in persons with schizophrenia and their first-degree relatives: Findings from the Consortium on the Genetics of Schizophrenia (COGS). <i>Schizophrenia Research</i> , 2011, 128, 102-110. | 1.1  | 35        |
| 120 | Long acting injection versus oral risperidone in first-episode schizophrenia: Differential impact on white matter myelination trajectory. <i>Schizophrenia Research</i> , 2011, 132, 35-41.   | 1.1  | 85        |
| 121 | Correlates of Treatment-Emergent Mania Associated With Antidepressant Treatment in Bipolar Depression. <i>Focus (American Psychiatric Publishing)</i> , 2011, 9, 540-548.   | 0.4  | 1         |
| 122 | Maternal Reports of Play Dates of Clinic Referred and Community Children. <i>Journal of Child and Family Studies</i> , 2011, 20, 623-630.   | 0.7  | 42        |
| 123 | Meta-analysis of <sup>123</sup> I-MIBG cardiac scintigraphy for the diagnosis of Lewy body-related disorders. <i>Movement Disorders</i> , 2011, 26, 1218-1224.  | 2.2  | 92        |
| 124 | Risperidone Nonadherence and Return of Positive Symptoms in the Early Course of Schizophrenia. <i>American Journal of Psychiatry</i> , 2011, 168, 286-292.  | 4.0  | 106       |
| 125 | Neurocognitive Predictors of Work Outcome in Recent-Onset Schizophrenia. <i>Schizophrenia Bulletin</i> , 2011, 37, S33-S40.   | 2.3  | 256       |
| 126 | Gender and Iron Genes May Modify Associations Between Brain Iron and Memory in Healthy Aging. <i>Neuropsychopharmacology</i> , 2011, 36, 1375-1384.   | 2.8  | 90        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Subsyndromal Depressive Symptoms After Symptomatic Recovery From Mania Are Associated With Delayed Functional Recovery. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 692-697.                   | 1.1 | 45        |
| 128 | Antisaccade performance in schizophrenia patients, their first-degree biological relatives, and community comparison subjects: Data from the COGS study. <i>Psychophysiology</i> , 2010, 47, 846-56. | 1.2 | 30        |
| 129 | Amygdala astrocyte reduction in subjects with major depressive disorder but not bipolar disorder. <i>Bipolar Disorders</i> , 2010, 12, 541-549.  | 1.1 | 136       |
| 130 | Unit Cohesion and PTSD Symptom Severity in Air Force Medical Personnel. <i>Military Medicine</i> , 2010, 175, 482-486.   | 0.4 | 56        |
| 131 | Prevalent Iron Metabolism Gene Variants Associated with Increased Brain Ferritin Iron in Healthy Older Men. <i>Journal of Alzheimer's Disease</i> , 2010, 20, 333-341.                               | 1.2 | 58        |
| 132 | Inhibition of the P50 cerebral evoked response to repeated auditory stimuli: Results from the Consortium on Genetics of Schizophrenia. <i>Schizophrenia Research</i> , 2010, 119, 175-182.           | 1.1 | 89        |
| 133 | Lifespan trajectory of myelin integrity and maximum motor speed. <i>Neurobiology of Aging</i> , 2010, 31, 1554-1562.   | 1.5 | 228       |
| 134 | Correlates of Treatment-Emergent Mania Associated With Antidepressant Treatment in Bipolar Depression. <i>American Journal of Psychiatry</i> , 2009, 166, 164-172.                                   | 4.0 | 161       |
| 135 | Multimodal Cognitive Therapy: Combining Treatments That Bypass Cognitive Deficits and Deal With Reasoning and Appraisal Biases. <i>Schizophrenia Bulletin</i> , 2009, 35, 884-893.                   | 2.3 | 16        |
| 136 | Prefrontal myo-inositol concentration and visuospatial functioning among diabetic depressed patients. <i>Psychiatry Research - Neuroimaging</i> , 2009, 171, 10-19.                                  | 0.9 | 23        |
| 137 | Conceptualizing impulsivity and risk taking in bipolar disorder: importance of history of alcohol abuse. <i>Bipolar Disorders</i> , 2009, 11, 33-40.   | 1.1 | 125       |
| 138 | Impulsivity, risk taking, alcohol abuse, and bipolar disorder: response to Thomas Richardson. <i>Bipolar Disorders</i> , 2009, 11, 556-557.  | 1.1 | 0         |
| 139 | Association between changes on the Negative Symptom Assessment scale (NSA-16) and measures of functional outcome in schizophrenia. <i>Psychiatry Research</i> , 2009, 169, 97-100.                   | 1.7 | 46        |
| 140 | In vivo evidence of differential impact of typical and atypical antipsychotics on intracortical myelin in adults with schizophrenia. <i>Schizophrenia Research</i> , 2009, 113, 322-331.             | 1.1 | 80        |
| 141 | The relationship between self-efficacy and reductions in smoking in a contingency management procedure.. <i>Experimental and Clinical Psychopharmacology</i> , 2009, 17, 139-145.                    | 1.3 | 18        |
| 142 | The Effects of Olanzapine and Risperidone on Learning and Retaining Entry-Level Work Skills. <i>Clinical Schizophrenia and Related Psychoses</i> , 2009, 3, 133-141.                                 | 1.4 | 1         |
| 143 | Autism as the Low-Fitness Extreme of a Parentally Selected Fitness Indicator. <i>Human Nature</i> , 2008, 19, 389-413.   | 0.8 | 9         |
| 144 | Gray matter prefrontal changes in type 2 diabetes detected using MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2008, 27, 14-19.  | 1.9 | 90        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 145 | Regional brain changes in bipolar I depression: a functional magnetic resonance imaging study. <i>Bipolar Disorders</i> , 2008, 10, 708-717.  | 1.1  | 127       |
| 146 | Modal subcomponents of metabolic syndrome in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2008, 106, 91-97.  | 2.0  | 72        |
| 147 | Verbal working memory impairments in individuals with schizophrenia and their first-degree relatives: Findings from the Consortium on the Genetics of Schizophrenia. <i>Schizophrenia Research</i> , 2008, 103, 218-228.  | 1.1  | 96        |
| 148 | Abnormal Auditory N100 Amplitude: A Heritable Endophenotype in First-Degree Relatives of Schizophrenia Probands. <i>Biological Psychiatry</i> , 2008, 64, 1051-1059.  | 0.7  | 115       |
| 149 | A relationship between neurocognitive impairment and functional impairment in bipolar disorder: A pilot study. <i>Psychiatry Research</i> , 2008, 157, 289-293.   | 1.7  | 60        |
| 150 | Consistency of Brief Psychiatric Rating Scale Factor Structure across a Broad Spectrum of Schizophrenia Patients. <i>Psychopathology</i> , 2008, 41, 77-84.   | 1.1  | 172       |
| 151 | The MATRICS Consensus Cognitive Battery, Part 2: Co-Norming and Standardization. <i>American Journal of Psychiatry</i> , 2008, 165, 214-220.  | 4.0  | 593       |
| 152 | Are Bipolar Mood Symptoms Affected by the Phase of the Menstrual Cycle?. <i>Journal of Women's Health</i> , 2008, 17, 473-478.  | 1.5  | 37        |
| 153 | Impaired implicit learning in schizophrenia.. <i>Neuropsychology</i> , 2008, 22, 606-617.   | 1.0  | 69        |
| 154 | Clozapine causes oxidation of proteins involved in energy metabolism: a possible mechanism for antipsychotic-induced metabolic alterations. <i>International Journal of Neuropsychopharmacology</i> , 2008, 11, 1097.   | 1.0  | 42        |
| 155 | Authors' Reply to Dr Cohen: "Scientific Standards: Critical Comments on the Pharmacoepidemiological Study of Second-Generation Antipsychotic Exposure and Metabolic-Related Disorders in Patients With Schizophrenia". <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 462-464. | 0.7  | 1         |
| 156 | Effects of Antenatal Depression and Antidepressant Treatment on Gestational Age at Birth and Risk of Preterm Birth. <i>American Journal of Psychiatry</i> , 2007, 164, 1206-1213.   | 4.0  | 228       |
| 157 | Increased Anterior Cingulate/Medial Prefrontal Cortical Glutamate and Creatine in Bipolar Depression. <i>Neuropsychopharmacology</i> , 2007, 32, 2490-2499.   | 2.8  | 208       |
| 158 | CUtLASS Confirms CATIE. <i>Archives of General Psychiatry</i> , 2007, 64, 978.  | 13.8 | 29        |
| 159 | Social Cognition and Neurocognition: Effects of Risperidone, Olanzapine, and Haloperidol. <i>American Journal of Psychiatry</i> , 2007, 164, 1585-1592.   | 4.0  | 111       |
| 160 | Measurement of Brain Metabolites in Patients with type 2 Diabetes and Major Depression Using Proton Magnetic Resonance Spectroscopy. <i>Neuropsychopharmacology</i> , 2007, 32, 1224-1231.  | 2.8  | 109       |
| 161 | The Use of Individually Tailored Environmental Supports to Improve Medication Adherence and Outcomes in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2007, 34, 483-493.   | 2.3  | 132       |
| 162 | Initial Heritability Analyses of Endophenotypic Measures for Schizophrenia. <i>Archives of General Psychiatry</i> , 2007, 64, 1242.   | 13.8 | 351       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | A Placebo-Controlled Evaluation of Adjunctive Modafinil in the Treatment of Bipolar Depression. <i>American Journal of Psychiatry</i> , 2007, 164, 1242-1249.  | 4.0 | 224       |
| 164 | Second-Generation Antipsychotic Exposure and Metabolic-Related Disorders in Patients With Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 46-51.  | 0.7 | 55        |
| 165 | Quetiapine for the continuation treatment of bipolar depression: naturalistic prospective case series from the Stanley Bipolar Treatment Network. <i>International Clinical Psychopharmacology</i> , 2007, 22, 376-381.                                | 0.9 | 9         |
| 166 | Neuropsychiatric predictors of return to work in HIV/AIDS. <i>Journal of the International Neuropsychological Society</i> , 2007, 13, 80-9.  | 1.2 | 65        |
| 167 | Stress and coping responses to a natural disaster in people with schizophrenia. <i>Psychiatry Research</i> , 2007, 151, 77-86.   | 1.7 | 70        |
| 168 | Brain ferritin iron may influence age- and gender-related risks of neurodegeneration. <i>Neurobiology of Aging</i> , 2007, 28, 414-423.  | 1.5 | 302       |
| 169 | Human brain myelination and amyloid beta deposition in Alzheimer's disease. , 2007, 3, 122-125.  |     | 131       |
| 170 | Effects of olanzapine, risperidone and haloperidol on prepulse inhibition in schizophrenia patients: A double-blind, randomized controlled trial. <i>Schizophrenia Research</i> , 2007, 95, 134-142.   | 1.1 | 70        |
| 171 | Successful multi-site measurement of antisaccade performance deficits in schizophrenia. <i>Schizophrenia Research</i> , 2007, 89, 320-329.   | 1.1 | 72        |
| 172 | The validity of using patient self-report to assess psychotic symptoms in schizophrenia. <i>Schizophrenia Research</i> , 2007, 90, 245-250.  | 1.1 | 40        |
| 173 | Multi-site studies of acoustic startle and prepulse inhibition in humans: Initial experience and methodological considerations based on studies by the Consortium on the Genetics of Schizophrenia. <i>Schizophrenia Research</i> , 2007, 92, 237-251. | 1.1 | 61        |
| 174 | Differential effects of typical and atypical antipsychotics on brain myelination in schizophrenia. <i>Schizophrenia Research</i> , 2007, 93, 13-22.  | 1.1 | 85        |
| 175 | Evidence of a latitudinal gradient in the age at onset of schizophrenia. <i>Schizophrenia Research</i> , 2007, 94, 58-63.  | 1.1 | 10        |
| 176 | Apolipoprotein E Affects Both Myelin Breakdown and Cognition: Implications for Age-Related Trajectories of Decline Into Dementia. <i>Biological Psychiatry</i> , 2007, 62, 1380-1387.  | 0.7 | 105       |
| 177 | A 24-week, randomized, controlled trial of adjunctive sibutramine versus topiramate in the treatment of weight gain in overweight or obese patients with bipolar disorders. <i>Bipolar Disorders</i> , 2007, 9, 426-434.                               | 1.1 | 65        |
| 178 | Free T4 index and clinical outcome in patients with depression. <i>Journal of Affective Disorders</i> , 2007, 100, 271-277.  | 2.0 | 25        |
| 179 | Alcoholism and anxiety in bipolar illness: Differential lifetime anxiety comorbidity in bipolar I women with and without alcoholism. <i>Journal of Affective Disorders</i> , 2007, 101, 211-217.   | 2.0 | 46        |
| 180 | Bipolar pharmacotherapy and suicidal behavior. <i>Journal of Affective Disorders</i> , 2007, 103, 13-21.   | 2.0 | 55        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 181 | Bipolar pharmacotherapy and suicidal behavior. <i>Journal of Affective Disorders</i> , 2007, 103, 23-28.   | 2.0  | 43        |
| 182 | Bipolar pharmacotherapy and suicidal behavior. Part I: Lithium, divalproex and carbamazepine. <i>Journal of Affective Disorders</i> , 2007, 103, 5-11.   | 2.0  | 77        |
| 183 | Reduced concentrations of N-acetylaspartate (NAA) and the NAA/creatinine ratio in the basal ganglia in bipolar disorder: A study using 3-Tesla proton magnetic resonance spectroscopy. <i>Psychiatry Research - Neuroimaging</i> , 2007, 154, 259-265. | 0.9  | 48        |
| 184 | Myelin Breakdown and Iron Changes in Huntington's Disease: Pathogenesis and Treatment Implications. <i>Neurochemical Research</i> , 2007, 32, 1655-1664.   | 1.6  | 209       |
| 185 | The Use of the Theory of Planned Behavior to Predict Medication Adherence in Schizophrenia. <i>Clinical Schizophrenia and Related Psychoses</i> , 2007, 1, 227-242.  | 1.4  | 13        |
| 186 | Increased suicidality in mania complicated by alcoholism. <i>Psychiatry</i> , 2007, 4, 34-9.   | 0.3  | 1         |
| 187 | Forward and Backward Visual Masking in Unaffected Siblings of Schizophrenic Patients. <i>Biological Psychiatry</i> , 2006, 59, 446-451.  | 0.7  | 43        |
| 188 | Double-Blind, Randomized, Placebo-Controlled Trials of Ethyl-Eicosapentanoate in the Treatment of Bipolar Depression and Rapid Cycling Bipolar Disorder. <i>Biological Psychiatry</i> , 2006, 60, 1020-1022.   | 0.7  | 219       |
| 189 | An analysis of categorical perception of facial emotion in schizophrenia. <i>Schizophrenia Research</i> , 2006, 87, 228-237.   | 1.1  | 46        |
| 190 | Executive dysfunction and memory in older patients with major and minor depression. <i>Archives of Clinical Neuropsychology</i> , 2006, 21, 669-676.   | 0.3  | 75        |
| 191 | Dissociable mechanisms for memory impairment in bipolar disorder and schizophrenia. <i>Psychological Medicine</i> , 2006, 36, 1085-1095.   | 2.7  | 30        |
| 192 | Apolipoprotein E Genotype and Age-Related Myelin Breakdown in Healthy Individuals. <i>Archives of General Psychiatry</i> , 2006, 63, 63.   | 13.8 | 123       |
| 193 | DSM-IV diagnosed posttraumatic stress disorder in women veterans with and without military sexual trauma. <i>Journal of General Internal Medicine</i> , 2006, 21, S65-S69.   | 1.3  | 127       |
| 194 | Posttraumatic stress disorder in female veterans with military and civilian sexual trauma. <i>Journal of Traumatic Stress</i> , 2006, 19, 837-846.   | 1.0  | 117       |
| 195 | The Consortium on the Genetics of Endophenotypes in Schizophrenia: Model Recruitment, Assessment, and Endophenotyping Methods for a Multisite Collaboration. <i>Schizophrenia Bulletin</i> , 2006, 33, 33-48.  | 2.3  | 134       |
| 196 | Caution Regarding the Use of Pilot Studies to Guide Power Calculations for Study Proposals. <i>Archives of General Psychiatry</i> , 2006, 63, 484.   | 13.8 | 558       |
| 197 | Subsyndromal Depressive Symptoms Are Associated With Functional Impairment in Patients With Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2006, 67, 1551-1560.   | 1.1  | 176       |
| 198 | Quantifying Age-Related Myelin Breakdown with MRI: Novel Therapeutic Targets for Preventing Cognitive Decline and Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2005, 6, S53-S59.   | 1.2  | 61        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 199 | Neurocognitive correlates of recovery from schizophrenia. <i>Psychological Medicine</i> , 2005, 35, 1165-1173.   | 2.7  | 55        |
| 200 | Reproductive function and risk for PCOS in women treated for bipolar disorder. <i>Bipolar Disorders</i> , 2005, 7, 246-259.  | 1.1  | 106       |
| 201 | MMPI Vulnerability Indicators for Schizophrenia and Attention Deficit Disorder: UCLA Family Study of Biological Parents of Offspring with Childhood-Onset Schizophrenia or ADHD. <i>Behavior Genetics</i> , 2005, 35, 159-175. | 1.4  | 13        |
| 202 | Characteristics of Individuals With Severe Mental Illness Who Use Emergency Services. <i>Community Mental Health Journal</i> , 2005, 41, 159-168.  | 1.1  | 27        |
| 203 | Use of a Consumer-Led Intervention to Improve Provider Competencies. <i>Psychiatric Services</i> , 2005, 56, 967-975.  | 1.1  | 60        |
| 204 | Learning Potential and the Prediction of Work Skill Acquisition in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2005, 31, 67-72.   | 2.3  | 58        |
| 205 | Increased Amygdala Activation During Mania: A Functional Magnetic Resonance Imaging Study. <i>American Journal of Psychiatry</i> , 2005, 162, 1211-1213.   | 4.0  | 192       |
| 206 | Extensions of Errorless Learning for Social Problem-Solving Deficits in Schizophrenia. <i>American Journal of Psychiatry</i> , 2005, 162, 513-519.   | 4.0  | 86        |
| 207 | Modulation of Attention During Visual Masking in Schizophrenia. <i>American Journal of Psychiatry</i> , 2005, 162, 1533-1535.  | 4.0  | 38        |
| 208 | A Videotape Intervention to Enhance the Informed Consent Process for Medical and Psychiatric Treatment Research. <i>American Journal of Psychiatry</i> , 2005, 162, 186-188.   | 4.0  | 45        |
| 209 | Mixed Hypomania in 908 Patients With Bipolar Disorder Evaluated Prospectively in the Stanley Foundation Bipolar Treatment Network. <i>Archives of General Psychiatry</i> , 2005, 62, 1089.                                     | 13.8 | 175       |
| 210 | Psychotherapy in controlled psychopharmacology trials. Does it matter if we ignore it?. <i>Contemporary Clinical Trials</i> , 2005, 26, 338-348.   | 0.8  | 3         |
| 211 | Adjunctive risperidone in the treatment of chronic combat-related posttraumatic stress disorder. <i>Biological Psychiatry</i> , 2005, 57, 474-479.   | 0.7  | 164       |
| 212 | Blunted Activation in Orbitofrontal Cortex During Mania: A Functional Magnetic Resonance Imaging Study. <i>Biological Psychiatry</i> , 2005, 58, 763-769.  | 0.7  | 182       |
| 213 | Stressful life events in recent-onset schizophrenia: reduced frequencies and altered subjective appraisals. <i>Schizophrenia Research</i> , 2005, 75, 363-374.   | 1.1  | 87        |
| 214 | Is unawareness of psychotic disorder a neurocognitive or psychological defensiveness problem?. <i>Schizophrenia Research</i> , 2005, 75, 147-157.  | 1.1  | 46        |
| 215 | Visual processing in schizophrenia: Structural equation modeling of visual masking performance. <i>Schizophrenia Research</i> , 2005, 78, 251-260.   | 1.1  | 10        |
| 216 | Clinical Utility of Magnetic Resonance Imaging Radiographs for Suspected Organic Syndromes in Adult Psychiatry. <i>Journal of Clinical Psychiatry</i> , 2005, 66, 968-973.   | 1.1  | 16        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | Brain Metabolites and Cognitive Function among Older Depressed and Healthy Individuals Using 2D MR Spectroscopy. <i>Neuropsychopharmacology</i> , 2004, 29, 2251-2257.   | 2.8 | 21        |
| 218 | Depression and the Decision to Abort. <i>American Journal of Psychiatry</i> , 2004, 161, 1502-1502.  | 4.0 | 17        |
| 219 | Validity of the Boston Qualitative Scoring System for the Rey-Osterrieth Complex Figure Among Depressed Elderly Patients. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2004, 26, 598-607.             | 0.8 | 7         |
| 220 | The dexamethasone suppression test as a predictor of suicidal behavior in unipolar depression. <i>Journal of Affective Disorders</i> , 2004, 83, 103-108.  | 2.0 | 86        |
| 221 | Cortical Gray Matter Volumes are Associated with Subjective Responses to Cocaine Infusion. <i>American Journal on Addictions</i> , 2004, 13, 64-73.  | 1.3 | 21        |
| 222 | A Network-Based System to Improve Care for Schizophrenia: The Medical Informatics Network Tool (MINT). <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2004, 11, 358-367.                      | 2.2 | 33        |
| 223 | Neurochemistry of late-life major depression: A pilot two-dimensional MR spectroscopic study. <i>Journal of Magnetic Resonance Imaging</i> , 2004, 20, 1039-1045.  | 1.9 | 64        |
| 224 | The timing of negative symptom exacerbations in relationship to positive symptom exacerbations in the early course of schizophrenia. <i>Schizophrenia Research</i> , 2004, 69, 333-342.                                | 1.1 | 25        |
| 225 | Antipsychotic and anticholinergic effects on two types of spatial memory in schizophrenia. <i>Schizophrenia Research</i> , 2004, 68, 225-233.  | 1.1 | 57        |
| 226 | Do the siblings of schizophrenia patients demonstrate affect perception deficits?. <i>Schizophrenia Research</i> , 2004, 67, 87-94.  | 1.1 | 113       |
| 227 | Neurocognitive function in clinically stable men with bipolar I disorder or schizophrenia and normal control subjects. <i>Biological Psychiatry</i> , 2004, 56, 560-569.   | 0.7 | 253       |
| 228 | Schizophrenia as one extreme of a sexually selected fitness indicator. <i>Schizophrenia Research</i> , 2004, 70, 101-109.  | 1.1 | 110       |
| 229 | Paracontrast and metacontrast in schizophrenia: clarifying the mechanism for visual masking deficits. <i>Schizophrenia Research</i> , 2004, 71, 485-492.   | 1.1 | 36        |
| 230 | Heterogeneous age-related breakdown of white matter structural integrity: implications for cortical "disconnection" in aging and Alzheimer's disease. <i>Neurobiology of Aging</i> , 2004, 25, 843-851.                | 1.5 | 348       |
| 231 | Executive dysfunction and visuospatial ability among depressed elders in a community setting. <i>Archives of Clinical Neuropsychology</i> , 2004, 19, 597-611.   | 0.3 | 47        |
| 232 | Sex Differences in Brain Structure in Geriatric Depression. <i>American Journal of Geriatric Psychiatry</i> , 2004, 12, 653-657.   | 0.6 | 24        |
| 233 | Clinical Computing: Using Information Systems to Improve Care for Persons With Schizophrenia. <i>Psychiatric Services</i> , 2004, 55, 253-255.   | 1.1 | 24        |
| 234 | Supplementing Clinic-Based Skills Training With Manual-Based Community Support Sessions: Effects on Social Adjustment of Patients With Schizophrenia. <i>Focus (American Psychiatric Publishing)</i> , 2004, 2, 68-77. | 0.4 | 1         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | Sex differences in brain structure in geriatric depression. <i>American Journal of Geriatric Psychiatry</i> , 2004, 12, 653-7.   | 0.6 | 38        |
| 236 | Chart Review of the Impact of Attention-Deficit/Hyperactivity Disorder Comorbidity on Response to Lithium or Divalproex Sodium in Adolescent Mania. <i>Journal of Clinical Psychiatry</i> , 2004, 65, 1057-1063. | 1.1 | 54        |
| 237 | Computer-Assisted Self-Assessment in Persons With Severe Mental Illness. <i>Journal of Clinical Psychiatry</i> , 2004, 65, 1343-1351.  | 1.1 | 80        |
| 238 | An Evaluation of a Hybrid Occupational Therapy and Supported Employment Program in Japan for Persons With Schizophrenia. <i>American Journal of Occupational Therapy</i> , 2004, 58, 466-475.                    | 0.1 | 27        |
| 239 | Lithium, anticonvulsants and suicidal behavior in bipolar disorder. <i>Journal of Affective Disorders</i> , 2003, 73, 223-228.   | 2.0 | 64        |
| 240 | Mood stabilizers in hospitalized children with bipolar disorder: A retrospective review. <i>Psychiatry and Clinical Neurosciences</i> , 2003, 57, 504-510.   | 1.0 | 24        |
| 241 | Visual masking as a probe for abnormal gamma range activity in schizophrenia. <i>Biological Psychiatry</i> , 2003, 53, 1113-1119.  | 0.7 | 96        |
| 242 | Dysregulated brain development in adult men with schizophrenia: a magnetic resonance imaging study. <i>Biological Psychiatry</i> , 2003, 53, 412-421.  | 0.7 | 115       |
| 243 | Conducting Empirical Research on Informed Consent: Challenges and Questions. <i>IRB: Ethics &amp; Human Research</i> , 2003, 25, S4.   | 0.8 | 37        |
| 244 | Improving Informed Consent: The Medium Is Not the Message. <i>IRB: Ethics &amp; Human Research</i> , 2003, 25, S11.  | 0.8 | 58        |
| 245 | Neuropsychological deficits among patients with late-onset minor and major depression. <i>Archives of Clinical Neuropsychology</i> , 2003, 18, 529-549.  | 0.3 | 132       |
| 246 | White Matter Structural Integrity in Healthy Aging Adults and Patients With Alzheimer Disease. <i>Archives of Neurology</i> , 2003, 60, 393.   | 4.9 | 376       |
| 247 | Empirical Research on Informed Consent with the Cognitively Impaired. <i>IRB: Ethics &amp; Human Research</i> , 2003, 25, S26.   | 0.8 | 28        |
| 248 | Proton Magnetic Resonance Spectroscopy of Bipolar Disorder Versus Intermittent Explosive Disorder in Children and Adolescents. <i>American Journal of Psychiatry</i> , 2003, 160, 1442-1452.                     | 4.0 | 136       |
| 249 | Maintenance Treatment of Schizophrenia With Risperidone or Haloperidol: 2-Year Outcomes. <i>American Journal of Psychiatry</i> , 2003, 160, 1405-1412.   | 4.0 | 85        |
| 250 | Disease Management in Latinos With Schizophrenia: A Family-Assisted, Skills Training Approach. <i>Schizophrenia Bulletin</i> , 2003, 29, 211-228.  | 2.3 | 111       |
| 251 | Is Emotion Processing a Predictor of Functional Outcome in Schizophrenia?. <i>Schizophrenia Bulletin</i> , 2003, 29, 487-497.  | 2.3 | 313       |
| 252 | Forward and backward visual masking in schizophrenia: influence of age. <i>Psychological Medicine</i> , 2003, 33, 887-895.   | 2.7 | 39        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 253 | Does "errorless learning"™ compensate for neurocognitive impairments in the work rehabilitation of persons with schizophrenia?. <i>Psychological Medicine</i> , 2003, 33, 433-442.                                      | 2.7  | 59        |
| 254 | Family-focused treatment versus individual treatment for bipolar disorder: Results of a randomized clinical trial.. <i>Journal of Consulting and Clinical Psychology</i> , 2003, 71, 482-492.                           | 1.6  | 340       |
| 255 | A Multidose Study of Haloperidol Decanoate in the Maintenance Treatment of Schizophrenia. <i>American Journal of Psychiatry</i> , 2002, 159, 554-560.   | 4.0  | 66        |
| 256 | Frontal White Matter Biochemical Abnormalities in Late-Life Major Depression Detected With Proton Magnetic Resonance Spectroscopy. <i>American Journal of Psychiatry</i> , 2002, 159, 630-636.                          | 4.0  | 169       |
| 257 | Neurocognitive Impairments in Nonpsychotic Parents of Children With Schizophrenia and Attention-Deficit/Hyperactivity Disorder. <i>Archives of General Psychiatry</i> , 2002, 59, 1053.                                 | 13.8 | 74        |
| 258 | Are Communication Deviance and Expressed Emotion Related to Family History of Psychiatric Disorders in Schizophrenia?. <i>Schizophrenia Bulletin</i> , 2002, 28, 719-729.   | 2.3  | 17        |
| 259 | Applications of Errorless Learning for Improving Work Performance in Persons With Schizophrenia. <i>American Journal of Psychiatry</i> , 2002, 159, 1921-1926.  | 4.0  | 96        |
| 260 | Supplementing Clinic-Based Skills Training With Manual-Based Community Support Sessions: Effects on Social Adjustment of Patients With Schizophrenia. <i>American Journal of Psychiatry</i> , 2002, 159, 829-837.       | 4.0  | 112       |
| 261 | Brain maturation may be arrested in chronic cocaine addicts. <i>Biological Psychiatry</i> , 2002, 51, 605-611.  | 0.7  | 80        |
| 262 | The neurocognitive effects of low-dose haloperidol: a two-year comparison with risperidone. <i>Biological Psychiatry</i> , 2002, 51, 972-978.   | 0.7  | 195       |
| 263 | Evaluation of expressed emotion in schizophrenia: a comparison of Caucasians and Mexican-Americans. <i>Schizophrenia Research</i> , 2002, 55, 179-186.  | 1.1  | 59        |
| 264 | The structure of schizotypy: relationships between neurocognitive and personality disorder features in relatives of schizophrenic patients in the UCLA Family Study. <i>Schizophrenia Research</i> , 2002, 54, 121-130. | 1.1  | 62        |
| 265 | Impact of risperidone versus haloperidol on activities of daily living in the treatment of refractory schizophrenia. <i>Comprehensive Psychiatry</i> , 2002, 43, 469-473.   | 1.5  | 17        |
| 266 | The Life Functioning Questionnaire (LFQ): a brief, gender-neutral scale assessing functional outcome. <i>Psychiatry Research</i> , 2002, 112, 161-182.  | 1.7  | 60        |
| 267 | Medical Burden, Cerebrovascular Disease, and Cognitive Impairment in Geriatric Depression: Modeling the Relationships With the CART Analysis. <i>CNS Spectrums</i> , 2002, 7, 716-722.                                  | 0.7  | 7         |
| 268 | Autonomous Neurobiological Pathways to Late-Life Major Depressive Disorder Clinical and Pathophysiological Implications. <i>Neuropsychopharmacology</i> , 2002, 26, 229-236.  | 2.8  | 44        |
| 269 | Impact of axis II comorbidity on the course of bipolar illness in men: a retrospective chart review. <i>Bipolar Disorders</i> , 2002, 4, 237-242.   | 1.1  | 45        |
| 270 | Title is missing!. <i>Cognitive Therapy and Research</i> , 2002, 26, 221-229.   | 1.2  | 102       |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 271 | Subsyndromal Depression Is Associated With Functional Impairment in Patients With Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2002, 63, 807-811.                               | 1.1  | 150       |
| 272 | Fluoxetine and norfluoxetine concentrations in nursing infants and breast milk. <i>Biological Psychiatry</i> , 2001, 50, 775-782.  | 0.7  | 90        |
| 273 | Factors affecting reliability and confidence of DSM-III-R psychosis-related diagnosis. <i>Psychiatry Research</i> , 2001, 101, 269-275.  | 1.7  | 11        |
| 274 | Clinical Outcome Following Neuroleptic Discontinuation in Patients With Remitted Recent-Onset Schizophrenia. <i>American Journal of Psychiatry</i> , 2001, 158, 1835-1842.                   | 4.0  | 215       |
| 275 | Does Thyroid Supplementation Accelerate Tricyclic Antidepressant Response? A Review and Meta-Analysis of the Literature. <i>American Journal of Psychiatry</i> , 2001, 158, 1617-1622.       | 4.0  | 215       |
| 276 | Age-Related Changes in Frontal and Temporal Lobe Volumes in Men. <i>Archives of General Psychiatry</i> , 2001, 58, 461.  | 13.8 | 582       |
| 277 | The Impact of Antidepressant Discontinuation Versus Antidepressant Continuation on 1-Year Risk for Relapse of Bipolar Depression. <i>Journal of Clinical Psychiatry</i> , 2001, 62, 612-616. | 1.1  | 108       |
| 278 | Neurocognitive Deficits and Functional Outcome in Schizophrenia: Are We Measuring the "Right Stuff"? <i>Schizophrenia Bulletin</i> , 2000, 26, 119-136.                                      | 2.3  | 2,676     |
| 279 | In Vivo Evaluation of Brain Iron in Alzheimer Disease Using Magnetic Resonance Imaging. <i>Archives of General Psychiatry</i> , 2000, 57, 47.  | 13.8 | 210       |
| 280 | An MRI study of temporal lobe structures in men with bipolar disorder or schizophrenia. <i>Biological Psychiatry</i> , 2000, 48, 147-162.  | 0.7  | 354       |
| 281 | Life events can trigger depressive exacerbation in the early course of schizophrenia.. <i>Journal of Abnormal Psychology</i> , 2000, 109, 139-144.   | 2.0  | 47        |
| 282 | Increased Basal Ganglia Iron Levels in Huntington Disease. <i>Archives of Neurology</i> , 1999, 56, 569.   | 4.9  | 194       |
| 283 | MRI evaluation of brain iron in earlier- and later-onset Parkinson's disease and normal subjects. <i>Magnetic Resonance Imaging</i> , 1999, 17, 213-222.                                     | 1.0  | 196       |
| 284 | Selegiline Effects on Cocaine-Induced Changes in Medial Temporal Lobe Metabolism and Subjective Ratings of Euphoria. <i>Neuropsychopharmacology</i> , 1999, 20, 582-590.                     | 2.8  | 39        |
| 285 | Magnetic resonance imaging evidence of silent cerebrovascular toxicity in cocaine dependence. <i>Biological Psychiatry</i> , 1999, 45, 1203-1211.  | 0.7  | 73        |
| 286 | Choreoathetoid movements in cocaine dependence. <i>Biological Psychiatry</i> , 1999, 45, 1630-1635.  | 0.7  | 62        |
| 287 | Declarative and procedural memory in bipolar disorder. <i>Biological Psychiatry</i> , 1999, 46, 525-531.   | 0.7  | 137       |
| 288 | Attributions and affective reactions of family members and course of schizophrenia.. <i>Journal of Abnormal Psychology</i> , 1999, 108, 307-314.   | 2.0  | 63        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 289 | Risperidone versus Haloperidol on Secondary Memory: Can Newer Medications Aid Learning?. Schizophrenia Bulletin, 1999, 25, 223-232.  | 2.3  | 92        |
| 290 | Prevalence of Axis II Comorbidity in Bipolar Patients with and Without Alcohol Use Disorders. Annals of Clinical Psychiatry, 1999, 11, 187-195.  | 0.6  | 37        |
| 291 | Efficacy of Lithium vs. Valproate in the Treatment of Mania in the Elderly. Journal of Clinical Psychiatry, 1999, 60, 181-186.   | 1.1  | 74        |
| 292 | Novel Antipsychotics. Journal of Clinical Psychiatry, 1999, 60, 358-363.   | 1.1  | 369       |
| 293 | Backward Masking in Unmedicated Schizophrenic Patients in Psychotic Remission: Possible Reflection of Aberrant Cortical Oscillation. American Journal of Psychiatry, 1999, 156, 1367-1373. | 4.0  | 127       |
| 294 | Risperidone in Treatment-Refractory Schizophrenia. American Journal of Psychiatry, 1999, 156, 1374-1379.   | 4.0  | 121       |
| 295 | Training and quality assurance with the structured clinical interview for DSM-IV (SCID-I/P). Psychiatry Research, 1998, 79, 163-173.   | 1.7  | 520       |
| 296 | Dependency and self-criticism in bipolar and unipolar depressed women. British Journal of Clinical Psychology, 1998, 37, 409-414.  | 1.7  | 46        |
| 297 | Risperidone vs. haloperidol on reaction time, manual dexterity, and motor learning in treatment-resistant schizophrenia patients. Biological Psychiatry, 1998, 44, 726-732.                | 0.7  | 86        |
| 298 | Skills Training Versus Psychosocial Occupational Therapy for Persons With Persistent Schizophrenia. American Journal of Psychiatry, 1998, 155, 1087-1091.                                  | 4.0  | 237       |
| 299 | Reviving Applied Family Intervention. Archives of General Psychiatry, 1998, 55, 1047.  | 13.8 | 4         |
| 300 | Sources of Diagnostic Uncertainty for Chronically Psychotic Cocaine Abusers. Psychiatric Services, 1998, 49, 684-690.  | 1.1  | 63        |
| 301 | Informed Consent: Assessment of Comprehension. American Journal of Psychiatry, 1998, 155, 1508-1511.   | 4.0  | 173       |
| 302 | Does risperidone improve verbal working memory in treatment-resistant schizophrenia?. American Journal of Psychiatry, 1997, 154, 799-804.  | 4.0  | 405       |
| 303 | Objection Overruled: A Comment on Gastwirth, Krieger, and Rosenbaum. American Statistician, 1997, 51, 117.   | 0.9  | 0         |
| 304 | Objection Overruled: A Comment on Gastwirth, Krieger, and Rosenbaum. American Statistician, 1997, 51, 117-119.   | 0.9  | 1         |
| 305 | Risperidone vs. Haloperidol in treatment resistant schizophrenia. Schizophrenia Research, 1997, 24, 193-194.   | 1.1  | 7         |
| 306 | Risperidone's effects on verbal working memory. Schizophrenia Research, 1997, 24, 214.   | 1.1  | 1         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 307 | Risperidone vs. haloperidol on reaction time and fine motor speed. Schizophrenia Research, 1997, 24, 215.  | 1.1  | 2         |
| 308 | Predictors of recidivistic violence in criminally insane and civilly committed psychiatric inpatients. International Journal of Law and Psychiatry, 1997, 20, 279-291.                                   | 0.5  | 13        |
| 309 | LETTERS TO THE EDITOR: COGNITIVE THERAPY FOR DEPRESSION IN THE ELDERLY. , 1997, 12, 131-132.   |      | 6         |
| 310 | Effects of Risperidone on Polydipsia in Chronic Schizophrenia Patients. Journal of Clinical Psychopharmacology, 1997, 17, 432-435.   | 0.7  | 10        |
| 311 | Age at illness onset and left temporal lobe length in males with schizophrenia. Psychiatry Research - Neuroimaging, 1996, 67, 189-201.   | 0.9  | 8         |
| 312 | Separation-individuation as a family transactional process in the transition to parenthood. Infant Mental Health Journal, 1996, 17, 24-42.   | 0.7  | 14        |
| 313 | Efficacy and effectiveness of psychotherapy: Two paradigms, one science.. American Psychologist, 1996, 51, 1084-1085.  | 3.8  | 21        |
| 314 | Expressed emotion and subclinical psychopathology observable within the transactions between schizophrenic patients and their family members.. Journal of Abnormal Psychology, 1995, 104, 259-267.       | 2.0  | 76        |
| 315 | Disability Income, Cocaine Use, and Repeated Hospitalization among Schizophrenic Cocaine Abusers – A Government-Sponsored Revolving Door?. New England Journal of Medicine, 1995, 333, 777-783.          | 13.9 | 198       |
| 316 | Immigrant Families Coping with Schizophrenia Behavioural Family Intervention <i>v.</i> Case Management with a Low-Income Spanish-Speaking Population. British Journal of Psychiatry, 1995, 167, 473-479. | 1.7  | 137       |
| 317 | Schizophrenic patients' perceptions of their relatives' attitudes. Psychiatry Research, 1995, 57, 155-167.   | 1.7  | 100       |
| 318 | Statistical guidelines for the Archives of PM&R. Archives of Physical Medicine and Rehabilitation, 1995, 76, 784-787.  | 0.5  | 9         |
| 319 | In vivo evaluation of brain iron in Alzheimer's disease and normal subjects using MRI. Biological Psychiatry, 1994, 35, 480-487.   | 0.7  | 129       |
| 320 | Dependency, self-criticism, and perceptions of socialization experiences.. Journal of Abnormal Psychology, 1994, 103, 669-675.   | 2.0  | 13        |
| 321 | Field dependent transverse relaxation rate increase may be a specific measure of tissue iron stores. Magnetic Resonance in Medicine, 1993, 29, 459-464.  | 1.9  | 159       |
| 322 | Reliability of in vivo volume measures of hippocampus and other brain structures using MRI. Magnetic Resonance Imaging, 1993, 11, 993-1006.  | 1.0  | 108       |
| 323 | Patients' Perceptions of Family Emotional Climate and Outcome in Schizophrenia. British Journal of Psychiatry, 1993, 162, 751-754.   | 1.7  | 53        |
| 324 | Prediction of response to haloperidol dose reduction by Span of Apprehension measures for treatment-refractory schizophrenic patients. American Journal of Psychiatry, 1993, 150, 1415-1416.             | 4.0  | 4         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 325 | Treatments of Depression and the Functional Capacity to Work. Archives of General Psychiatry, 1992, 49, 761.  | 13.8 | 517       |
| 326 | Developmental Processes in Schizophrenic Disorders: Longitudinal Studies of Vulnerability and Stress. Schizophrenia Bulletin, 1992, 18, 387-425.                                | 2.3  | 460       |
| 327 | Assessing Social Skill in Role-Play Scenes: Is Personal Relevance Relevant?. Behavioural Psychotherapy, 1992, 20, 141-145.  | 0.6  | 1         |
| 328 | Prodromal symptoms and signs of bipolar relapse: A report based on prospectively collected data. Psychiatry Research, 1992, 41, 1-8.  | 1.7  | 30        |
| 329 | Paths to Relapse: Possible Transactional Processes Connecting Patient Illness Onset, Expressed Emotion, and Psychotic Relapse. British Journal of Psychiatry, 1992, 161, 88-96. | 1.7  | 62        |
| 330 | T2 hyperintense foci on magnetic resonance images of schizophrenic patients and controls. Psychiatry Research - Neuroimaging, 1991, 40, 239-245.                                | 0.9  | 10        |
| 331 | Combined use of alcohol and nicotine gum. Addictive Behaviors, 1991, 16, 1-10.  | 1.7  | 8         |
| 332 | Plasma Levels of Fluphenazine in Patients Receiving Fluphenazine Decanoate Relationship to Clinical Response. British Journal of Psychiatry, 1991, 158, 658-665.                | 1.7  | 50        |
| 333 | Dr. Green and Associates Reply. American Journal of Psychiatry, 1991, 148, 546-547.   | 4.0  | 9         |
| 334 | Social Skills and Relapse History in Outpatient Schizophrenics. Psychiatry (New York), 1990, 53, 340-345.   | 0.3  | 45        |
| 335 | Evaluating the Capacity to Work of the Mentally Ill. Psychiatry (New York), 1990, 53, 31-43.  | 0.3  | 64        |
| 336 | The Initial Onset of Schizophrenia and Family Expressed Emotion. British Journal of Psychiatry, 1989, 154, 212-217.   | 1.7  | 29        |
| 337 | Expressed emotion and patient-relative interaction in families of recent onset schizophrenics.. Journal of Consulting and Clinical Psychology, 1989, 57, 11-18.                 | 1.6  | 154       |
| 338 | Adverse Effects of Fenfluramine in Treatment Refractory Schizophrenia. Journal of Clinical Psychopharmacology, 1989, 9, 110-115.  | 0.7  | 21        |
| 339 | Communication Deviance in Adolescence and Adulthood. Psychiatry (New York), 1987, 50, 5-13.   | 0.3  | 12        |
| 340 | Expressed Emotion and Relapse in First Episodes of Schizophrenia. British Journal of Psychiatry, 1987, 151, 314-320.  | 1.7  | 18        |
| 341 | Expressed Emotion and Schizophrenic Outcome among Mexican- American Families. Journal of Nervous and Mental Disease, 1987, 175, 143-151.  | 0.5  | 179       |
| 342 | TREATMENT OF DEPRESSION IN OLD AGE: WHAT WORKS?. , 1987, , 51-57.   |      | 0         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 343 | Fluphenazine plasma levels in patients receiving low and conventional doses of fluphenazine decanoate. <i>Psychopharmacology</i> , 1986, 88, 480-483.  | 1.5  | 30        |
| 344 | Social Competence and Family Environment: 15-Year Follow-Up of Disturbed Adolescents. <i>Family Process</i> , 1986, 25, 379-389.   | 1.4  | 19        |
| 345 | Moving targets: Patients' changing complaints during psychotherapy.. <i>Journal of Consulting and Clinical Psychology</i> , 1985, 53, 49-54.   | 1.6  | 29        |
| 346 | Orthostatic Effect of Imipramine and Doxepin in Depressed Geriatric Outpatients. <i>Journal of Clinical Psychopharmacology</i> , 1985, 5, 102-108.   | 0.7  | 36        |
| 347 | PSOP for Response to Imipramine and Doxepin. <i>Journal of Clinical Psychopharmacology</i> , 1985, 5, 58.  | 0.7  | 0         |
| 348 | Alcohol increases cigarette smoking: A laboratory demonstration. <i>Addictive Behaviors</i> , 1985, 10, 203-207.   | 1.7  | 103       |
| 349 | Sex Difference in Brain Atrophy During Aging. <i>Journal of the American Geriatrics Society</i> , 1983, 31, 187-189.   | 1.3  | 0         |
| 350 | Treating Geriatric Depression: A 26-week Interim Analysis. <i>Journal of the American Geriatrics Society</i> , 1982, 30, 713-717.  | 1.3  | 90        |
| 351 | Biofeedback treatment of narcotic addiction: A double-blind study. <i>Drug and Alcohol Dependence</i> , 1982, 9, 111-117.  | 1.6  | 9         |
| 352 | PSYCHOTHERAPY FOR OPIATE ADDICTION: SOME PRELIMINARY RESULTS. <i>Annals of the New York Academy of Sciences</i> , 1981, 362, 91-100.   | 1.8  | 15        |
| 353 | Measuring Outcome in Psychodynamic Psychotherapy. <i>Archives of General Psychiatry</i> , 1981, 38, 503.   | 13.8 | 37        |
| 354 | Psychotherapy with depressed elderly patients: Research considerations.. <i>Journal of Consulting and Clinical Psychology</i> , 1981, 49, 542-548.   | 1.6  | 30        |
| 355 | The Impact of the Interview Method on Reported Symptoms of Narcotic Addicts. <i>Substance Use and Misuse</i> , 1980, 15, 597-604.  | 0.6  | 6         |
| 356 | Lack of Toxicity of High Dose Propoxyphene Napsylate When Used for Maintenance Treatment of Addiction. <i>Clinical Toxicology</i> , 1980, 16, 473-478.   | 0.5  | 6         |
| 357 | The Impact of Vietnam Service on Heroin-Addicted Veterans. <i>American Journal of Drug and Alcohol Abuse</i> , 1979, 6, 39-52.   | 1.1  | 10        |
| 358 | Depression in Treated Narcotic Addicts, Ex-Addicts, Nonaddicts, and Suicide Attempters: Validation of a Very Brief Depression Scale. <i>American Journal of Drug and Alcohol Abuse</i> , 1979, 6, 385-396. | 1.1  | 11        |
| 359 | Measuring the outcomes of psychotherapy: Findings of the Penn Psychotherapy Project.. <i>Journal of Consulting and Clinical Psychology</i> , 1979, 47, 319-334.  | 1.6  | 109       |
| 360 | Are psychotherapeutic changes predictable? Comparison of a Chicago counseling center project with a Penn psychotherapy project.. <i>Journal of Consulting and Clinical Psychology</i> , 1979, 47, 469-473. | 1.6  | 28        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 361 | Biofeedback-mediated relaxation in narcotic addicts. Behavior Therapy, 1978, 9, 968-969.  | 1.3  | 6         |
| 362 | Drug Flashbacks. II. Some Additional Findings. Substance Use and Misuse, 1976, 11, 53-69.   | 0.6  | 19        |
| 363 | Herpes simplex virus and moods: A longitudinal study. Journal of Psychosomatic Research, 1976, 20, 543-548.   | 1.2  | 61        |
| 364 | Predicting the Outcome of Psychotherapy for Schizophrenics. Archives of General Psychiatry, 1976, 33, 1183.   | 13.8 | 22        |
| 365 | The concept "space" of transference for eight psychoanalysts. The British Journal of Medical Psychology, 1975, 48, 65-70.   | 0.6  | 10        |
| 366 | Double-Blind Detoxification of Methadone Maintenance Patients. Substance Use and Misuse, 1975, 10, 815-824.   | 0.6  | 7         |
| 367 | Clinical Experience with Naltrexone. American Journal of Drug and Alcohol Abuse, 1975, 2, 365-377.  | 1.1  | 72        |
| 368 | Rapid intake: A method for increasing retention rate of heroin addicts seeking methadone treatment. Comprehensive Psychiatry, 1975, 16, 165-169.                              | 1.5  | 28        |
| 369 | Diazepam Use by Patients in a Methadone Program " How Serious A Problem?. Journal of Psychedelic Drugs, 1975, 7, 373-379.   | 0.3  | 31        |
| 370 | Student Therapists' Assessment of Diagnostic Testing. Journal of Personality Assessment, 1974, 38, 203-214.   | 1.3  | 1         |
| 371 | Sexual Problems of Heroin Addicts. Archives of General Psychiatry, 1974, 31, 700.   | 13.8 | 60        |
| 372 | Patient's, therapist's and observers' views of psychotherapy: a "Rashomon" experience or a reasonable consensus?. The British Journal of Medical Psychology, 1973, 46, 83-89. | 0.6  | 46        |
| 373 | Intraclass Correlation as a Reliability Check on Nominal Data. Educational and Psychological Measurement, 1972, 32, 801-804.  | 1.2  | 0         |
| 374 | What is "success" in psychotherapy?. Journal of Abnormal Psychology, 1972, 80, 11-19.   | 2.0  | 78        |
| 375 | Dimensions of psychotherapy: A factor-analytic study of ratings of psychotherapy sessions.. Journal of Consulting and Clinical Psychology, 1971, 36, 106-120.                 | 1.6  | 75        |
| 376 | On rating empathy and other psychotherapy variables: An experience with the effects of training.. Journal of Consulting and Clinical Psychology, 1971, 36, 445-445.           | 1.6  | 5         |
| 377 | Segments versus whole sessions: Which is the better unit for psychotherapy process research?. Journal of Abnormal Psychology, 1971, 78, 180-191.                              | 2.0  | 46        |
| 378 | A Correlational Method for the Investigation of Systematic Trends in Serial Data. Educational and Psychological Measurement, 1970, 30, 575-578.                               | 1.2  | 3         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 379 | P-technique factor analysis in psychotherapy research: An illustration of a method.. Psychotherapy, 1970, 7, 13-18.                         | 0.7 | 9         |
| 380 | Survey of student therapists' attitudes toward psychodiagnostic reports.. Journal of Consulting and Clinical Psychology, 1968, 32, 500-500. | 1.6 | 16        |